- Agarwal, C.S. and Mishra, A.K. 1987. Visual interpretation of F.C.C. satellite Data for Channel migration and waterlogging conditions along Ghaghra and Terhi rivers in part of District Gonda and Bahraich, U.P. Journal of the Indian socity of Remote Sensing. Vol. 15. No.1. 19-28.
- Agarwal, R.R., Yadav, J.S.P. and Gupta, R.N. 1982. Saline and Alkali soils of India, ICAR, New Delhi.
- Altman, A., Kaur, Sawhney. R., Galston, A.W. 1977. Stabilization of oat leaf protoplasts through polyamine mediated inhibition of senescence. Plant physiol. 60. 570-574.
- Ambekar, V.W. 1986, Studies of waterlogging and soil salinity in Sharada Sahayak Command Area Development Project. Proc. Semin, 'Problems of waterlogging and Salinity in Alluvial Soils'. Water and Land Management Institute, Okhala, New Delhi.
- Armstrong, W. 1967. The Oxidising activity of roots in Waterlogged soils. Physiol. Plant. 20: 920-926.
- Arnon, D.I. 1949. Copper enzymes in isolated-choloroplasts.

 Polyphenol oxidase in <u>Beta vulgaris</u>. Plant. physiology.

 (Lancaster) 24: 1-15.
- Ayyangar, R.S., Nageshwara Rao, P.P. and Rao, K.K. 1980. Crop cover and crop phenological information from red and infrared spectral responses. Jour. Ind.Soc. Photo. Int. and Remote Sensing 8: 23-29.
- Bajpai, V.N. 1989. Surface and subsurface evidence of neotectonics and the Aquifer disposition in central Gangetic Alluvial terrain of Kanpur-Unnao region in Uttar Pradesh.

 India. Jour. I. Soc. of Remote sensing 17 (2) 47 54.

- Bapat, M.V. 1985. Problems of Waterlogging and salinity in the irrigated commands in Gujarat state with a case-study of Kakrapar project. Proc. of Symposium on Remote Sensing in Agriculture, Ahmedabad, February 27-28. 291-307.
- Belford, R.K., Cannell, R.R., Jhonson, R.J., and Dennis, C.W.

 1980. Effects of Waterlogging at different stages of devpt.

 on the growth and yield of peas. (Pisum sativum) J.Sci.

 Food. Agri. 31 (9):851-869.
- Bhagwat, K.A. 1989. Monitoring of crop Production in saline and sodic soils of Gujarat with the help of Remote Sensing.

 Final report of ISRO- Respond project. M.S.Univ. of Baroda Jan. 1989.
- Bhargava, G.P. and Abrol, I.P. Nature and Extent of Salinity and Waterlogging Problems in India.
- Biswas, B.C. and Mahapatra, I.C. 1980. Effect of moisture regimes, phosphatic fertilizers and weather on growth and yield of direct seeded rice. ORYZA. 16 (2) 99-106.
- Calla, O.P.N. 1988. Microwave Remote Sensing for Agricultural Applications. Proceedings of the Symposium on Remote Sensing in Agriculture. Ahmedabad. February. 27-28, 1985.
- Chavan, K.N., Chawan, A.S. and Kadrekar, S.B. 1984. Factor affecting salinity in coastal saline soils. Journal Maharashtra Agri. Univ. 9 237-239.
- Crawford, R.M.M. 1974. Tree-root survival under flooding, concrete, traffic and gas leakage. In Wright TWJ(ed.) Tree growth in the landscape Univ. London, London. 10-13.

1 - 1

- Curtis, J.T. 1959. The Vegetation of Wisconsin, Univ. Wisconsin Press, Madison.
- Davies, M.S and Hillman, G.C. 1988. Effects of soil flooding on growth and grain yield of populations of Tetraploid and Hexa ploid species of Wheat. Annals. of. Bot. 62: 597-605.
- De Benedicts, P.A. 1973. On the Correlation between certain diversity indices. Amer. Nature. 107 : 295-302.
- Dickman, M. 1968. Some indices of diversity. Ecology, 49. 1191-1193.
- Donald, C.M. and Hamblin, J. 1976. Biological yield and harvest index of cereals as agronomic and plant breeding criteria.

 Adv. Agron. 28: 361-405.
- Dutt, C.B.S., Rao, N.P.P., Manikiam, B., Gupta, B.K., Behra, G. and Ganesha Raj, K. 1986. Identification and mapping of wastelands at Microlevel using Remote Sensing technique. An approach ISRO, DOS, Bangalore. ISRO NNRMS TR 58 86.
- El. Beltagy, A.S. and Soliman, M.M. 1985. Effect of growth regulators on rates of recovery of waterlogged tomato plants. (Lycopersicon esculentum. Miv.). Egypt. J.Hortic 12(2) 155-172.
- Framji, K.K. 1974. International Commission on Irrigation and Drainage. Bull. 36-41.
- Gambrell, R.P. and Patrick, W.H. 1978. In Plant life in anaerobic environments. Eds. D.D. Hook and R.M.M. Crawford. Ann.Arbor. Michigan. : 375-423.
- Gautam, N.C and Chennaiah, Ch.G. 1985. Land-use and land-cover mapping change detcetion in Tripura using satellite LANDSAT data. International Journal of Remote Sensing 6: 517-528.

- George, Joseph. 1985. Electro optical sensors for Indian Programme, present and future, Proce US-INDO symp. cum workshop on Remote sensing fundamentals and applications, Ahmedabad. 11-20.
- Grable, A.R. 1966. Soil aeration and plant growth. Advances in Agronomy. 18 57-106.
- Greenway, H. 1963. Plant responses to saline substrate, III.

 Effect of nutrient concentration on the growth and ion uptake of Hordeum vulgare during sodium chloride stress.

 Aust. J.Biol. Sci., 16: 618-628.
- Gupta, S.K. 1984. Variations of watertable in Yamuna drainage basin of Haryana- Implications and management strategies.

 Proc. Nat. Symp. 'Strategies for Irrigation Development'.

 Patna, 38-48.
- Hari Krishna. 1985. Salinity and Waterlogging problems in irrigated commands of Arid and semi-Arid regions.

 International Seminar on Water Resources Projects University of Roorkee, India. 12-14 Dec. 1985. 56-60.
- Hasnain, S., and Sheikh, K.H. 1976. Effects of flooding and drainage on the growth of Capsicum annuum L. Biologia 22: 89-106.
- Heller, R.C. and Johnson., Kim A., 1979. Estimating irrigated by centre Pivot irrigated land acreage from Landsat imagery, Photogrammetric Engg. and Remote sensing, 45: 1379-1386.
- Hoagland, D.R. and Agron, D.I. 1950. The water method of growing plants without soil. Univ. Calif. College Agric. Exp. Station Cire., 347.

- Hodgson, A.S. and Macleod, D.A. 1987. Effects of foliar applied nitrogen ferfilizer on cotton waterlogged in a creacting cray clay. Aust. J.Agric. Res. 38 (4): 681-688.
- Hodgson, A.S and Macleod, D.A. 1988. Seasonal and soil fertility effects on the response of Waterlogged cotton to foliarapplied n fertilizer. Agron.J. 80 (2): 259-265.
- Hoehlar, T., Grothus, R., Schaub, H. and Egle, K. 1976. Influence of oxygen on dry matter production and daily changes of CO uptake: 2. Growth, net Photosynthesis, and transpiration of Amaranthus paniculatus and Zea mays grown in 4% oxygen as compared with normal air. Photosynthetica 10, 59-70.
- Hook, D.D., Brown, C.L. 1973. Root adaptations and relative flood tolerance of five hard wood species. For. Sci. 19: 225-229
- Hook, D.D. and Crawford, R.M.M. 1978. Plant life in anaerobic environments. Ann Arbor Sci. Ann Arbor Mich. ISBN. 0-250-40197-5.
- Hook, D.D. and Scholtens, J.R. 1978. Adaptations and flood tolerance of free species In 'Plant life in Anaerobic Environments'. (Eds.D.D. Hook and R.M.M Crawford.). 299-231 Ann. Arbor Science Publishers Inc. Michigan.
- Hurlbert, S.H. 1971. The non concept of species diversity. A critique and alternative parameters. Ecology. 52 . 577-586.
- Jain, J.K. 1961. Proc. Symp., 'Salinity Problems in the Arid Zone' UNESCO, Teheran.
- Johnson, M.P., Mason, L.G. and Raven, P.H. 1968. Ecological parameters and plant species diversity. Amer. Nature., 102: 297-306.

- Jones, R. 1973. Ibid. VII. The influence of Watertable fluctuations on iron and manganese availability in dune and slack soils. J.Ecol. 61: 107-16.
- Jones, R. 1975. Comparative studies of plant growth and distributions in relation to Water logging. VII. The uptake of phosphorus by dune and stack plants.
- J, Ecot. 63: 109-116.
- Jones, R. 1975. Comparative studies of plant growth and distribution in relation to waterlogging. IX. "The uptake of pottassium by dune and dune slack plants". J.Ecol. 63: 859-866.
- Kalubarme, M.H., Sahai, Baldev, and Bapat M.V. 1983. Remote Sensing of Waterlogged and salt-affected soil in the Mahi command Area. Proc. National symposium on Remote sensing in Development and Management of Water Resources, Ahmedabad, 182-190.
- 1985, Waterlogging and salinity in Fatewadi canal command area (Gujarat). A Remote Sensing case study. Proc.

 National Seminar on Remote Sensing of Water Resources,

 Indian Water Resources Society (IWRS), Ahmedabad, 2: 42-54.
- Karale, R.L., Seshagiri Rao, K.V., Venkatratnam, L. and Mallaswar T.V.ch. 1985. Visual and digital techiques of remote sensing for soil and landuse mapping. Proceedings of the Sixth Asian Conference on Remote Sensing held in Hyderabad. 21 to 26 November 1985, 61-67.

- Kauth, R.J. and Thomas, G.S. 1976. The taseled cap a graphic description of the spectral-temporal development of agricultural crops as seen by Landast. In proc. of symposium on machine processing of Remote Sensed Data, Purdue University, West Lafayette, IN, 4B 41-4B 51.
- Khera, K.L. and Singh, N.T. 1975. Fertilizer-aeration interaction in maize (<u>Zea mays.</u> L.). Under temporary flooding. J.Indian. Soc. soil.Sci. 23: 336-343.
- Kono, Yoshiro, Yamauchi, A., Nonoyama, T., Tatsumi, J. 1988.

 Comparison of growth responses to Waterlogging of summer cereals with special reference to rooting capacity. JPN.J.

 Crop.Sci 57 (2): 321-331.
- Krishnamoorthy, R., Anbazahagan, M. and Bhagwat, K.A. 1987. Effect of sodium chloride toxicity on chlorophyll breakdown in rice. Indian Journal of Agricultural Sciences 57: (8) 567-70.
- Kvet, J., Ondok, J.P., Necas, J. and Jarvis, P.G. 1971. Plant photosynthetic production, Manual of Methods Ed. Z.Sestak, J. Catskys, P.G. Jarvis, Dr. W. Junk N.V. Publishers, The Hague. (1971). 343.
- Lee, R.B. 1980. The effect of nitrite on root growth of barley

 (Hordeum valgare cultivar. Proctor.) and maize. (Zea mays

 cultivar Giant Horse tooth). New Phytol. 83 (3): 615-622.
- Levitt, J. 1980. Excess Water or Flooding stress. In Responses of plant to Environmental stresses. Volume.II. Water Radiation, salt and other stress. Academic press. New York. 213-228.

- Lillesand, M.T. and Kiefer, W.R. 1987. Remote sensing and Image interpretation. John Wiley & sons. Inc. N.Y, U.S.A.
- Mac Arthur, J.W. 1975. Environmental fluetuataions and species diversity in Ecology and Evolution of communities (ed)

 Martin L. cody and Jared M. Diamond Harvad University press cambridge.
- Mac Arthur, R.H. and Wilson, E.O. 1976. The theory of Island biogeography Princeton University Press, Princeton, New Jersey.
- Maclachlam, S. and Zalic, S. 1963. Plastid structure, chlorophyll concentration and free aminoacid composition of chlorophyll mutant of barley. Can. J. Bot 4: 1053-1062.
- Manchanda, M.L. and Hilwig. F.W. 1981. Visual interpretation of Computer transformed Landsat imagery for salt-affected areas of part of Haryana. Photonirvachak, Journal of the Indian Society for photointerpretation, 9-11.
- Mathur, S.K., Puntamakar. S.S. and Johri. J.N., 1982. Water management, soil salinity aspects in Rajathan canal command Area. Proc. Workshop. 'Problems of water and soil Management in Irrigation Commands.' All India Co-ordinated Project on water Management, CSSRI, Karnal.
- Mayer, W.S., Reicosky, D.C., Barrs H.D. and Smith, R.C.G. 1987.

 Physiological responses of cotton to a single Waterlogging at high and low nitrogen levels. Plant soil. 102 (2): 161-170.
- McNaughton, S.J. 1977. Diversity and stability of ecological communities. A comment on the role of empiricism in ecology.

 Amer. Nat. 111: 515-525.

- Mistry, J.F. and Purohit, M.V., 1982. Environmental impact of

 Ukai Kakrapar project, Gujarat State, Indian Journal of

 power and River Valley Devlopment. Vol. XXXII No.8.: 133
 150.
- Mothikumar, K.E. and Bhagwat, K.A. 1989. Delineation and Mapping of salt affected lands in Pariej village of Kheda district (Gujarat) by Remote Sensing. Photonirvachak (JISRS) 17: 25-30.
- Murthy, R.S., Venkataratnam, L. and Saxena, R.K. 1983.

 Application of remote sensing techniques for land evaluation and classification for agriculture.
- Musgrave, M.E. and Vanhay, M.A. 1989. A growth analysis of waterlogging damage in Mung bean (Phaseolus aureus). Can.

 J. of Botany. 67: 2391-2395.
- Myers, V.I. and Allen, W.A., Electro-optical 1968. Remote sensing methods as non destructive stesting and measuring techniques in agriculture, Appl. Opties, 7: 1818-1838.
- Nagaraja Rao, Y., Subbarao, Y.V., Sundara Sharma, K.S., Karale, R.L., Narula, K.K., Naveen Kalra. 1987. Spectral response of maize at different Growth stages. Journal of the Indian society of Remote Sensing 15 No.1. 41-47.
- Naik, S.D., Tamilarasan, V. and Baldev Sahai. 1978. Enhancement
 Techniques for snow mapping for orbital imagery, Symp.In
 Remote Sensing of snows in the Himalayas for effective Water
 Control Management for irrigation and power.Bhakra Beas
 Management Board.

- National Remote Sensing Agency, 1985-1986. Mapping of wasteland in India from satelliet imagery 1980-82, Project Report pp.40.
- NRSA. 1986. Manual of procedure for wasteland Mapping using remote sensing techniques. (Hyderabad: National Remote Sensing Agency, Department of Space, govt. of India).
- Nayak, Shailesh, Sahai Baldev, and Bapat M.V. 1987.

 Application of Lansat for mapping the coastal saline belt around the gulf of Khambhat Proceeding of National Symposium on Remote Sensing in land Transformation and Management Indian Soc. Remote Sens. at NRSA, Hyderabad 59 65.
 - Odum, E.P. 1971. Fundamentals of Ecology by Saunders company, Philadelphia and London. p.148-'49.
 - Oshima, R.J. & Benneff, J.P. 1979. Experimental design & analysis. In Handbook of Methodology for the assessment of Air pollution effects on vegetation ed. W.W.Heck, S.V.Krupa & S.N.Linzon, Air pollution contr. Assoc. Pittsburgh, Pa.
 - Paul, A.K. and Mukherji, S. 1977. Germination Behaviour and Metabolism of Rice seeds under waterlogged conditions, Z.Pflazenphysiol. Bd. 82 z; 117-124.
 - Philipson, J.J. and Coutts. M.P. 1978. The tolerance of tree roots to waterlogging. III. Oxygen transport in lodgepole pine and Sitka sprce of primary structure. New phytol. 80: 341-349.
 - Pielou, E.C.1969. An introduction to Mathematical Ecology. Wilay Interscience.

{ (*

- Ponnamperuma, F.N. 1972. The Chemistry of submerged soil. Adv. Agron 24: 29-96.
- Ponnamperuma, F.N. 1984. Effect of flooding on soils, In flooding and plant growth. ed. T.T. Kozlowski, Academic Press, London.9-45.
- Rao, K.V.G.K. and Singh O.P. 1990. Waterlogging and Salinity
 Problems The Management Alternatives. In Technologies
 for Waste land Development. Ed. by Abrol, I.P., Dhruva
 Narayana, K.V. Published by ICAR, New Delhi. 307-343.
- Rupniak, H.T., Paul, D. 1978. Inhibition of spermidine and spermine synthesis leads to growth arrest in rat embryo fibroblasts in Gl. J.Cell. Physiol. 94: 161-170.
- Ryland, D.W., Schemer, F.A., Moore, D.G and Lidster W.A., 1974.

 Evaluation of ERTS-1 and aircraft data for assessing international drainage in irrigated agriculture, Proc. 9th Int. Symp. on Remote Sensing of Environment, ERIM, pp.683-691.
- Sabins, Jr. F. 1978. Remote Sensing. Principles and Interpretation. W H Freeman & Co. California, U.S.A

 Saha, S.K., Kudrat, M. and Bhan, S.K. 1988. Evaluation of digitally enhanced Landsat TM data for wasteland mapping in part of Aligarh district. U.P. Proc. Nat. Symp. on Remote Sensing in Rural Development. Hisar. 109-144.
- Saha, S.K., Kudrat, M. and Bhan SK. 1990. Digital processing of Landsat TM data for wasteland mapping in pasts of Aligash District (Uttar Pradesh), India. Int.J. Remote Sensing, Vol.11 No.3, 485-492.

- Sahai, Baldev. 1984. Lecture notes on Image interpretation.

 Remote sensing application to Civil Engineers. Ahmedabad.
- Sahai, Baldev, Kaluberme, MH, Bapat M.V. and Jadav.K.L. 1982.

 Identification of water-logged and Salt-affected Soils through Remote Sensing Techniques, Proc, Jhird Asian Conference on Remote Sensing, Dhaka, Bangladesh, pp.Q-14.1 to Q 14.11.
- Sahai, Baldev, Kalubarme MH and Jadav K.L 1983 Ecological studies in Ukai-command area, Proc. NNRMS-National Natural Resources Management System seminar, Hyderabad, 64.
- Sahai, Baldev., Kalubarme, M.H., and Jadav K.L. 1985. Ecological studies in the Ukai Command area. Int. J. Remote sensing, 6, 401-409.
- Satterwhite. M.B. 1984. Discriminating Vegetation and soils using Landsat MSS and Thematic Mapper Bands and Band Ratios.

 Technical Papers, 50th Annual Meeting of the American Society of Photogrammetry Vol.2 479 85.
- Singh, C.P., S.N., Das and S.P. Gawande. 1988. Application of remotely sensed data for mapping and Management of waterlogged land of Etah Distt. U.P.Proc. Nati. Symp. Remote Sensing in Rural Dev. Nov 17-19 HAU, Hisar.
- Singh Room and B.P. Ghildyal 1980. Soil submergence effects on nutrient uptake, growth and yield of 5 corn cultivars.

 Agron.J. 72(5) 737-741.

- Sood, R.K. 1983. Lecture. XIII in Training course on orbital remote sensing for Gujarat government officials from July 18-30.
- Stanhill, G.V. Kalkofi, M. Kucbs and Kager 1972. The effect of fertilizer application of solar reflectance from wheat crop.

 Israel. J. Agri. Res. 22 109-119.
- Suh, H.D. Park, S.K. and Hwang, J.M. 1987. Effect of waterlogging on the growth of and yield of garlic Allium Sativum. L.)

 Res. Rep. Rural. Dev. Adm. (Suweon.) 29 (1) 38-50.
- Thiruvengadachari, S., 1981. Satellite Sensing of Irrigated pattern in semiarid areas- An Indian Study, Photogrammetric Engg. and Remote sensing. 47 1493-1499.
- Thomas, J.R., Wiegand C.L. and Myers, V.I. 1967. Reflectance of cotton leaves and its relation to yield. Agron. J.59, 551-554.
- Thompson, D.R., and Wehmahen, O.A. 1978. Proc. of Technical Sessions, The LACIE Symp. Johnson space Centre, Honston 1: 431.
- Tinney. L.P, Estes, J.E., Thaman, K.H., and Thaman, R.R., 1974.

 Operational use of satellite and high attitude remote sensing for the generation of input data for water demand models, Proc. 9th Int. Symp. on Remote Sensing on Environment ERIM. 739-757.
- Tinney L, Walls, Colwell R, and Estes, J., 1979. Application of Remote Sensing for California irrigated land assessment in Satellite Hydrology. Ed. M. Dentsch, D.R. Wesnet and A.Rango

- American Water Res. Ass. 689-693.
- Trought M.C.T & M.C.Drew. 1980. The development of waterlogging damage in young wheat. (Triticum aestivum cultivar Capelle Desprez) plants in anaerobic solution cultures. J.Exp. Bot. 31 (125): 1573-1586.
- Tucker, G.J. 1979. Red and Photographic infrared linear combinations for monitoring vegetation. Remote Sens. Environ, 8: 127-150.
- Tucker, C.J., Elgin. J.H. and McMustrly J.E. 1979. Temperal spectral measurement of corn and Soybean Crops. Photogrammetric Engineering and Remote Sensing 45: 643-653. Tyagi, N.K. 1982. Ann. Rep., CSSRI, Karnal.
- Venkataratnam, L. 1980. Use of remotely sensed data for soil mapping. Photonirvachak. Journal of the Indian Society of Photo-interpretation 8: 19-25.
- Venkataratnam, L. 1981. Delineation and mapping of problem soils with remotely sensed data. Paper presented at the Interactive Symposium and Work shop on Application of Remote Sensing for Rice Production held in Hyderabad, 10-12 November 1981.
- Venkataratnam, L. 1984. Mapping if Land/soil Degradation using multispectral Data. 8th Canadian Symposium on Remote sensing 609.
- Venkataratnam, L. 1988. TM data for mapping in "LANDSAT THEMATIC MAPPER DATA APPLICATIONS Illustrated Examples" NRSA: 12 to 16.

- Venkataratnam, L. and Rao. K.R., 1977. Computer Aided Classification and mapping of soils and soil Limitations using Landsat Multispectral Data. Proc. Symp. on Remote Sensing for Hydrology, Agriculture, and Mineral Resources SAC. Ahmedbad, India, 101-104.
- Vohra, B.B. 1988. Managing Indias land Resources a vital but neglected task. J. Soil. Water conserv. 32:148-153.
- Waldren, S. Davies. M.S. Ethering ton. J.R. 1987. Comparative studies of plant growth and distribution in relation to waterlogging XI. Growth of Geum rivale L. and Geum urbanum. L. and soil chemical condition in experimentally flooded soil. New Phytologist. 105: 551-62.
- West, D.W. and Taylor, J.A. 1980. The responses of <u>Phaseolus</u>

 <u>vulgaris</u> to root zone anaerobiosis, waterlogging and high
 sodium chloride. Ann. Bot. (Lon.)., 46:51-60.
- Whittaker, R.H. 1965. Dominance and diversity in land plant communities. Science 147 250-260.
- Whittaker, R.H. 1970. Communities and Ecosystems. Macmillan, New York.
- Whittaker, R.H. 1972. Evolution and measurement of species diversity Taxon, 21: 213-251.
- Willis, A.J. 1963. Braunton Burrows: The effects on the vegetation of the addition of mineral nutrients to dune soils. J.Ecol. 51: 353-74.