

L I S T O F T A B L E S

Sr. No.	Title	Page No.
1.	Evolution of some flavonoid characters in the angiosperms according to Harborne (1967, 1972).	11
2.	Different character states for angiosperm flavonoids (including anthocyanins) illustrating possible phylogenetic conditions and the difficulty of distinguishing between primitive and highly advanced types	12
3.	BIGNONIACEAE taxa screened and their arrangement in various schemes of classifications	25
4.	Earlier chemical work	35-38
	a. Flavonoids	35-38
	b. Quinones	39-40
	c. Iridoids and Alkaloids	41
	d. Steroidal saponins	42
5.	Distribution of flavonoids in the BIGNONIACEAE	52,53
6.	The Distribution of phenolic acids in Bignoniaceae	
	a. Bignoniaceae and Oxxyloaceae	61
	b. Tecomeae	62
	c. Jacarandaceae and Crescentiaceae	63
7.	Percentage of incidence of phenolic acids in the tribes Bignoniaceae, Oxxyloaceae, Tecomeae, Jacarandaceae and Crescentiaceae	64
8.	The distribution of Leucoanthocyanins, Alkaloids, Iridoids, Saponins, Tannins and various Quinones in members of Bignoniaceae	65,66

contd...

LIST OF TABLES (CONTD.)

Sr. No.	Title	Page No.
9.	Chemical characters of the genus <u>Veronica</u> (Scrophulariaceae), <u>Paulownia</u> (Family position uncertain) and <u>Catalpa</u> (Bignoniaceae).	72
10.	Proposed classification of the Bignoniaceae studied in the present work.	83
11.	VERBENACEAE, taxa screened and their arrangement in various schemes of classification .	96
12.	Earlier chemical work	98-102
13.	Distribution of flavonoids in the VERBENACEAE.	105,106
14.	The distribution of Phenolic acids, Leucoanthocyanins, Alkaloids, Iridoids, Saponins, Tannins and Quinones.	114,115
15.	Percentage of incidence of Phenolic acids in the Tribes Verbenaceae, Viticeae and Avicenniaceae.	116