REFERENCES

- **Abrantes S, Amaral E, Costa A P, Shatalov A A, Duarte A P (2007)** Hydrogen peroxide bleaching of Arundo donaxL. kraft-anthraquinone pulp Effect of a chelating stage. *Industrial Crops and Products*, 25(3): 288-293.
- **Adhi T P, Korus R A, Crawford D L (1989)** Production of major extracellular enzymes during lignocellulose degradation by two *Streptomycetes* in agitated submerged culture. *Applied Environmental Microbiology*, 55(5):1165–1168.
- **Adler A (1977)** Lignin chemistry-past, present and future. *Wood Science and Technology*, 11:169-218.
- **Ahlawat S, Battan B, Dhiman S S, Sharma J, Mandhan R P (2007)** Production of thermostable pectinase and xylanase for their potential application in bleaching of kraft pulp. *Journal of Indian Microbiology and Biotechnology*, 34: 763 -770.
- **Akhtar M, Blanchette R A, Myers G, Kirk T K (1998)** An overview of biomechanical pulping research In: Young R A, Akhtar M (ed), Environmental Friendly Technologies for the Pulp and Paper Industry: 309-340. Wiley, New York.
- Alcantara T, Go'mez J, Pazos M and Sanroma'n M A (2007) Enhanced production of laccase in *Coriolopsis rigida* grown on barley bran in flask or expanded-bed bioreactor. *World Journal of Microbiology* and *Biotechnology*, 23:1189–1194.
- **Ali M, Sreekrishnan T R (2001)** Aquatic toxicity from pulp and paper mill effluents: a review. *Advances in Environmental Research*, 5(2): 175–196.
- **Anagnost S E (1998)** Light microscopic diagnosis of wood decay. *IAWA Journal* 19(2): 141-167.
- Angayarknni J, Palaniswamy M, Pradeep BV, Swaminathan K (2006) Biochemical substitution of fungal xylanases for prebleaching of hardwood kraft pulp. *African Journal of Biotechnology*, 5(10):921–929.

- Anon (1985) Experimental methods in wood sciences (II) Japan Wood Research Society (ed), Chuuoh Sangyo Chosakai, Tokyo, Chapter 4.
- **Appita Standard Method** P2m-73 "Alkali extraction."
- **Argyropoulos D S, Menachem S B(1997)** Lignin. In: Eriksson K E L (ed), Advances in Biochemical Engineering Biotechnology, 57: 127- 158, Springer, Germany.
- **Arora D S, Sandhu D K (1985)** Laccase production and wood degradation by a white rot fungus *Daedalea flavida*. *Enzyme and Microbial Technology*, 7: 405–408.
- **Arora S D, Gill K P (2001)** Effects of various media and supplements on laccase production by some white rot fungi. *Bioresource Technology*, 77: 89-91.
- **Arppe M** (2001) Mechanical pulp: has it got a future or will it be discontinued? *Internationale Papierwirtschaft*, 10:45–50.
- **Asghar M, Asad M J, Legge R L (2006)** Enhanced lignin peroxidase synthesis by *Phanerochaete chrysosporium* in solid state bioprocessing of a lignocellulosic substrate. *World Journal of Microbiology and Biotechnology*, 22: 449-453.
- **Asgher M, Bhatti H N, Ashraf M, Legge RL (2008)** Recent developments in biodegradation of industrial pollutants by white rot fungi and their enzyme system. *Biodegradation*, 19:771-783.
- **Aslam S and Asgher M (2011)** partial purification and characterization of ligninolytic enzymes produced by *plerotus ostreatus* during solid state fermentation. *African Journal of Biotechnology*, 10 (77): 17875 17883.
- Assavanig A, Amornkitticharoen B, Ekpaisal N, Meevootisom V and Flegel T W (1992)

 Isolation, characterization and function of laccase from *Trichoderma*. Applied

 Microbiology and Biotechnology 38: 198-202.
- **ASTM** (1978) American Society for Testing Materials (ASTM) Standard method of accelerated laboratory test of natural decay resistance of woods, ASTM D-2017-71

- (Reapproved 1978), Annual Book of ASTM Standards, 1981, Part 22, Philadelphia, Pp. 639- 64.
- Atik C, Imamoglu S, Bermek H (2006) Impact of xylanase pretreatment on peroxide bleaching stage of biokraft pulp. *International Biodeterioration Biodegradation* 58: 22-26.
- Atri N S and Sharma S K (2012) Qualitative estimation of cellulose and lignin modifying enzymes in five wild fungal species collected from northen west India. *Academic Journal of Plant Sciences*, 5 (1): 23-27.
- **Aytar P, Şam M, Abuk A (2008)** Microbial desulphurization of Turkish lignites by white rot fungi. *Energy & Fuels*, 22(2): 1196-1199.
- Baborová P, Möder M, Baldrian P, Cajthamlová K and Cajthaml T (2006) Purification of a new manganese peroxidase of the white-rot fungus *Irpex lacteus* and degradation of polycyclic aromatic hydrocarbons by the enzyme. *Research in Microbiology*, 157(3): 248-253.
- **Bahar K** (2009) Pollution Prevention in the Pulp and Paper Industries. *International Journal of Environmental Management in Practice*, 1(6): 223-246.
- **Bailey M J, Biely P, Poutanen K (1992)**. Interlaboratory testing of methods for assay of xylanase activity. *Journal of Biotechnology*, 23(3): 257-270.
- **Bains R K, Rahi D K And Hoondal G S (2006)** Evaluation of wood degradation enzymes of some indigenous white rot fungi. *Journal of Mycology Plant Pathology*. 36: 161-164.
- **Bajpai P** (2004) Emerging technologies in sizing. PIRA International, UK. Pp.159.
- **Bajpai P** (2008) Chemical recovery in pulp and paper making. PIRA International, UK. Pp. 166.

- **Bajpai P** (2012) Biological treatment pulp and paper mill effluents. In Biotechnology for pulp and paper processing. Springer USA. Pp.211-261.
- **Bajpai P and Bajpai P K (1994)** Biological color removal of pulp and paper mill wastewater. *Journal of Biotechnology*, 33:211-220.
- **Bajpai P, Bajpai P K, Akhtar M** (2001) Biokraft pulping of *Eucalyptus* with selected lignin-degrading fungi. *Journal of Pulp and Paper Sciences*, 27(7):235–239.
- **Bajpai P, Bajpai P K, Akhtar M** (2003) *Eucalyptus* bio kraft pulping process. US Patent 6, 613,192.
- **Bajpai P, Mishra S P, Kumar S, Mishra O P and Bajpai P K** (2001) Biopulping of *Eucalyptus*. In: National Symposium on Lignocellulose Biotechnology, Present and future Prospects (Abs.), University of Delhi, New Delhi, Pp.48.
- Bakkiyaraj S, Aravindan R, Arrivukkarasan S, Viruthagiri T (2013) Enhanced laccase production by *Trametes hirusta* using wheat bran under submerged fermentation.

 International Journal of Chemical Technology Research, 5: 1224-1238.
- **Baldrian P** (2004) Increase of laccase activity during interspecific interactions of white-rot fungi. *FEMS Microbiology Ecology*, 50: 245–253.
- **Baldrian P** (2006) Fungal laccases-occurrence and properties. *FEMS Microbiology Reviews*, 30 (2):215-242.
- **Baldrian P, Gabriel J (2003)** Lignocellulose degradation by *Pleurotus ostreatus* in the presence of cadmium. *FEMS Microbiology Letters*, 220:235–240.
- **Baldrian P, Sanjdr J (2006)** Production of ligninolytic enzymes by litter decomposing fungi and their ability to decolorize synthetic dyes. *Enzyme and Microbial Technology*, 39(5): 1023-1029.

- Barbosa A M, Dekker R F H and St Hardy G E (1996) Vertryl alcohol as inducer of laccase by an ascomycete, *Botryosphaeria* sp., when screened on the polymeric dye poly R-478. *Letters in Applied Microbiology* 23: 93-96.
- **Bavendamm W** (1928) Uber dad vorkommen und den nachweisvon oxydasen bei holzstorenden pilzen. Z. Ptlkrankh. Schulz 38: 257-276.
- **Bektas I, Tutus A and Eroglu H (1999)** A Study of The Suitability of Calabrian Pine (*Pinus brutia* Ten.) For Pulp and Paper Manufacture. *Turkish Journal of Agriculture and Forestry*, 23: 589–597.
- **Bélager RR, Dufour N, Caron J, Benhamou N (1995)** Chronological events associated with the antagonistic properties of *Trichoderma harzianum* against *Botrytis cinerea*: indirect evidence for sequential role of antibiosis and parasitism. *Bioscience technology*, 5: 41-53.
- Beltz L A, Neira D, Axtell C, Iverson S, Deaton W, Waldschmidt T, Bumpus J, Johnston C (2001) Immunotoxicity of explosive-contaminated soil before and after bioremediation. Archives of Environmental Contamination and Toxicology, 40:311-317.
- **Benhamou N, Chet I (1996)** Parasitism of sclerotia of Sclerotium rolfsii by *Trichoderma harzianum*: ultrastructural and cytochemical aspects of the interaction. *Phytopathology* 86: 405–416.
- **Berlyn G P, Miksche J P (1976)** Botanical microtechnique and cytochemistry, The Iowa State University Press, Ames Iowa, 1976, pp. 326.
- Berrocal M M, Rodriguez J, Ball A S, Perez-Leblic M I, Arias M E (1997) Solubilisation and mineralization of 14C lignocellulose from wheat straw by *Streptomyces cyaneus* CECT 3335 during growth in solid-state fermentation. *Applied Microbiological Biotechnology*, 48:379-384.

- **Berry Richard M** (2009) Papricourse 2009 Lecture 6: Pulping overview. Pointe-Claire, Ouebec. FPInnovations Paprican.
- Bettin F, Montanari Q, Calloni R, Gaio T A, Silveira M M, Dillon A J P (2009)

 Production of laccases in submerged process by *Pleurotus sajorcaju* PS-2001 in relation to carbon and organic nitrogen sources, antifoams and Tween 80. *Journal of Indian Microbiology and Biotechnology*, 36:1-9.
- **Biely P (1985)** Microbial xylanolytic systems, *Trends in Biotechnology*, 3: 286-290.
- **Biely P** (1991) Biotechnological potential and production of xylanolytic systems free of cellulases. *ACS Symposium Ser*ies, 460: 408-416.
- **Biermann CJ** (1996a) Wood and fiber fundamentals. Handbook of Pulping and Papermaking. Academic, San Diego, USA. Pp. 13
- **Biermann CJ** (1996b) Pulping fundamentals. Handbook of Pulping and Papermaking.

 Academic, San Diego, USA. Pp. 55.
- **Biermann CJ (1996c)** Kraft spent liquor recovery. Handbook of Pulping and Papermaking. Academic, San Diego, USA. Pp. 101.
- Bisaria V S, Mishra S, Sahai J, Jain J K, Mathur R M (2003) Prebleaching of craft pulps with xylanase enzyme for paper manufacture. In: Roussos S, Soccol C R, Pandey A, Augur C (ed), New Horizons of Biotechnology: 123-132. Springer Netherlands, Netherland.
- **Blanchette R A (1995)** Degradation of the lignocellulose complex in wood. *Canadian Journal of Botany*, 3: 999-1010.
- **Blanchette R A (1986)** A discussion of micro structural changes in wood during decomposition by white rot basidiomycetes. *Canadian Journal of Botany*, 64: 905-911.

- **Blanchette RA** (1984) Selective delignification of easten hemlock by *Ganoderma tugae*.

 Phyptopathology, 74: 153-160.
- **Blanchette RA (1991)** Delignification by wood-decay fungi. *Annual Review of Phytopathology*, 29:381–98.
- Blanchette RA and Hoffmann P (1994) Degradation processes in waterlogged archaeological wood. In: Hoffmann P (ed), Proceedings of the 5th ICOM Group on Wet Organic Archaeological Materials Conference: 111-142. International Council of Museums, Bremerhaven, Germany.
- **Boddireddy S, Singara M** (2011) Isolation cellulase-free xylanase producing fungi, *African Journal Of Biotechnology*, 10(22): 4624-4630.
- **Boddy L** (2000) Interspecific combative interactions between wood-decaying basidiomycetes. *FEMS Microbiology Ecology*, 31: 185–194.
- **Boerjan W, Ralph J, Baucher M (2003)** Lignin Biosynthesis. *Annual Review of Plant pathology*, 54: 519-546.
- **Boerjan W, Ralph J, Baucher M (2003)** Lignin biosynthesis. *Annual Review of Plant Biology*, 54: 519-546.
- **Boudet A M (2000)** Lignins and lignification: selected issues. *Plant Physiology and Biochemistry*, 38: 81-96.
- **Breen A, Singleton FL** (1999) Fungi in lignocellulose and biopulping. *Current Opinion in Biotechnology*, 10(3):252–258.
- **Brunow G (2001)** Methods to reveal the structure of lignin. In: Steinbüchel A, Hofrichter M, Steinbüchel A (ed), Lignin Biopolymers, 1: 89-116. Wiley-VCH, Germany.
- Cabuk A, Ünal A T, Kolankaya N (2006) Biodegradation of cyanide by a white rot fungus,

 *Trametes versicolor. Biotechnology Letters, 28(16): 1313-1317.

- Cajthaml T, Erbanova P, Kollmann A, Novotny C, Sasek V, Mougin C (2008)

 Degradation of PAHs by Ligninolytic Enzymes of *Irpex lacteus*. *Folia Microbiologia*, 53(4): 289-294.
- Camarero S, Galletti GC, Martinez AT (1994) Preferential degradation of phenolic lignin units by two white rot fungi. *Applied and Environmental Microbiology*, 60:4509-4516.
- Cameron M D, Timofeevski S, Aust S D (2000) Enzymology of *Phanerochaete* chrysosporium with respect to the degradation of recalcitrant compounds and xenobiotics. Applied Microbiology and Biotechnology, 54(6): 751-758.
- Cappelletto P, Mongardini F, Barberi B, Sannibale M, Brizzi M and Pignatelli V (2000)

 Papermaking pulps from the fibrous fraction of *Miscanthus* × *giganteus*. *Industrial*Crops and Products, 11: 205–210.
- Casimir S J, Davis S, Fiechter A, Gysin B, Murray E, Perrolaz J J, Zimmermann W S

 (1996) Pulp bleaching with thermostable xylanase of *Thermomonospora fusca*. US

 Patent.
- Castillo M P, StenstrÖm J and Ander P (1994) Determination of manganese peroxidase activity with 3-methyl-2-benzothiazolione hydrazone and 3-(dimethylamino) benzoic acid. *Analytical biochemistry* 218: 399-404.
- **Cheong S, Yeo S, Song H G, Choi H (2006)** Determination of laccase gene expression during degradation of 2,4,6-trinitrotoluene and its catabolic intermediates in *Trametes versicolor.Microbiological Research*, 161: 316-320.
- Cheremisinoff N P, Rosenfeld P E (1998) The best practices in the wood and paper industries, Elsevier, Burlington, USA.

- Chi Y, Hatakka A, Maijala P (2007) Can co-culturing of two white-rot fungi increase lignin degradation and the production of lignin-degrading enzymes. *International Biodeterioration Biodegradation*, 59: 32–39.
- Chirat C, Nyangiro D, Struga B, Lachenal D (2005) The use of ozone on high kappa softwood and hardwood kraft pulps to improve pulp yield: 74 80, IPBC, Stockholm, Sweden.
- Claus H (2004) Laccases: Structure, reactions, distribution. *Micron*, 35(1-2):93-6.
- **Collins T, Gerday C, Feller G (2005)** Xylanase, xylanase families and extremophilic xylanases. *FEMS Microbiology Reviews*, 29: 3-23.
- Cook R J and Baker K F (1983) The nature and practice of biological control of plant pathogens. American phytopathology society, St.Paul, MN. Pp. 539.
- Cook R J, and Baker K F (1983) The Nature and Practice of Biological Control of Plant Pathogens. American Phytopathological Society, Saint Paul, Minnesota, USA. Pp 539.
- Couto S R, Herrera J L T (2006) Industrial and biotechnological applications of laccases:

 A review. *Biotechnology Advances*, 24: 500-513.
- Crawford D L, Crawford R L, Pometto I I I A L (1977) Preparation of specifically labeled 14C-(lignin)- and 14C-(cellulose)-lignocelluloses and their decomposition by the microflora of soil. *Applied Environental Microbiology*, 33:1247-1251.
- Crawford D L, Pometto III A L, Crawford R L (1983) Lignin degradation by Streptomyces viridosporus: isolation and characterization of a new polymeric lignin degradation intermediate. Applied and Environmental Microbiology, 45: 1539-1554.
- Crawford D L, Sutherland J B (1980) Isolation and characterization of lignocellulosedecomposing actinomycetes. In: Kirk T K, Higuchi T, Chang H M (ed), Lignin

- Biodegradation: Microbiology, Chemistry and Applications, 2: 95-101, CRC Press, USA.
- **Cullen D** (1997) Recent advances on the molecular genetics of ligninolytic fungi. *Journal of Biotechnology*, 53:273–289.
- **Damiano V B, Bocchini D A, Gomes E, and Da Silva R.** (2003) Applications of crude xylanase from *Bacillus licheniformis* 77-2 to the bleaching of *Eucalyptus* kraft pulp. *World Journal of Microbiologyand Biotechnology*, 19: 139-144.
- Daniel G F, Nilsson T (1998) Developments in the study of soft rot and bacterial decay. In:
 Bruce A and Palfreyman J W (ed) Forest Products Biotechnology: 326. Taylor and Francis, London.
- **Dashtban M, Schraft H, Qin W** (2009) Fungal bioconversion of lignocellulosic residues; opportunities and perspectives. *International journal of Biological Sciences*, 5: 578–595.
- **De Jong E D, Field J A, De Bond J A M (1994)** Aryl alcohol in physiology of ligninolytic fungi. *FEMS Microbiology Reviews*, 13: 153-188.
- **Dekker R F H and Barbosa A M (2001)** The effects of aeration and veratryl alcohol on the production of two laccases by the ascomycete *Botryosphaeria* sp. *Enzyme and Microbial Technology*, 28: 81–88.
- Dence C W, Reeves D W (1996) Pulp Bleaching: Principles and Practice. (eds), Tappi Press, Atlanta GA, USA.
- Deniz I, Kirci H and Ates S (2004) Optimization of Wheat Straw (*Tiriticum durum*) Kraft Pulping. *Industrial Crops and Products*, 19: 237-243.
- Dercova K, Kyselova Z, Barancikova G, Sejakova Z, Malova A (2003) Biodegradation and bioremediation of pentachlorophenol (PCP). *Chemické Listy*, 97: 991-1002.

- **Dhiman S S, Garg G, Mahajan R, Garg N and Sharma J (2009)** 'Single lay out' and 'mixed lay out' enzymatic processes for biobleaching of kraft pulp. *Bioresource Technology*, 100: 4736-4741.
- **Dias A, Bezerra R, Lemos P, Pereira A (2003)** *In vivo* and laccase characterization of xenobiotic azo dyes by basidiomycetous fungus: characterization of its lignolytic system. *World Journal of Microbiology and Biotechnology*, 19: 969-975.
- **Dutt D and Tyagi C H (2011)** Comparison of various *Eucalyptus* species for their morphological, chemical, pulp and paper making characteristics. *Indian Journal of Chemical Technology*, 18: 145–151.
- Eaton R A and Hale M D (1993) Wood decay, pests and protection Chapman and Hall, London, New York. Pp. 546.
- Eaton R A and Hale M D (1993) Wood decay, pests and protection. Chapman and Hall, London, New York. Pp. 546.
- **Elisashvili V and E Kachlishvili (2009)** Physiological regulation of laccase and manganese peroxidase production by white-rot Basidiomycetes. Review. *Journal of Biotechnology*, 144: 37–42.
- Elisashvili V I, Glonti N M, Kachlishvili E T, Kiknadze M O, Tusishvili K H A (1992)

 Screening of higher basidiomycetes- protein and enzyme producers. *Applied Biochemistry and Microbiology*, 28:362–366.
- Elisashvili V, M Penninckx, E Kachlishvili, N Tsiklauri, E Metreveli, T Khardziani, and G Kvesitadze (2008) Lentinus edodes and Pleurotus species lignocellulolytic enzymes activity in submerged and solid-state fermentation of lignocellulosic wastes of different composition. Bioresources Technology, 99: 457–462.
- Elisashvili V, Penninckx M, Kachlishvili E, Asatiani M, Kvesitadze G (2006) Use of Pleurotus dryinus for lignocellulolytic enzymes production in submerged

- fermentation of mandarin peels and tree leaves. *Enzyme and Microbial Technology*, 38:998–1004.
- Elisashvili V, Penninckx M, Kachlishvili E, Tsiklauri N, Metreveli E, Khardziani T (2008) Lentinus edodes and Pleurotus species lignocellulolytic enzymes activity in submerged and solid-state fermentation of lignocellulosic wastes of different composition. Bioresources and Technology 99:457–462.
- Elissetche J P, Ferraz A, Freer J, Rodriguez J (2007) Enzymes produced by *Ganoderma* australe growing on wood and in submerged cultures. World Journal of Microbiology and Biotechnology, 23: 429–434.
- Ergul F E, Sargin S, Ongen G, Sukan F V (2009) Dephenolisation of olive mill wastewater using adapted *Trametes versicolor*. *International Biodeterioration and Biodegradation*, 63: 1-6.
- Eriksson K E L, Blanchette R A, Ander P (1990) Microbial and Enzymatic Degradation of Wood and Wood Components, Springer-Verlag, Berlin, Germany. Pp. 407.
- **Eroglu H, Usta M and Kirci H (1992)** A review of oxygen pulping of some nonwood plants growing in Turkey. TAPPI Pulping Conference, November 1-5, Boston, USA, Pp. 215-222.
- **Evans C S, Hedger J N (2001)** Degradation of plant cell wall polymers: 1-20. In: Fungi in Bioremediation, (ed), Gadd G M, CambridgeUniversity Press, UK.
- **Farnet A M, Tagger S and Petit J (1999)** Effects of copper and aromatic inducers on the laccases of the white-rot fungus *Marasmius quercophilus*. *Life Sciences*, 322: 499-503.
- **Fergus B J, Goring D A I (1970a)** The location of guaiacyl and syringyl lignins in birch xylem tissue. *Holzforschung*, 24: 111-117.

- **Fergus, B J, Goring D A I (1970b)**. The distribution of lignin in birch wood as determined by ultraviolate microscopy. *Holzforschung*, 24, 118-124.
- Fernandes L, Loguercio-Leite C, Esposito E, Reis M M (2005) In vitro wood decay of Eucalyptus grandis by the basidiomycetes fungus Phellinus flavomarginatus. International Biodeterioration Biodegradation, 55: 187-193.
- **Ferraz A, Córdova A M, and Machuca A (2003)** Wood biodegradation and enzyme production by *Ceriporiopsis subverispora* during solid-state fermentation of *Eucalyptus grandis. Enzyme and Microbial Technology*. 32: 59-65.
- Ferraz A, Guerra A, Mendonca R, Vicentim M P, Aguiar A, Masarin F, Seabra G G, Pavan PC (2007) Mill evaluation of wood chips bio treated on a 50 ton biopulping pilot plant and advances on understanding biopulping mechanisms. In: Tenth international congress on biotechnology in the pulp and paper industry, June 10–15, United States Book of abstracts, Madison, WI, USA. Pp. 23–24.
- Ferreira-Gregorio AP, DaSilva IR, Sedarati MR, Hedger JN (2006) Changes in production of lignin degrading enzymes during interactions between mycelia of the tropical decomposer basidiomycetes *Marasmiellus troyanus* and *Marasmius pallescens*. *Mycological research*, 110:161–8.
- **Flannigan B, Gilmour EMJ (1980)** A simple plate tests for xylanolytic activity in woodrotting basidiomycetes. *Mycologia*, 72(6):1219-1221.
- **Furukawa K (2003)** 'Super bugs' for bioremediation. *Trends in Biotechnology*, 21(5): 187-190.
- Galhaup C, Wagner H, Hinterstoisser B, Haltrich D (2002) Increased production of laccase by the wood-degrading basidiomycetes *Trametes pubescens*. *Enzyme and Microbial Technology*, 30: 529–536.

- Garmaroody E R, Resalati H, Fardim P, Hosseini S Z, Rahnama K, Saraeeyan A R,

 Mirshokraee S A(2011) The effects of fungi pre-treatment of poplar chips on the

 kraft fiber properties. *Bio resources Technology*, 102(5):4165–4170.
- Garzillo A M V, Colao M C, Caruso C, Caporale C, Celletti D and Buonocore V (1998)

 Laccase from the white-rot fungus *Trametes trogii*. *Microbial Biotechnology* 49: 545-551.
- **Ghani A** (2013) Lignin biodegradation by *Thermomyces lanuginosus*EFB2 and *Aspergillus* flavusEFB4 Co-culture and pure culture in solid state fermentation. Master's Thesis. Faculty of Biosciences and Medical Engineering, UniversitiTeknologi, Malaysia.
- **Gierer J, Reitberger T, Yang E and Yoon B (2001)** Formation and involvement of radicals in oxygen delignification studied by the auto oxidation of lignin and carbohydrate model compounds. *Journal of wood Chemistry and Technology*, 21(4): 313-341.
- **Glenn J K, Akileswaran L, Gold M H (1986)** Mn (II) oxidation is the principal function of the extra cellular Mn Peroxidase from *Phanerochaete chrysosporium*. *Archives of Biochemistry and Biophysics*, 251: 688-696.
- Godden B, Ball A S, Helvenstein P, Mc Carthy A J, Penninckx M J (1992) Towards elucidation of the lignin degradation pathway in actinomycetes. *Journal of General Microbiology*, 138: 2441-2448.
- Gold M H, Youngs H L, Gelpke M D (2000) Manganese peroxidase. *Metal Ions in biological systems*, 37:559-586.
- Gomes J, Gomes I, Kreiner W, Esterbauer H, Sinner M, Steiner W (1993) Production of high level of cellulose-free and thermostable xylanase by a wild strain of *Thermomyces lanuginosus* using beech wood xylan. *Journal of Biotechnology*, 30: 283-297.

- **Goncovales M** (1996) Isolation, purification and characterisation of *Polyporus* laccase. PhD Thesis, Institute of Biotechnology, Graz University of Technology, Austria.
- Goodell B, Jellison J, Liu J, Daniel G, Paszczynski A, Fekete F, Krishnamurthy S, Jun L, Xu G (1997) Low molecular weight chelators and phenolic compounds isolated from wood decay fungi and their role in the fungal biodegradation of wood. *Journal of Biotechnology*, 53:133–162.
- Grönqvist S, Buchert J, Rantanen K, Viikari L, Suurnäkki A (2003) Activity of laccase on unbleached and bleached thermomechanical pulp. *Enzyme and Microbial Technology*, 32(3-4), 439-445.
- Guillen F, Martinez A T and Martinez M J (1990) Production of hydrogen peroxide by aryl alcohol oxidase from the ligninolytic fungus *Pleurotus eryngii*. *Applied Microbiology and Biotechnology* 32: 465-469.
- Guillén F, Martínez MJ, Muñoz C, Martínez AT (1997) Quinone redox cycling in the ligninolytic fungus *Pleurotus eryngii* leading to extracellular production of superoxide anion radical. *Archives of Biochemistry and Biophysics*, 339:190-199.
- **Gullichsen J** (2000) Fiber line operations. In: Gullichsen J, Fogelholm C J (ed), Chemical pulping papermaking science and technology. Book 6 A: 19. Helsinki, Finland.
- Gullichsen J, Fogelholm C J (2000) Papermaking Science and Technology. Book 6A:

 Chemical Pulping. Fapet Oy, Helsinki.
- Gutiérrez A, Caramelo L, Prieto A, Martínez MJ, Martínez AT (1994) Anisaldehyde production and aryl-alcohol oxidase and dehydrogenase activities in ligninolytic fungi of the genus *Pleurotus*. *Applied and Environmental Microbiology*, 60:1783-1788.
- Gutiérrez A, Del Río J C, Martínez M J, Martínez AT(1999). Fungal degradation of lipophilic extractives in *Eucalyptus globules* wood. Applied *and Environmental Microbiology*. 65: 1367-1371.

- **Gutierrez-Correa M, Tengerdy R P (1997)** Production of cellulose on sugar cane bagasse by fungal mixed culture solid substrate fermentation. *Biotechnology Letters*, 19:665–667.
- Hahn-Hagerdal B, Galbe M, Gorwa-Grauslund M F, Liden G, and Zacchi G (2006) Bio ethanol The fuel of tomorrow from the residues of today. *Trends in Biotechnology*, 24: 549-556.
- **Hakala T K** (2007) Characterization of the lignin modifying enzymes of the selective whiterot fungus *Physisporinus rivulosus*. Master thesis in Department of Applied Chemistry and Microbiology, University of Helsinki, Finland.
- Haq I L, Javed M M, Khan T S (2006) An innovative approach for hyper production of cellulolytic and hemi cellulolytic enzymes by consortium of *Aspergillus niger* MSK-7 and *Trichoderma viride* MSK-10. *African Journal of Biotechnology*, 5 (8): 609–614.
- Harbak L, Thygesen H V (2002) Safety evaluation of a xylanase expressed in *Bacillus* subtilis. Food and Chemical Toxicology, 40: 1-8.
- **Harman G E (2006)** Overview of mechanisms and uses of *Trichoderma* spp.

 Phytopathology, 96:190-194.
- Harris P J, Stone B A (2008) Chemistry and molecular organization of plant cell walls. In:
 Himmel M E (ed), Biomass recalcitrance: deconstruction the plant cell wall for bioenergy: 61–93,Blackwell Publishing, UK.
- Harting R (1878) Ddie Zersetzungserscheinungen des Holzes der Nadelholzbaume und der Eiche in forstlicher, botanischer und chemischer Richtung. Springer-Verlag, Berlin Heidelberg New York.
- Hatakka A (2001) Biodegradation of Lignin. In: Hofrichter M, Steinbuchel A (ed), Lignin Biopolymers Humic Substances and Coal. 1: 129-180, Wiley-VCH, Weinheim, Germany.

- **Hatakka A I (1983)** Pretreatment of wheat straw by white-rot fungi for enzymic saccharification of cellulose. *Applied Microbiology and Biotechnology*, 18: 350–357.
- He R Y, Liu X F, Yan Z Y, Yuan Y X, Liao Y Z, Li X D (2010) Enhancement of laccase activity by combining white rot fungal strains. *Huan Jing Ke Xue*, 31(2):465-71.
- **Highley T L (1988)** Cellulolytic activity on brown-rot and white-rot fungi on solid media. *Holzforschung*, 42: 211-216.
- **Highley T L (1997)** Control of wood decay by *Trichoderma (Gliocladium) virens I*.

 Antagonistic properties. *Material u. Organismen*, 31: 79–89.
- **Highley T L, Ricard J (1988)** Antagonism of *Trichoderma* spp. And *Gliocladium virens* against wood decay fungi. *Material und Organismen*, 23: 157-169.
- **Higuchi T** (2006) Monolignol biosynthesis and genetic engineering of lignin in trees, a review. *Environmental Chemistry Letters*, 4: 143-146.
- Hofrichter M, Vares T, Kalsi M, Galkin S, Scheibner K, Fritsche W, Hatakka A (1999)

 Production of manganese peroxidase and organic acids and mineralization of 14C-labelled lignin (14C-DHP) during solid-state fermentation of wheat straw with the white rot fungus *Nematoloma frowardii*. *Applied and Environmental Microbiology*, 65: 1864-1870.
- Hon DNS, Shiraishi N (2001) Wood and cellulosic chemistry. 2nd (ed), New York. Pp. 914.
- Hong Y, Dashtban M, Chen S, Song R, Qin W (2012) Enzyme Production and Lignin Degradation by Four Basidiomycetous Fungi in Submerged Fermentation of Peat Containing Medium. *Interrnational Journal of Biology*, 4 (1): 172-180.
- **Hossain M S and Anantharaman N (2006)** Activity Enhancement of Ligninolytic Enzyme of *Trametes versicolor* with Bagasse Powder. *African Journal of Biotechnology*, 5: 189-194.

- Hou H, Zhou J, Wang J, Du C, Yan B (2004) Enhancement of laccase production by Pleurotus ostratus and its use for the decolorization of anthraquinone dye. Process Biochemistry, 39: 1415-1419.
- **Howell C** (2003) Mechanisms employed by *Trichoderma* species in the biological control of plant diseases: the history and evolutions of current concepts. *Plant Disease*, 87(1): 4-10.
- Hunt A, Wanderley M, Paradis M (2002) The importance of parameter mapping in electronic instrument design. In: Proceedings of the conference on new interfaces for musical expression (NIME02), Dublin.
- Hwang S S, Lee S J, Kim H K, Ka J O, Kim K J, Song H G (2008) Biodegradation and saccharification of wood chips of *Pinus strobus* and *Liriodendron tulipifera* by white rot fungi. *Journal of microbiology and biotechnology*. 18(11): 1819-1825.
- **Iakovlev A, Stenlid J (2000)** Spatiotemporal patterns of laccase activity in interacting mycelia of wood-decaying basidiomycete fungi. *Microbial ecology*, 39: 236–245.
- Inbar J, Menende A, Chet I (1996) Hyphal interaction between *Trichoderma harzianum* and *Sclerotinia sclerotiorum* and its role in biological control. *Soil Biology and Biochemistry*, 29:757-763.
- **Iqbal H M N, Asgher M and Bhatti H N (2011)** Optimization of physical and nutritional factors for synthesis of lignin degrading enzymes by novel strain of *Trametes versicolor*. *Bio resources*, *Technology*, 6 (2) 1273-1287.
- Janusz G, Rogalski J and Szczodrak J (2007) Increased production of laccase by Cerrena unicolar in submerged liquid cultures. World journal of Microbiology and Biiotechnology. 23 (10): 1459-1464.
- **Johansson** A (2009) Correlations between fiber properties and paper properties. Master thesis in pulp and technology.
- Johansen D A (1940) Plant Micro technique. Mc Graw Hill, New York. Pp. 523.

- **Kachlishvili E, Penninckx M J, Tsiklauri N, Eliashvili V (2006)** Effect of nitrogen source on ligno-cellulolytic enzyme production by white-rot basidiomycetes under solid-state cultivation. *World Journal of Microbiology & Biotechnology*, 22: 391-397.
- Kadowaki M K, Souza C G M, Simão R C G, Peralta R M (1997) Xylanase production by Aspergillus tamarii. Applied Biochemistry Biotechnology, 66: 97-106.
- **Kamble R D. Jadhav A R (2010)** Isolation, identification and screening of potential cellulase free xylanase producing fungi and its production. *African Journal of Biotechnology*,11 (77): 14175-14181.
- Kanmani P, Karuppasamy P, Pothiraj C, Venkatesan A (2009) Studies on lignocellulose biodegradation of coir waste in solid state fermentation using *Phanerocheate chrysosporium* and *Rhizopus stolonifer*. *African Journal of Biotechnology*. 8 (24): 6880-6887.
- **Kantelinen A, Hortlinc B, Sundquist J, Linko M, Viikari L (1993)** Proposed mechanism of the enzymatic bleaching of kraft pulp with xylanases. *Holzforschung*, 47(4): 318-324.
- **Kanwal H K and Reddy M S (2011)** Effect of carbon, nitrogen sources and inducers on ligninolytic enzyme production by *Morchella crassipes*. *World journal of Microbiology and Biotechnology*, 27: 687-691.
- Kapich A N, Prior B A, Botha A, Galkin S, Lundell T, Hatakka A (2004) Effect of lignocellulose containing substrate on production of ligninolytic peroxidases in submerged cultures of *Phanerochaete chrysosporium* ME- 446. *Enzyme and Microbial Technology*, 34:187-195.
- **Kargi F, Eker S** (2004) Toxicity and batch biodegradation kinetics of 2,4-dichlorophenol by pure *Pseudomonas putida* culture. *Enzyme and Microbial Technology*, 35(5): 424-428.

- **Kay S J, Stewart A (1994)** Evaluation of fungal antagonists for control of onion white rot in soil box trials. *Plant Pathology*, 43: 371-377.
- **Keller FA, Hamilton J E, Nguyen QA (2003)** Microbial pretreatment of biomass potential for reducing severity of thermo-chemical biomass pretreatment. *Applied Biochemistry and Biotechnology*, 105:27–41.
- **Khan AW, Tremblay D, LeDuy A (1986).** Assay of xylanase and xylosidase activities in bacterial and fungal cultures. *Enzyme Microbial Technology*, 8(6): 373-377.
- **Kiiskinen L L, Ratto M, Kruus K** (2004) Screening for novel laccase -producing microbes. *Journal of Applied Microbiology*, 97 (3):640-646.
- **Kiran A, Ali S, Asgher M, Anwar F** (2012) Comparative study on decolorization of reactive dye 222 by white rot fungi *Pleurotus ostreatus*IBL-02 and *Phanerochaete chrysosporium*IBL-03. *African journal of Microbiology Research*, 6(15):3639-3650.
- Kirci H (2006) Pulping Industry. Trabzon: KTU Faculty of Forest Press.
- **Kirk T K and Cullen D (1998)** Enzymology and molecular genetics of wood degradation by wood degrading fungi. In: Young R A and Akhtar M (ed), Environmentally Friendly Technologies for the Pulp and Paper Industry: 273-307. John Wiley & Sons, New York, USA.
- **Kleemann F** (2007) Interaktionen zwischen *Coprinopsis cinerea* und anderen Mikroorganismen: Effekte auf die Laccaseproduktion. Master thesis, Institute of Forest Botany, Faculty of Forest Science and Forest Ecology, Georg-August-University Göttingen, Göttingen, Germany.
- Koyani R D, Sanghvi G V and Rajput K S (2011) Comparative study on the delignification of Azadirachta indica (L.) Del. wood by Chrysosporium asperatum and Trichoderma harzianum. International Biodeterioration and biodegradation, 65: 179-184.

- **Koyani R, Rajput K** (2014) Light microscopic analysis of *Tectona grandis* L.f. wood inoculated with *Irpex lacteus* and *Phanerochaete chrysosporium*. *European Journal of Wood and wood Products*, 72:157–164.
- **Kuhad R C, Singh A, Eriksson K E L (1997)** Microorganisms and enzymes involved in the degradation of Plant fiber cell walls. In: Eriksson K E L (ed), Advances in Biochemical Engineering/Biotechnology: 57-46-125, Springer, Germany.
- **Kuwahara M, Glenn J K, Morgan M A and Gold M H (1984)** Separation and characterization of two extracellular H₂O₂ dependent oxidases from ligninolytic cultures of *Phanerochaete chrysosporium*. *FEMS Microbiology Letters*, 169: 247-250.
- Lagaert S, Beliën T, Volckaert G (2009) Plant cell walls: Protecting the barrier from degradation by microbial enzymes. Seminars in Cell and DevelopmentalBiology 20: 1064-1073.
- **Law K N, Kokta B V and Mao C B (2001)** Fibre morphology and soda-sulphite pulping of switchgrass. *Bioresource Technology*, 77: 1–7.
- **Lebo S E, Gargulak J D, Timothy J M (2001)**. "Lignin," In: Kirk O (4th ed), Encyclopedia of Chemical Technology. John Wiley and Sons, New York.
- Lee I Y, Jung K H, Lee C H, Park Y H (1999) Enhanced production of laccase in *Trametes* versicolor by the addition of ethanol. *Biotechnology Letters*, 21: 965-968.
- Leonowicz A, Matuszewska A, Luterek J, Ziegenhagen D, Wojtaś-Wasilewska M, Cho N S, Hofrichter M, Rogalski J (1999) Biodegradation of lignin by white rot fungi. Fungal Genetics and Biology, 27:175-185.
- **Leporini C, Suss H U, Da Silva M R, Lopes Peixoto M A (2004)** Addition of Hydrogen Peroxide to the ozone stage to improve Bleaching. *Papel*, 65 (2): 45-49.

- **Lessard F G and Chouinard A (1980)** Properties and utilization of Philippine erect bamboos. In *Bamboo Research in Asia*, 194. Proceedings of Workshop. 28-30th May Singapore.
- **Levin L, Villalba L, Da Rea V, Forchiassin F, Papinutti L** (2007) Comparative studies of loblolly pine biodegradation and enzyme production by Argentinean white rot fungi focused on biopulping processes. *Process Biochemistry*, 42:995–1002.
- **Li K, Tan X, Yan D (2006)** The middle lamella remainders on the surface of various mechanical pulp fibres. *Surface and Interface Analysis*, 38(10):1328-35.
- **Liese W** (1970) Ultrastructural aspects of woody tissue disintergration. *Annual Review of Phytopathology* 8: 231-257.
- **Ljungdahl LG (2008)** The cellulase/hemicellulase system of the anaerobic fungus *Orpinomyces* PC-2 and aspects of its applied use. *Annals of the New York Academy of Sciences*, 1125: 308-321.
- Lu S X F, Jones C L and Lonergan G T (1996) Correlation between fungal morphology and laccase expression under the influence of cellobiose induction. Proceedings of the 10 International Biotechnology symposium and 9 International Symposium on yeasts; Sydney, Australia, Poster session 1.
- Luna M L, Murace M A, Keil G D, Otaño M E (2004) Patterns of decay caused by Pycnoporous sanguineus and Ganoderma lucidum (Aphyllophorales) in poplar wood. International Association of Wood Anatomists journal, 25: 425-433.
- Lynd L R, Weimer P J, van Zyl W H, Pretorius I S (2002) Microbial cellulose utilization:
 Fundamentals and Biotechnology. *Microbiology and Molecular Biology Reviewes*, 66
 (3): 506-577.
- **Malathi V, Devegowda G (2001)** In vitro evaluation of nonstarch polysaccharide digestibility of feed ingredients by enzymes, *Poultry Science*, 80, 302-305.

- **Malherbe S, Cloete TE (2002)** Lignocellulose biodegradation fundamentals and applications. *Reviews in Environmental Science and Bio Technology*, 1:105–114.
- Mandels M and Sternberg D (1976) Recent advances in cellulase technology. Fermentation Technology, 54: 267-286.
- Mandels M, Medeiros J E, Andreotti R E, Bissett F H (1981). Enzymatic hydrolysis of cellulose: Evaluation of cellulase culture filtrates under use conditions. *Biotechnology and Bioengineering*, 23(9): 2009-2026.
- Marbach I, Harel E and Mayer A M (1985) Pectin, a second inducer for laccase production by *Botrytis cinerea*. *Phytochemistry*, 24: 2559-2561.
- **Martínez A T (2002)** Molecular biology and structure-function of lignin degrading heme peroxidases. *Enzyme and Microbial Technology*, 30: 425-444.
- Martinez A T, Speranza M, Ruiz-Duenas F J, Ferreira P, Camarero S, Guillen F,

 Martinez M J, Gutierrez A and del Rio J C (2005) Biodegradation of
 lignocellulosics: microbial, chemical, and enzymatic aspects of the fungal attack of
 lignin. *International Microbiology*, 8: 195-204.
- Mata G, Murrieta H D M, Iglesias A L G (2005) Changes in lignocellulolytic enzyme activites in six *Pleurotus* spp. strains cultivated on coffee pulp in confrontation with *Trichoderma* spp. *World Journal of Microbiology and Biotechnology*, 21: 143–150.
- Mazumdar S, MorvanC, Thakur S, Ray B (2004) Cell wall polysaccharides from chalkumra (*Benincasa hispida*) fruit. Part I. Isolation and characterization of pectins.

 *Jouranl of Agricultural and Food Chemistry, 52:3556–3562.
- Mazumdar S, Lerouge P, Loutelier-Bourhis C, Driouich A, Ray B (2005) Structural characterization of hemicellulosic polysaccharides from *Benincasa hispida* using specific enzyme hydrolysis, ion exchange chromatography and MALDI-TOF mass spectroscopy. *Carbohydrate Polymers*, 59:231–238.

- Mendonça R, Guerra A, Ferraz A (2002) Delignification of *Pinus taeda* wood chips treated with *Ceriporiopsis subvermispora* for preparing high-yield kraft pulps. *Journal of Chemical Technology and Biotechnology*, 79(4): 411-418.
- Mercer D K, Iqbal M, Miller P G G and McCarthy A J (1996) Screening actinomycetes for extracellular peroxidase activity. *Applied and Environmental Microbiology*, 62: 2186-2190.
- Mikiashvili N, Elisashvili V, Wasser S, Nevo E (2005) Carbon and nitrogen sources influence the ligninolytic enzyme activity of *Trametes versicolor*. *Biotechnology Letters*, 27:955–959.
- Mikiashvili N, Wasser S, Nevo E, Chichua D, Elisashvili V (2004) Lignocellulolytic enzyme activities of medicinally important basidiomycetes from different ecological niches. *International Journal of Medicinal Mushrooms*, 6: 63–71.
- Milagres A M F, Magalhaes P O, Ferraz A (2005) Purification and properties of a xylanase from *Ceriporiopsis subvermispora* cultivated on *Pinus taeda. FEMS Microbiology Letters*, 253: 267–272.
- **Miller GL (1959)** Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Analytical Chemistry*, 31(3):426-428.
- **Mishra A, Kumar S, Pandey A K (2011)** Laccase production and simultaneous decolorization of synthetic dyes in unique inexpensive medium by new isolates of white rot fungus. *International Biodeterioration and Biodegradation*, 65(3): 487-493.
- Monte M C, Fuente E, Blanco A, Negro, C (2009) Waste management from pulp and paper production in the European Union. *Waste Management*, 29: 293-308.
- Moral A, Monte M C, Cabeza E and Blanco A (2010) Morphological characterization of pulps to control paper properties. *Cellulose Chemistry and Technology*, 44 (10): 473 480.

- Myneni R B, Dong J, Tucker C J, Kaufmann R K, Kauppi P E, Liski J, Zhou L, Alexeyev V, Hughes M K (2001) A large carbon sink in the woody biomass of northern forests. *Proceedings of the National Academy of Sciences*, 98: 14784-14789.
- Nakamura S, Wakabayashi K, Nakai R, Aono R, Horikoshi K (1993) Purification and some properties of an alkaline xylanase from alkaliphilic *Bacillus sp.* strain 41M-1.

 Applied and Environmental Microbiology, 59(7): 2311-2316.
- Naraian R, Singh D, Verma A and Garg S K (2010) Studies on in vitro degradability of mixed crude enzyme extracts produced from *Pleurotus* spp. *Journal of Environmental Biology*, 2010, 31(6) 945-951.
- Nazarpour F, Abdullah D K, Abdullah N, Zamiri R (2013) Evaluation of Biological Pretreatment of Rubber wood with White Rot Fungi for Enzymatic Hydrolysis.

 Materials, 6: 2059-2073.
- Ni Y, Kubes G J, and van Heiningen A R P (1992) Rate processes of chlorine species distribution during chlorine dioxide prebleaching of kraft pulp, *Nordic Pulp and Paper Research Journal*, 7(4), 200-204.
- Niku-paavola M L, Karhunen E, Salola P and Raunio V (1988) Ligninolytic enzymes of the white rot fungus *Phlebia radiata*. *Biochemical Journal* 254: 877-884.
- **Nilsson T, Daniel G, Kirk T K, Obst J R (1989)** Chemistry and microscopy of wood decay by some higher ascomycetes. *Holzforschung*, 43(1): 11-18.
- Nyanhongo G S, Gomes J, Geubitz G, Zvauya R, Read J S, Steiner W (2002) Production of laccase by a newly isolated strain of *Trametes modesta*. *Bioresource Technology*, 84: 259–263.
- Ogbonnaya C I, Roy-Macauley H, Nwalozie M C and Annerose D J M (1997) Physical and histochemical properties of kenaf (*Hibiscus cannabinus* L.) grown under water deficit on a sandy soil. *Industrial Crops and Products*, 7: 9–18.

- Ona T, Sonoda T, Shibata M, Fukazawa K (1995). Small scale method to determine the content of wood components from multiple eucalypt samples. *Tappi journal*, 78 (3): 121-126.
- Osma J F, Saravia V, Herrera J LT, Couto S R (2007) Mandarin peelings: the best carbon source to produce laccase by static cultures of *Trametes pubescens*. *Chemosphere*, 67:1677–1680.
- Otjen L, Blanchette R A (1985) Selective delignification of aspen wood blocks in vitro by three white rot Basidiomycetes. *Applied and Environmental Microbiology*, 50: 568-572.
- Otjen L, Blanchette RA (1986) A discussion of microstructural changes in wood during decomposition by white rot basidiomycetes. *Canadian Journal of Botany*, 64:905-911.
- **Owens J W (1991)** The hazard assessment of pulp and paper effluents in the aquatic environment: A review. *Environmetal Toxicology and Chemistry*, 10: 1511–1540.
- Padhiar A (2014) Study of the Decay Pattern and Enhancement of Enzyme Production for betterment of Biopulping By Certain White Rot Fungi. Ph.D Thesis submitted to Department of Botany, The Maharaja Sayajirao University of Baroda, Vadodara, Gujarat, India.
- Pandey K K, Pitman A J (2003) FTIR studies of the changes in wood chemistry following decay by brown-rot and white-rot fungi. *International Biodeterioration and Biodegradation*, 52: 151-160.
- Paranthaman R, Vidyalakshmi R, Murugesh S and Singaravadivel K (2009) Effects of Fungal Co-Culture for the Biosynthesis of Tannase and Gallic Acid from Grape Wastes under Solid State Fermentation. *Global Journal of Biotechnology & Biochemistry*, 4 (1): 29-36.

- Pasti M B, Pometo I I I A L, Nuti M P and Crawford D L (1990) Lignin-Solubilizing ability of Actinomycetes Isolated from Termite (Termididae) Gut, Applied and Environmental Microbiology, 56: 2213-2218.
- **Patel H, Gupte A, Gupte S (2009)** Effect of different culture conditions and inducers on production of laccase by a basidiomycete fungal isolate *pleurotus ostreatus* hp-1 under solid state fermentation. *Bio resources and technology*, 4(1): 268-284.
- Patrick F, Mtui G, Mshandete A M and Kivaisi A (2011) Optimization of laccase and Manganese peroxidase production in submerged culture of *Pleurotus sajorcaju*.

 African journal of Biotechnology. 10 (50): 10166-10177.
- Pelczar M J, Chan E C S, Krieg N R (1993) Microbiology. (5th ed), Tata McGrawHill, New Dehli, India. Pp. 917.
- **Pere J, Matti S, Viikari L (2000)** Biomechanical pulping with enzymes: Response of coarse mechanical pulp to enzymatic modification and secondary refining. *Tappi Journal* 83(1):2-8.
- **Pérez J, Muñoz-Dorado J, de la Rubia RT, Martínez, J** (2002) Biodegradation and biological treatment of cellulose, hemicellulose and lignin: an overview. *International Microbiology*, 5: 53-63.
- **Piontek K, Smith A T and Blodig W (2001)** Lignin peroxidase structure and function. *Biochemical Society Transactions*, 29(2): 111-116.
- **Pointing S B, Jones E B G, Vrijmoed L L P (2000)** Optimization of laccase production by *Pycnoporus sanguineus* in submerged liquid culture. *Mycologia*, 92(1): 139-144.
- **Pokhrel D, Viraraghavan T (2004)** Treatment of pulp and paper mill wastewater- a review. Science of the total Environment, 333: 37-58.
- **Porter C L (1924)** Concerning the characters of certain fungi as exhibited by their growth in the presence of other fungi. *American Journal of Botany*, 11: 168–188.

- Prasad K, Mohana S V, Rao R S, Pati B R, Sharma P N (2005) Laccase production by Pleurotus ostreatus 1804: Optimization of submerged culture conditions by Taguchi DOE methodology, Biochemical Engineering Journal, 24 (1): 17-26.
- **Pratt J E (1979)** Fomes annosus butt-rot of Sitka spruce II. Loss of strength of wood in various categories of rot. Forestry 52: 31-45.
- **Pryke D (2003)** ECF is on a roll: it dominates world bleached pulp production. *Pulp and paper international*, 45(8): 27-29.
- **Qi He, Krügener S, Hirth T, Rupp S, Zibek S (2011)** Co-culture producing of lignin modifying enzymes with white-rot fungi. *Applied Biochemistry and Biotechnology*, 165: 700-718.
- Qinnghe C, Xiaoyu Y, Tiangui N, Cheng J, Qiugang M (2004) The screening of culture condition and properties of xylanase by white rot fungus *Pleurotus ostreatus*. *Process Biochemistry*, 39: 1561-1566.
- **Ragauskas A, Poll K M, Cesternino A J (1994)** Effects of xylanase pretreatment procedures on nonchlorine bleaching. *Enzyme and Microbial Technology*, 16: 492-495.
- Ramachandra M, Crawford D L and Hertel G (1988) Characterization of an Extracellular

 Lignin Peroxidase of the Lignocelluloytic Actinomycete, Streptomyces, viridosporus,

 Applied and Environmental Microbiology,54: 3057-
- Rayner A D M, Boddy L (1988) Fungal Decomposition of Wood: its Biology and ecology.
 John Wiley, Chichester, UK.
- Reeve D W (1987) Chlorine Dioxide Bleaching, Bleach Plant Operation Seminar. Tappi
 Press, Atlanta GA, USA. Pp. 67.
- Ritter L, Solomon K R, Forget J, Stemeroff M, O'Leary C (1995) Persistent organic pollutants: An assessment report on aldrin, chlordane, DOT, dieldrin, dioxins and

- furans, endrin. heptachlor, hexachlorobenzene, mirex, polychlorinated biphenyls, and toxaphene. IPCS Interorganization Programme for the Sound Management of Chemicals. UNEP, ILO, FAO, UNIDO and OECD.
- **Rizzatti ACS, Sandrim VC, Jorge JA, Terenzi HF, Polizeli MLTM** (2004) Influence of temperature on the properties of xylanolytic enzymes of the thermo tolerant fungus *Aspergillus phoenicis. Journal of Industrial Microbiology and Biotechnology*, 31:88–93.
- Rodríguez E, Nuero O, Guillén F, Martínez AT, Martínez MJ (2004) Degradation of phenolic and non-phenolic aromatic pollutants by four *Pleurotus* species: the role of laccase and versatile peroxidase. *Soil Biology and Biochemistry*, 36:909-916.
- **Rosales E, Rodriguez Couto S, Sanromán MA (2005)** Reutilisation of food processing wastes for production of relevant metabolites: application to laccase production by *Trametes hirsute. Journal of Food Engineering*, 66:419–423
- Rosales E, Rodriguez S C, Sanromán M A (2007) Increased laccase production by

 *Trametes hirsute** grown on ground orange peelings. *Enzyme and Microbial Technology*, 40: 1286–1290.
- Rowell R M, Pettersen R, Han J S, Rowell J S, Tshabalala M A (2005) Cell wall chemistry, In: Rowell R (ed), Handbook of wood chemistry and wood composites: 139 185. CRC Press, Boca Raton, USA.
- Rubilar O, Diez M C, Gianfreda L (2008) Transformation of chlorinated phenolic compounds by white rot fungi. Critical Reviews in Environmental Science and Technology, 38 (4):227-268.
- Ruttiman C, Schwember E, Salas L, Cullen D, Vicuna R (1992) Lignolytic enzymes of the white-rot basidiomycetes *Phlebia brevispora* and *Ceriporiopsis subvermispora*.

 Biotechnology and applied Biochemistry, 16: 64-76.

- Ruttimann C, Vicuna R, Mozuch M D, Kirk T K (1991) Limited bacterial mineralization of fungal degradation intermediates from synthetic lignin. *Applied and Environmental Microbiology*, 57: 3652-3655.
- Saikia S N, Goswami T and Ali F (1997) Evaluation of pulp and paper making characteristics of certain fast growing plants. *Wood Science and Technology*, 31: 467–475.
- Saparrat M C N, Mocchiutti P, Liggieri C S, Aulicino M B, Caffini, N O, Balatti P A and Martínez M J (2008) Ligninolytic enzyme ability and potential biotechnology applications of the white-rot fungus *Grammothele subargentea* LPSC no. 436 strain.

 Process Biochemistry, 43(4): 368-375.
- Sass J E (1958) Botanical microtechnique 3rd edition Iowa State College press (Ames) Pp. 228.
- **Saxena R K, Vohra A (2001)** Procedure for mass inoculum development of *Ceriporiopsis subvermispora* and its possible usage in biopulping for paper industry. In: National Symposium on Lignocellulose Biotechnology: Present and future prospects (Abs), Department of Microbiology, University of Delhi, New Delhi, Pp. 47.
- **Schubert M, Fink S, Schwarze F M W R (2008)** Evaluation of *Trichoderma* spp. as a biocontrol agent against wood decay fungi in urban trees. *Biological Control*, 45: 111-123.
- **Schultz A, Jonas U, Hammer E, Schauer F (2001)** Dehalogenation of chlorinated hydroxybiphenyls by fungal lacasse. *Applied and Environmental Microbiology*, 67(9): 4377-4381.
- **Schwarze F M W R (2007)** Wood decay under the microscope. *Fungal Biology Reviews*, 21:133-170.

- **Schwarze F W M R and Fink S (1998)** Host and cell type affect the mode of degradation by *Meripilus giganteus. New Phytologist*, 139: 721-731.
- Schwarze F W M R, Engels J, Mattheck C (2000) Fungal Strategies of wood decay in trees. Springer Verlag, Berlin, Germany.
- Schwarze F W M R, Mattheck C, Engels J (2004) Fungal strategies of wood decay in trees.

 Springer Verlag, Heidelberg.
- Schwarze FWMR (1995) Entwicklung und biomechanische Auswirkungen von holzzersetzenden Pilzen in lebenden Ba"umen und in vitro. PhD thesis, University of Freiburg. SVK Verlag Germany.
- Scott G M, Akhtar M, Lentz M J, Kirk T K (1998) New technology for papermaking: commercializing biopulping. *Tappi Journal*, 81:220–225.
- **Sedarati M R, Keshavarz T, Leontievsky A A and Evans C S (2003)** Transformation of high concentrations of chlorophenols by the white-rot basidiomycete *Trametes versicolor* immobilized on nylon mesh. *Electronic Journal of Biotechnology*, 6(2): 104-114.
- Senisterra G, Monteoliva S, Marquina J, Marlats R and Ciocchini YG (2000)

 Propiedades del leño en clones del género Salíx, utilizados en programas de mejoramiento genético con aplicación a la industria papelera. 2000: 93-95.
- **Sethuraman A, Akin D K, Eriksson EL (1998)** Plant-cell-wall degrading enzymes produced by the white-rot fungus *Ceriporiopsis subvermispora*. *Biotechnology and Applied Biochemistry*, 27:37-47.
- Shatalov A A, Pereira H (2005) New perspectives for pulping and bleaching , Arundo donax L 4. Peroxide bleaching of organosolv pulps. *Bioresource Technology* 96(8): 865-872.

- Shoham Y, Schwartz Z, Khasin A, Gat O, Zosim Z, Rosenberg E (1992) Delignification of wood pulp by a thermostable xylanase from *Bacillus stearothermophilus* strain T-6.

 Biodegradation, 3: 207–218.
- **Shukla O P, Rai U N, Subramanian S V (2004)** Biopulping and biobleaching. An energy and environment saving technology for indian pulp and paper industry. *Environmental News Letters*, ISEB, Lucknow, vol 10 (2).
- **Shuler M L, Kargi F (1992)** Enzymes. Bioprocess Engineering, Prentice Hall, Englewood Cliffs, NJ, Pp. 74–77.
- Singh P, Sulaiman O, Hashim R, Rupani PF, Peng L C(2010) Biopulping of lignocellulosic material using different fungal species: a review. *Reviews in Environmental Science and Biotechnology*, 9:141–151.
- **Sixta H (2006)** Introduction Hand book of Pulp. In: Sixta H (ed), Wiley- VCH, Verlag, Germany. Pp. 2-19.
- Sjörström Eero (1993) Wood chemistry: Fundamentals and Application. Academic Press, USA.
- **Sjöström E and Westermark U (1998)** Chemical composition of wood and pulps: Basic components and their distribution. In: Sjöström E, Alén R, (ed), Analytical methods in wood chemistry, pulping, and papermaking: 1-35. Springer-Verlag, Berlin, Germany.
- **Skidmore A M, Dickinson C H (1976)** Colony interactions and hyphal interference between Septoria nodorum and phylloplane fungi. *Transactions of the British Mycological Society*, 66: 57–64.
- Smook G A (1992a) Wood and chip handling. Handbook for Pulp and Paper Technologists,2nd (ed), Angus Wilde Publications, Vancouver, Canada. Pp. 20.
- **Smook GA** (1992b) Overview of pulping methodology. Handbook for Pulp and Paper Technologists, 2nd (ed), Angus Wilde Publications, Vancouver, Canada. Pp. 36.

- **Songulashvili G, Elisashvili V, Wasser S P, Nevo E, Hadar Y (2007)** Basidiomycetes laccase and manganese peroxidase activity in submerged fermentation of food industry wastes. *Enzyme and Microbial Technology*, 41:57–61.
- Songulashvili G, V Elisashvili, S Wasser, E Nevo, and Y Hadar (2006) Laccase and manganese peroxidases activities of *Phellinus robustus* and *Ganoderma adspersum* grown on food industry wastes in sub-merged fermentation. *Biotechnology Letters*, 28: 1425–1429.
- **Srinivasan M C, Rele M V (1999)** Microbial xylanases for paper industry. *Current Science*, 77:137-142.
- **Stahl P D, Christensen M (1992)** In vitro mycelial interactions among members of a soil microfungal community. *Soil Biology and Biochemistry*, 24: 309–316.
- Steinmetz J, Schonbeck F (1994) Conifer bark as growth medium and carrier for Trichoderma harzianum and Gliocladium roseum to control Pythium ultimum on Pea. Journal of Plant Disease Protection, 101: 200-211.
- **Stenius P** (2000) Papermaking Science and Technology Book 3, Forest Products Chemistry. Fapet Oy, Helsinki.
- Stevens R B (1981) Mycology Guidebook. University of Washington Press, Seattle.
- **Stokke D, Groom L H (2006)** Characterization of the cellulosic cell wall. Blackwell publications, Ames, Iowa, USA. Pp. 274
- **Subramaniyan S, Prema P (2002)** Biotechnology of Microbial Xylanases: Enzymology, Molecular Biology and Application. *Critical Reviews in Biotechnology*, 22 (1): 33-46.
- Sumathi S, Hung Y T (2006) Treatment of pulp and paper mill wastes, In: Wang L K, Hung
 Y T, Lo H H. Yapijakis C (ed), Waste treatment in the process industries: 453-497.
 Taylor and Francis, USA.

- **Sun X, Zhang R, Zhang Y** (2004) Production of lignocellulolytic enzymes by *Trametes* gallica and detection of polysaccharide hydrolase and laccase activities in polyacrylamide gels. *Journal of Basic Microbiology*, 44:220–231.
- **Takano M, Nishida A, Nakamura M (2001)** Screening of wood-rotting fungi for kraft pulp bleaching by the poly R decolorization test and biobleaching of hardwood kraft pulp by *Phanerochaete crassa* WD1694. *Journal of Wood Sciences*, 47: 63-68.
- **Tallapragada P and Venkatesh K (2011)** Isolation, identification and optimization of xylanase enzyme produced by *Aspergillus niger* under submerged fermentation. *Journal of Microbiology and Biotechnology Research*, 1(4):137-147.
- **Teather R M and Wood P J (1982)** Use of congo red-polysaccharide interactions in enumeration and characterization of cellulolytic bacteria from the bovine rumen. *Applied and Environmental Microbiology* 43 (4): 777–780.
- **Tekere M, Zvauya R, Read J S (2001)** Growth, dye degradation and ligninolytic activity studies on Zimbabwean white rot fungi. *Enzyme and Microbial Technology*, 28(4): 420-426.
- Terron M C, Gonzalez T, Carbajo J M, Yague S, Cuenca A A, Tellez A, Dobson A D W,

 Gonzalez A E (2004) Structural close related aromatic compounds have different

 effects on laccase activity and on lcc gene expression in the ligninolytic fungus

 Trametes sp. I-62. Fungal Genetics and Biology, 41: 954–962.
- **Thompson G, Swain J, Kay M, Forster C F (2001)** The treatment of pulp and paper mill effluent. *Bioresources Technology*, 77: 275-286.
- **Tien M, Kirk T K (1983)** Lignin-Degrading Enzyme from the Hymenomycete *Phanerochaete chrysosporium* Burds. *Science*, 221(4611):661-663.

- **Tien M, Kirk T K (1984)** Lignin-degrading enzyme from *Phanerochaete chrysosporium*Purification, characterization, and catalytic properties of a unique H₂O₂requiring oxygenase. *Proceedings of National Academy of Sciences*, 81(8):2280-2284.
- **Tlecuitlberistain S, Sánchez C, Loera O, Robson G D, Díazgodínez G (2008)** Laccases of *Pleurotus ostreatus* observed at different phases of its growth in submerged fermentation: Production of a novel laccase isoform. *Mycological Research*, 112 (9): 1080-1084.
- **Toh Y C, Yen J J L, Obbard J P, Ting Y P (2003)** Decolourisation of azo dyes by white-rot fungi (WRF) isolated in Singapore. *Enzyme and Microbial Technology*, 33(5):569-575.
- **Tonon F, Odier E (1988)** Influence of veratryl alcohol and hydrogen peroxide on ligninase activity and ligninase production by *Phanerochaete chrysosporium*. *Applied and Environmental Microbiology*, 54: 466-472.
- **Tran H (2007)** Advances in the Kraft chemical recovery process, Source 3rd ICEP International Colloquium on *Eucalyptus* Pulp, Belo Horizonte, Brazil. Pp. 7.
- Tripathi M, Mishra K A S, Misra A S, Vaithiyanathan S, Prasad R, Jakhmola R C (2008) Selection white rot basidiomycetes for biocinversion of mustard (*Brassica compestris*) straw under SSF into energy substrate for rumen microorganism. *Letters in Applied Microbiology*, 46(3): 364-370.
- **Trivedi B D (2002)** Studies on lignolytic enzymes of besidiomycete BDT-14 and its use in bioremediation. Thesis submitted Bioscience department of Sardar Patel University, Vallabhvidhyanagar, Gujarat, India.
- Tsiklauri N D, Khardziani T S H, Kachlishvili E T, Elisashvili V I (1999) Cellulase and xylanase activities of higher basidiomycetes during bioconversion of plant raw

- materials depending on the carbon source in the nutrient medium. *Applied Biochemistry and Microbiology*, 35:291–295.
- **Tsujiyama S I, Minami M (2005)** Production of phenol-oxidizing enzymes in the interaction between white-rot fungi. *Mycoscience*, 46:268–271.
- **Ünal A T, Kolankaya N** (2004) Chlorine removal from DDT by lacasse enzyme produced from *Trametes versicolor*. *Turkish Electronic Journal of Biotechnology*, 2:17-21.
- Usta M and Eroglu H (1987) Soda-Oxygen Pulping of Rye Straw. In Non-wood Plant Fiber

 Pulping. Conference Progress Report No: 18, Tappi Press, Washington. Pp. 113-118.
- **Vakkilainen E K (2000)** Chemical recovery. In: Gullichsen J, Paulapuro H (ed), Papermaking science and technology Book 6B. Finland. Pp. 7.
- Van Lierop B, Liebergott N, Teodorescu G and Kubes G (1987) Extraction, Part I:

 Reaction Variables. In: Bleach Plant Operations Seminar, TAPPI Press, Atlanta,

 Pp. 44.
- Ververis C, Georghiou K, Christodoulakis N, Santas P and Santas R (2004) Fiber dimensions, lignin and cellulose content of various plant materials and their suitability for paper production. *Industrial Crops and Products*, 19: 245–254.
- Vicuña R (1988) Bacterial degradation of lignin. Enzyme and Microbial Technology, 10: 646-655.
- Vicuña R, Gonzalez B, Seelenfreund D, Ruttimann C, Salas L (1993) Ability of natural bacterial isolates to metabolize high and low molecular weight lignin-derived molecules. *Journal of Biotechnology*, 30: 9-13.
- Viikari L, Kantelinen A, Sundquist J and Linko M (1994) Xylanases in bleaching: from an idea to the industry. *FEMS Microbiological Reviews*, 13: 335-350.

- Viikari L, Ranua M, Kantelinen A, Sundquist J, Linko M (1986) Bleaching with enzymes. Proceedings of the Third International Conference on Biotechnology in the Pulp and Paper Industry, Stockholm. Pp. 67.
- Vikineswary S, Abdullah N, Renuvathani M, Sekaran M, Pandey A and Jones G E B (2006). Productivity of laccase in solid substrate fermentation of selected agroresidues by *Pycnoporus sanguineus*. *Bioresource Technology*, 97 (1): 171 -177.
- Vmezurike GM (1968) Cellulolytic activities of *Botryodiplodia theobromae* Pat. *Annals of Botany*, 33: 451–462.
- Wainhouse D, Cross D J, Howell R S (1990) Role of lignin as defense against the spruce bark beetle *Dendroctonus micans*: effect on larva and adult. *Oecologia*, 85: 257-265.
- Walker LP, Wilson DB (1991) Enzymatic hydrolysis of cellulose: An overview.

 Bioresource Technology, 36 (1):3-14.
- Wang J W, Wu J H, Huang W Y, Tan R X (2006) Laccase production by *Monotospora* sp, an endophytic fungus in *Cynodon dactylon*. *Bioresource Technology*, 97:786-789.
- Wang L, Jiang L K, and Argyropoulos D S (1997) Isolation and characterization of lignin extracted from softwood kraft pulp after xylanase treatment. *Journal of Pulp and Paper Science*, 23(2): 47-51.
- Watanabe T, Watanabe Y, Nakamura K (2003). Biodegradation of wood in dual cultures of selected two fungi determined by chopstick method. *Journal of bioscience and bioengineering*, 95: 623-626.
- Wiendenhoeft A C, Miller R B (2005) Structure and function of wood In: Rowell R R (ed),
 Handbook of wood chemistry and wood composites. CRC Press, Florida, USA.
- Wilcox W W (1968) Changes in wood microstructure through progressive stages of decay.U.S. Forest Service Research Paper FPL. Pp. 70.

- Willcox W W and Brier A (1987) Fixattion improvers image of fungal hyphae in SEM.

 IAWA Bulletin, 8(1): 78-79.
- Wong D W S (2009) Structure and Action Mechanism of Ligninolytic enzymes. *Applied Biochemistry Biotechnology*, 157: 174-209.
- Wong K K Y, Tan L U L, Saddler J N (1988) Multiplicity of b-1, 4-xylanase in microorganisms: Functions and applications, *Microbiology Reviews*, 52: 305-317.
- **Wood D A (1980)** Production, purification and properties of extracellular laccase of *Agaricus* bisporus. Journal of General Microbiology, 117: 327–338.
- Xavier A M R B, Tavares A P M, Ferreria R, Amado F (2007) Trametes versicolor growth and laccase induction with by-products of pulp and paper industry. Electronic journal of biotechnology, 10 (3): 444-451.
- Xu C, Ma F, Zhang X (2009) Lignocellulose degradation and enzyme production by *Irpex* lacteus CD2 during solid-state fermentation of corn stover. *Journal of Bioscience and Bioengineering*, 108 (5):372–375.
- Yaghoubi K, Pazouki M, and Shojaosadati S A (2008) Variable optimization for biopulping of agricultural residues by *Ceriporiopsis subvermispora*. *Bioresource Technology*, 99: 4321-4328.
- Yaropolov A I, Skorobogatko O V, Vartanov S S, Varfolomeyev S D (1994) Laccaseproperties, catalytic mechanism, and applicability. Applied Biochemistry and
 Biotechnology, 49:257-280.
- **Yoon J J, Cha CJ, Kim Y S, Son D W and Kim Y K (2007)** The brown-rot basidiomycete Fomitopsis palustris has the endo-glucanases capable of degrading microcrystalline cellulose. *Journal of Microbiology and Biotechnology*, 17: 800-805.
- Zabel R A, Morrell J J (1992) Wood microbiology. Academic Press INC, USA.

- **Zadrazil F, Karma DN, Isikuemhen OS, Schuchardt F (1999)** Bioconversion of lignocellulose into ruminant feed with white rot fungi. *Journal of applied animal research*, 10: 105-124.
- Zakariashvili N G and Elisashvili V I (1993) Regulation of *Cerrena unicolor* lignocellulolytic activity by a nitrogen source in culture medium. *Microbiology (Eng. Transl. of Mikrobiologiya)*, 62: 525-528.
- **Zhang J, Howell C R, Starr J L (1996)** Suppression of Fusarium colonization of cotton roots and Fusarium wilt by seed treatments with *Gliocladium virens* and *Bacillus subtilis*. *Biocontrol Science and Technology*, 6:175-187.
- **Zhao J P, Wang X R, Jiang S Y (2003)** TAED and its activating effect on hydrogen peroxide bleaching. *Textile Auxiliaries*, 20(3): 12-14.
- **Zimmermann W** (1990) Degradation of lignin by bacteria. *Jouranl of Biotechnology*, 13: 119-130.