BIBLIOGRAPHY



CHAPTER 10

BIBILIOGRAPHY

- 1. Abdulkarim SM, Frage A, Tan CP, Ghazali HM 2008. Determination of the extent of frying fat deterioration using differential scanning calorimetry. *J Food Agri Environ*. 6(3 and 4): 54-9.
- Abdulkarim SM, Long K, Lai OM, Muhammad SKS, Ghazali HM 2007. Frying quality and stability of high-oleic *Moringa oleifera* seed oil in comparison with other vegetable oils. *Food Chem.* 105: 1382–9.
- 3. Abidi SL, Rennick KA 2003. Determination of non volatile components in polar fraction of ricebran oils. *J Am Oil Chem Soc.* 80(11): 1057-62.
- 4. Aladedunye FA, Przybylski R 2009. Degradation and nutritional quality changes of oil during frying. *J Am Oil Chem Soc.* 86(2): 149-56.
- 5. American Cancer Society 1996. Advisory committee on diet, nutrition and cancer prevention. Guidelines on diet, nutrition and cancer prevention. Reducing the risk of cancer with healthy food choices and physical activity. *CA Cancer J Clin.* 46: 325–41.
- 6. Annapure US, Singhal RS, Kulkarni PR 1997. Studies on deep-fat fried snacks from some cereals and legumes. *J Sci Food Agric*. 76: 377-82.
- 7. Antonova I, Mallikarjunan P 2004. Sensory assessment of crispness in a breaded Fried food held under a heat lamp. *Foodserv Res Int.* 14: 189-200.
- 8. AOAC (Association of Official Analytical Chemists) 1995. Official methods of analysis of the association of official analytical chemists'. 16th edn. ed. Cunniff P.
- 9. AOCS (Official Methods and Recommended Practices of the American Oil Chemist's Society) 1974. 3rd edn., ed. Walker RO. Champaign.
- 10. AOCS (Official Methods and Recommended Practices of the American Oil Chemist's Society) 1998. 5th edn., ed. Firestone D. Champaign.
- 11. Archana U, Premakumari S 2005. Physicochemical characteristics of vegetable oils and their blends with respect to nutritional significance. *The Ind J Nutr Dietet.* 42: 1-6.
- 12. Armstrong B, Doll R 1975. Environmental factors and cancer incidence and mortality in different countries, with special reference to dietary practices. *Int J Cancer*. 15: 617–31.

- Askarin M, Kabir G, Aminbaig M, Memish ZA, Jafari P 2004. Knowledge, attitudes and practices of food service staff regarding food hygiene in Shiraz, Iran. *Infections Control Hospital Epidemiology*. 25(1): 16-20.
- 14. Ateba P, Mittal GS 1994. Modelling the deep-fat frying of beef meatballs. *Int J Food Sci Technol.* 29: 429–40.
- 15. Augustin MA, Berry SK 1983. Efficacy of the antioxidants BHA and BHT in palm olein during heating and frying. *J Am Oil Chem Soc.* 60: 1520-2.
- 16. Azman A, Sharul SM, Chan SX, Noorhazliza AP, Khairunnisak M, Nur Azlina MF et al 2012. Level of knowledge, attitude and practice of night market food outlet operators in Kuala Lumpur regarding the usage of repeatedly heated cooking oil. *Med J Malaysia*. 67(1): 91-101.
- 17. Baixauli R, Salvador A, Fiszman SM, Calvo C 2002. Effect of oil degradation during frying on the color of fried, battered squid rings. J Am Oil Chem Soc. 79(11): 1127-31.
- 18. Barrera-Arellano D, Ruiz-Mendez MV, Velasco J 2002. Loss of tocopherols and formation of degradation compounds at frying temperatures in oils differing in degree of unsaturation and natural antioxidant content. *J Sci Food Agri.* 82: 1696-1700.
- 19. Beaglehole R, Yach D 2003. Globalization and the prevention and control of non-communicable disease: the neglected chronic diseases of adults. *Lancet.* 362: 903-8.
- 20. Beare-Rogers J, Ghafoorunissa G, Korver O, Rocquelin G, Sundram K, Uauy R 1998. Dietary fat in developing countries. *Food Nutr Bulletin*. 19(3): 251-67.
- 21. Beckman C: Vegetable Oils 2005. Competition in a Global Market. Biweekly Bulletin, 18: Ottawa, Agriculture and Agri-Food Canada. http://www.agr.gc.ca/mad-dam/e/bulletine/v18e/v18n11_e.pdf
- 22. Becquey E, Savy M, Danel P, Dabire HB, Tapsoba S, Martin-Prevel Y 2010. Dietary patterns of adults living in Ouagadougou and their association with overweight. *Nutr J.* 9(13). doi:10.1186/1475-2891-9-13
- 23. Bhattacharya AB, Sajilata MG, Tiwari SR, Singhal RS 2008. Regeneration of thermally polymerized frying oils with adsorbents. *Food Chem.* 110: 562-70.
- 24. Billek G, Guhr G, Waibel J 1978. Quality assessment of used frying fats: a comparison of four methods *J Am Oil Chem Soc.* 55(10): 728.
- 25. Blumenthal MM 1991. A new look at the chemistry and physics of deepfat frying. *Food Technol.* 45(2): 68-71.

- 26. Bognar A 1998. Comparative study of frying to other cooking techniques influence on the nutritive value. *Grasas y Aceites*. 49(Fasc. 3-4): 250-60.
- 27. Bowen PE, Borthakur G 2004. Postprandial lipid oxidation and cardiovascular disease risk. *Curr Atheroscler Rep.* 6: 477–84.
- 28. Bulut E, Yilmaz E 2010. Comparison of the frying stability of sunflower and refined olive pomace oils with/without adsorbent treatment. *J Am Oil Chem Soc.* 87(10): 1145-1153. DOI 10.1007/s11746-010-1605-y
- 29. CAC/GL 21-2003. Codex Alimentarius Commission. Principles for the establishment and application of microbiological criteria for foods.
- 30. Chinma CE, Igyor MA 2008. Starch gelatinization, total bacterial counts and sensory evaluation of deep fried cassava balls (Akara-Akpu). *Am J Food Technol.* 3(4): 257-63.
- 31. Choe E, Min DB 2005. Chemistry and reactions of reactive oxygen species in food. *J Food Sci*. 70: R142-R159.
- 32. Choe E, Min DB 2007. Chemistry of deep-fat frying oils. *J Food Sci.* 72(5): R77-R86.
- 33. Cicerale S, Conlan XA, Sinclair AJ, Keast RSJ 2009. Chemistry and health of olive oil phenolics. *Crit Rev Food Sci Nutr.* 49(3): 218-36.
- 34. Civille GV, Liska IH 1975. Modifications and applications to foods of the general foods sensory texture profile technique. *J Texture Stud.* 6: 19-31.
- 35. Colditz GA, Willett WC, Rotnitzky A, Manson JE 1995. Weight gain as a risk factor for clinical diabetes mellitus in women. *Ann Intern Med.* 122(7): 481-86.
- 36. Cox R, White H, Gaylord AC, Clark K 2003. A video lesson series is effective in changing the dietary intakes and food-related behaviours of low-income homemakers. *J Am Dietet Assoc.* 103(11): 1488-93.
- 37. Craig-Schmidt MC, 2006. World-wide consumption of *trans* fatty acids. *Atheroscler Suppl.* 7(2): 1-4.
- 38. Crampton EW, Common RH, Farmer FA, Wells AF, Crawford D 1952. Studied to determine the nature of the damage to the nutritive value of some vegetable oils from heat treatment. J Nutr. 333-45.
- 39. Cuesta C, Romero A, Sanchez-Muniz FJ 2001 .Fatty acid changes in high oleic acid sunflower oil during successive deep-fat frying of frozen foods. *Food Sci Technol Int.* 7(4): 317-28.

- 40. Cunningham FE and Tiede LM, 1981. Influence of batter viscosity on breading of chicken drumsticks. *J Food Sci.* 46(6): 1950-52.
- 41. Dana D, Blumenthal MM, Saguy IS 2003. The protective role of waterinjection on oil quality in deep fat frying conditions. *Eur Food Res Technol*. 217: 104-109.
- 42. Dana D, Saguy IS 2001. Frying of nutritious foods: obstacles and feasibility. *Food Sci Technol Res.* 7(4): 265–79.
- 43. Das AK, Babylatha R, Pavithra AS, Khatoon S 2011. Thermal degradation of groundnut oil during continuous and intermittent frying. *J Food Sci Technol.* DOI 10.1007/s13197-011-0452-7 (Accessed on Oct. 20, 2011).
- 44. DGF [Deutsche Gesellschaft fur Fettwissenschaft] (German Society for Fat Research) 2000. 3rd International Symposium on deep-fat frying. <u>http://www.dgfett.de/material/recomm.htm</u>. Accessed on 16 December 2010.
- 45. Dhurandhar NV, Kulkarni PR 1992. Prevalence of obesity in Bombay. *Int J Obes.* 16: 367–75.
- 46. Diels O, Alder K 1928. Syntheses in the hydroaromatic series 1.Addition of 'diene' hydrocarbons. *Ann Chem.* 460: 98-122.
- 47. Diliberti N, Bordi PL, Conklin MT, Roe LS, Rolls BJ 2004. Increased portion size leads to increased energy intake in a restaurant meal. *Obes Res.* 12: 562-68.
- 48. Dobarganes C, Márquez-Ruiz G, Velasco J 2000. Interactions between fat and food during deep-frying. *Eur J Lipid Sci Technol.* 102: 521-28.
- 49. Dobarganes C, Velasco J, Marmesat S, Bordeaux O, Marquez-Ruiz G 2004. Formation and evolution of monoepoxy fatty acids in thermoxidized olive and sunflower oils and quantitation in used frying oils from restaurants and fried-food outlets. *J Agric Food Chem.* 2: 4438-43.
- 50. Dobarganes MC, Marquez-Ruiz G 1998. Regulation of used frying fats and validity of quick tests for discarding the fats. *Grasas y Aceites*. 49(Fas 3-4): 331-35.
- 51. Dobarganes MC, Marquez-Ruiz G 2003. Oxidized fats in foods. *Curr Opin Clin Nutr Metabol Care.* 6: 157-63.
- 52. Dobarganes MC, Marquez-Ruiz G 2006. Formation and analysis of oxidized monomeric, dimeric and higher oligomeric triglycerides. In: Erickson MD. Ed. Deep frying: chemistry, nutrition and practical applications. Champaign. 87-110.

- 53. Dohlman E, Persaud S, Landes R 2003. India's edible oil sector: Imports fill rising demand. economic research service, United States Department of Agriculture (USDA), OCS-0903-01 November, 1-20. http://www.ers.usda.gov/publications/OCS/nov03/ ocs090301/ DOI: 10.1080/87559120500222896.
- 54. Drewnowski A 1990. Taste and food preferences in human obesity. *Am Psych Assoc.* 227-40
- 55. Drewnowski A 1992. Sensory properties of fats and fat replacements. *Nutr Rev.* 50: 17-20.
- 56. Drewnowski A 1998. Energy density, palatability, and satiety: implications for weight control. *Nutr Rev.* 56: 347-53.
- 57. Drewnowski A, Darmon N 2005. The economics of obesity: dietary energy density and energy cost. *Am J Clin Nutr.* 82: 265S–73S.
- 58. Drewnowski A, Popkin BM 1997. The nutrition transition: new trends in the global diet. *Nutr Rev.* 55: 31-43.
- 59. Du-Ling, Gennadios A, Hanna MA, Cippett SL 1998. Quality evaluation of deep fried onion rings. *J Food Qual*. 21: 95-105.
- 60. Evans M, Sinclair RC, Fusimalohi C, Liava'a V 2001. Globalization, diet, and health: an example from Tonga. Bulletin of the World Health Organization. 79: 856-62.
- 61. Farag RS, Farag MM, Ali RFM 2008. Use of sunflower oil mixed with jojoba and paraffin oils in deep-fat frying process. *Int J Food Sci Technol*. 43: 1306-15.
- 62. Farhoosh R, Kenari RE 2009. Anti-rancidity effects of sesame and rice bran oil on canola oil during frying. *J Am Oil Chem Soc.* 86: 539-44.
- 63. Farinu A, Baik OD 2005. Deep fat frying of foods-Transport phenomena. *Food Rev Int*. 21: 389-410.
- 64. Farkas BE, Singh RP, Rumsey TR 1996. Modeling heat and mass transfer in immersion frying: model development. *J. Food Eng.* 29: 211–26.
- 65. Farkas BE, Singh RT, McCarthy MJ 1992. Measurement of oil/water interface in foods during frying. In: Advances in food engineering, ed. Singh R P and Wirakartakusumah A. CRC Press. 237-45.
- 66. Faroosh R, Moosavi SMR 2009. Evaluating the performance of peroxide and conjugated diene values in monitoring quality of used frying oils. *J Agric Sci Technol.* 11: 173-79.

- 67. FDA 2004. Food and Drug Administration Report of the FDA retail food program database of foodborne illness risks factors.
- 68. FDAR (Food and Drugs Act and Regulations) (2012). National Health and Welfare Canada. Division 9, Fats and Oils. 356-67.
- 69. Fedeli E 1998. Physical-chemical aspects of the frying process. *Grasas y Aceites.* 49(Fasc. 3-4): 261-64.
- 70. Fenton D, Eyres L 1984. The Management of Frying Fats. Abels Limited.
- 71. Firestone D 1993. Worldwide regulation of frying fats and oils. *Inform*. 4(12): 1366-71.
- 72. Firestone D, Stier RF, Blumenthal MM 1991. Regulation of frying fats and oils. *Food Technol*, 45(2): 90-94.
- 73. Frank BH 2008. Globalization of Food Patterns and Cardiovascular Disease Risk. *Circulation*. 118: 1913-14.
- 74. Frank LD, Andresen MA, Schmid TL 2004. Obesity Relationships with Community Design, Physical Activity, and Time Spent in Cars. *Am J Prev Med.* 27(2): 87-96.
- 75. Frega N, Mozzon M, Lecker G 1999. Effects of free fatty acids on oxidative stability of vegetable oil. *J Am Oil Chem Soc* 76: 325-29.
- 76. French SA, Harnack L, Jeffery RW 2000. Fast food restaurant use among women in the Pound of Prevention study: dietary, behavioral and demographic correlates. *Int J Obes Relat Metab Disord.* 24: 1353–59.
- 77. Fritsch CW, 1981. Measurements of frying fat deterioration: a brief review. J Am Oil Chem Soc. 58(3): 272-74.
- 78. FSA (Food Standards Agency) 2004. Scientific Advisory Committee on Nutrition and Committee on Toxicity. 2004. Advice on fish consumption: benefits and risks. TSO, London.
- 79. Gamble MH, Rice P 1988. Effect of initial tuber solids content on final oil content of potato chips. *Lebensm Wiss Technol.* 21: 62-65.
- 80. Gere A 1983. Study of some factors affecting frying fat deterioration, *Jahrgang.* 85(1): 18.
- 81. Gertz C 2000. Chemical and physical parameters as quality indicators of used frying fats. *Eur J Lipid Sci Technol.* 102: 566-72.
- 82. Gertz C, Klostermann S, Kochhar SP 2000. Testing and comparing oxidative stability of vegetable oils and fats at frying temperature. *Eur J Lipid Sci Technol.* 102: 543–51.

- 83. Ghafoorunissa G 1989. Fat and fatty acid content of cereals and pulses and their relevance to Indian diets. *Eur J Clin Nutr.* 43: 275–83.
- 84. Ghafoorunissa G 2008. Role of trans fatty acids in health and challenges to their reduction in Indian foods. *Asia Pac J Clin Nutr*. 17(1): 212-15.
- 85. Ghidurus M, Turtoi M, Boskou G, Niculita P, Stan V 2010. Nutritional and health aspects related to frying (I). *Romanian Biotechnological Letters*. 15(6): 5675-82.
- 86. Ghosh A, Bose K, Chaudhuri ABD 2003. Association of food patterns, central obesity measures and metabolic risk factors for coronary heart disease (CHD) in middle aged Bengalee Hindu men, Calcutta, India. Asia Pac J Clin Nutr. 12(2): 166-71.
- 87. Glanz K, Basil M, Maibach E, Goldberg J, Snyder D 1998. Why Americans eat what they do: taste, nutrition, cost convenience, and weight control concerns as influences on food consumption. *J Am Diet Assoc.* 98: 1118-26.
- 88. Goni I, Bravo L, Larrauri JA, Saura Calixto F 1997. Resistant starch in potatoes deep fried in olive oil. *Food Chem*. 59(2): 269–72.
- 89. Gonzalez-Munoz MJ, Bastida S, Sanchez-Muniz JF 1998. Short-term in vivo digestability assessment of a highly oxidized and polymerized sunflower oil. *J Sci Food Agric*. 83: 413-8.
- 90. Gotoh N, Wada S 2006. The importance of peroxide value in assessing food quality and food safety. *J Am Oil Chem Soc.* 83(5): 473-4.
- 91. Gowri BS, Begum K, Saraswathi G, Prakash J 2008. Effect of additives on fat uptake and sensory quality of deep fried foods. *Nutri Food Sci.* 38(3): 222-28.
- 92. Goyal N, Sundararaj P 2009. Are we unknowingly consuming *trans* fats and abused oils? *NFI Bulletin* (April): 4-7.
- 93. Grootveld M, Silwood CJL, Addis P, Andrew C 2001. Health effects of oxidized heated oils. *Foodservice Res Int.* 13: 41-55.
- 94. Grundy SM 1988. Comparison of monounsaturated fatty acids and carbohydrates for reducing raised levels of plasma cholesterol in man. *Am J Clin Nutr.* 47(6): 965-69.
- 95. Guallar CP, Artalejo FR, Fornés NS, Banegas JR, Etxezarreta PA, Ardanaz E, et al 2007. Intake of fried foods associated with obesity in the cohort of Spanish adults from the European prospective investigation into cancer and nutrition. *Am J Clin Nutr.* 86: 198-205.

- 96. Guillaumin R 1988. Kinetics of fat penetration in food. In: frying of food: principles, changes, new approaches, ed Varela G, Bender A E and Morton I D. Ellis Horwood, Chichester. 112-28.
- 97. Gunstone FD 2005. Nutritional properties. In The chemistry of oils and fats: sources, composition, properties and uses. Blackwell publishing. Ch-9: 211-36.
- 98. Gupta A, Sheth M 2011. Suitability of groundnut oil for repeated deep frying. J Lipid Sci Technol. 43(3): 111-17.
- 99. Gupta M, Patil R, Khan MI, Gupta SK 2011. The prevalence of obesity and hypertension in urban Tamilnadu. *J Clin Diag Res.* 5(3): 586-88.
- 100.Gupta R 2004. Trends in hypertension epidemiology in India. J Hum Hypertension. 18: 73–78.
- 101. Gurudasani R, Sheth M 2009. Food safety knowledge and practices of food handlers of various food service establishments of urban Vadodara, India. *Asian J Home Sci.* 3(2): 208-15.
- 102. Hack DM, Bordi PL, Hessert SWJR 2009. Nutrition, sensory evaluation, and performance analysis of hydrogenated frying oils. *Int J Food Sci Nutr.* 1-15. DOI: 10.1080/09637480802011128.
- 103. Hawkes C 2005. The role of foreign direct investment in the nutrition transition. *Public Health Nutrition*. 8: 357-65.
- 104. Hawkes C 2006. Uneven dietary development: linking the policies and processes of globalization with the nutrition transition, obesity and diet-related chronic diseases. *Globalization Health*. 2 (4), doi:10.1186/1744-8603-2-4.
- 105. Hazuka Z, Pawlowicz R, Tynek M, Drozdowski B 2000. Correlation of quality of frying oil and oil extracted from potato fritters fried in liquid and partially hydrogenated rapeseed oils. *J Food Lipids*. 7: 225-36.
- 106. Hopper GR 1999. Changing food production and quality of diet in India, 1947–98, *Popul Develop Rev.* 25(3): 443–77.
- 107. Houhoula DP, Oreopoulou V, Tzia C 2002. A kinetic study of oil deterioration during frying and a comparison with heating. J Am Oil Chem Soc. 79(2): 133-37.
- 108. Hsia HY, Smith DM, Steffe JF 1992. Rheological properties and adhesion characteristics of flour-based batters for chicken nuggets as affected by three hydrocolloids. *J Food Sci.* 57(24): 16–18.

Bibliography

- 109. Hulshof KF, van Erp-Baart MA, Anttolainen M, Becker W, Church SM, Couet C et al 1999. Intake of fatty acids in Western Europe with emphasis on *trans* fatty acids (the TRANSFAIR study. *Eur J Clin Nutr.* 53: 143-57.
- 110. Hunty A 1995. The COMA report on nutritional aspects of cardiovascular disease: the scientific evidence. *Brit Food J.* 97(9): 30-32.
- 111. Hwang LS 2005. Sesame oil. In Bailey's industrial oil and fat products: Edible oil and fat products: chemistry, properties, and health effects. Ed. Fereidoon Shahidi. A John Wiley and Sons Publication. Vol.2. 6th ed. Ch.12: 537-76.
- 112. ICMR (Indian Council of Medical Research) 2002. Fat. In: Nutrient requirements and recommended dietary allowances for Indians. A report of the expert group of the Indian Council of Medical Research. Ch. 6: 34-38.
- 113. ICRA 2011. Indian Edible Oils Industry: Key Trends and Credit Implications, ICRA Rating Services, 1-11. <u>www.icra.in</u>
 - 114. Ikpeme CAE, Eneji CA, Essiet U 2007. Storage stability and sensory evaluation of taro chips fried in palm oil, palmolein oil, groundnut oil, soybean oil and their blends. *Pak J Nutr.* 6(6): 570-75.
 - 115. Ishikawa H, Kiuchi T 2010. Health literacy and health communication. *BioPsychoSocial Med.* 4(18): 1-5.
 - 116. Jana AH, Pinto S, Patel K, Chaudhary A 2011. Choosing the vegetable oil for frying of food a review. J Adv Develop Res. 2(2): 213-20.
 - 117. Joshi VK 2006. Methods of sensory analysis. In Sensory science: principles and applications in food analysis. Agrotech Publishing Academy, Udaipur. Ch.10: 254-92.
 - 118.Kanner J 2007. Dietary advanced lipid oxidation endproducts are risk factors to human health. *Mol Nutr Food Res.* 51: 1094-101.
 - 119. Kaur A, Hira CK, Raheja RK 1997. Frying in fats-Nature of fats after use and fats absorbed. *J Food Sci Technol*. 34(1): 54-55.
 - 120. Kearney J 2010. Food consumption trends and drivers. *Phil Trans R Soc B* 365, 2793–2807.
 - 121. Keller C, Escher F, Solms J 1990. Nutrient retention in deep-fat frying case study on chips. *Mitteilungen-aus-dem-GebietederLebensmitteluntersuchung-und-Hygiene*. 81: 68–81.

- 122. Keller C, Escher F, Solms JA 1988. A method of localising fat distribution in deep-fat fried potato products. *Lebensmittel Wissenschaft und Technologie*. 19: 346–48.
- 123. Kennedy ET 2005. The Global Face of Nutrition: What Can Governments and Industry Do? J Nutr. 135: 913–15.
- 124. Kennedy G 2005. Global trends in dietary energy supply from 1961 to 1999. FAO/WHO expert consultation on energy in human nutrition. www.fao.org/docrep/005/Y3800M/y3800m07.htm.
- 125. Kennel WB, Neaton JD, Wentworth D, Thomas HE, Stamler J, Hulley SB et al 1986. Overall and coronary heart disease mortality rates in relation to major risk factors in 325–348 men screened for the MRFIT. *Am Heart J*. 112: 825–36.
- 126. Kilincceker O, Dogan IS, Kucukoner E 2009. Effect of edible coatings on the quality of frozen fish fillets. *LWT-Food Sci Technol.* 42: 868–73.
- 127. Kim H, Choe E 2008. Effects of egg yolk powder addition to the flour dough on the lipid oxidation development during frying. *LWT- Food Sci Technol.* 41: 845-53.
- 128. Kita A, Lisinska G, Golubowska G 2007. The effects of oils and frying temperatures on the texture and fat content of potato crisps. *Food Chem*. 102: 1-5.
- 129.Kita A, Lisinska G, Powolny M 2005. The influence of frying medium degradation on fat uptake and texture of french fries. *J Sci Food Agric.* 85: 1113-18.
- 130. Kochhar A, Agarwal V, Sachdeva R 2010. Assessment of food consumption pattern, anthropometric parameters and physical activity pattern of non-insulin dependent diabetics. *Stud Home Comm Sci.* 4(2): 75-80.
- 131. Kock Wai TN 2007. Local repeatedly-used deep frying oils are generally safe. *IeJSME*. 2: 2-7.
- 132. Krauss RM, Decheldaum RJ, Ernst N, Fisher E, Howard BV, Knopp RH et al 1996. Dietary guidelines for healthy american adults. A statement for health professionals from the nutrition committee, American Heart Association. *Circulation*. 94: 1795-1800.
- 133.Krige SM, Mahomoodally FM, Subratty AH, Ramasawmy D 2012. Relationship between socio-demographic factors and eating practices in a multicultural society. *Food Nutr Sci*, 3: 286-95.

Bibliography

- 134. Kristal A, White EW, Shattuck AL, Curry S, Anderson GL, Fowler A, Urban N 1992. Long term maintenance of a low fat-diet: durability of fat-related dietary habits in the Women's Health Trail. *J Am Diet Assoc.* 92: 553-59.
- 135. Kudu S, Mishra AK 2003. Effective sanitation- Asset or Liability? Indian Food Industry. 22(1): 52-57.
- 136. Kuppuswamy B 2007. Kuppuswamy's Socioeconomic Status Scale-Updating for 2007. Ind J Ped. 74(12): 1131-32.
- 137.Lang T 1999. Diet, health and globalization: five key questions. *Proceedings of the Nutrition Society*, 58: 335-43.
- 138. Lascaray L 1949. Mechanism of fat splitting. Ind Eng Chem. 41: 786-90.
- 139. Lawson H 1997. Deep fat frying. In: Foods oils and fats technology, utilization and nutrition. Chapman & Hall, New York, Ch-7: 66-115.
- 140. Ledoux M, Juaneda P, Sebedio JL, 2007. Trans fatty acids: Definition and occurrence in foods. *Eur J Lipid Sci Technol*. 109(9): 891–900.
- 141. Llorca E, Hernando I, Perez-Munuera I, Quiles A, Fiszman SM, Lluch MA 2003. Effect of batter formulation on lipid uptake during frying and lipid fraction of frozen battered squid. *Eur Food Res Technol.* 216: 297-302.
- 142. Loewe R 1993. Role of ingredients in batter systems. *Cereal Foods World*. 38(9): 673-77.
- 143. Lumley ID 1988. Polar compounds in heated oils. In Frying of food, principles, changes, new approaches. ed. Varela G, Bender AE and Morton ID. Ellis Horwood, Chichester, England, 166-173.
- 144. Machado ER, Marmesat S, Abrantes S, Dobarganes C 2007. Uncontrolled variables in frying studies: differences in repeatability between thermoxidation and frying experiments. *Grasas y Aceites*. 58(3): 283-88.
- 145. Mah E, Brannan RG 2009. Reduction of oil absorption in deep-fried, battered, and breaded chicken patties using whey protein isolate as a post breading dip: effect on flavor, color, and texture. *J Food Sci*. 74(1): S9-S16.
- 146. Mahmood SE, Srivastava A, Shrotriya VP, Shaifali I, Mishra P 2011. Prevalence and epidemiological correlates of hypertension among labour population. *Nat J Comm Med.* 2(1): 43-48.
- 147. Mahna R, Passi SJ, Khanna K 2004. Changing dietary patterns of the young: impact of fast-foods. *Asia Pac J Clin Nutr.* 13: S134.

- 148. Maire B, Lioret S, Gartner A, Delpeuch F 2002. Nutritional transition and non-communicable diet-related chronic diseases in developing countries. *Sante.* 12(1): 45-55. www.ncbi.nlm.nih.gov/pubmed/11943638
- 149. Malhotra R, Lal P, Prakash SK, Daga MK, Kishore J 2008. Evaluation of a health education intervention on knowledge and attitudes of food handlers working in medical college in Delhi, India. Asia-Pacific J Pub Health. 20(4): 277-86.
- 150. Manimunda SP, Sugunan AP, Benegal V, Balakrishna N, Rao MV, Pesala KS 2011. Association of hypertension with risk factors & hypertension related behavior among the aboriginal Nicobarese tribe living in Car Nicobar Island, India. *Indian J Med Res.* 133: 287-93.
- 151. Marquez-Ruiz G, Gracia-Martinez MC, Holgado F 2008. Changes and effects of dietary oxidized lipids in the gastrointestinal tract. *Lipids Insights.* 2: 11-19.
- 152. Matthaus B 2007. Use of palm oil for frying in comparison with other high-stability oils. *Eur J Lipid Sci Technol*. 109: 400–409.
- 153. Mazumdar S 1992. Food safety at ICRISAT centre, Food safety in public catering, NIN, Hyderabad. Proceedings of the workshop held at Hyderabad. 1-3 November. NIN-ICMR. 74-81.
- 154. Mc Crory MA, Fuss PJ, Hays NP, Vinken AG, Greenberg AS, Roberts SB 1999. Overeating in America: association between restaurant food consumption and body fatness in healthy adult men and women ages 19 to 80. Obes Res. 7: 564-71.
- 155. Mc Keown-Eyssen CE, Bright-See E 1984. Dietary factors in colon cancer: international relationships. *Nutr Cancer*. 6: 160–71.
- 156. Meer RR, Misner SL 2000. Food safety knowledge and behavior of expanded food and nutrition education program participants in Arizona. *J Food Protection.* 63(12): 1725-31.
- 157. Mehta U, Swinburn B 2001. A review of factors affecting fat absorption in hot chips. *Crit Rev Food Sci Nutr.* 41(2): 133–54.
- 158. Melton SL, Jafar S, Sykes D, Trigiano MK 1994. Review of stability measurements for frying oils and frying food flavor. J Am Oil Chem Soc. 71: 1301-08.
- 159. Miller WC, Lindeman AK, Wallace J, Niederpruem M 1990. Diet composition, energy intake, and exercise in relation to body fat in men and women. *Am J Clin Nutr.* 52: 426–30.

- 160. Minihane AM, Harland JI 2007. Impact of oil used by the frying industry on population fat intake. *Crit Rev Food Sci Nutri*. 47: 287-97.
- 161. Miranda ML, Aguilera JM 2006. Structure and texture properties of fried potato products. *Food Rev Int*. 22: 173–201.
- 162. Misra A, Khurana L 2008. Obesity and metabolic syndrome in developing countries. *J Clin Endocrinol Metab.* 93(11): S9-S30.
- 163. Misra A, Sharma R, Pandey RM, Khanna N 2001. Adverse profile of dietary nutrients, anthropometry and lipids in urban slum dwellers of northern India. *Eur J Clin Nutr*. 55; 727-34.
- 164. Misra A, Singhal N, Sivakumar B, Bhagat N, Jaiswal A, Khurana L 2011. Nutrition transition in India: Secular trends in dietary intake and their relationship to diet-related non-communicable diseases. J Diab. 3(4): 278– 92.
- 165. Miyashita K, Tagaki T and Frankel EN, 1990. Preferential hydrolysis of monohydroperoxides of linoleoyl and linolenoyl triacyglycerol by pancreatic lipase. *Biochim Biophys Acta*. 1045: 233-38.
- 166. Moreau RA 2005. Corn oil. Cottonseed oil. In Bailey's industrial oil and fat products: Edible oil and fat products: chemistry, properties, and health effects. Ed. Fereidoon Shahidi. A John Wiley and Sons Publication. Vol.2. 6th ed. Ch.4: 149-72.
- 167. Morton D 1998. Geography and history of the frying process. *Grasas y Aceites*. 49(Fasc. 3-4): 247-49.
- 168. Mozaffarian D, Abdollahi M, Campos H, Houshiarrad A, Willet WC 2007. Consumption of *trans* fats and estimated effects on coronary heart disease in Iran. *Eur J Clin Nutr*.61: 1004-10.
- 169. Mozaffarian D, Aro A, Willet WC 2009. Health effects of trans-fatty acids: experimental and observational evidence. *Eur J Clin Nutr.* 63: S5-S21.
- 170. Mozaffarian D, Willett WC 2007. Trans fatty acids and cardiovascular risk: a unique cardiometabolic imprint? *Curr Atheroscler Rep.* 9: 486-93.
- 171. Mudey AB, Kehsarwani N, Mudey GB, Goyal RC, Dawale AK, Wagh VV 2010. Health status and personal hygiene among food handlers working at food establishment around a rural teaching hospital in Wardha district of Maharashtra, India. *Global J Health Sci.* 2(2): 198-206.
- 172. Mudgil D, Barak S, Khatkar BS 2010. Trans fats and its health effects. *Ind Food Packer*, Jan-Feb; 62-65.

- 173. Narasimhamurthy K, Raina PL 1998. Studies on the physico-chemical characteristics of some vegetable oils during heating and frying. *J Food Sci Tech.* 35(5): 432-34.
- 174. Nasirullah, Rangaswamy BL 2005. Odidative stability of healthful frying oil medium and uptake of inherent nutraceuticals during deep frying. J Am Oil Chem Soc . 82(10): 753-57.
- 175. National Council of Applied Economics Research (NCAER) 2012. Agricultural outlook and situational analysis reports. Quarterly agricultural outlook report April-June: 1-91.
- 176. National Sample Survey Organization (NSS) 2007 Government of India. Nutritional intake in India 2004-2005. - NSS 61ST Round.
- 177. National Sample Survey Organization 2001. Ministry of Statistics and Program Implementation. Consumption of some important commodities in India, 1999-2000. NSS 55th Round Report No. 461. New Delhi.
- 178. Nawar WW 1969. Thermal degradation of lipids. A review. J Agric Food Chem. 17: 18-21.
- 179. Nawar WW 1993. Lipids. In: Food Chemistry, Fennema OR (eds), 157-274.
- 180. Nawar WW 2000. Lipids. In: Food Chemistry, ed. Fennema OR. 3rd ed. Marcel Dekker, Inc., New York, Ch.5: 225-319.
- 181. Naz S, Siddiqi R, Sheikh H, Sayeed SA 2005. Deterioration of olive, corn, and soybean oils due to air, light, heat, and deep-frying. *Food Res Intl* 38: 127-34.
- 182. Ni H, Datla AK 1999. Moisture, oil and energy transport during deep-fat frying of food materials, Transactions of Institution of Chemical Engineers, Part C: *Food and Bioproducts Processing*. 77: 194–204.
- 183. Nigam A 2000. Consumption of fat in Indian diet. Int J Diab Dev Countries. 20: 58-61.
- 184. Nor FM, Mohamed S, Idris NA, Ismail R 2009. Antioxidative properties of curcuma longa leaf extract in accelerated oxidation and deep frying studies. *J Am Oil Chem Soc.* 86: 141-47.
- 185. Normand L, Eskin NAM, Pryzbylski R 2001. Effect of tocopherols on the frying stability of regular and modified canola oils. *J Am Oil Chem Soc.* 78: 369-73.
- 186. Nurminen ML, Korpela R, Vapaatalo H 1998. Dietary factors in the pathogenesis and treatment of hypertension. *Ann Med.* 30(2): 143-50.

- 187. Nus M, Sanchez-Muniz J, Sanchez-Montero JM 2006. Methodological aspects and relevance of the study of vegetable oil, fat and lipoprotein oxidation using pancreatic lipase and arylesterase. *Food Technol Biotechnol.* 44(1): 1-15.
- 188. Nutbeam D 1998. Health promotion glossary. *Health Promot Int.* 13: 349-64.
- 189. Nzikou JM, Matos L, Moussounga JE, Ndangui CB, Pambou-Tobi NP, Bandzouzi EM, Kimbonguila A, Linder M, Desobry S 2009. Study of oxidative and thermal stability of vegetable oils during frying. *Res J Applied Sci.* 4(2): 94-100.
- 190. O'Brien RD, Jones LA, King CC, Wakeyln PJ, Wan PJ 2005. Cottonseed oil. In Bailey's industrial oil and fat products: Edible oil and fat products: chemistry, properties, and health effects. Ed. Fereidoon Shahidi. A John Wiley and Sons Publication. Vol.2. 6th ed. Ch.5: 173-279.
- 191.Ogunsina BS, Indra TN, Bhatnagar AS, Radha C, Debnath S, Gopal Krishna AG 2011. Quality characteristics and stability of moringa oleifera seed oil of Indian origin. J Food Sci Technol. (September). DOI 10.1007/s13197-011-0519-5.
- 192. Oh K, Frank BHu, Manson JE, Stampfer MJ, Willett WC 2004. Dietary fat intake and risk of coronary heart disease in women: 20 years of follow-up of the nurses' health study. *Am J Epidemiol*. 161: 672–79.
- 193.Ohta S 1985. The disposal of used frying oils. J Japanese oil Chem Soc. 34: 518-29.
- 194. Oils and fats 2005. Manual of methods of analysis of foods. Oils and fats. Lab manual 2 (7.0) Government of India. 18-19.
- 195. Olsen S, MacKinon L, Goulding J, Bean N, Slutsker L 2000. Surveillance for foodborne disease outbreaks-United States, 1993-1997. Morbidity and Mortality Weekly Report. 49: 1-51.
- 196. Pandya H, Lakhani JD, Patel N 2011. Obesity is becoming synonym for diabetes in rural areas of India also an alarming situation. *Int J Biol Med Res.* 2(2): 556-60.
- 197. Pantzaris TP 1999. Palm oil in frying. In: Frying of Food. Oxidation, Nutrient and Non-nutrient Antioxidants, Biologically active compounds and high temperature. Boskov D and Elmadfa I (Eds.), Technomic Pub. Co. Inc., Lancaster, PA: 223-26.

- 198. Pantzaris TP, Basiron Y 2002. The lauric (coconut and palm kernel) oils.In: Vegetable oils in food technology: composition, properties and uses.Ed. Gunstone FD. Blackwell Publishing, CRC press, UK. Ch-6: 157-201.
- 199. Pasricha S 2004. Count what you eat. National Institute of Nutrition (ICMR). Ist ed. 33-34.
- 200. Pattee HE 2005. Peanut oil. In: Bailey's industrial oil and fat products: Edible oil and fat products: chemistry, properties, and health effects. Ed. Fereidoon Shahidi. A John Wiley and Sons Publication. Vol.2. 6th ed. Ch.9: 431-63.
- 201.Patton D 2005. Convenience trend driving demand for coated foods. <u>http://www.foodnavigator.com/Financial-Industry/Convenience-</u> <u>trend-driving-demand-for-coated-foods</u>. Accessed on 12 Dec 2011
- 202. Paul S, Mittal GS, Chinnan MS 1997. Regulating the use of degraded oil/fat in deep-fat/oil food frying. *Crit Rev Food Sci Nutr.* 37 (7): 635–62.
- 203. Pedreschi F, Moyano P, Kaack K, Granby K 2005. Color changes and acrylamide formation in fried potato slices. *Food Res Intl.* 38: 1–9.
- 204. Pingali P, Khwaja Y 2004. Globalization of Indian Diets and the Transformation of Food Supply Systems. The Food and Agriculture Organization of the United Nations, ESA Working Paper No. 04-05: 1-31. <u>www.fao.org/es/esa</u>
- 205. Pinthus EJ, Weinberg P, Saguy IS 1993. Criterion for oil uptake during deep-fat frying. *J Food Sci*. 58(1): 204-05.
- 206. Podmore J 2002. Culinary fats: solid and liquid frying oils and specialty oil. In: Fats in food technology. ed. Rajah KK. Blackwell publishing. Sheffield academic press. Ch.9: 332-59.
- 207. Pokorny J 1989. Flavor chemistry of deep fat frying in oil. In: Min DB, Smouse TH, editors. Flavor chemistry of lipid foods. Champaign, III: American oil Chemists Society. Ch-7: 113-15.
- 208. Pokorny J, Reblova Z 1999. Effect of food components on changes in frying oil. *Food Technol Biotechnol*. 37: 139-43.
- 209. Popkin BM 2002. An overview on the nutrition transition and its health implications: the Bellagio meeting. *Public Health Nutr.* 5(1A): 93–103.
- 210. Popkin BM 2006. Global nutrition dynamics: the world is shifting rapidly toward a diet linked with non communicable diseases. *Am J Clin Nutr.* 84: 289-98.

- 211. Potteau B, Grandgirard A, Lhuissier M, Causeret J 1977. Recent investigations on the physiopathological effects of heated vegetable oils. *Bibl Nutr Dieta*.25: 122-33.
- 212. Premavalli KS, Madhura CV, Arya SS 1998. Storage and thermal stability of refined cottonseed oil-mustard oil blend. *J Food Sci Tech*. 35(6): 530-32.
- 213. Prevot A, Desbordes S, Morin O, Mordet F 1988. Volatiles and sensory effects from frying oils. In: Frying of foods, principles, changes, new approaches. Ed. Varela G, Bender AE and Morton ID. Ellis horwood Ltd. 155-65.
- 214. Qiao Q, Nyamdorj R 2010. Is the association of type II diabetes with waist circumference or waist-to-hip ratio stronger than that with body mass index? Waist, BMI and diabetes. *Eur J Clin Nutr.* 64: 30-34.
- 215. Qualia G, Comendador J, Finotti E 1998. Optimization of frying process in food safety. *Grasas y Aceites*. 49 (Fasc. 3-4): 275-81.
- 216. Raj PN, Prakash M, Bhat KK 2006. Quality assessment of oil blends by electronic nose technique and sensory methods. *J Sensory Studies*. 21: 322–32.
- 217. Ramachandran P 2008. Changing food consumption patterns in India. Bulletin of the Nutrition Society of India. 29(2): 1-5.
- 218. Ranganna S 2003. Edible oils and fats. In Handbook of analysis and quality control for fruits and vegetable products. 2nd ed.Ch-10: 211-41.
- 219. Rani AKS, Reddy SY, Chetana R 2010. Quality changes in trans and trans free fats/oils and products during frying. *Eur Food Res Technol*. 203: 803-811.
- 220. Raza SA, Rashid A, Qureshi FA, Asim MF, William J 2009. Analytical investigation of oxidative deterioration of sunflower oil stored under different conditions. *Biharean Biol.* 3(2): 93-97.
- 221. Razali I, Badri M 2003. Oil absorption, polymer and polar compounds formation during deep-fat frying of French fries in vegetable oils. Malaysian Palm Oil Board, *Palm Oil Developments*. No.38: 11-15.
- 222. Romero A, Cuesta C, Sanchez-Muniz FJ 1998. Effect of oil replenishment during deep-fat frying of frozen foods in sunflower oil and high-oleic acid sunflower oil. J Am Oil Chem Soc. 75(2): 161-67.
- 223. Ryan LC, Mestrallet MG, Nepote V, Conci S, Grosso NR 2008. Composition, stability and acceptability of different vegetable oils used for frying peanuts. *Int J Food Sci Technol.* 43(2): 193-99.

- 224. Sabhiki L, Tiwari BD 1999. Factors in food frying. *Indian Food Industry*. 18 (2): 100-104.
- 225.Saguy IS and Dana D 2002. Integrated approach to deep fat frying: engineering, nutrition, health and consumer aspects. *J Food Eng*. 56: 143-52.
- 226. Saguy IS, Pinthus EJ 1995. Oil uptake during deep-fat frying: factors and mechanisms. *Food Technol.* 152: 142-45.
- 227. Sanchez-Muniz FJ, Bastida S 2002. Polar content vs. TAG oligomer content in the frying-life assessment of monounsaturated and polyunsaturated oils used in deep-frying. J Am Oil Chem Soc. 79(5): 447-51.
- 228.Sanz T, Salvador A, Fiszman SM 2008. Performance of three different types of resistant starch in fried battered food. *Eur Food Res Technol.* 227: 21-27.
- 229. Scanlon MG, Roller R, Mazza G, Pritchard MK 1994. Computerized video image analysis to quantify color of potato chips. *Am Potato J*. 71(11): 717-33.
- 230. Sebedio JL, Bonpunt A, Grandgirard A, Prevost J 1990. Deep fat frying of frozen prefried french fries: influence of the amount of linolenic acid in the frying medium. *J Agric Food Chem.* 38: 1862-67.
- 231. Sehgal R, Kumar Y, Kumar S 2007. Prevalence and geographical distribution of *Eschericha coli* O157 in India: a 10 year survey. Trans *Royal Soc Tropical Med Hygiene*. 102(4): 380-3.
- 232. Sharma R, Bhutra R, Acharya S, Sherwani MRK 2007. Comparative analysis of four edible oils for stability against longer storage and heat deterioration during frying. *J lipid Sci Technol*. 39(3): 111-13.
- 233. Sheehy PJA, Morrissey PA, Flynn A 1994. Consumption of thermallyoxidized sunflower oil by chicks reduces α-tocopherol status and increases susceptibility of tissues to lipid oxidation. *B J Nutr.* 71(1): 53-65.
- 234. Sheth M, Diwedi R, Bhatnagar G 2005. Food safety in dietary departments of hospitals of Baroda. Asian J Home Sci. 4(1): 9-16.
- 235. Sheth M, Gupta A, Ambegaonkar T 2011. Handlers' hygiene practices in small restaurants of Vadodara. *Nutri Food Sci.* 41(6): 386-92.
- 236.Sheth M, Gurudasani R 2004. Assessing the hygienic practices of street food vendors of urban Vadodara and determining the microbial quality of high risk food bhelpuri using HACCP approach. M.Sc. Dissertation,

Department of Foods and Nutrition and WHO collaborative centre, Faculty of Home Science. M.S. University of Baroda. Vadodara.

- 237. Sheth M, Shah N 2008. Measurement of obesity. The scientific way to managing obesity, New Delhi: Sterling publication. 30-44.
- 238. Sheth M, Sukul S, Patel R 2007. Effectiveness of food safety education (FSE) to canteen staff in university boy's hostel. *Asian J Home Sci.* 2(1and2): 28-33.
- 239. Shetty P, Schidhuber J 2005. Determinant of obesity in developed and developing countries Int J Vitam Nutr Res. 76(4): 152-62.
- 240.Shetty PS 2002. Nutrition transition in India. Public Health Nutrition 5 (1A), 175-82.
- 241. Shih FF, Garber KLB, Daigle KW, Ingram D 2005. Effects of rice batter on oil uptake and sensory quality of coated fried okra. *J Food Sci*. 70(1): S18-S21.
- 242. Singh RB, Beegom R, Mehta AS, Niaz MA, De AK, Mitra RK et al 1999. Social class, coronary risk factors and undernutrition, a double burden of diseases, in women during transition, in five Indian cities. *Int J Cardiol.* 69: 139–47.
- 243. Singh RB, Niaz MA, Ghosh S, Beegom R, Rastogi V, Sharma JP, Dube GK 1996. Association of trans fatty acids (vegetable ghee) and clarified butter (Indian ghee) intake with higher risk of coronary heart disease in rural and urban populations with low fat consumption. *Int J Cardiology*. 56: 289–98.
- 244. Singh S, Tyagi VK 2001. Deep-fat-frying of foods- its significance on nutrition and health. *J Food Sci Technol.* 38(6): 545-52.
- 245. Soriano JM, Molto JC, Manes J 2002. Hazard analysis and critical control points in deep-fat frying. *Eur J Lipid Sci Technol*. 104: 174-77.
- 246.Soriguer F, Rojo-Martinezet G, Dobarganes MC, Garcia Almeida JM, Esteva I, Beltran M et al 2003. Hypertension is related to the degradation of dietary frying oils. *Am J Clin Nutr*. 78: 1092-97.
- 247.Srilakshmi B 2004. Evaluation of food quality. In Food science. New age international (P) limited, publishers. 3rd ed. Ch 13: 280-312.
- 248. Stevenson SG, Vaisey-Genser M, Eskin NAM 1984. Quality control in the use of deep frying oils. *J Am Oil Chem Soc.* 61(6): 1102-08.
- 249.Stier RF 2000. Foreign materials in foods are they really hazardous? http://pdf.usaid.gov/pdf_docs/PNADC901.pdf

- 250. Stier RF 2004. Frying as a science- An introduction. Eur J Lipid Sci Technol. 106; 715-21.
- 251. Sugano M, Hirahara F 2000. Polyunsaturated fatty acids in the food chain in Japan. *Am J Clin Nutr.* 71(suppl): 189S-196S.
- 252. Sukul S, Sheth M 2009. Action research for reaching out to research for reaching out to street food vendors for food safety education. *J Home Sci Assoc India*. 28(1): 89-100.
- 253. Sulieman AERM, Makhzangy AE, Ramdan MF 2006. Antiradical performance and physicochemical characteristics of vegetable oils upon frying of French fries: a preliminary comparative. *EJEAFChe*. 5(4): 1429-41.
- 254. Sundaram K, Ismail A, Hayes HC, Jeyamalar R, Pathmanathan R 1997. Trans (Elaidic) fatty acids adversely affect the lipoprotein profile relative to specific saturated fatt acids in humans. *J Nutr.* 127: 514S-20S.
- 255. Swinburn B, Ravussin E 1993. Energy balance or fat balance? Am J Clin Nutr. 57: 766S-71S.
- 256. Szczesniak AS, Kahn EE 1971. Consumer awareness of and attitudes to food texture I. Adults. *J Texture Studies*. 2: 280–95.
- 257. Teegala SM, Willet WC, Mozaffarian D 2009. Consumption and health effects of *trans* fatty acids: A review. J AOAC Int .92(5): 1250-57.
- 258. Thoenes P 2011. Recent trends and medium-term prospects in the global vegetable oil market. 10th International Conference "Fat-and-Oil industry, Ukraine, Kiev, 23-25 November 2011.
- 259. Tismis DA, Karakasides NG 2002. How the choice of container affects olive oil quality. *Packag Tech Sci.* 15(3): 147-54.
- 260. Tiwari RR 2008. Hypertension and epidemiological factors among tribal labour population in Gujarat. *Ind J Public Health.* 52(3): 144-46.
- 261. Toliwal SD, Tiwari MR 2008. Assessment of palm-corn oil blends during deep fat frying and storage studies. *J Lipid Sci Technol.* 40(1): 16-21.
- 262. Tompkins C, Perkins EG 1999. The evaluation of frying oils with the panisidine value. J Am Oil Chem Soc. 76(8): 945-47.
- 263. Totani N, Kuzume T, Yamaguchi A, Takada M, Moriya M 2006. Amino acids brown oil during frying. *J Oleo Sci*. 55(9): 441-47.
- 264. Totani N, Ono M, Burenjargal M, Ojiri Y 2007. Carbonyl compounds vaporize from oil with steam during deep frying. J Oleo Sci. 56(9): 449-56.

- 265. Tsai WC, Li YH, Lin CC, Chao TH, Chen JH 2004. Effects of oxidative stress on endothelial function after a high-fat meal. *Clin Sci.* 106: 315–19.
- 266.Tullao TS 2002. The impact of economic globalization on noncommunicable diseases: opportunities and threats. In: Globalization, Diets and Non-communicable Diseases. World Health Organization (WHO). 1-185.
- 267. Tyagi VK, Vasistha AK 1996. Changes in the characteristics and composition of oils during deep-fat frying. J Am Oil Chem Soc. 73(4): 499-506.
- 268. Tynek M, Hazuka Z, Pawlowicz R, Dudek M 2001. Changes in the frying medium during deep-frying of food rich in proteins and carbohydrates. *J Food Lipids*. 8: 251-61.
- 269. United States Department of Agriculture (USDA) 2010. India Oilseeds and Products Annual Global Agricultural Information Network (GAIN) Report Number: IN1031, 1-24.
- 270. United States Department of Agriculture (USDA) 2012. U.S. Census Bureau, International data base, Internal estimates.(http://asianplantations.com/mediarelations/statistics/20120 228-usdaedible.pdf).
- 271. Valsalan A, Siddhu A, Sundararaj P 2004. Assessment of rice bran oil as a cooking medium. *J Food Sci Technol.* 41(3): 248-55.
- 272. van Poppel G 1998. Intake of *trans* fatty acids in western Europe: The TRANSFAIR study. *Lancet*. 351: 1099-1106.
- 273. Van Zyl MK, Steyn NP, Marais ML 2010. Charateristics and factors influencing fast food intake of young adult consumers in Johannesburg, South Africa. *S Afr J Clin Nutr.* 23(3): 124-30.
- 274. Varela G 1988. Current facts about the frying of food. In Frying of food, principles, changes, new approaches. ed. Varela G, Bender AE, and Morton ID. Ellis Horwood. 10-25.
- 275. Vaz M, Bharathi AV, Muthayya S, Kurpad AV 2007. Food frequency questionnaire-based estimates of compliance to ATP III (National Cholesterol Education Programme) recommended diets in a middle-class adult population of Bangalore city. *The Ind J Nutr Dietet*. 44: 173-80.
- 276. Vegetable Oil Product Order (VOPO) 1998. http://www.fssai.gov.in/Portals/0/Pdf/vegetableoils.pdf

- 277. Vogel RA, Corretti MC, Plotnick GD 1997. Effect of a single high-fat meal on endothelial function in healthy subjects. *Am J Cardiol*. 79: 350–54.
- 278. Voort ven de FR, Sedman J, Ismail AA 1997. Upgrading the AOCS infrared trans method for analysis of neat fats and oils by fourier transform infrared spectroscopy. J *Am Oil Chem Soc.* 74(8): 907-13.
- 279. Vorria E, Giannou V, Tzia C 2004. Hazard analysis and critical control point of frying-safety assurance of fried foods. *Eur J Lipid Sci Technol.* 106: 759-65.
- 280. Wai-Lin S 2002. Palm oil. Vegetable oils in food technology: composition, properties and uses. Ed. Gunstone FD. Blackwell Publishing, CRC press, UK. Ch-3: 59-93.
- 281. Warner K 2004. Chemical and physical reactions in oil during frying. In: Frying Technology and Practice, Gupta MK, Warner K, and White PJ (eds.) AOCS, Champaign, 16-28.
- 282. Warner K, Fher W 2008. Mid-oleic/ultra low linolenic acid soybean oil: a healthful new alternative to hydrogenated oil for frying. J Am Oil Chem Soc. 85: 945–51.
- 283. Warner K, Gupta M 2003. Frying quality and stability of low and ultralow-linolenic acid soybean oils. J Am Oil Chem Soc. 80(3): 275-280.
- 284. Warner K, Gupta M 2005. Potato chip quality and frying oil stability of high oleic acid soybean oil. J Food Sci. 70(6): S395-S400.
- 285. Warner K, Moser J 2009. Frying stability of purified mid-oleic sunflower oil triacylglycerols with added pure tocopherols and tocopherol mixtures. *J Am Oil Chem Soc.* 86: 1199–1207.
- 286.Warner K, Neff WE, Eller FJ 2003. Enhancing Quality and Oxidative Stability of Aged Fried Food with γ-Tocopherol. J Agric Food Chem. 51(3): 623–27.
- 287. Warner K, Orr P, Glynn M 1997. Effect of fatty acid composition of oils on flavor and stability of fried foods. J Am Oil Chem Soc. 74(4): 347-56.
- 288. Weisburger JH 2000. Approaches for chronic disease prevention based on current understanding of underlying mechanisms. *Am J Clin Nutr*, 71: 1710S-14S.
- 289. Weisburger JH 2000. Eat to live, not live to eat. Nutr. 16: 767-73.
- 290. Wheeler FG, Stingley DV 1963. Effect of moisture on fat absorption in cake doughnuts. *Cereal Sci. Today.* 8: 102–08.

- 291. Whero F, Birch J 1997. Evaluation of the Food oil Sensor for on-site monitoring of frying oil quality. *The Food Technologist*. 27(1): 19-21.
- 292. White PJ 1991. Methods for measuring changes in deep-fat frying oils. *Food Technol*. 45(2): 75-83.
- 293.WHO (World Health Organization) 1996. Essential requirements for street-vended foods. Food safety unit. Division of food and nutrition. WHO/FNU/FOS/96.7.
- 294. WHO (World Health Organization) 2004. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *The Lancet*. 363: 157-163.
- 295. WHO (World Health Organization) 2005. Preventing Chronic Disease: A Vital Investment Geneva, World Health Organization. 1-182.
- 296. WHO (World Health Organization) 2008. 2008-2013 Action plan for the global strategy for the prevention and control of non-communicable diseases. 1-42.
- 297.WHO (World Health Organization) Europe 2003. Food based dietary guidelines in the WHO European region, Eur/03/5045414. WHO, Copenhagen. 1-37.
- 298. WHO/FAO Expert Consultation 2003. Diet, nutrition and the prevention of chronic diseases, WHO Technical report series 916. WHO, Geneva. 1-148.
- 299. Willett WC, Ascherio A 1994. Trans fatty acids: are the effects only marginal? *Am J Public Health*. 84: 722–24.
- 300.Xu Xin-Qing 1999. A modified very-fry quick test for measuring total polar compounds in deep-frying oils. *J Am Oil Chem Soc.* 76(9): 1087-89.
- 301.Xu Xin-Qing, Tran VH, Martin P, White K, Salisbury P 1999. Chemical and physical analysis and sensory evaluation of six deep-frying oils. *J Am Oil Chem Soc*. 76(9): 1091-99.
- 302. Yamsaengsung R, Moreira RG 2002. Modeling the transport phenomena and structural changes during deep fat frying Part I: Model development. *J Food Eng.* 53: 1–10.
- 303. Zimmet P 2000. Globalization, coca-colonization and the chronic disease epidemic: can the doomsday scenario be averted? *J Intern Med.* 247: 301–10.
- 304. Zizza C, Siega-Riz AM, Popkin BM 2001. Significant increase in young adults' snacking between 1977–1978 and 1994–1996 represents a cause for concern! *Prev Med.* 32: 303–10.