

REFERENCES

- Bandis S. et al (1981) : "Scale effects on the shear behaviour of rock joints" Int. J. Rock Mech. Min. Sci. and Geomech. Abs., Vol. 18, No. 1, pp. 1 to 21.
- Bandis S. et al (1983) : "Fundamentals of rock joint deformation" Int. J. Rock Mech. Min. Sci. and Geomech. Abs., Vol. 20, No. 6, pp. 249 - 268.
- Bandis S. et al (1985) : "Application of a new numerical model of joint behaviour to rock mechanics problems" Proc. Int. Symp. Fundamentals of Rock Joints, Sept., 1985, pp. 345 - 355.
- Barla G. et al (1985) : "Shear behaviour of filled discontinuities" Proc. Int. Symp. Fundamentals of Rock Joints, Sept., 1985, pp. 163 - 172.
- Barton N. (1972) : "A model study of rock joint deformation" Int. J. Rock Mech. Min. Sci., Vol. 9, No. 5, pp. 579 - 602.
- Barton N. (1974) : "A review of the shear strength of filled discontinuities in rock" Norweg. Geotech. Inst. Publ., Oslo, No. 105, pp. 1 - 38.
- Barton N. (1976) : "The shear strength of rock and rock joints" Int. J. Rock Mech. Min. Sci. and Geomech. Abstr., Vol. 13, No. 9, pp. 255 - 279.
- Barton N. et al (1977) : "The shear strength of rock joints in theory and practice" Rock Mechanics, Vol. 10, pp. 1 - 54.

- Barton N. (1986) : "Deformation phenomena in jointed rock" Geotechnique, 36, No. 2, pp. 147 - 167.
- Barton N. (1988) : "Predicting the behaviour of underground openings in rock" Norweg. Geotech. Inst. Publ., Oslo, No. 172, pp. 1 - 21.
- Bordia S. (1971) : "The effects of size and stress concentration on the dilatancy and fracture of rock" Int. J. Rock Mech. Min. Sci., Vol. 8, No. 6, pp. 629 - 640.
- Bordia S. (1972) : "Complete stress - volumetric strain equation for brittle rock upto strength failure" Int. J. Rock Mech. Min. Sci. Vol. 9, No. 1, pp. 17 - 24.
- Bowden F. et al (1960) : "Friction and Lubrication" John Wiley & Sons Inc., New York.
- Brady B. (1970) : "A mechanical equation of state for brittle rock - Part I - The prefailure behaviour of brittle rock" Int. J. Rock Mech. Min. Sci., Vol. 7, No. 4, pp. 385 - 421.
- Brown E. (1970) : "Strength of a model of jointed rock" J. Soil Mech. Found. Div., Am. Soc. Civ. Eng., Vol. 96, No. SM 2, pp. 685 - 704.
- Brown E. (1970) : "Strength of models of rock with intermittent joints" J. Soil Mech. Found. Div., Am. Soc. Civ. Eng., Vol. 96, No. SM 6, pp. 1935 - 1949.
- Brown E. (1976) : "Volume changes in models of jointed rock" Technical note - J. Geotech. Eng. Div., Am. Soc. Civ. Eng., Vol. 102, No. GT 3, pp. 273 - 276.

- Byerlee J. (1967) : "Frictional characteristics of granite under high confining pressure" J. Geophys. Res., Vol. 72, No.14, pp. 3639 - 3648.
- Christian J. (1977) : "Constitutive laws for geologic media" in Numerical methods in Geotechnical Engineering Ed. C.S. Desai and J.T. Christian, McGraw Hill Book Company, New York.
- Crouch S. (1970) : "Experimental determination of volumetric strains in failed rock" Int. J. Rock Mech. Min. Sci., Vol. 7, No. 6, pp. 589 - 603.
- Datir U. (1981) : "In situ shear tests on rock" M.E. Dissertation, M.S. University, Baroda (India).
- Dave K. (1987) : "Shearing behaviour of rock joints in direct shear box test with cement sand as gouge material" M.E. Dissertation, M.S. University, Baroda (India).
- Desai C. et al (Eds.) (1977) : "Numerical methods in Geotechnical Engineering" McGraw-Hill Book Company, New York.
- Desai C. (1977) : "Soil-structure interaction and simulation problems" in Finite Elements in Geomechanics, G. Gudehus (Ed.), John Wiley & Sons, Ltd., England, Chapter 7.
- Desai C. (1979) : "Some aspects of constitutive models for geologic media" Proc. 3rd Int. Conf. on Numerical methods in Geomechanics, Vol. I, pp. 299 - 308.
- Desai C. (1980) : "A general basis for yield failure and potential functions in plasticity" Int. J. Num. Analy. methods in Geomech., Vol. 4, pp. 361 - 375.

Desai C. et al (1982) : "High capacity multiaxial testing device" Geotechnical Testing Journal, Vol. 5, No. 1/2, pp. 26 - 33.

Desai C. et al (1984) : "Thin layer element for interfaces and joints" Int. J. Num. Ana. methods in Geomech., Vol. 8, pp. 19 - 43.

Desai C. et al (1984) : "Constitutive laws for engineering materials with emphasis on geologic materials" Prantice-Hall International Inc., London.

Desai C. et al (1986) : "A hierarchical approach for constitutive modelling of geologic materials" Int. J. Numerical and Analytical methods in Geomechanics, Vol. 10, No. 3, pp. 225 - 257.

Edmond J. et al (1972) : "Volume changes during the deformation of rocks at high pressures" Int. J. Rock Mech. Min. Sci., Vol. 9, pp. 161 - 182.

Einstein H. et al (1973) : "Model studies on mechanics of jointed rock" J. Soil Mech. Found. Div., Am. Soc. Civ. Eng., Vol. 99, No. SM 3, pp. 229 - 248.

Gandhi M. (1986) : "On shearing behaviour of jointed rocks" Ph.D. Thesis, M.S. University of Baroda, India.

Ghaboussi J. et al (1973) : "Finite element for rock joints and interfaces" J. Soil Mech. Found. Eng., Am. Soc. Civ. Eng., Vol. 99, No. SM 10, pp. 833 - 848.

Goodman R. (1968) : "A model for the mechanics of jointed rock" J. Soil Mech. Found. Eng., Am. Soc. Civ. Eng., Vol. 94, No. SM 3, pp. 637 - 659.

- Goodman R. (1970) : "The deformability of joints" Proc. Symp. Determination of the 'In Situ Modulus of Deformation of Rock, Denver, Colo., A.S.T.M. Spec. Tech. Pub. 477, pp. 174 - 196.
- Goodman R. et al (1972) : "Duplication of dilatancy in analysis of jointed rocks" J. Soil Mech. Found. Eng., Am. Soc. Civ. Eng., Vol. 98, No. SM 4, pp. 399 - 422.
- Goodman R. (1972) : "Finite element analysis for jointed rocks" in Rock Mechanics, Ed. Muller L., CISM courses and lectures No. 165, pp. 111 - 129.
- Goodman R. et al (1973) : "Undrained shear testing of jointed rock" J. Rock Mech., Vol. 5, pp. 129 - 149.
- Goodman R. (1977) : "Analysis in jointed rock" in Finite Elements in Geomechanics, G. Gudehus (Ed.), John Wiley & Sons Ltd., England, Chapter 11.
- Goodman R. (1980) : "Introduction to Rock Mechanics" John Wiley and Sons, New York.
- Gould M. (1985) : "Development of a high capacity dynamic direct shear apparatus and its application to testing sandstone rock joints". Ph.D.Thesis.
- Hassani F. et al (1985) : "Frictional mechanism and properties of rock discontinuities" Proc. Int. Symp. Fundamentals of rock joints, pp. 185 - 196.
- Herdicia A. (1985) : "Direct shear tests on artificial joints" Proc. Int. Symp. Fundamentals of rock joints, pp. 123 - 132.

- Heuze F. (1979) : "Dilatant effects of rock joints" Proc. 4th Int. Cong. Rock Mech., Vol. I, pp. 169 - 173.
- Heuze F. et al (1982) : "New models for rock joints and interfaces" J. Geotech. Engg. Div., Am. Soc. Civ. Eng., Vol. 108, No. GT 5, pp. 757 - 775.
- Hinton E. et al (1977) : "Finite Element Programming" Academic Press, London.
- Hoek E. et al (1980) : "An empirical failure criterion for rock" in Underground Excavations in Rock by Hoek E. and Brown E.T. pp. 137 - 177.
- Hoek E. et al (1980) : "Empirical failure criterion for rock masses" J. Geotech. Engg. Div., Am. Soc. Civ. Eng., Vol. 106, No. GT 8, pp. 1013 - 1035.
- Horn H. et al (1962) : "Frictional characteristics of minerals" Geotechnique, Vol. 12, No. 4, pp. 319 - 335.
- Hoskins E. et al (1968) : "A medium-scale direct friction experiment" Int. J. Rock Mech. Min. Sci., Vol. 5, No. 2, pp. 143 - 154.
- Hutson R. et al (1987) : "Microcomputer control of direct shear tests" Proc. 28th U.S. Symposium on Rock Mechanics, Ed. I.W. Farmer et al., pp. 125 - 132.
- Jaeger J. et al (1969) : "Fundamentals of Rock Mechanics", London.
- Jaeger J. (1971) : "Friction of rocks and stability of rock slopes", Geotechnique, Vol. 21, No. 2, pp. 97 - 134.

- Knox W. et al (1983) : "The engineering behaviour of jointed rock mass models composed of weak and strong strata" Quart. J. Eng. Geo., Vol. 16, pp. 127 - 134.
- Krsmanovic D. et al (1966) : "Shear strength of rock masses and possibilities of its reproduction on models" 1st Cong. Int. Soc. Rock Mech., Lisbon, Vol. I, pp. 537 - 542.
- Krsmanovic D. (1967) : "Initial and residual shear strength of hard rocks" Geotechnique, Vol. 17, pp. 145 - 160.
- Kutter H. (1972) : "Failure mechanism of jointed rock" in Rock Mechanics, Ed. Muller L., CISM courses and lectures, No. 165, pp. 95 - 110.
- Kutter H. et al (1980) : "The residual shear strength of filled joints in rock" 4th Cong. Int. Soc. Rock Mech., Vol. I, pp. 221 - 227.
- Lajtai E. (1969) : "Shear strength of weakness planes in rock" Int. J. Rock Mech. Min. Sci., Vol. 6, No. 5, pp. 499 - 515.
- Lajtai E. (1969) : "Strength of discontinuous rocks in direct shear" Geotechnique, Vol. 19, pp. 218 - 233.
- Lama R. et al (1978) : "Handbook on Mechanical Properties of Rocks - Testing Techniques and Results" Vol. 4, Trans Tech Publication, Germany.
- Pande G. (1985) : "A constitutive model of rock joints" Proc. Int. Symp. Fundamentals of rock joints, pp. 429 - 439.
- Parikh P. (1967) : "Shearing behaviour of sand under axisymmetric loading" Ph.D. Thesis, Uni. of Manchester, England.

- Pasamehmetoglu A. (1983) : "A look at the effect of scale on the shear evaluation of rock joints" Proc. 5th Cong. Int. Soc. Rock Mech., Vol. I, pp. A257 to A260.
- Patton F. (1966) : "Multiple modes of shear failure in rock" Proc. 1st Cong. Int. Soc. Rock Mech., Lisbon, Vol. I, pp. 509 - 513.
- Pender M. et al (1983) : "Pre-failure dilatancy and the stress distribution in a closely jointed rock mass" Proc. 5th Cong. Int. Soc. Rock Mech., Vol. 1, pp. C165 to C172.
- Plesha M. (1985) : "Constitutive models for rock discontinuities with dilatancy and surface degradation" - Unpublished.
- Proctor D. et al (1974) : "Measurements of the angle of interparticle friction" Geotechnique, Vol. 24, No. 4, pp. 581 - 604.
- Rao K. et al (1984) : "Rock mass strength from classification" Proc. Workshop on Engineering classification of rocks, CBIP, Paper 3, pp. 27 - 50.
- Reik G. et al (1978) : "Strength and deformation characteristics of jointed media in true triaxial compression" Int. J. Rock Mech. Min. Sci. & Geomech. Abst., Vol. 15, pp. 295 - 303.
- Rengers N. (1972) : "Friction properties and frictional behaviour of rocks separation planes in Rock Mechanics, Ed. Muller L., CSIM courses and lectures, No. 165, pp. 111 - 129.
- Richardson A. et al (1985) : "A mechanical study of the influence of joints on block test results" Proc. Int. Symp. Fundamentals of Rock Joints, Bjarkliden, pp. 143 - 153.

Ripley C. et al (1961) : "Sliding friction tests on sedimentary rock specimens" Trans. 7th ICOLD, Rome, Vol. 4, pp. 657 - 671.

Roberds et al (1978) : "Comprehensive models for rock discontinuities" J. Geotech. Eng. Dn., Am. Soc. Civ. Eng., Vol. 104, pp. 553 - 559.

Rowe P. et al (1964) : "Energy components during the triaxial cell and direct shear test" Geotechnique, Vol. 14, No. 3, pp. 245 - 261.

Sandler I. et al (1979) : "Recent developments in the constitutive modelling of geologic materials" Proc. 3rd Int. Conf. on Numerical Methods in Geomechanics, Vol. I, pp. 363 - 376.

Schneider H. (1976) : "The friction and deformation behaviour of rock joints" J. Rock Mechanics, Vol. 8, pp. 169 - 184.

Shah A. (1987) : "Shearing behaviour of rock joints in direct shear box test with cement sand as gouge material under cyclic loading" M.E. Dissertation, M.S. University, Baroda.

Shah J. (1985) : "Shear behaviour of jointed rock" M.E. Dissertation, M.S. University of Baroda.

Shah Y. (1984) : "Shearing behaviour of rock joints filled with cement mortar gouge" M.E. Dissertation, M.S. University of Baroda.

Singh B. (1973) : "Continuum characterization of jointed rock masses" Part I and II, Int. J. Rock Mech. Min. Sci., Vol. 10, pp. 301 - 335 and 337 - 349.

- Stimpson B. (1970) : "Modelling materials for engineering rock mechanics" Int. J. Rock Mech. Min. Sci., Vol. 7, pp. 77 - 121.
- Sture S. et al (1979) : "Fluid cushion truly triaxial or multiaxial testing device" Geotechnical Testing Journal, Vol. 2, No. 1, pp. 20 - 33.
- Swan G. (1985) : "Methods of roughness analysis for predicting rock joint behaviour" Proc. Int. Symp. Fundamentals of Rock Joints, Bjorkliden, pp. 153 - 162.
- Trollope D. (1968) : "The mechanics of discontinua of elastic materials" in Rock Mechanics in Engineering Practice by Stagg K.G. and Zienkiewicz O.C., John Wiley.
- Tulinov R. et al (1971) : "Role of joint filling material in shear strength of rocks" Proc. Symp. Rock Fracture, Nancy, Paper II - 24.
- Turk N. et al (1985) : "Investigation of some rock joint properties : Roughness angle determination and joint closure" Proc. Int. Symp. Fundamentals of Rock Joints, Bjorkliden, pp. 197 - 204.
- Varadarajan A. et al (1987) : "Constitutive modelling of the behaviour of sands and rocks" Proc. Indian Geotechnical Conference (IGC - 87), Bangalore, Vol. I, pp. 299 - 303.
- Varadarajan A. et al (1987) : "Material constants for a constitutive model : determination and use" - Unpublished.
- Venkatachalam G. (1985) : "Modelling of rock joints" Proc. Int. Symp. Fundamentals of Rock Joints, Bjorkliden, pp. 453 - 459.

Venkatachalam G. (1986) : "Stress-strain laws and failure theories most applicable to intact and jointed rock" Proc. Indian Geotechnical Conference (IGC - 86), New Delhi, Vol. I, pp. 33 - 37.

Walsh J. et al (1964) : "A fracture criterion for brittle anisotropic rock", J. Geophys. Res., Vol. 69, No. 16, pp. 3449 - 3455.

Walsh J. (1965) : "The effect of cracks on the uniaxial elastic compression of rocks" J. Geophys. Res., Vol. 70, No. 2, pp. 399 - 411.

Walsh J. ((165)) : "The effect of cracks in rock on Poisson's ratio" J. Geophys. Res., Vol. 70, No. 20, pp. 5249 - 5257.

Wilson E. (1977) : "Finite element for foundations, joints and fluids" in Finite Elements in Geomechanics, Gudehus G. (Ed.), John Wiley & Sons Ltd., England, Chapter 11.

Yudhbir et al (1983) : "An empirical failure criterion for rock masses" Proc. 5th Cong. Int. Soc. Rock Mech., Vol. Ib, pp. 1 - 8.

Zienkiewicz O. (1970) : "Analysis of non-linear problems in rock mechanics with particular reference to jointed rock system" Proc. 2nd Cong. Int. Soc. Rock Mech., Vol. III, Theme 8, Paper 14.

Zienkiewicz O. (1971) : "The Finite Element Method in Engineering Science" McGraw Hill, London, England.

Zonggi S. (1985) : "Asperity models for closure and shear" Proc. Int. Symp. Fundamentals of rock joints, Bjorkliden, pp. 173 - 184.