

BIBLIOGRAPHY

- (A) P. J. Davis, Interpolation and Approximation, Blaisdell 1963.
- (B) A. Erdélyi et al., Higher Transcendental Functions, Vol. I (New York: McGraw-Hill, 1953).
- (C) A. Erdélyi et al. Higher Transcendental Functions, Vol. II (New York: McGraw-Hill, 1953).
- (D) A. M. Mathai and R. K. Saxena, Generalized Hypergeometric functions with Applications in Statistics and Physical Sciences, (Berlin and New York: Springer-Verlag, 1973).
- (E) A. M. Mathai and R. K. Saxena, The H- function with Applications in Statistics and other Disciplines (New York: Wiley (Halsted), 1978).
- (F) Elna B. Mc Bride, Obtaining Generating Functions, (New York- Heidelberg and Berlin : Springer-Verlag, 1971).
- (G) G. Pólya and G. Szegő , Problems and Theorems in Analysis (Translated from the German by D. Aepli), Vol. I (New York-Heidelberg and Berlin: Springer-Verlag, 1972).
- (H) E. D. Rainville, Special Functions, (New York : Macmillan, 1960).
- (I) J. Riordan, An introduction to Combinatorial Analysis, (New York, London, Sydney: Wiley, 1958).
- (J) H. M. Srivastava, K. C. Gupta and S. P. Goyal, The H- functions of one and two variables with applications, (New Delhi, Madras: South Asian Publishers, 1982).
- (K) H. M. Srivastava and B. R. K. Kashyap, Special Functions in Queuing Theory and related Stochastic Processes, (New York: Academic Press, 1982).
- (L) G. Szegő , Orthogonal polynomials (New York: Amer. Math. Soc. Colloquium Publ., Vol. 23, 1939).

AGARWAL, A. K. and MANOCHA, H. L.

- (1) A new class of generating functions for generalized hypergeometric polynomials, Comment Math. Univ. St. Pauli, 27-2(1979), 157-162.

AGARWAL, R. P.

- (1) On Bessel polynomials, Canadian J. Math., 6 (1954), 410-415.

AL-SALAM, W. A.

- (1) The Bessel polynomials, Duke Math. J., 24 (1957), 529-546.
- (2) Operational representations for Laguerre and other polynomials, Duke Math. J., 31 (1964), 127-142.

BATEMAN, H.

- (1) Two systems of polynomials for the solution of Laplace's integral equation, Duke Math. J., 2 (1936), 569-577.

BARRUCAND, PIERRE and DICKINSON, DAVID

- (1) On the associated Legendre polynomials, Proceedings of in Conference held at Southern Illinois Univ. Edwardsville, April 27-29, (1967), 43-50.

BELL, E. T.

- (1) Exponential polynomials, Annals of Math., 35 (1934), 258-277.

BOAS, R. P. Jr. and BUCK, R. C.

- (1) Polynomials defined by generating relations, Amer. Math. Monthly, 63 (1956), 626-632.

BRAFMAN, F.

- (1) Some generating functions for Laguerre and Hermite polynomials, Canad. J. Math; 9(1957), 180-187.

BROWN, J. W.

- (1) On the Sheffer A- type of certain modified polynomial sets, Proc. Amer. Math. Soc., 23 (1969), 718-722.

BROWN, J. W. and GOLDBERG, J. L.

- (1) Index dependent parameters of Laguerre and related polynomial sets, Proc. Amer. Math. Soc., 25 (1970), 852-855.

CARLITZ, L.

- (1) Some polynomials related to the Ultraspherical polynomials, Collectanea Math., 13 (1961), 73-88.
- (2) Some polynomials related to the Ultraspherical polynomials, Portugal Math., 20 (1961), 127-136.
- (3) Some polynomials related to the Ultraspherical polynomials, Seminario Matematico Da Barcelona, 13 (1961), 73-88.
- (4) The product of several Hermite or Laguerre polynomials, Montash Math., 66 (1962), 393-396.
- (5) Products of Appell polynomials, Collect. Math., 15 (1963), 245-258.
- (6) A note on certain biorthogonal polynomials, Pacific J. Math., 24 (1968), 425-430.
- (7) Some generating functions for Laguerre polynomials, Duke Math. J., 35 (1968), 825-827.

CARLITZ, L. and SRIVASTAVA, H. M.

- (1) Some hypergeometric polynomials associated with the Lauricella function F_D of several variables, I and II, Mat. Vesnik 13(28), 41-47, 143-152.

CHAK, A. M.

- (1) A class of polynomials and a generalization of Stirling numbers, Duke Math. J., 23 (1956), 45-56.

CHANDEL, R. C.

- (1) Generalized Laguerre polynomials and the polynomials related to them, Indian J. Math., 11 (1969), 57-66.
- (2) A short note on generalized Laguerre polynomials and the polynomials related to them, Indian J. Math., 13 (1971), 25-27.
- (3) A further generalization of the class of polynomials $T_n^{(\alpha, k)}(x, r, p)$, Kyungpook Math. J., 14, (1974), 45-54.

CHANDEL, R. C. and BHARGAVA, S. K.

- (1) A generalization of certain classes of polynomials, Indian J. pure appl. Math., 12 (1981), 103-110.

CHATTERJEA, S. K.

- (1) Operational formulas for certain classical polynomials-I. Quart. J. Math. (Oxford)(2), 14 (1963), 241-246.
- (2) Operational formulas for certain classical polynomials-II. Rend. Sem. Mat. Univ. Padova, 33 (1963), 163-169.
- (3) Operational formulas for certain classical polynomials-III. Rend. Sem. Math. Univ. Padova, 33 (1963), 271-277.
- (4) On a generalization of Laguerre polynomials, Rend. Sem. Mat. Uni. Padova, 34 (1964), 180-190.
- (5) Some generating functions, Duke Math. J., 32 (1965), 563-564.

- (6) Some generalizations of Laguerre polynomials, Math. Japon., 11 (1966), 121-128.
- (7) On the unified presentation of classical orthogonal polynomials, SIAM Rev., 12 (1970), 124-126.

DAS, M. K.

- (1) A generating function for the generalized Bessel polynomials, Amer. Math. Monthly, 74 (1967), 182-183.
- (2) Operational representation for the Laguerre polynomials, Acta. Math. Acad. Sci. Hungar., 18 (1967), 633-637.

DICKINSON, D.

- (1) On Lommel and Bessel polynomials, Proc. Amer. Math. Soc., 5 (1954), 946-956.

ERDÉLYI, A.

- (1) On some expansions in Laguerre polynomials, J. London Math. Soc., 13 (1938), 154-156.

FASENMYER, SISTER M. CELINE

- (1) Some generalized hypergeometric polynomials, Bull. Amer. Math. Soc., 53 (1947), 806-812.

FUJIWARA, I.

- (1) A unified presentation of classical orthogonal polynomials, Math. Japon., 11 (1966), 133-148.

GOLDBERG, J. L.

- (1) A note on polynomials generated by $A(t)P(xH(t))$, Duke Math. J., 32 (1965), 643-651.

GOULD, H. W.

- (1) Some generalizations of Vandermonde's convolution, Amer. Math. Monthly, 63 (1956), 84-91.

- (2) Final Analysis of Vandermonde's convolution, Amer. Math. Monthly, 64 (1957), 409-415.
- (3) Generalization of a theorem of Jensen concerning convolution, Duke Math. J., 27 (1960), 71-76.
- (4) A q -binomial coefficient series transform, Bull. Amer. Math. Soc., 66 (1960), 383-387.
- (5) A series transformation for finding convolution identities, Duke Math. J., 28 (1961), 193-202.
- (6) Congruences involving sums of binomial coefficients and a formula of Jensen, Amer. Math. Monthly, 69 (1962), 400-402.
- (7) A new convolution formula and some new orthogonal relations for inversion of series, Duke Math. J., 29 (1962), 393-404.
- (8) A new series transform with applications to Bessel, Legendre and Tchebycheff polynomials, Duke Math. J., 31 (1964), 325-334.
- (9) Inverse series relations and other expansions involving Humbert polynomials, Duke Math. J., 32 (1965), 697-712.
- (10) Evaluation of a class of binomial coefficient summations, J. Combinatorial Theory, 1 (1966), 223-247.

GOULD, H. W. and HOPPER, A. T.

- (1) Operational formulas connected with two generalizations of Hermite polynomials, Duke Math. J., 29 (1962), 51-63.

GUPTA, R. P. and JAIN, G. C.

- (1) A generalized Hermite distribution and its properties, SIAM J. Appl. Math., 27 (1964), 359-363.

HUMBERT, PIERRE

- (1) Some extensions of Pincherle's polynomials, Proc. Edinburg Math. Soc., (1), 39 (1921), 21-24.

- (2) Sur une généralisation de l'équation de Laplace, Journal de Mathématiques Pures et Appliquées, (9), 8 (1929), 145-159.
- (3) Potentials et Prépotentials, Cahier Scientifiques, Fascicule 15, Paris (1936) J F d M, 62, 1298.

JACKSON, D.

- (1) Formal properties of orthogonal polynomials in two variables, Duke Math. J., 2 (1936), 423-434.

JAIN, R. N.

- (1) A generalized hypergeometric polynomial, Ann. Polon. Math., 19 (1967), 177-184; Corrigendum, ibid 20 (1968), 329.

JOSHI, C. M.

- (1) Operational formulae associated with the generalized Laguerre polynomials, Mathematica 11(34), 2 (1969), 269-276.

JOSHI, C. M. and PRAJAPAT, M. L.

- (1) The operator $T_{k,q}$ and a generalization of certain classical polynomials, Kyungpook Math. J., 15 (1975), 191-199.
- (2) On some properties of a class of polynomials unifying the generalized Hermite, Laguerre and Bessel polynomials, Math. Student, 45(1977), 74-86.

JOSHI, C. M. and SINGHAL, J. P.

- (1) Operational Formulas associated with a class of polynomials unifying the generalized Hermite and Laguerre polynomials, Riv. Mat. Univ. Parma(3), 1 (1972), 279-286.
- (2) Some polynomials associated with generalized Hermite polynomials, J. App. Theory, 7 (1973), 113-121.

KHANDEKAR, P. R.

- (1) On a generalization of Rice's polynomial, Proc. Nat. Acad. Sci. India, Part A, 34(2) (1964), 157-162.

KINNEY, EVELYN K.

- (1) A generalization of the Legendre polynomials, Amer. Math. Monthly, Vol. 70 (1963), 693, Abstract No. 4.

KONHAUSER, J. D. E.

- (1) Some properties of biorthogonal polynomials, J. Math. Anal. Appl., 11 (1965), 242-260.
- (2) Biorthogonal polynomials suggested by Laguerre polynomials, Pacific J. Math, 21 (1967), 303-314.

KOORNWINDER, T.

- (1) Two variable analogues of the classical orthogonal polynomials, Theory and Applications of Special Functions by R. A. Askey, Proceedings of an Advanced Seminar on Special Functions, Madison, Wisconsin, (1975), 435-495.

KRALL, H. L. and FRINK, O.

- (1) A new class of orthogonal polynomials: the Bessel polynomials, Trans. Amer. Math. Soc., 65(1949), 100-115.

LAHRI, M.

- (1) On a generalization of Hermite polynomials, Proc. Amer. Math. Soc., 27 (1971), 117-121.

MADHEKAR, H. C. and THAKARE, N. K.

- (1) Biorthogonal polynomials suggested by the Jacobi polynomials, Pacific J. Math., 100 (1982), 417-424.

MITTAL, H. B.

- 
- (1) Operational representation for the generalized Laguerre polynomial, Glasnik Math., 6(1971), 45-53.
 - (2) Polynomials defined by generating relations, Trans. Amer. Math. Soc., 168(1972), 73-84.

PALAMA, G.

- (1) Polinomi piu generali di altri classiche dei Poro associative relazioni tra essi, Riv. Mat. Univ. Poma, 4 (1953), 363-383.

PALAS, F. J.

- (1) A Rodrigue's formula, Amer. Math. Monthly, 66 (1959), 402-404.

PANDA, R.

- (1) On a new class of polynomials, Glasgow Math. J., 18 (1977), 105-108.

PATIL, K. R. and THAKARE, N. K.

- (1) Operational formulas for a function defined by a generalized Rodrigue's formula, Proc. Nat. Acad. Sci. India 48(A) II (1978), 85-93.
- (2) New operational formulas and generating functions for Laguerre polynomials, Ind. J. pure appl. Math., 8 (1977), 425-429.

PRABHAKAR, T. R.

- (1) On a set of polynomials suggested by Laguerre polynomials, Pacific J. Math., 35 (1970), 213-219.
- (2) On the other set of biorthogonal polynomials suggested by Laguerre polynomials, Pacific J. Math., 37 (1971), 489-492.

PRABHAKAR, T. R. and KASHYAP, N. K.

- (1) A biorthogonal pair of polynomials sets suggested by a class of Jacobi polynomials, Indian J. pure appl. Math., 11/9 (1980), 1147-1154.

PREISER, S.

- (1) An investigation of Biorthogonal polynomials derivable from ordinary differential equations of the third order, J. Math. Anal. Appl., 4 (1962), 38-64.

RAJGOPAL, A. K.

- (1) A note on the generalization of Hermite polynomials, Proc. Indian Acad. Sc. Sec. A, 48 (1959), 145-151.

RICE, S. O.

- (1) Some properties of ${}_3F_2(-n, n+1, \zeta, 1, p; v)$, Duke Math. J., 6 (1940), 108-119.

SARAN, S.

- (1) A general theorem for bilinear generating functions, Pacific J. Math., 35 (1970), 783-786.

SINGH, RATTAN

- (1) Generating functions of generalized polynomials, J. Indian Math. Soc., 36 (1972), 127-131.

SINGH, R. P.

- (1) Some polynomials of Srivastava related to the Laguerre polynomials, Math. Japon, 9 (1964), 5-9.
- (2) Some polynomials related to the generalized Laguerre polynomials, Proc. Nat. Acad. Sci. India, Sec. A, 34 (1964), 217-224.

SINGH, R. P. and SRIVASTAVA, K. N.

- (1) A note on generalization of Laguerre and Humbert's polynomials, La Ricerca (Settembre-Dicembre), 1-11.
- (2) A note on generalization of Laguerre and Humbert polynomials, La Ricerca (Napoli) (2) 14 (1963), 11-21; Errata, ibid (2) 15 (1964), 63.

SINGHAL, J. P.

- (1) A note on a generating function, Indian J. Math. (to appear).

SINGHAL, J. P. and JOSHI, C. M.

- (1) On the unification of generalized Hermite and Laguerre polynomials, Indian J. pure appl. Math., 13 (1982), 904-906.

SINGHAL, J. P. and SONI, N. K.

- (1) Some polynomials associated with $G_n^{(\alpha)}(x, r, p, k)$, Ranchi Uni. Math. J., 7 (1976), 1-10.

SINGHAL, J. P. and SRIVASTAVA, H. M.

- (1) A class of bilateral generating functions for certain classical polynomials, Pacific J. Math., 42 (1972), 755-762.

SLOANE, N. J. A.

- (1) An introduction to Association Scheme and Coding theory, Theory and Applications of Special Functions by R. A. Askey, Proceedings of an Advanced Seminar on Special Functions, Madison, Wisconsin (1975), 225-260.

SPENCER, L. and FANO, U.

- (1) Penetration and diffusion of X-rays, Calculation of spatial distributions by polynomial expansion, Journal of Research National Bureau of Standards, 46 (1951), 446-461.

SRIVASTAVA, H. M.

- (1) An extension of the Hille-Hardy formula, Math. Comput., 23 (1969), 305-311.
- (2) Some bilinear generating functions, Proc. Nat. Acad. Sci. U.S.A., 64 (1969), 462-465.
- (3) On the Konhauser sets of biorthogonal polynomials suggested by Laguerre polynomials, Pacific J. Math., 49 (1973), 489-492.
- (4) Note on certain generating functions for Jacobi and Laguerre polynomials, Publ. Inst. Math. (Beograd) (N.S.), 17 (31) (1974), 149-154.
- (5) An equivalence theorem on generating functions, Proc. Amer. Math. Soc., 52 (1975), 159-165.
- (6) A note on a generating function for the generalized Hermite polynomials, Nedal. Akad. Wetensch. Proc. Ser. A 79 (Nedal Akad. Wetensch. Indag. Math. 38), (1976), 457-461.

- (7) A note on certain generating functions for the classical polynomials, Atti Accad. Naz. Lincei Rend. Cl. Sci. Fis. Mat. Natur., (8) 63, (1977), 328-333.
- (8) An operational representation for the Laguerre polynomials, Nordisk Mat. Tidskr., 25/26 (1978), 137-138.
- (9) Certain theorems on Bilateral generating functions, Indian J. Math., 20 (1978), 9-13.
- (10) Quelques fonctions generatrices pour une classe de polynomes definis par une formule generale au type de Rodrigues, C.R. Acad. Sci. Paris. ser A-B 290, A 993 - A 996.
- (11) Some generating functions for Laguerre and Bessel polynomials, Bull. Inst. Math. Acad. Sinica, 8 (1980), 571-579.
- (12) A note on the Konhauser sets of biorthogonal polynomials suggested by the Laguerre polynomials, Pacific J. Math., 90 (1980), 197-200.

SRIVASTAVA, H. M. and BUSCHMAN, R. G.

- (1) Some polynomials defined by generating relations, Trans. Amer. Math. Soc., 205 (1975), 360-370.
- d (2) Adendum to "some polynomials defined by generating relations", Trans. Amer. Math. Soc. 226 (1977), 393-394.

SRIVASTAVA, H. M. and DAOUST, MARTHA C.

- (1) Certain generalized Neumann expansions associated with the Kampe De Fariet Function, Nederl. Akad. Wetensch. Proc. Ser. A 72 (Nederl. Akad. Wetensch. Indag. Math. 31) (1969), 449-457.

SRIVASTAVA, H. M. and JOSHI, C. M.

- (1) Integral representation for the product of a class of generalized hypergeometric polynomials, Acad. Roy. Belg. Bull. Cl. Sci. (5), 60 (1974), 919-926.

SRIVASTAVA, H. M. and LAVOIE, J. L.

- (1) A certain method of obtaining bilateral generating functions, Nederl. Akad. Wetensch. Proc. Ser. A 78 (Nederl. Akad. Wetensch. Indag. Math. 37), (1975), 304-320.

SRIVASTAVA, H. M. and LAVOIE, J. L. and TREMBLAY, R.

- (1) The Rodrigues type representations for a certain class of special functions, Ann. Mat. Pura Appl (4), 119 (1979), 9-24.

SRIVASTAVA, H. M. and PANDA, R.

- (1) Some operational techniques in the theory of special functions, Nederl. Akad. Wetensch. Proc. Ser. A 76 (Nederl. Akad. Wetensch. Indag. Math. 35), (1973), 308-319.
- (2) Some expansion theorems and generating relations for the H function of several complex variables, Comment. Math. Univ. St. Paul 24, Fasc. 2, (1975), 119-137.
- (3) On the unified presentation of certain classical polynomials, Boll. Un. Mat. Ital. (4), 12 (1975), 306-314.
- (4) Some bilateral generating functions for a class of generalized hypergeometric polynomials, J. Reine Angew. Math., 283/284 (1976), 265-274.
- (5) A note on certain results involving a general class of polynomials, Boll. Un. Mat. Ital. (5), 16A (1979), 467-474.
- (6) New generating functions involving several complex variables, Rend. Cinc. Mat. Palermo (2), 29 (1980), 23-41.

SRIVASTAVA, H. M. and PATHAN, M. A.

- (1) Some bilateral generating functions for the extended Jacobi polynomials, Comment. Math. Univ. St. Paul., 28, Fasc. 1 (1979), 23-30.
- (2) Some bilateral generating functions for the extended Jacobi polynomials. II. Comment. Math. Univ. St. Paul., 29, Fasc. 2 (1980), 105-114.

SRIVASTAVA, H. M. and RAINA, R. K.

- (1) New generating functions for certain polynomial systems associated with the H- functions, Hokkaido Math. J., 10, (1981), 34-45.

SRIVASTAVA, H. M. and SINGHAL, J. P.

- (1) A class of polynomials defined by generalized Rodrigues formula, Ann. Mat. Pura Appl. (4), 90 (1971), 75-85.
- (2) A unified presentation of certain classical polynomials, Math. Comput., 26 (1972), 969-975.
- (3) New generating functions for Jacobi and related polynomials, J. Math. Anal. Appl., 41 (1973), 748-752.

SRIVASTAVA, R.

- (1) New generating functions for a class of polynomials, Boll. Un. Mat. Ital (5), 17A (1980), 183-186.

TRICOMI, FRANCESCO

- (1) Equazioni differenziali, Torino. (1948)

THAKARE, N. K. and KARANDE, B. K.

- (1) Generating functions and modified polynomial sets, Proc. Natn. Acad. Sci. India 44 A, (1974), 231-236.

THAKARE, N. K. and MADHEKAR, H. C.

- (1) A characterization for modified polynomial sets, Indian J. pure appl. Math., 11 (12), (1980), 1659-1664.

THAKARE, N. K., MADHEKAR, H. C. and KARANDE, B. K.

- (1) Obtaining generating functions for modified polynomial sets by using Lagrange's formula.