BIBLIOGRAPHY

BIBLIOGRAPHY

Abbot A.J. and Belcher A.R. (1986). Potato tuber formation *in vitro*. pp. 113-22. In plant tissue culture and its agriculture applications. (eds. Withers L.A. and Alderson P.G. Butterworths, London. pp.113-22.

Adams M.J.1975. Potato tuber lenticels: Development and structure. Annals of Applied Biology. 79: 265-273.

Akita M. and Takayama S. (1994). Induction development of potato tubers in a jar fermentor. Plant Cell, Tissue and Organ Culture 36:177-182.

Akita M.; Shigeoka T.; Koizumi Y. and Kawamura M. (1994). Mass propagation of shoots of *Stevia rebaudiana* using a large scale bioreactor. Plant Cell Reports 13:180-183.

Alsadon A.A.; Knutson K.W. and Wilkinson J.C. (1988). Relationships between microtuber and minituber production and yield characteristics of six potato cultures. American Potato journal. 65:468.

Altman A. (1999). Plant Biotechnology in the 21st Century: The Challenges Ahead. Electronic Journal of Biotechnology. Vol 2, No.2, August 15.

Amezgueta J.M., Mingo-Castel A.M. and Tortosa E. (1989). Meristematic shoot tip culture and micropropagation in potato (*Solanum tuberosum* L.)CV. Kennebec and Jarla. Investigacion Agraria, Produccion y Proteccion vegatable 4 ·7-17.

Amirouche L. Stuchaury T. and Mathew S. (1985). Comparisons of cultivar performance on different nutrient media in a routine method for potato micropropagation. Potato Research 28: 469-478.

Anonymous (2000) Plant tissue culture from Research to commercialization – A decade of support. Dept. of Biotech., Ministry of Science and Tech., New Delhi. November.

*Artchwager E.F. (1924) Studies on the potato tuber. Journal of Agricultural Research 27: 809-35.

*Artchwager E.F.(1918) Anatomy of potato plant, with special reference to the ontogeny of the vascular system. Journal of Agricultural Research 27: 187-190.

Auboiron E.; Carron M.P. and Michaux-Ferriere N. (1990). Influence of atmospheric gases, particularly ethylene, on somatic embryogenesis of *Hevea brasiliensis*. Plant Cell tissue organ Culture. 21:31-37.

Bajaj Y.P.S. (1986). Biotechnology in Agriculture and Forestry. Vol.2: Crops I (ed. Y.P.S. Bajaj) Springer – Verlag Berlin Heildelberg.

Bapat V.A.; Mhatre M. and Rao P.S. (1987). Propagation of *Morus indica* L. (Mulberry) by encapsulated shoot buds. Plant Cell Report 6: 393-95.

Bapat V.A. and Rao P.S. (1990). *In vitro* growth of encapsulated axillary buds of mulberry (*Morus indica* L.). Plant Cell Tissue Organ Culture 20:69-70.

Bapat V.A. (1993). Studies on synthetic seeds of sandalwood (*Santalum album* L.) and mulbery (*Morus alba* L.). In: Redenbaugh K (Ed.) Synseeds: Applications of synthetic seeds to crop improvement., CRC Press, Boca Raton. pp.381-408

Belletti P.; Rota A. and Lantieri S. (1990). Effect of genotype, Benzylaminopurine concentration, Daylength and temperature on the formation of *in vitro* microtubers of potato (*Solanum tuberosum* L.). Ann. Fac. Sci. Agr. Univ. Torino. vol. XVI pp. 45-56.

Belletti P.; S. Lanteri; S.Lotito and dF. Saracco (1994). Production of potato microtubers through invitro culture. Acta Horticulturae 362.

Beyer, E.M. (1976). A potent inhibitor of ethylene action in plants. Plant Physiology 58: 268-271.

Biddington N.L. (1992). The influence of ethylene in plant tissue culture. Plant Growth Regulation 11: 173-187.

Bonga J.M. (1982) Tissue culture technique. In: Tissue culture in Forestry (eds. Bonga J.M. and Durzan D.J.) Martinus Nijhoff, The Hague, pp. 4-35.

Brady N.C. (1995). Modern Biotechnology at International Agricultural Research Centres. In: Plant Biotechnology Transfer to developing countries. Altman D.W. and Watanabe K.N. (eds.) R.G Landes Co., Texas, USA. pp.245-252.

Brown D.C.W. and Thorpe T.A. (1986). Plant regenertion by oranogenesis. Cell culture and somatic cell genetics. Vasıl I.K. (ed.). Academic Press, New York, Vol.3·49-60.

Buttel F.H., Kenney M. and Kloppenburg J. Jr. (1985). From Green Revolution to Bio-Revoluiton: Some observations on the changing Technological basis of economic Transformation in the Third world. Economic Development and Cultural Change 34 :31-56.

Calligari P.D.S. and Powell W. (1989). Variability in response of potato cultivars to micropropagation. I. *In vitro* performance. Annals of Applied Biololgy 115: 115-21.

Chadha K.L. (1998). In: Comprehensive potato Biotechnology. S.M. Paul Khurana, Ramesh Chandra, M.D. Upadhaya (eds.). Malhotra Publishing House, New Delhi.

Chandra R.; Randhawa G.J.; Chandhari D.R.; Upadhaya, M.D. (1992). Efficacy of triazole for *in vitro* microtuber production in potato. Potato Research 35: 339-341.

Chraibi K.M.; Latche A.; Roustan J.P. and Fallot J. (1991). Stimulation of shoot regeneration from cotyledons of *Helianthus annus* by the ethylene inhibitors, silver and cobalt. Plant Cell Reports 10: 204-207.

*Christensen M. (1970). Eliminering af virus i kartoffel. Nord. Jordbrugsforsk. 52: 387-389.

Cutter E.G. (1979) Structure and development of the potato plant. In: The potato Crop (Harris P.M., ed.). The scientific basis for improvement. London: Chapman and Hall, 70-152.

Cutter E.G. (1978). Structure and development of the potato plant. In: The Potato Crop (Harris P.M. ed.). Chapman & Hall, London. pp.70-152.

De K. K. (1992). Plant Tissue Culture. New Central Book Agency (Pvt.) Ltd.

Deshpande S.R.; Josekutty P.C.; Prathapasenan G. (1998). Plant regeneration from axillary buds of a mature tree of *Ficus religiosa.* Plant Cell Reports 17: 571-573.

Dhingra M.K., Sangar R.B.S.; Singh R.A. and Lal S.B. (1980) A modified medium for culturing meristem of Indian potato varieties. Journal of Indian Potato Association 7: 188-191.

Dhingra M.K.; Naik P.S.; Chandra R. & Randhawa G.J. (1992) Tissue culture techniques for potato health, conservation micropropagation & improvement. Tech. Bull. No.39, CPRI Shimla.

Dodds J H.; Tovar P.; Chandra R.; Estrella D. and Cabello R. (1988). Improved methods for *in vitro* tuber induction and use of *in vitro* tubers in seed programmes. In: Proceedings: Symposium on improved potato planting material. Kunming, China June 21-24, 1988. Asian potato association (APA). International potato Centre (CIP). pp.49-67.

Dolcel-Sanjuan R.; Claveria E. and Huerta A. (1997). Androgenesis in *Capsicum Annuum* L. – effects of carbohydrate and carbon divariable enrichment. Journal of American Society of Horticultural Science 122: 468-75.

D'Silva I. and D'Souza L. (1992) *In vitro* propagation of *Anacardium Occidentale* L. Plant Cell Tissue and Organ culture 29: 1-6.

Du Hong; Zhuang Dong-Hong and Huang Wen-hua. (2000). Stimulation effect of Silver nitrate on shoot regeneration in cotyledon tissue culture of *Brassica Campestris.* Journal of tropical and subtropical Botany 8 : 109-112.

Duncan D. A. and Ewing E.E. (1984) Initial anatomical changes associated with tuber formation on single node potato (*Solanum tuberosum* L.)cuttings. Annals of Botany 53: 607-610.

Enjalric F. Carron H.P. and Lardet L. (1988) Contamination of primary cultures in tropical, areas: The case of *Heven brasiliensis*. Acta Horticulturae. 225: 57-65.

Espinoza N., Estrada R.; Tovar P.; Bryan J. and Dodds J.H. (1986). Tissue culture, Micropropagation, conservation and export of potato germplasm. Special Technology document-1, International Potato Center, Lima, Peru.

Estrada R.; Tovar P. and Dodds J.H.(1986). Induction of *in vitro* tubers in a broad range of potato genotypes. Plant Cell Tissue and Organ Culture 7:3-10.

Evans J.M. and Batty N.P. (1994). Ethylene precursors and antagonists increase embryogenesis of *Hordeum vulgare* L., anther culture. Plant Cell Report 13: 676-678.

Evans N.E. (1993). A preliminary study on the effects on nitrogen supply on the growth *in vitro* of nine potato genotypes (*Solanum* Spp.) Journal of Experimental Botany 44: 837-841.

Ewing E.E. (1981). Heat stress and the tuberization stimulus American Potato Journal. 58:31-49.

Ewing E.E. and Waring P.F. (1978). Shoot, stolon and tuber formation on potato (*Solanum tuberosum* L.) Cuttings in response to photoperiod. Plant physiology. 61: 348-53.

Gamborg O.L. and Phillips G.C. (1996). In Plant Cell, tissue and Organ culture. Springer – Verlag Berlin Heidelberg.

Garner N. and Blake J. (1989). The induction development of potato microtubers *in vitro* on media free of growth regulating substances. Annals of Botany 63: 663-674.

Garner N. and Blake J. (1989). The induction and development of potato microtubers *in vitro* on media free of growth regulatory substances. Annals of Botany 63: 663-74.

Garner N. and Blake J. (1989). The induction and development of potato microtubers *in vitro* of media free of growth regulating substances. Annanls of Botany 63: 663-674.

Gill, R.I.S.; Gill S.S. and Gosal S.S. (1996). Rapid propagation of *Eucalyptus tereticornis* Sm. through tissue culture. In: Trends in plant tissue culture and Biotechnology. L.K. Pareek (ed) . Agrobotanical Publishers. India.

Goodwin P.B.; Kim Y.C. & Adisarwanto T. (1980). Propagation of potato by shoot tip culture. I. Shoot multiplication. Potato Research. 23:9-18.

Gopal J. and Minocha J.L. (1997). Effectiveness of selection in potato at microtuber crop level. Plant Breeding. 116: 293-295.

Gregory L.E. (1956). Some factors of tuberization in the potato plant. American Journal of Botany 43: 281-88.

Guston D.H. (1996). A Call for redirection. Book Reviews, Science. 273:1806-1807.

Hamapel D. J. (1991) Characterization of the early events of potato tuber development. Physiologia plantarum 83: 568-573.

Hammerschlag F. (1982). Factors affecting establishment and growth of peach shoots in vitro. Hortscience; 17: 85-86.

Haque M. I.; Mila N.B.; Khan S. and Sarkar R.H. . (1996). Shoot regeneration and in vitro microtuber formation in potato (*Solanum tuberosum* L.) Bangladesh Journal of Botany 25: 87-93.

Harris P.S. (1998). Environmental and regulatory aspects of using transformed plants and microorganisms. In: Comprehensive potato Biotechnology; Paul Khurana S.M., Chandra R. and Upaddhaya M.D. (eds) . Malhotra Pub. House. New Delhi. pp.305-52.

Harris R.E. and Mason E.B.B. (1983). Two machines for *in vitro* propagation of plants in liquid media. Canadian Journal of Plant Science 63: 311-316.

Hassing, B.E. (1989). Status of forest tree vegetative regeneration for biotechnology. Biotech. Lab. 7: 48-51.

Haverkort A.J.; Van de Waart M.and Marinus J. (1991). Field performance of potato microtubers as propagation material. Potato Research. 34: 353-364

Hawtin G. (1996). Safeguarding and sharing plant genetic resources. Outlook on Agriculture. 25: 81-87.

Hayward H.E. (1938). The Structure of economic plants. Wiley. New York.

Heszky E.; Enyingi K. and Szabo I. (1983). Tissue culture technology for long term storage and propagation of potato (*Solanum tuberosum* L.) germplasms pp: 9-17.

Howard H.W. (1978). The production of new varieties. In: The potato Crop.; Harris P.M. (ed.) Halsted Press, New York. pp.607-646.

Hussey G. and Stacey N.J. (1984). Factors affecting the formation of *in vitro* tubers of potato (*Solanum tuberosum* L.). Annals of Botany 53: 565-578.

Hussey G. and Stacey N.J. (1981). *In vitro* propagation of potato (*Solanum tuberosum* L.) Annals of Botany. 48: 787-96.

*Huth W. and Bode O. (1970). Belfreiung volling infizierter Kartoffelsorten von Infektionen des Kartoffel-S-virus durch Meristemkuthur. Nachrichtenbl. Dent. Pflanzenchutzdienstes (Brannschw) 22:37-99.

Ignacimuthu S. (1996). Applied Plant biotechnology. Tata McGraw-Hill Publishing Co. Ltd., New Delhi. page 314.

Jimenez E.; Perez N., de Feria M.; Barbon R.; Capote A.; Chavez M.; Quiala E. and Perez J.C. (1999). Improved production of potato microtubers using a temporary immersion system. Plant cell tissue and organ culture 59: 19-23 .

Johansson L.B. (1988). Increased induction of embryogenesis and regeneration in anther cultures of *Solanum tuberosum*. Potato Research 31: 145-49.

Jones E.D. (1988). A current assessment of *in vitro* culture and other rapid multiplication methods in North America and Europe. American Potato Journal. 65:209-20.

Khurana S.M.P. (1998). In: Comprehensive potato biotechnology. S.M. Paul Khurana, Chandra R., UPadhya M.D (eds.). Malhotra Publishing House, New Delhi. India. Page 1-352.

Khuri S. and Moorby J. (1995). Investigations into the role of sucrose in potato CV. Estima microtuber production *in vitro*. Annals of Botany, 75: 295-303.

Khuri S. and Moorby J. (1996). Nodal segments or microtubers as explants for *in vitro* microtuber production of potato. Plant Cell Tissue and organ Culture. 45: 215-222.

Kozlina P. B. and Berljak J. (1997). Starch accumulation as a marker for microtuberization in potato (*Solanum tuberosum*) Biologia Bratislava, 52: 553-559.

Kumar U. (1999). Methods in plant tissue culture. Agro Botanical Publishers, India. pp-316.

Kuttyamma S. and Maity S. (1998). Role of nodal position and hormones on microtuber production in potato (*Solanum tuberosum* L.). The Horticultural Journal 11: 67-75.

Lawrence C.H. and Barker W.G. (1963). A study of tuberization in the potato, *Solanum tuberosum*. American Journal of potato Research 40: 349-50.

Leclerc Y.; Donnelly D.J.; Coleman W.K.and Kin R.R. (1995). Microtuber dormancy in three potato cultivars. American Potato Journal 72: 215-23.

Leshem B.; Clows F.A.L. (1972). Rates of mitosis in shoot apices of potatoes at the beginning and end of dormancy. Annals of Botany. 36: 687-91.

Linsmaier E.M. and Skoog F. (1965). Organic growth factor requirements of tobacco tissue culture. Physiologia plantarum 18: 100-127.

Lommen W.J.M and Struik P.C. (1994). Field performance of potato minitubers with different fresh weights and conventional seed tubers. Crop establishment and yield formation. Potato Research 37: 301-13.

Lovel P.H. and Booth A. (1967). Effect of Gibbrellic acid on growth, tuber formation and carbohydrate distribution in *Solanum tuberosum*. New phytologist 66. 525-37.

Mader-Johanna C. (1999). Effect of Jasmonic acid, Silver nitrate and L. AOPP on the distribution of free and conjugated polyamines in root and shoots of *Solanum tuberosum in vitro*. Journal of plant physiology 154: 79-88.

*Marquard, H.K. and Ruchirawat, M. (1995). Preface proc. Asia-Pacific workshop on safety in Biotechnology. Chaulaborn Res. Ins. Bankok and DOE UK with DOE NL III.

Mathur A.; Ahuja P.S.; Lal N. and Mathur A.K. (1989). Propagation of *Valeriana Wallichiu* D.C. using encapsulated apical and axillary shoot buds. Plant Science 60: 111-16.

Mathur A.K., Ahuja, P.S., Mathur A., Kukreja A.K. and Shah N.C.(1988). *In vitro* propagation of *Valeriana Wallichi* DC. Planta Medica, 8: 4321-25.

Mederos-Molina S. and Trujillo M.I. (1999). Elimination of browning exudate and *in vitro* development of shoots in *Pistacia vera* L. cv. Mateur and *Pistacia atlantica* Desf. cultures. Acta Societatis Botanicorum Poloniae 68: 21-24.

Meiri H. and Altman A. (1998). Agriculture and Agricultural Biotechnology: Development trends towards the 21st Century. p.1-17. Agricultural Biotechnology. Altman A. (ed.). Marcel Dekkar Inc., New York.

Melching J.B.; Slack S.A. and Jones E.D. (1993). Field performance of peat-lite mix encapsulated small minitubers. American Potato Journal. 70:285-299.

Mellor F.C.and Stace-Smith R. (1987). Virus-free potatoes through meristan culture, In: Biotechnology in Agriculture and Forestry, Vol. 3 Bajaj Y.P.S. (ed.), potato Springer-Verlag, Hidelberg pp. 30-39.

Mes M.G. and Menge I. (1954). Potato shoot and tuber cultures *in vitro*. Physiologia Plantarum. 7: 637-49.

Meskaoui E.L.; Abdelimalek Yver Desjardins and Francine M. Tremblay (2000). Kinetics of ethylene biosynthesis and its effects during maturation of spruce somatic embryos. Physiologia Plantarum 109 : 393-342.

Miller S.A. and Lipschutz L. (1984) Potato. In: Handbook of Plant Cell Culture, Vol.3. P.V. Ammirato D.A. Evans W.R. Sharp and Yamada Y. (Eds). , Mac Millan Pub. Co., New York.

Mingo-Castel A.M.; Smith O.E. and Kumamoto J. (1976). Studies on the carbon dioxide and ethylene inhibition of tuberization in potato explants cultural *in vitro*. Plant Physiololgy 57: 480-485.

Mingo-Castel, A.M.; Negum, F.B. and Smith O.E. (1974). Effect of carbon dioxide and ethylene on tuberization of isolated potato stolons cultured *in vitro*. Plant Physiololgy 53: 798-801.

*Morel G. and Martin G. (1952). Guerison de dahlias attintes d'une maladie die a virus. Comp Renel 235: 1324-1325.

Mori G.; Kubo T.; Minura H. and Yamaguchi T. (1999). Elimination of endogenous contamination in cultured tuber explants of *Zantedeschia*. Environment Control in Biology 37: 225-228.

Morozova S.E. and Melik-Sarkisov G.S. (1978). Propagation of virus-free potato plants by means of tubers obtained *in vitro*. Soviet Plant Physiology. 25: 295-9.

Mujb A.; Das S.; Day S. and Bhattacharya B. (1995). Influence of agitation in *in vitro* cultivation of *Catharanthus roseus* L. G. Don multiple shoots. Phytomorphology. 45: 239-245.

Muller-Rober B.; Sonnewald U. and Willmitzer L. (1992). Inhibition of the ADP-glucose pyrophosphorylase in transgenic potatoes leads to sugar-storing tubers and influences tuber formation and expression of tuber storage protein genes. EMBO Journal 11: 1129-1238.

Murashige T. and Skoog F. (1962). A revised medium for rapid growth and bioassay with tobacco tissue cultures. Physiologia plantarum 15: 473-497.

Naik P.S. and Sarkar D. (1997). Influence of light induced greening on storage of potato microtubers. Biologia plantarum 39: 31-34.

Naik P.S. and Sarkar D. (2000). *In vitro* propagation and conservation of genetic resources in potato. In: Biotechnology in Horticultural and Plantation crop Chadha K.L.; Ravindran P.N. and Leela Sahijram (eds.). Malhotra Publishing House, New Delhi, India. pp. 369-406.

Naik P.S.; Sarkar D. and Gaur P.C. (1998). Yield Component of potato microtubers: *in vitro* production and field performance. Annals of Applied Biology 133: 91-99.

Narayanswami (1994). Plant cell and tissue Culture. Tata McGraw-Hill, New Delhi.

Nirmal Babu K.; Ravindran P.N. and Peter K. V. (1997). Protocols for micropropagation of Spices and Aromatic crops. Indian Institute of Spices Research, Calicut, Kerala. pp. 35.

Nirmal Babu K., Samsudeen K. and Ravindran PN (1996). Biotechnological approaches for crop improvement in ginger, *Zingiber officinale* Rose. In: Recent advances in Biotechnological applications on plant tissue and cell culture; Ravishankar GA and Venkataraman LV (eds.), Oxford IBM Publishing Co., New Delhi, pp. 321-32.

Novak F.J. and Zadina J. (1987). *In Vitro* propagation of potato-Progress in czechoslovakia. – Biotechnology in Agriculture & Forestry. Vol: 3 (potato). Y.P.S. Bajaj (ed.). Springer Verlag, Berlin Heidelberg.

Obata-Sasameto H. and Suzuki H. (1979) Activities of enzymes relating to starch synthesis and endogenous levels of growth regulators in potato stolon tip during tuberization. Physiologia Plantarum 45: 320-324.

*Okazawa Y. (1967). Physiological studies on tuberization of potato plants. Journal of Faculty of Agrilculture, Hokkaido Univ., 55: 267-36.

*Okazawa Y. (1959). Studies on the occurrence of natural gibberellin and its effects on the tuber formation of the potato plant. Proceedings of the Crop Science Society of Japan. 28:129-133.

Ortis-Monitel G. and Lozoya-Saldana H. (1987). Potato microtubers: Technology validation in Mexico. American Potato Journal 64: 535-44.

Palmer C.E. (1992). Enhanced shoot regeneration from *Brassica campestris* by silver nitrate. Plant Cell Reports 11: 541-545.

Palmer C.E. and Barker W.G. (1973). Influence of ethylene and kinetin on tuberization and enzyme activity in *Solanum tuberosum* L. stolons cultured *in vitro*. Annals of Botany 37: 85-93.

Palmer C.E. and Smith O.E.(1969). Cytokinins and tuber initiation in the Potato (*Solanum tuberosum* L.). Nature, 221: 279-80.

Peccei, H. (1981). One hundred pages for the future. New American Library. New York. p. 187.

Pelacho A.M. and Mingo-Castel A.M. (1991). Effects of photoperiod on kinetin-induced tuberization of isolated potato stolons cultured *in vitro*. American Potato Journal 86: 533-541.

Pennazio S. and Vecchiati M. (1976). Effects of naphthaleneacetic acid on potato meristem tip development. Potato Research 19: 257-261.

Pennazio S. and Redolfi P. (1973). Factors affecting culture *in vitro* of potato meristem tips. Potato Research 16: 20-29.

Perl A.; Aviv D; Willmitzer L and Galun E. (1991) *In vitro* tuberization in transgenic potatoes harboring β-Glucuronidase linked to a patatin promoter. Effects of sucrose levels and photoperiods. Plant Science 73: 87-95.

Peterson C.A.; Peterson R.L. Barker W.G. (1981). Observations on the structure and osmotic potentials of parenchyma associated with the internal phloem of potato tubers. American Potato Journal. 58·575-84.

Peterson R.L. and Barker W.G. (1979). Early tuber development from explanted stolon nodes of *Solanum tuberosum* var. kennebic. Botanical Gazette 140: 398-406.

Peterson R.L., Barker W.G. and Howarth M. J. (1985). Development and Structure of tubers. In: Potato physiology; Li P.H. (ed). Academic press, London, 123-47.

Piccioni E. and Standardi A. (1995). Encapsulation of micropropagated buds of six woody species. Plant Cell Tissue and Organ Culture. 42: 221-226.

Prasad and Pareek. (1996). Plant biotechnology and Horticulture. Impact on plant biotechnology and Horticulture. Agro Botanical publishers. India. Page 1-14.

*Ranelli P.; Bernabei M.; Tassinari V ; Mandolino G ; Benso P.; Cerato C; and Canova A. (1988). Produzione di tuberi prebase virus-esenti. L'Informatore Agrario. 23:33-39.

Randhawa G.J. & Chandra R. (1990) *In vitro* tuberization in six indian potato cultivars. Journal of Indian potato Association 17: 199-201.

Ranelli P, Forti E, Mandolino G, and Casarini B. (1990). Improving production and health of seed potato stock in Italy. Potato Research 33: 377-87.

Ranelli P.; Bassi F.; Ruaro G.; Del Re P., Di Cnadillo M.; and Mandolino G. (1994). Microtuber and minituber production and field performance compared with normal tubers. Potato Research 37: 383-91.

Rao P.S.; Supprasanna P. and Bapat V. (2000). Synthetic seed technology in Horticultural Crops. In: Biotechnology in Horticultural and Plantation crops. Chadha K. L.; Ravindran P.N. and Sahijram L. (eds.). Malhotra Publishing House, New Delhi, India.

Rao P.S.; Ganapathi T.R.; Suprasanna P. and Bapat V.A. (1996). Synthetic seed technology as a method of plant propagation and delivery of tissue cultured plants. In: Trends in plant tissue culture and biotechnology, Pareek L.K. (ed.) . Agro Botanical Publishers, Jaipur, India. pp 47-52.

Redenbaugh, K. (1990). Application of artificial seed to tropical crops. Horticultural Science 25: 251-55.

Reeve R.M., Hantala E., Weaver M.L. (1969) Anatomy and Compositional variations within potatoes, I. Developmental histology of the tuber. American Potato Journal 46: 361-73.

Reghunath B.R. and Bajaj Y.P.S (1992). Micropropagation of Cardamom (*Ellateria cardamom* Maton). In : Biotechnology of Agriculture and Forestry. Vol. 19. High-tech and micropropagation III, Bajaj Y.P.S.(Ed.) Springer-verlag, Heidelberg. pp. 175-98.

Riesmeier J.W.; Willmitzer, L.; Frommer W.B. (1994). Evidence for an essential role of the sucrose transporter in phloem loading and assimilate partitioning. EMBO Journal 13: 1-7.

Rosell G., De Bertholdi F.G. & Tizo R. (1987). *In vitro* mass tuberization as a contribution to potato micropropagation. Potato Research, 30:111-16.

Salunkhe, D.K. and Desai B.B.(1985). Post harvest Biotechnology of vegetables, p.238.

Sandra R.L. Fuentes, Maria B.P. Calheiros; Joao Manetti-Filho and Luiz G.E. Vieira (2000). The effects of Silver nitrate and different carbohydrate sources on somatic embryogenesis of *Coffea canaphora*. Plant Cell Tissue and Organ Culture 60: 5-13.

Sarkar D. and Naik P.S. (1997). Sucrose utilization and reducing sugar appearance during *in vitro* tuberization in potato. Journal of Indian Potato Association, 24: 118-23.

Sarkar D. and Naik P.S. (1998). Nutrient-encapsutation of potato nodal segments for germplasm exchange and distribution. Biologia plantarum 40: 285-290.

Sawyer R.L. (1979). Annual Report, International Potato Centre, Lima.

Schilde-Rentschler L. and Schmiediche P.E. (1984). Tissue Culture: past, present and future. CIP Circular, 12: 1-6.

Seabrook J. E.A.; Coleman S. and Lavy D. (1993). Effect of photoperiod on *in vitro* tuberization of potato (*Solanum tuberosum* L.) Plant Cell Tissue and Organ Culture 34: 43-51.

Sharma G.C. (1997). Recent developments and issues in plant science. pp.1-16. In: Trends in plant tissue culture and Biotechnology. Pareek L.K. (ed.). Agro Botanical Publishers. India.

Sharma T.R.; Singh B. M. and Chauhan R. S. (1994). Production of disease free encapsulated buds of *Zingiber officinale*_ Rose. Plant Cell Reports 13: 747-48.

Shekhawat G.S.; Gaur P.C.; Naik P.S. and Sarkar D. (1997). Potato micropropagation: Commercial prospects in India. In: National Conference on Transgenics, Tissue Culture and Floriculture, pp.24-32. All India Biotech Asso., New Delhi.

Singh H.P.; Singh S.; Saxena R.P. & Singh R.K. (1992) Pretreatment of nodal segments for *in vitro* establishment and bud activation of *Madhuca latifolia*. Plant physiology and Biochemistry. 19: 116-122.

Singh SV; Chandra R, Singh J and Naik PS. (1994). Integraiton fo potato microtuber technology in breeder's seed production. In: Potato: Present and Future, Shekhawat G.S.; Khurana S.M.P.; Pandey S.K. and Chandha V.K. (eds). Indian Potato Association, Shimla. pp.299-304.

Slack A. Steven and Laura A. Tufford (1995). Meristem culture for virus elimination. In: Plant cell tissue and organ culture. Gamborg O.L. and Philips G.C. (eds.) Springer-Verlag Berlin Heidelberg. pp: 117-128.

Slimmon T., Machado V.S. and Coffin R. (1989). The effect of light on *in vitro* microtuberization of potato cultivars. American Potato Journal 66: 843-48.

Songstad D.D.; Armstrong C.L. and Peterson W.L. (1991). $AgNO_3$ increase type II Callus production from immature embryos of maize inbred 873 and its derivatives. Plant Cell Reports 9: 699-702.

Stace-Smith R. and Mellor F.C. 1968. Eradication of potato virus X and S by thermotherapy and axillary bud culture. Phytopathology. 58:199-203.

Stallknecht G.F. and Farnsworth S. (1982). General characteristics of coumarin – induced tuberization of axillary shoots of *Solanum tuberosum* L. Cultured in vitro. American Potato Journal 59:17-32.

Steward F.C. and Caplin S.M. 1951. A tissue culture from Potato tuber: The Synergistic action of 2,4-D and of coconut milk. Science. 111:518-520.

Struik P.C. and Wiersema S.G. (1999). Seed potato technology. Wageningen Press. Wageningen. The Netherlands, 383 pp.

Takayama S. and Misawa M. (1981). Mass propagation of *Begonia x hiemalis* plantlets by shake culture. Plant and Cell physiology. 22: 461-467.

*Tapio E. (1972). Virus-free clones of potato varieties Pito and Tammiston Aikainen. Annals of Agriculture Fenniae. 11:115-118.

Thilme R and Pett B (1982). Produciton of tubers *in vitro* and their use in the establishment of a potato store. Arch. Zue. Forsch., 12:257-62.

*Tizio R. (1971). Action of role probable de certaines gibberellines (A1, A3, A4, A5, A7, A9, et A13) Sur La Croissance des stolons et la tuberization de la pomme de terre (*Solanum tuberosum* L.) Potato Research 14: 193-204.

Tovar P.; Estrada R.; Schilde-Renschler L. and Dodds, J.H. (1985). Induction and use of *in vitro* tubers. CIP. Circular. 13:1-5.

Trainen T. (1992). The role of ethylene and reducing agents on anther culture response of tetraploid potato (*Solanum tuberosum* L.) Plant Cell Rep. 10:604-607.

Unnikrishnan M. and Sheela M.N. (2000). Biotechnology in conservation and improvement of tuber crops. Biotechnology in horticultural and plantation crops. Chadha K.L.; Ravindran P.N. and Sahijram L.. Malhotra Pub. House, New Delhi. pp.452-486.

Van der Zaag, DE (1990). Research and developments in seed potato production systems and its implications in Bangladesh. In: Rashid MM, Siddique MA and Hussain, MM (eds). Proc. Int'l Sem, Bangladesh – Netherlands Seed Mult. Proj. BADC, Dhaka.

Van Handel E. (1968). Direct microdetermination of Sucrose. Analytical Biochemistry 22: 280-88.

Vissar R.G.F.; Vreugdenhil D.; Hendriks T. and Jacobsen E. (1994) Gene expression and Carbohydrate content during stolon to tuber transition in potatoes (*Solanum tuberosum*). Physiologia plantarum 90: 285-292.

Vodenik M.E. and Jenko M.(1992). Production and use of minitubers for basic seed potato production in Slovenia. Potato Research. 35: 69.

Vrengdenhil D.; Xin Xu; Jung C. S., Andre A. M.; Van Lammeren and Ewing. E. E.(1999) Initial Anatomical Changes Associated with Tuber formation on Single-node Potato (*Solanum tuberosum* L.) Cuttings: A Re-evaluation. Annals of Botany 84:675-680.

Vreugdenhil D. and Struik P.C. (1989). An integrated view of the hormonal regulation of tuber formation in potato (*Solanum tuberosum*). Physiologia plantarum. 75:525-531.

Vreugdenhil D.; Yvonne B.; Visser R.G.F. and de Bruijn S.M.(1998). Comparison of tuber and shoot formation from *in vitro* cultured potato explants. Plant cell Tissue and Organ Culture 53: 197-204.

Wainwright H. and England N. (1978) The micropropagation of *Prosopsis juliflora*: establishment *in vitro*. Acta Horticulturae 212:49-54.

Wang P.J. and Hu C.Y. (1982) *In vitro* mass tuberization and virus free seed-potato production in Taiwan. American Potato Journal. 59: 33-37.

Wang P.J. and Hu C.Y. (1985). Potato tissue culture and its application in agriculture. In: Potato physiology, Li P.H. (ed.). Academic press, London. pp. 503-77.

Watad A.A., Kochba M., Nissim A. and Gaba V. (1995). Improvement of *Aconitum napellus* micropropagation by liquid culture on floating membrane rafts. Plant cell Reports 14:345-348.

*Wattimena G.A. (1983). Micropropagation as an alternative technology for potato production in Indonesia. Ph.D. Thesis Uni. of Winconsin. Madison.

Wattimena G.; Mc Cown B. and Weis G. (1983) Comparative field performance of potatoes from microculture. American Potato Journal. 60:27-33.

Wenzel G.(1980). Protoplast techniques incorporated into applied breeding programs. In: Advances in protoplast Research, Proceedings of the fifth international protoplast symposium (L. Ferenczy and G.L. Farkas, eds.) Pergammon Press, Oxford. pp. 327-340.

Wigginton M.J. (1974) Effects of temperature, oxygen tension and relative humidity on the wound-healing process in the potato tuber. Potato Research. 17: 200-214.

Yamamoto T. and Nakata K. (1997). Effects of CCC and BA on the formation of potato tuber *in vitro*. Japanese Journal of Crop Science 66: 663-668.

Yeo Dy. and Reed B.M. (1995). Micropropagation of three *Pyrus* rootstocks. Hortscience 30: 620-623.

Zarrabeitia A.; Lejarcegni X.; Veramendi J. and Mingo-Castel A.M. (1997). Influence of nitrogen supply on micropropagation and subsequent microtuberization of four potato cultivars. American Potato Journal 74:369-78.

Zobayed S.M.A.; Armstrong J. and Armstrong W. (1999). Evaluation of a closed system, diffusive and humidity-induced convective throughflow ventilation on the growth and physiology of cauliflower *in vitro*. Plant Cell Tissue and Organ culture 59: 113-123.

Zrenner R.; Salanoubat M.; Willmitzer L. and Sonnewald U. (1995). Evidence of the crucial role of sucrose synthase for sink strength using transgenic potato plants (*Solanum tuberosum* L.) Plant Journal 7: 97-107.

Zsofia Banfalvi; Molner A. and Zsusanna Kostyal (1997). Comparative studies on potato tuber development using an in vitro tuber induction system. Alta Biologica Hungarica. 48: 77-86.

* the original reference not seen