

C O N T E N T S

	<u>Page</u>
<u>Chapter 1 : INTRODUCTION</u>	1
Kutch in general	4
Physiographic divisions	4
Climate	8
Vegetation	12
Fauna	13
Agriculture	13
Population	14
Communication	15
Geology	15
The Great Rann	18
Scope of present investigation	20
<u>Chapter 2 : A. PREVIOUS WORK</u>	27
Mac Murdo	28
Alexander Burns	29
D'costa	30
Burnes	31
Lyell	33
Frere	33
Wynne	35
T. Oldham	38
Rowland	38
Gules	40
Sivewright	40
Imperial Gazetteer	42
R.D. Oldham	42

Wadia	44
Satyanarayana	45
Platt	47
Glennie	48
Shrivastava	49
B. <u>A BRIEF HISTORY OF RANN'S EVOLUTION</u>	51
<u>Chapter 3 : GEOMORPHOLOGY</u>	57
General description of the Rann	58
Geomorphic division of Rann	63
Facet A : Bet-zone	66
Characteristics of Sub-Facet A ₁	66
Sub-Facet A ₂	70
General characteristics of the Facet	72
Channel bars	76
Point bars	78
Natural levees	80
Flood-plain scour routes and abandoned channels	82
Channel-fill deposits	84
Facet B : Linear Trench Zone	87
Sub-Facet B ₁ : Region of regular marine influence	87
Sub-Facet B ₂ : Region of marine influence during monsoon high tides	90
Sub-Facet B ₃ : Region of restricted marine influence	92
Facet C : The Great Barren Zone	95
Special geomorphic features	99
Kori Creek	99
Allah Band	102

Rocky mainland	109
Island belt	112
Banni	113
Efflorescence deposits and Sebkhass	115
Efflorescence deposits	115
Salt crystals along profiles	116
Sebkhass	118
<u>Chapter 4 : PROFILE STUDIES</u>	130
Profiles of Facet A	131
Profile No. 1	131
Profile No. 2	134
Profile No. 3	136
Profile No. 4	139
Profile No. 5	142
Profiles of Facet B	143
Profile No. 6	143
Profile No. 7	146
Profile No. 8	148
Profile No. 9	151
Profile No. 10	152
Profile No. 11	153
Profile No. 12	156
Profile No. 13	157
Profile No. 14	158
Profiles of Facet C	160
Profile No. 15	160
Profile No. 16	162
Profile No. 17	164
Profile No. 18	166

Little Rann	167
Profile No. 19	167
<u>Chapter 5 : TECHNIQUES AND METHODS OF SEDIMENT STUDIES</u>	171
Collection of samples	172
i) Bets	173
ii) Inter-bet channels	173
iii) The area susceptible to sea water influx	173
iv) The fringes of Rann with the rocky mainland	173
v) The Great Rann depression which does not receive any sea water	173
Methods of Analysis	174
Field Methods	175
Field moisture coefficient	175
Variation of moisture with depth	175
Cone Penetrometer tests	176
Laboratory Methods	176
Grain-size analysis	176
Attenberg's Limits	180
Hygroscopic coefficient	182
Moisture Absorbing Capacity	183
Thixotropy	185
Total soluble salt content	187
Permeability	188
Mineral analysis	190
Special Experiments	191
Simple Field Tests for Identification Purpose	191

<u>Chapter 6 : CAUSES OF INUNDATION</u>	193
Role of sediments	193
Fineness of sediments	195
Field moisture capacity	204
Capillary rise in sediments	215
Hygroscopic absorption	220
Infiltration capacity	223
Permeability	232
Compaction	237
Plasticity	246
Organic silts	247
Inorganic silts	247
Inorganic clays	249
Organic clays	249
Bet sediments	250
Mixed sediments	250
Thixotropy	252
Moisture absorbing capacity	255
Presence of salts	261
Discussion	273
Role of geomorphology	275
Role of Kori Creek	275
Role of trough-like channel	276
Role of abandoned channels and inter-bet channels in the Bet-Zone	279
Inundation of the Great Barren Zone	286
<u>Chapter 7 : PATTERN OF INUNDATION</u>	288
Inundation pattern in Facet A (Bet-Zone)	290
Sub-Facet A ₁	291
Sub-Facet A ₂	295

Inundation patter in Facet B (Trench-like depression)	298
Sub-Facet B ₁	299
Sub-Facet B ₂	308
Sub-Facet B ₃	311
Inundation pattern in Facet C	313
Summary	321
<u>Chapter 8 : RESUME</u>	332
ACKNOWLEDGEMENT	336
REFERENCES	337

LIST OF FIGURES

1.1	Location map	2
1.2	Physiographic map	5
1.3	Communication map	16
1.4	Geologic map	At the back of the thesis
1.5	Overall drainage map of Kutch District	19
3.1	Map showing sediments types	At the back of the thesis
3.2	Map showing geomorphic Facets	
3.3	Map showing details of Facet A ₁	
3.4	Map showing spot heights and reduced levels (R.L.)	

3.5	Tectonic map of Kutch	98
3.6	Region around Kori Creek	101
3.7	Tidal fluctuation at Kori Creek (Based on daily records of 1968)	104
4.1	Location of profiles	170
6.1	Textural classification of Rann sediments	201
6.2	Relationship between average grain-size and geomorphology	203
6.3	a) Relationship between clay percentage and field moisture capacity	213
	b) Variation of moisture with depth for normal conditions	214
6.4	Variation of moisture	215
6.5	Hygroscopic absorption for unleached sediments	224
6.6	a) Role of mud-cracks in infiltration	227
	b) Process of salinization	227
6.7	Seasonal variation of moisture with depth	223
6.8	Plasticity chart	248
6.9	Relationship between average clay percentage and moisture absorbing capacity	260
6.10	Hygroscopic absorption for leached sediments	272
6.11	Map showing perennial wet patches	At the back of the thesis
6.12	Formation of clay beds around 'bets' and process of waterlogging	281

6.13	Bets and inter-bet regions	284
7.1	Map showing direction of water movement	At the back of the thesis
7.2	Map showing affected spots during rain	
7.3	Map showing position of sea water ingress during normal tides (November-February)	
7.4	Map showing maximum depths of standing water	
7.5	Monthly highest high and lowest low tides at Lakhpat	307
7.6	Fluctuations in water level around Lakhpat and Kuar bet	312
7.7	Map showing maximum ingress of sea water	At the back of the Thesis
7.8	Inundation map after Shrivastava (1971)	316
7.9	Inundation map after Glennie	317
7.10	Map showing overall inundation pattern	320

LIST OF PLATES

3.1	Panoramic view of the Great Rann showing the imperceptible gradient. <u>Location:</u> Sub-Facet B ₃ . Kuar bet, Mori bet in the background	59
3.2	Perennially water-logged patch. <u>Location:</u> South of Kuar bet, in Sub-Facet B ₃	60
3.3	Isolated channel on the Rann surface carrying rain water. Trend of channel NNE-SSW. <u>Location:</u> In Sub-Facet A ₁	71

3.4	Typical abandoned channels <u>Location</u> : West of Vigukot in Sub-Facet A ₁	83
3.5	Typical abandoned channels of Sub-Facet A ₁ (Depth of channels around 1 metre) <u>Location</u> : West of Karimshahi	85
3.6	General view of salt encrusted Rann <u>Location</u> : 9 km west of Kuar bet.	91
3.7	Salt encrusted region in Sub-Facet B ₂ (Just after the recession of sea water).	93
3.8	Debris brought down by sea water <u>Location</u> : About 3 km SSW of Kuar bet.	103
3.9	Complex network of gullies and channels <u>Location</u> : Allah Band (South of Karimshahi)	106
3.10	Typical Banni shrubland	114
3.11	Photograph showing abrupt transition from Rann to Banni.	114
3.12	Close-up of friable top surface of salt crust with needle-like crystal development on the undersurface. <u>Location</u> : About 2 km east of Dharamshala	117
3.13	Ridged and buckled appearance of salt crusts <u>Location</u> : About 10 km WSW of Kuar bet in Great Rann (Sub-Facet B ₃).	120
3.14	Development of halite crystals <u>Location</u> : WSW of Kuar bet in the Great Rann.	122
3.15	Development of cubic halite crystals from evaporation of sea water. <u>Location</u> : South of Kuar bet in the Great Rann.	122
4.1	Dharamshala bet face profile <u>Location</u> : East face of Dharamshala bet.	132

4.2	Bediya bet profile. <u>Location</u> : 1 km south of Bediya bet.	137
4.3	Chota and Bada Sarbela profile <u>Location</u> : Between Chota and Bada Sarbela.	140
4.4	Salt encrustations overlying organic clays <u>Location</u> : Depressed area west of Kuar bet in Sub-Facet B ₃	145
4.5	Salt crusts overlying black clay <u>Location</u> : About 17 km west of Khavda near Dhorada Wandh (Southern edge of Sub-Facet B ₃)	147
4.6	Transition zone sediment profile <u>Location</u> : Transition zone near Rann and Banni.	150
4.7	Soft oozy mud <u>Location</u> : South of Kuar bet and west of India bridge.	154
4.8	Top 50 cm of the profile in the Rann <u>Location</u> : Near Adesar-Piprala crossing of the Little and Great Rann	161
6.1	Photograph showing salt crusts at the base of pit due to efflorescence. <u>Location</u> : 3 km north of village Dhorada Wandh in the Great Rann (Sub-Facet B ₃)	219
6.2	Mud cracks in heavy clays during dry seasons (Depth of cracks around 50 cm; width around 10 cm) <u>Location</u> : 50 metres NNE of Dharamshala	228
6.3	Mud cracks in silty clays <u>Location</u> : 50 metres south of Bediya bet.	229
6.4	Compact Rann sediments during dry season <u>Location</u> : 2 km north of Gainda bet.	239

6.5	Soft, slushy clay in wet season <u>Location:</u> Near Gaiinda bet.	240
6.6	Typical inter-bet region of Sub-Facet A ₂ <u>Location:</u> Between Dharamshala bet and Mori bet.	282
7.1	Partly submerged bets during inundation <u>Location:</u> Chota Sarbela bet in the background	294
7.2	Sea water emerging from Kori Creek <u>Location:</u> Photograph taken at low tide from top of Lakhpat fort.	300
7.3	Tidal ingress at Kuar bet. Depth of water around 1-2 cm. <u>Location:</u> Kuar bet.	301
7.4	Looking towards Kuar bet (in the background) photograph showing the limit of tidal ingress indicated by the disappearance of salt crusts to the right of the bridge. <u>Location:</u> Kuar bet	319

LIST OF STEREO-PLATES

1	Stereo-plate showing the western extremity of Allah Band. Inked lines represent old channel courses which terminate abruptly at the Allah Band. At the south of Allah Band is the wet Rann, which comes under the influence of sea water.	68
2	Stereo-plate showing a inter-bet channel. White tone indicate salt encrustations, formed in the areas between 'Bets'. B: Bets S.C.: Salt crusts	73

3.1	Open Pan evaporation	124
6.1	Mechanical analysis of Rann sediments	196
6.2	Field moisture capacity for Rann sediments	206
6.3	Capillary rise in sediments	217
6.4	Hygroscopic absorption for unleached sediments	221
6.5	Infiltration rates in clayey sediments	231
6.6	Permeability values	231
6.7	Cone Index values	241
6.8	Plasticity values	251
6.9	Thixotropic values	251
6.10	Moisture absorbing capacity of Rann sediments	256
6.11	Total soluble salts	262
6.12	Effect of leaching on Index properties	269
6.13	Hygroscopic absorption for leached sediments	271
7.1	Variation of water depths around various locations during rains	323
