

Bibliography



Bibliography

- Abdel-Barry, J. A., Abdel-Hassan, I. A. and M. H. Al-Hakiem (1997). Hypoglycemic and antihyperglycemic effects of *Trigonella foenum-graecum* leaf in normal and alloxan induced diabetic rats. *Journal of Ethnopharmacology*. **58** (3): 149-155.
- Adachi, T. and X. L. Wang (1998). Association of extracellular-superoxide dismutase phenotype with the endothelial constitutive nitric oxide synthase polymorphism. *FEBS Lett.* **433**: 166-168.
- Aiman, R (1970). Recent research in indigenous antidiabetic medicinal plants: An overall assessment. *Indian J. Physiol and Pharmacol.* **14**: 65-76.
- Ajit Kar, B.K. and N.G. Choudhary (2003). Comparative evaluation of hypoglycaemic activity of some Indian medicinal plants in alloxan diabetic rats. *Journal of ethnopharmacology*, **84**: 105-108.
- Alarcon- Aguilara, F. J., Roman-Ramos, R., Perez-Gutierrez, S., Aguilar-Contreras, A., Contreras-Weber, C. C and J. L. Flores-Saenz (1998). Study of the antihyperglycemic effect of plants used as antidiabetic. *J Ethnopharmacol.* **20**: 470-475.
- Alarcon-Aguilara, F. J., Roman-Ramos, R., Perez-Gutierrez, S., Aguilar-Contreras, A., Contreras-Weber, C. C. and J. L. Flores-Saenz (1998). Study of the antihyperglycemic effect of plants used as antidiabetics. *J Ethnopharmacol.* **61**: 101-110.
- Ali-Emmanuel, N., Moudachirou, M., Akakpo, A. J. and J. Quetin-Leclercq (2002). *In vitro* antimicrobial activity of *Cassia alata*, *Lantana camara* and *Mitracarpus scaber* against *Dermatophilus congolensis* isolated in Benin. *Revue-d'Elevage-et-de-Medecine-Veterinaire-des-Pays-Tropicaux.* **55** (3): 183-187.
- Allain, C. C., Poon, L., Chan, S. G., Richmond, W and P. Fu (1974). Enzymatic determination of total serum cholesterol. *Clin. Chem.* **20**: 470.
- Al-Rehaily, A. J., Al-Howiriny, T. A., Al-Sohaibani, M. O. and S. Rafatullah (2002). Gastroprotective effects of 'Amla' *Emblica officinalis* on *in vivo* test models in rats. *Phytomedicine.* **9**: 515-522.

- Amarsingham, R. D., Bisset, N. G., Millard, A. H. and M. C. Wood (1964). Phytochemical Survey of Malaya. Part III, Alkaloids and Saponins. *Econ. Bot.* **18** (3): 270.
- Anaga, A. O., Njouk, C. J., Ekejiuba, E. S., Esiaka, M. N. and I. U. Asuzu (2004). *Phytomedicine*. **11**: 242-248.
- Anila, L. and N. R. Vijayalakshmi (2002). Flavonoids from *Emblica officinalis* and *Mangifera indica* effectiveness for dyslipidemia. *J Ethnopharmacol.* **79**: 81-87.
- Anuradha, C. V. and R. Selvam (1993). Effect of oral methionine on tissue lipid peroxidation and antioxidants in alloxan induced diabetic rats. *J Nutr Biochem.* **4**: 212-217.
- Argueta, V. A., Cano, A. L. M. and M. E. Rodarte (1994). *Atlas De Las De La Medicina Tradicional Mexicana I*. Institute Nacional Indigenista. Mexico.
- Armstrong, A. M., Chestnuff, J. F., Hormley, M. J. and I. S. Young (1996). The effect of dietary treatment on lipid peroxidation and antioxidant status in newly diagnosed non-insulin dependent diabetes. *Free. Radic. Bio. Med.* **21**: 719-26.
- Asayama, K., Hayashibe, H., Dobashi, K., Niitsu, T., Miyao, A and K. Kato (1989). Antioxidant enzyme status and lipid peroxidation in various tissues of diabetic and starved rats. *Diabetes Res.* **12**(2): 85-91.
- Asayama, K., Nakane, T., Uchida, N., Hayashibe, H., Dobashi, K. and S. Nakazawa (1994). Serum antioxidant status in streptozotocin-induced diabetic rats. *Horm. Metab. Res.* **26**: 313-315.
- Asolkar, L. V., Kakkar, K. K. and O. J. Chakre (1992). *Second Supplement to Glossary of Indian medicinal Plants with Active Principles Part I, (A-K)*, (1965-1981). Publications and Information Directorate (CSIR). New Delhi.
- Back-bielsen, H. O., Hother-Nielsen, and O. Pedersew (1988). Mechanism of action of sulphonylureas with special reference to the extra-pancreatic effect: An Overview. *Diabetic Med.* **5**: 613-620.
- Bagdade, J. D., Porte, D Jr and E. L. Bierman (1967). Diabetic lipemia: a form of acquired fat induced lipemia. *N Eng J Med.* **276**: 427-433.

- Baker, H. O., Fuanko, B., De Angelis, S. and F. Feingold (1980). Plasma α - Tocopherol in man at various times after ingesting free or acetylated tocopherol. *Nutr Res.* **21** (4): 531-536.
- Baquer, N. Z., Gupta, D. and J. Raju (1998). Regulation of metabolic pathway in liver and kidney during experimental diabetes. Effect on antidiabetic compounds. *Ind. J. Clin. Biochem.* **13**: 63-80.
- Barham, D. and P. Trinder (1972). Determination of Uric acid in serum, plasma and urine. *Analyst.* **97**: 142-145.
- Barik, B. R., Bhaumik, T., Dey, A. K. and A. B. Kundu (1994). Triterpenoids from *Artocarpus heterophyllus*. *Phytochemistry.* **35**(4): 1001-1004.
- Bartels, H. and M. Bohmer (1972). Determination of Creatinine in serum, plasma and urine. *Clin. Chem. Acta.* **37**: 193.
- Baskaran, K., Kizar Ahamath, B., Radha Shanmugasundaram, K. and E. R. Shanmugasundaram (1990). Antidiabetic effect of a leaf extract from *Gymnema sylvestre* in non-insulin-dependent diabetes mellitus patients. *Journal of ethnopharmacology.* **30** (3): 295-300.
- Beutler, E., Ditron, O and D. M. Kelly (1963). Improved method for the determination of blood glutathione. *J. Lab. Clin. Medi.* **61**: 882-890.
- Bharani, A., Ganguly, A. and K. D. Bhargava (1995). Salutory effect of *Terminalia arjuna* in patients with severe refractory heart failure. *Int J Cardiol.* **49**: 191-199.
- Bhargava, K.K., Dayal, R. and T.R. Seshadri (1974). Chemical components of *Eugenia jambolana* stem bark. *Current sci.* **43**(20): 645-646.
- Bhatia, I.S. and K.L. Bajaj (1975). Chemical constituents of the seeds and bark of *Syzygium cumini*. *Planta Medica,* **28**: 346-352.
- Bhattacharya, A., Ghosal, S. and S. K. Bhattacharya (2000). Antioxidant activity of tannoid principles of *Emblica officinalis* (amla) in chronic stress induced changes in rat brain. *Indian J Exp Biol.* **38**(9): 877-880.
- Bogardus, C., Lillioja, S., Stone, K. and D. Mott (1984). Correlation between muscle glycogen synthase activity and invivo insulin action in man. *J Clin Invest.* **73**: 185-190.

- Bopanna, K. N., Kannan, J., Sushma, G., Balarama, R. and S. P. Rathod (1997). Antidiabetic and antihyperlipidemic effects of neem seed kernel powder on alloxan diabetic rabbits. *Indian J Pharmacol.* **29**: 162-167.
- Brahmachari, H.D. and K.T. Augusti (1961). Hypoglycemic agents from Indian Indigenous plants. *Journal of Pharmacy and Pharmacology.* **13 (1)**: 381-382.
- Branstrup, N., Kirk, J. K. and C. Bruni. (1957). Determination of hexokinase in tissue. *J. Gerontol.* **12**: 166.
- Bruce, A., Freeman, D. and C. James (1982). Biology of disease free radicals and tissue injury. *Lab. Invest.* **47**: 412-426.
- Buettner, G. R (1993). The pecking order of free radicals and antioxidants: Lipid peroxidation, alpha-tocopherol and ascorbate. *Arch of Biochem and Biophysics.* **300**: 535-543.
- Burstein, M., Scholnick, H. P. and R. Mortin (1974). Cholesterol in high density lipoprotein: using Mg^{++} /PTA. *J. Lipid. Res.* **19**: 583.
- Butler, A. E., Janson, J., Soeller, W. C and P. C. Butler (2003). Increased beta-cell Apoptosis Prevents Adaptive increase in beta-cell Mass in Mouse Model of Type 2 Diabetes: Evidence for Role of Islet Amyloid Formation Rather Than Direct Action of Amyloid. *Diabetes.* **52(9)**: 2304-14.
- Caceres, A., Grion, L. M. and A. M. Martinez (1987). *J. Ethnopharmacol.* **19**: 233-245.
- Cambie, R. C. and J. Ash (1994). *Fijian Medicinal Plants*, CSIRO, Australia, 108-109.
- Chance, B., Greenstein, D. S. and R. J. W. Roughton (1952). The mechanism of catalase action 1-steady state analysis. *Arch Biochem Biophys.* **37**: 301-339.
- Chandrika, U. G., Jansz, E. R. and N. D. Warnasuriya (2005). Analysis of carotenoids in ripe jackfruit (*Artocarpus heterophyllus*) kernel and study of their bioconversion in rats. *Journal of the Science of Food and Agriculture.* **85(2)**: 186-190.
- Chattopadhyay, R. R. (1998). Possible mechanism of antihyperglycemic effect of *Gymnema sylvestre* leaf extract, part I. *General Pharmacology.* **27 (3)**: 431-434.
- Chattopadhyay, R. R. (1999). A comparative evaluation of some blood sugar lowering agents of plant origin. *Journal of Ethnopharmacology.* **67 (3)**: 367-372.

- Chattopadhyay, R. R., Sarkar, S. K., Ganguli, S., *et al.*, (1991). "Hypoglycemic and antihyperglycemic effect of leaves of *Vinca rosea* Linn". *Indian J Physiol Pharmacol.* **35**: 145-51.
- Chattopadhyay, R. R., Sarkar, S. K., Ganguli, S., *et al.*, (1992). "Antiinflammatory and acute toxicity studies with leaves of *Vinca rosea* Linn in experimental animals". *Indian J Physiol Pharmacol.* **36**: 291-2.
- Chaturvedi, P. N. (1967). *A study on the effect of an indigenous drug Arjuna (Terminalia arjuna) on arterial thrombosis and ischemic heart disease*. Thesis for MD (Ayurveda). Banaras Hindu University.
- CHEMEXCIL (1992). *Selected Medicinal Plants of India*. Basic Chemicals, Pharmaceutical and Bombay, India: Cosmetic Export Promotion Council.
- Chiang, L. C., Cheng, H. Y., Liu, M. C., Chiang, W. and C. C. Lin (2003). Antiviral activity of eight commonly used medicinal plants in Taiwan. *American Journal of Chinese Medicine.* **31(6)**: 897-905.
- Chopra, R.N., Nayar, S.I. and I.C. Chopra (1956). *In Glossary of Indian medicinal plants*. (P.I.D., New Delhi). 238.
- Chowdhury, F. A., Raman, M. A. and A. J. Mian (1997). Distribution of free sugars and fatty acids in jackfruit (*Artocarpus heterophyllus*). *Food Chemistry.* **60 (1)**: 25-28.
- Chung, M., Lu, C. M., Huang, P. L., Lin-C. N., Chung, M. I., Lu, C. M., Huang, P. L. and C. N. Lin (1995). Prenylflavonoids of *Artocarpus heterophyllus*. *Phytochemistry.* **40 (4)**: 1279-1282.
- Comargo, M. E. M., Najera. C. R., Torres, R. S. and M. E. C. Alderate (2006). Evaluation of the diuretic effect of the aqueous extract of *Costus Pictus*. D. Don. In rats. *Poc. West. Pharmacol. Soc.* **49**: 72-74.
- Conconi, M. T., DeCarlo, E., Vigolo, S., Grandi, C., Bandoli, G., Siculo, N., Tamagno, G., Parnigotto P. P and G. G. Nussdorfer (2003). Effect of some vanadyl coordination compound on the in vitro insulin release from rat pancreatic islets. *Horm Metab Res.* **35**: 402-406.

- Craveiro, A.A., Androde, C.H.S., Matos, F.J.A., Alencar, J.W. and M.I.L. Machado (1983). Essential oil of *Eugenia jambolana*. *Journal of natural products*. **46(4)**: 591-92.
- Dahanukar, S and U. Thatte (1989). *Ayurveda Revisited*. Popular Prakashan, Bombay, 12.
- Daisy, P., Priya, N. and M. Rajathi (2004). Immunomodulatory activity of *Eugenia jambolana*, *Clitoria ternatera* and *Phyllanthus emblica* on alloxon induced diabetic rats. *Journal of experimental zoology*. **7(2)**: 269-278.
- Damodaran, S. and S. Venkataraman (1994). A study on the therapeutic efficacy of *Cassia alata*, Linn, leaf extract against *Pityriasis versicolor*. *Journal of Ethnopharmacology*. **42 (1)**: 19-23.
- Daniel, M. (1991). *Methods in plant chemistry and economic botany*. Kalyani Publishers. New Delhi.
- Das, A. V., Padayatti, P. S. and C. S. Paulose (1996). Effect of leaf extract of *Aegle marmelose* (L.) Correa. ex. Roxb. on histological and ultra structural changes in tissues of streptozotocin induced diabetic rats. *Indian J Exp Biol*. **34**:341-345.
- DeFronzo, R. A. (1992). Pathogenesis of type 2 (Non-insulin dependent) diabetes mellitus: a balanced overview. *Diabetologia*. **35**: 389-397.
- DeFronzo, R. A. (1999). Pharmacologic therapy for type 2 diabetes mellitus. *Ann Intern Med*. **35**: 389-397.
- DeFronzo, R. A., Gunnarsson, R., Bjorkman, O., *et al.*, (1985). Effects of insulin on peripheral and splanchnic glucose metabolism in non-insulin dependent (Type II) diabetes mellitus. *J Clin Invest*. **76**: 149-155.
- Djurhuus, M. S., Klitgaard, N. A., Pedersen, K. K., Blaabjerg, O., Altura, B. M., Altura B. T and J. E. Henriksen (2001). Magnesium reduces insulin-stimulated glucose uptake and serum lipid concentrations in type I diabetes. *Metabolism*. **50**: 1409-1417.
- Dominguez, C., Ruiz, E., Gussinye, M and A. Carrascosa (1998). Oxidative stress at onset and in early stages of type I diabetes in children and adolescents. *Diabetes Care*. **21(10)**: 1736-42.

- Donnan, S. K. (1950). The thiobarbituric acid test applied to tissues from rats treated in various ways. *J. Biol. Chem.* **182**: 415-419.
- Effraim, K. D., Sodipo, O. A. and T. W. Jacks (1999). Antihepatotoxic activity of aqueous extract of *Cassia alata* (Linn) leaves against carbon tetrachloride induced liver damage in rats. *Pakistan-Veterinary-Journal.* **19 (3)**: 111-114.
- Eisenbarth, G. S., Conelly, J and J. S. Soeldner (1987). The "natural history of type I diabetes. *Diabetes Metab Rev.* **3**: 873-891.
- Elgorashi, E. E., Taylor, J. L. S., Maes, A., et al., (2003). "Screening of medicinal plants used in South African traditional medicine for genotoxic effects". *Toxicol Lett.* **143**:195-207.
- El-Sayed, A. and G. A. Cordell (1981). "Catharanthus alkaloids. XXXIV. Catharanthamine, a new antitumor bisindole alkaloid from *Catharanthus roseus*". *J Nat Prod.* **44(3)**:289-93.
- El-Sayed, A., Handy, G. A. and G. A. Cordell (1983). "Catharanthus alkaloids, XXXVIII. Confirming structural evidence and antineoplastic activity of the bisindole alkaloids leurosine-N^b-oxide (pleurosine), roseadine and vindolicine from *Catharanthus roseus*". *J Nat Prod.* **46(4)**: 517-27.
- Elsner, M., Tiedge, M., Guldhakke, B., Munday, R and S. Lenzens (2002). Importance of the GLUT2 Glucose transporter for pancreatic beta cell toxicity of alloxan. *Diabetologia.* **45**: 1542-1549.
- Eventoff, W. (1976). Crystalline Bovine Liver Catalase. *J. Mol. Biol.* **103**: 799-801.
- Falholt, K., Falholt, W. and B. Lund (1973). An easy calorimetric micro method for routine determination of free fatty acid in plasma. *Clin. Chim. Acta.* **46**: 105-111.
- Fang, S., Kozue, I., Reiko, S., Yoshie, N., Kyoko, T., Kazumi, I., Sadako, T. and K. Shosuke (1999). Change in tissue concentrations of lipid hydroperoxides, vitamin C and vitamin E in rats with streptozotocin induced diabetes. *Clinical Science.* **96**: 185-190.
- Fernando, M R., Thabrew, M. I. and E. H. Karunanayake (1990). Hypoglycaemic activity of some medicinal plants in Sri-Lanka. *Gen. Pharmacol.* **21(5)**: 779-82.

- Fernando, M. R. and M. I. Thabrew (2001). Extra pancreatic effects contributing to the hypoglycaemic activity of *Artocarpus heterophyllus*. *Ceylon Journal of Medical Science*. **44** (1): 1-10.
- Fernando, M. R., Wickramasinghe, S. M. D. N., Thabrew, M. I., Ariyananda, P. L. and E. H. Karunanayake (1991). Effect of *Artocarpus heterophyllus* and *Asteracanthus longifolia* on glucose tolerance in normal human subjects and in maturity onset diabetic patients. *Journal of Ethnopharmacology*. **31** (3): 277-282.
- Fiske, C. H. and Y. J. Subbarow (1925). Determination of phosphorous. *J. Biol. Chem.* **66**: 375.
- Fossati, P. and P. Lorenzo (1982). Serum triglycerides determined colorimetrically with an enzyme that produces hydrogen peroxide. *Clin. Chem.* **28**: 2077-2080.
- Foster, J. B. and R. T. Dunn (1973). Stable reagents for determination of serum triglyceride by colorimetric condensation method. *Clin. Chim. Acta*. **19**: 338-340.
- Frei, B., England, L. and B. N. Ames (1989). Ascorbate is an outstanding antioxidant in human blood plasma. *Proc. Natl. Acad. Sci. USA*. **86**: 6377-6381.
- Gancedo, J. M. and C. Gancedo. (1971). Fructose-1, 6-phosphatase, phosphofructokinase and glucose-6-phosphate dehydrogenase from fermenting and non fermenting yeasts. *Arch. Microbiol.* **76**: 132.
- Garg, M. C., Ojha, S. and D. D. Bansal (1996). Antioxidant status of streptozotocin diabetic rats. *Indian. J. Exp. Biol.* **34**(3): 264-266.
- Geissman, T. A. (1962). *Chemistry of flavonoids compounds*. Pergamon Press, Oxford.
- Genet, S., Kale, R. K. and N. Z. Baquer (1999). Effect of vanadate, insulin and fenugreek (*Trigonella foenum graecum*) on creatinine kinase levels in tissues of diabetic rat. *Indian Journal of Experimental Biology*. **37** (2): 200-202.
- Ghosh, R. K. and I. Gupta (1980). "Effect of *Vinca rosea* and *Ficus racemosus* on hyperglycemia in rats". *Indian J Animal Health*. **19**: 145-8.
- Giannoukakis, N and P. Robbins (2002). Gene and Cell Therapies for diabetes mellitus: Strategies and clinical potential. *Biodrugs*. **16**(3): 149-173.
- Gibbs, R. D. (1974). *Chemotaxonomy of Flowering Plants*. Mc Gill Queens Univ. Press, Montreal, London.

- Goldwasser, I., Gefel, D., Gershonov, E., Fridkin, M and Y. Shechter (2000). Insulin-like effects of vanadium: basic and clinical implications. *J Inorg Biochem.* **80**: 21-25.
- Goodman, L. S. and A. Gilman (1985). *The pharmacological basis of therapeutics*, 7th edition. Mac Millan, New York, P-1490-1510.
- Goth, L and J. W. Eaton (2000). Hereditary Catalase deficiencies and increased risk of diabetes. *The Lancet.* **356**: 1820-1821.
- Grover, J. K., Yadav, S and V. Vats (2002). Medicinal plants of India with anti-diabetic potential. *J Ethnopharmacol.* **81**: 81-100.
- Grover, J.K., Rathi, S.S. and V.Vats (2002). Amelioration of experimental diabetic neuropathy and gastropathy in rats following oral administration of plants (*Eugenia jambolana*, *Mucuna Purines* and *Tinospora cardifolia*) extracts. *Indian J of experimental Biology.* **40 (3)**: 273-6.
- Grover, J.K., Vats, V. and S.S. Rathi (2000). Anti- hyperglycemic effect of *Eugenia jambolana* and *Tinospora cardifolia* in experimental diabetes and their effects on key metabolic enzymes involved in carbohydrate metabolism. *Journal of ethanopharmacology.* **73**: 461-470.
- Grover, J.K., Vats, V., Rathi, S.S. and R. Dawar (2001). Traditional Indian Antidiabetic plants attenuate progression of renal damage in streptozotocin induced diabetic mice. *Journal of ethnopharmacology*, **76**: 233-38.
- Gueeri, H. (1995). Influence on prolonged ethanol intake on the level and turnover of alcohol and aldehydes dehydrogenase and glutathione. *Adv. Exp. Med. Biol.* **23**: 12-14.
- Gupta, D. and J. Singh (1991). Flavonoid glycosides from *C. alata*. *Phytochemistry.* **30(8)**: 2761-2763.
- Gupta, D., Raju, J. and N. Z. Baquer (1999). Modulation of some gluconeogenic enzyme activities in diabetic rat liver and kidney: effect of antidiabetic compounds. *Indian Journal of Experimental Biology.* **37 (2)**: 196.199.
- Gupta, D.R. and S.K. Agrawal (1970). Chemical Examination of the unsaponifiable matter of the seed fat of *Syzygium cumini*. *Science and Culture.* **36(5)**: 298.
- Gupta, G.S. and D.P. Sharma (1974). Triterpenoid and other constituents of *Eugenia*

- jambolana* leaves. *Phytochemistry*. **13**: 2013-2014.
- Gupta, R., Singhal, S., Goyle, A. and V. N. Sharma (2001). Antioxidant and hypocholesterolaemic effects of *Terminalia arjuna* tree-bark powder: a randomised placebo-controlled trial. *J Assoc Physicians India*. **49**: 231-235.
- Gupta, S. S (1994). Prospects and perspectives of natural plant products in medicine. *Indian J Pharmacol*. **26**: 1-12.
- Gutteridge, J. M (1995). Lipidperoxidation and antioxidants as biomarkers of tissue damage. *Clin Chemistry*. **41**: 1819-1828.
- Halliwell, B and J. M. C. Gutteridge (1989). *Free Radic Biol Med*. 2nd Ed. Oxford science Publication. 188-266.
- Hano, Y., Aida, M. and T. Nomura (1990). Two new natural diels-alder-type adducts from the root bark of *Artocarpus heterophyllus*. *J. Nat. Prod*. **53** (2): 391-395.
- Harbon, J. B. (1988). *The flavonoids*. Chapman and Hall, New York.
- Harbone, J. B. (1984). *Phytochemical Methods* (2ed), Chapman and Hall, 104-Gloucester, London.
- Hauda, S., Chawla, A. S and Maninder (1989). Hypoglycemic plants: A review. *Fitoterapia*. **60**: 195.
- Hemlata. and S. B. Kalidhar (1993). Alatinone, an anthraquinone from *Cassia alata*. *Phytochemistry*. **32** (6): 1616-1617.
- Henery, R. J. (1968). *Clinical Chemistry, Principles and Techniques*. Herper and Row, New York. P-268.
- Hermann, L. S., Schersten, B., Bitzen, P. O., Kjellstrom, T., Lindgarde, F and A. Melander (1994). Therapeutic comparison of metformin and sulfonylurea, alone and in various combinations. A double-blind controlled study. *Diabetes Care*. **17**: 1100-9.
- Hodgson, E. K. and I. Fridovich (1975). The interaction of bovine erythrocyte superoxide dismutase with hydrogen peroxide: inactivation of the enzyme. *Biochemistry*. **24**: 5294-5299.

- Hugo, E. A. (1987). *In: Methods of Enzymatic Analysis*. Vol III, 3rd Edition. Editors Bergmeyer, J. and M. Grabi, VCH Publishers, New York, 277-282.
- Hugund, B. L. and C. H. Pathak (1971). A survey of plants in Gujarat, India, for alkaloids, saponins and tannins. U. S. D. A. *Forest service Research Paper* NE-201.
- Ibrahim, R. K. and G. H. N. Towers (1960). The identification of paper chromatography of plant phenolic acids. *Arch. Biochem. Biophys.* **87**: 125-128.
- Infers, H. and H. Sies (1988). The protection by ascorbate and glutathione against microsomal lipid peroxidation is dependent on Vitamin E. *Europ. J. Biochem.* **174**: 353-357.
- Ivorra, M. D., Paya, M and A. Villar (1988). Hypoglycemic and insulin release effect of tormentic acid: a new hypoglycemic natural product. *Planta Medica.* **54**: 282-286.
- Ivorra, M. D., Paya, M and A. Villar (1989). A review of natural products and plants as potential antidiabetic drugs. *J Ethnopharmacol.* **27**: 243.
- Jacobson, S. h., Fryd, D., Sutherland, D. E. R., *et al.*, (1988). Treatment of the diabetic patient with end-stage renal failure. *Diabetes Metab Rev.* **4**: 191-200.
- Jazet, I. M., Pijl, H and A. E. Meinders (2003). Adipose tissue as an endocrine organ: impact on insulin resistance. *Neth J Med.* **61(6)**: 194-212.
- Julia, F. M. and F. L. Miami (1987). *In: Fruits of warm climates*. Jackfruit. 58-64.
- Kadam, V. B. (2001). Protein and amino acid in seeds of some medicinally important tree species. *Plant Archives.* **1(1-2)**: 57-59.
- Kakkar, P., Das and P. N. Visvanathan (1984). A modified Spectrophotometric assay of superoxide dismutase. *Indian. J. Biochem Biophys.* **21**:130.
- Kamalakkannan, N. and P. Stanely Mainzen Prince (2003). Effect of *Aegle marmelos* Correa. (fruit) extract on tissue antioxidants in streptozotocin diabetic rats. *Indian J Exp Biol.* **41**: 1285- 1288.
- Kapoor, L. D. (1990). *Handbook of Ayurvedic Medicinal Plants*. CRC press Inc.
- Kar, A., Choudhary, B.K. and N.G. Bandyopadhyay (1999). Preliminary studies on the inorganic constituents of some Indigenous hypoglycemic herbs on oral glucose tolerance test. *Journal of ethanopharmacology.* **64**: 179-184.

- Keele, B., McCord, J and I. Fridovich (1971). Further Characterization of Bovine Superoxide Dismutase and the isolation from Bovine Heart, *J Biol Chem.* **246**: 2875.
- Kelly, T. R., Ma, Z. and W. Xu (1994). Revision of the Structure of alatinone to emodin. *Phytochemistry.* **36**: 253-254.
- Khan, B. A., Abraham, A. and S. Lectumma (1997). Antioxidant effect of curry leaf, *Muraya Kuenigii* and Mustered seed *Brassuca* in rats fed with high fat diet. *Ind. J. Expt. Biol.* **35**: 148-150.
- Khare, A. K., Tandon, R. N. and J. P. Tewari (1983). Hypoglycemic activity of an indigenous drug (*Gymnema sylvestre*, 'Gurmar') in normal and diabetic persons. *Indian Journal of Physiology and Pharmacology.* **27 (3)**: 257-258.
- Khosla, P., Gupta, D. D. and R. K. Nagpal (1995). Effect of *Trigonella foenum graecum* (fenugreek) on blood glucose in normal and diabetic rats. *Indian Journal of Physiology and Pharmacology.* **39 (2)**: 173-174.
- Kinalski, M., Sledziewski, M., Telejko, B., Zarzycki, W and I. Kinalska. (2000). Lipid peroxidation and scavenging enzyme activity in streptozotocin induced diabetes. *Acta Diabetologia.* **37**: 179.
- Kirtikar, K.R. and B.D. Basu (1975). In Indian Medicinal Plants. Vol. II, (Periodical Experts, New Delhi). 1052-53.
- Koide, H. and T. Odo. (1959). Pathological occurrence of glucose-6-phosphatase in serum in liver disease. *Clin. Chim. Acta.* **4**: 554.
- Kono, Y. and Fridovich (1982). Superoxide radicals inhibit Catalase. *J. Biol.Chem.* **257**: 5751-5754.
- Konrad, T., Vicini, P., Kusterer, K., Hoflich, A., Assadkhani, A., Bohles, H. J., Sewell, A., Tritschler, H. J., Cobelli, C and K. H. Usadel (1999). A-Lipoic acid treatment decreases serum lactate and pyruvate concentrations and improves glucose effectiveness in lean and obese patients with type 2 diabetes. *Diabetes Care.* **22**: 280-287.
- Kuo, Y. H., Chu, P. H., Chang, C., Kuo, Y. H., Chu, P. H. and C. I. Chang (1998). Chemical studies of the bark of *Bauhinia purpurea*. *Chemical and Pharmaceutical Bulletin.* **46 (10)**: 1630-1631.

- Kurup, P, N, V., Ramadas, V. N. K., and P. Joshi (1979). *Handbook of Medicinal Plants*. New Delhi.
- Lal, J., Vasudev, K., Kela A. K and S. K. Jain (2003). Effect of oral magnesium supplementation on the lipid profile and blood glucose of patients with type 2 diabetes mellitus. *J Assoc Physicians India*. **51**: 37-42.
- Lambertini, E., Piva, R., Khan, M. T., *et al.*, (2004). Effects of extracts from Bangladeshi medicinal plants on in vitro proliferation of human breast cancer cell lines and expression of estrogen receptor alpha gene. *Int J Oncol*. **2**: 419-423.
- Lampronti, I., Martello, D., Bianchi, N., *et al.*, (2003). In vitro anti-proliferative effects on human tumor cell lines of extracts from the Bangladeshi medicinal plant *Aegle marmelos* Correa. *Phytomedicine*. **4**:300-308.
- Lans, C., Harper, T., Georges, K. and E. Bridgewater (2000). Medicinal Plants used for dogs in Trinidad and Tobago. *Prev Vet Med*. **45**: 201-220.
- Lehninger, L., David, L and M. M. Nelson. (1993). *Principles of biochemistry*: Second edition, CBS Publishers Distributers, New delhi. 406.
- Lewis, Y.S., Dwarakanath, C.T. and D.S. Johar (1956). Acids and Sugars in *Eugenia jambolana*. *J Sci Industur Res*. **15C**: 280-81.
- Lin (1995). Prenylflavonoids of *Artocarpus heterophyllus*. *Phytochemistry*. **40** (4): 1279-1282.
- Lin, C. N., Lu, C. M., Huang, P. L., Lin, C. N., Lu, C. M. and P. L. Huang (1995). Flavonoids from *Artocarpus heterophyllus*. *Phytochemistry*. **39** (6): 1447-1451.
- Lopes-Virella, M. F., Wohltmann, H. J., Loadholt, C. B and M. G. Buse (1981). Plasma lipids and lipoproteins in young insulin-dependent diabetic patients: relationship with control. *Diabetologia*. **21**: 216-223.
- Lowary, O. H., Roseborough, N. J., Farr, A. L and R. J. Randal (1951). Protein measurement with folins phenol reagent. *J. Bio. Chem*. **193**: 265-275.
- Lu, C. M and C. N. Lin (1994). Flavonoids and 9-hydroxytridecyl docosanoate from *Artocarpus heterophyllus*. *Phytochemistry*. **35** (3): 781-783.
- Lu, C. M. and C. N. Lin (1993). Two 2',4',6'-trioxygenated flavanones from *Artocarpus heterophyllus*. *Phytochemistry*. **33** (4): 909-911.

- Luna, B., Hughes, A. T and M. N. Feinglos (1999). The use of insulin secretagogues in the treatment of type 2 diabetes. *Prim Care*. 26: 895-915.
- Mabry, T. J., Markham, K. R. and M. B. Thomas (1970). *The Systematic identification of Flavonoids*. Springer-Verlag, New York.
- Madianov, I. V., Balabolki, M. I., Markov, D. S. and T. N. Markova (2000). Main causes of hyperuircemia in diabetes mellitus. *Ter Arkh*. 72: 55-58.
- Mahmoud, I.I., Marzouk, M.S., Moharram, F.A., El-Gindi, M.R. and A.M. Hassan (2001). Acylated flavonol glycosides from *Eugenia Jombolana* leaves. *Phytochemistry*, 58(8): 1239-44.
- Malaisse, W. J (1982). Alloxan toxicity to the pancreatic beta cell: a new hypothesis. *Biochemical Pharmacology*. 31: 3527–3534.
- Mandarino, L. J., Madar, Z., Kolterman, O. G., *et al.*, (1986). Adipocyte glycogen synthase and pyruvate dehydrogenase in obese and Type II diabetic subjects. *Ann J Physiol*. 251: E489-E496.
- Manjunatha, S., Jaryal, A. K., Bijlani, R. L., Sachdeva, U. and S. K. Gupta (2001). Effect of Chyawanprash and vitamin C on glucose tolerance and lipoprotein profile. *Indian J Physiol Pharmacol*. 45(1): 71-79.
- Marklund, S. and G Marklund (1974). Involvement of superoxide anion radical in the autoxidation of pyrogallol: a convenient assay for superoxide dismutase. *European Journal of Biochemistry*. 47: 469-474.
- Marklund, S. L., Nilsson, P., Israelsson, K., Schampi, I., Peltonen, M and K. Asplund (1997). Two variants of extracellular-superoxide dismutase: relationship to cardiovascular risk factors in an unselected middle-aged population. *J Intern Med*. 242: 5-14.
- Marles, R. J and N. R. Farnsworth (1995). Antidiabetic plants and their active constituents. *Phytomedicine*. 2: 137-189.
- Martinez, M., (1996). *Las Plantas Medicinales*. De Mexico. 6th edition. Botas. Mexico.
- Mathur, R., Sharma, A., Dixit, V. P. and M. Varma (1996). Hypolipidaemic effect of fruit juice of *Embllica officinalis* in cholesterol-fed rabbits. *J Ethnopharmacol*. 50(2): 61-68.

- Maxwell, S. R. J., Thomason, H., Sander, D., LeGuen, C., Baxtex, A. M., Thrope, G. H. G., Jones, A. F. and A. M. Bannet (1997). Poor glycaemic control is associated with reduced free radical scavenging (antioxidant) activity in non insulin dependent diabetes mellitus. *Ann Clin Biochem.* **34**: 638-644.
- McCay, P. B., Lai, E. K., Poyer, J. L., DuBose, C. M and E. G. Janzen (1984). Oxygen and carbon-centered free radicals formation during carbon tetrachloride metabolism. Observation of lipid radicals *In vivo* and *in vitro*. *J Biol Chem.* **259**: 2135-2143.
- McCrod, J. M., Keele, B. B. and I. Jr, Fridovich (1976). An enzyme based theory of obligate anaerobiosis, the physiological function of superoxide dismutase. *Proceedings of National Academy of Science, USA.* **68**: 1024-1027.
- Menendez, E. (2002). [Combined treatment of type 2 diabetes]. *An Sist Sanit Navar.* **25(2)**: 179-96.
- Merina, B. (2004). Insulin plant in gardens. *Natural Product Radiance.* **3**: 349-350.
- Mohammad, A., Sharma, V and J. H. McNeill (2002). Vanadium increases GLUT 4 in diabetic rat skeletal muscle. *Mol Cell Biochem.* **233**: 139-143.
- Mooradian, A. D., Failla, M., Hoogwerf, B., Maryniuk, M and J. Wylie-Rosett (1994). Selected vitamins and minerals in diabetes. *Diabetes care.* **17**: 464-479.
- Morah, F. N. I. and H. E. Otumu (1991). *Cassia alata* seed constituents. *Jamaican Journal of Science and Technology.* **2**: 1, 14-16.
- Mukherjee, P. K., Gopal, T. K., Subburaju, T., Dhanbal, S. P., Duraiswamy, B., Elango, K. and B. Suresh (1998). Studies on the anti-diarrheal profiles of *Bauhinia purpurea* Linn leaves (Fam. Caesalpinaceae) extract. *Natural Product Sciences.* **4 (4)**: 234-237.
- Munday, R (1988). Dialuric acid autoxidation: effects of transition metals on the reaction rate and on the generation of 'active oxygen' species. *Biochemical Pharmacology.* **37**: 409-413.
- Murkami, N., Murakami, T., Kadoya, M., Matsuda, H., Yamahara, J. and M. Yoshikawa (1996). New hypoglycemic constituents in gymnemic acid from *Gymnema sylvestre*. *Biol Pharm Bull.* **19**: 364-366.

- Murray, R. K., Granner, D. K., Mayes, P. A and V. W. Rodewell. (2000). In *Harper's Biochemistry*, 25th edition .Appleton and Lange Stanford, Connecticut.
- Nadkarni, K.M. (1954). In *Indian Materia medica*. Vol. I, (Popular book depot Bombay). 516-18.
- Nair, R.B. *et al.*, (1992). Antidiabetic activity of Amrithadi churnam. *Ancient Science of Life*, Vol. No. XII Nos 1 & 2: 280-85.
- Nair, S., Nagar, R. and R. Gupta (1998). Anti-oxidant phenolics and flavonoids in common Indian foods. *J Assoc Physicians India*. **46**: 708-710.
- Nair, A. G.R. and S. Shankara Subramanian (1974). Chemical examination of the flowers of *Eugenia jambolana*. *J Sci industry Res*. **21B**: 457-458.
- Nehal, M. and N. Z. Baquer (1989). Effect of diabetes and insulin-induced hypoglycemia on hexokinase and glucose-6-phosphate dehydrogenase in red blood cell. *Biochem. Int*. **19**: 185-191.
- Nemeth, I., Talosi, G., Papp, A. and D. Boda (2002). Xanthine oxidase activation in mild gestational hypertention. *Hypertens. Pregnancy*. **21**: 1-11.
- Nichans, K. G. J. and B. Samuelson (1968). Formation of MDA from phospholipids, arachidonate during microsomal lipid peroxidation. *Brit. J. Biochem*. **6**: 126.
- Oberley, L.W (1988). Free radicals and diabetes. *Free Radical Biol. Med*. **5**:113-124.
- O'Connell, B. (2001). Selected vitamins and minerals in the management of diabetes. *Diabetes Spectrum*. **14**: 133-148.
- O' Doherty, R. M., Lehman, D. L., Telemaque-Potts, S and C. B. Newgard. (1999). *Diabetes*. **48**: 2022.
- Ogunti, E. O., Aladesanmi, A. J. and S. A. Adesanya (1991). Antimicrobial activity of *Cassia alata*. *Fitoterapia*. **62 (6)**: 537-539.
- Ogunti, E. O. and A. A. Elujoba (1993). Laxative activity of *Cassia alata*. *Fitoterapia*. **64 (5)**: 437-439.
- Okabayashi, Y., Tani, S., Fujisawa, T., Koide, M., Hasegawa, H., Nakamura, T., Fujii, M. and M. Otsuki (1990). Effect of *Gymnema sylvestre*, R. Br. on glucose homeostasis in rats. *Diabetes Research and Clinical Practice*. **9 (2)**: 143-148.

- Omaye, S. T., Turnabull, J. C and H. E Sanberlick. (1979). Selected methods for the determination of ascorbic acid in animal cells, tissues and fluids. *Methods in Enzymology*. **62**: 3.
- Ong, J. M and P. A. Kern (1989). The role of glucose and glycosylation in the regulation of lipoprotein lipase synthesis and secretion in rat adipocytes. *J Biol Chem*. **264**: 3177-3182.
- Oubre, A. Y., Carlson, T. J., King, S. R and G. M. Reaven (1997). From plant to patient: an ethnomedical approach to the identification of new drugs for the treatment of NIDDM. *Diabetologia*. **40**: 614-617.
- Paglia, D. E. and W. N. Valentine (1967). Studies on the quantitative and qualitative characterization of erythrocyte glutathione peroxidase. *J. Lab. Clin. Med.* **70**: 158.
- Palanichamy, S. and S. Nagarajan (1990). Antifungal activity of *C. alata* leaf extract. *J. Ethnopharmacol* **29 (3)**: 337-340.
- Palanichamy, S. and S. Nagarajan (1990). Analgesic activity of *C. alata* leaf extract and kaempferol 3-*O*-sophoroside. *J. Ethnopharmacol.* **29**: 73.
- Palanichamy, S., Nagarajan, S. and M. Devasagayam (1988). Effect of *C. alata* L. leaf extract on hyperglycemic rats. *J. Ethnopharmacol.* **22**: 81-90.
- Panda, S. and A. Kar (1999). *Withania somnifera* and *Bauhinia purpurea* in the regulation of circulating thyroid hormone concentrations in female mice. *Journal of Ethnopharmacology*. **67 (2)**: 233-239.
- Pandey, M. and A. Khan (2002). Hypoglycaemic effect of defatted seeds and water soluble fibre from the seeds of *Syzygium cumini* (Linn.) skeels in alloxan diabetic rats. *Indian J Exp Biol*. **40(10)**: 1178-82.
- Pandey, V. N., Rajagopalan S. S and D. P. Chowdhary (1995). An effective Ayurvedic hypoglycemic formulation. *J Res Ayurveda Siddha*. **XVI**: 1-14.
- Parris, M. K (1997). Glutathione: Systemic Protectant Against Oxidative and Free Radical Damage. *Alternative Medicine Review*. **Vol 2(3)**: 155-176.
- Peach, K. and M. V. Tracey (1955). *Modern methods of plant analysis*. II, Springer-Verlag, Berlin.
- Persaud, S. J., Al-Majed, H., Raman, A. and P. M. Jones (1999). *Gymnema sylvestre*

- stimulates insulin release *in vitro* by increased membrane permeability. *Journal of Endocrinology*. **163** (2): 207-212.
- Ponglux, D., Wongsoripiaatane, S., Phadungcharuen, T., Ruangrungsri, N. and K. Likhitwitayawuid (1987). *Medicinal Plants*. International Congress on National Products Bangkok. 69.
- Pradeepa, R., Deepa, R and V. Mohan (2002). Epidemiology of diabetes in india-current perspective and future projections. *J Indian Med Assoc*. **100**: 144-148.
- Pradeepa, R and V. Mohan (2002). The changing scenario of the diabetes epidemic: implications for India. *Indian J Med Res*. **116**: 121-132.
- Prakash, A. O., Mathur, S. and R. Mathur (1986). Effect of feeding *Gymnema sylvestre* leaves on blood glucose in beryllium nitrate treated rats. *Journal of Ethnopharmacology* . **18** (2): 143-146.
- Prasad, K. M. R. and T. K. Virupaksha (1990). Purification and characterization of a protease from jackfruit latex. *Phytochemistry*. **29** (6): 1763-1766.
- Pratap, J. V., Jeyaprakash, A. A., Rani, P. G., Sekar, K., Surolia, A. and M. Vijayan (2002). Crystal structures of artocarpin, a moraceae lectin with mannose specificity, and its complex with methyl- α -D-mannose: implications to the generation of carbohydrate specificity. *Journal-of-Molecular-Biology*. **317**(2): 237-247.
- Preuss, H. G., Jarrell, S., Scheckenbach, T ., Lieberman, S. and R. A. Anderson (1998). Comparitive effects of chromium, vanadium and *Gymnema sylvestre* on sugar induced blood pressure elevations in SHR. *Journal of the American College of Nutrition*. **17** (2): 116-123.
- Prince, P.S., Menon, V.P. and L. Pari (1998). Hypoglycemic activity of *Syzygium cumini* seeds: effect on lipid peroxidation in alloxan diabetic rats. *Journal of ethanopharmacology*. **61**(1): 1-7.
- Priyavtra Sharma, P.M. and Mehta (1969). In *Dravyaguna vignyan*. Part II & III, (The Chowkhamba Vidyabhawan, Varansi). 586.
- Rajasekaran, S., Sivagnanam, K., Ravi, K and S. Subramanian (2004). Hypoglycemic effect of *Aloe vera* gel on streptozotocin-induced diabetes in experimental rats. *J Med Food*. **7**: 61–66.

- Ram, A., Lauria, P., Gupta, R., *et al.*, (1997). Hypocholesterolaemia effects of *Terminalia arjuna* tree bark. *J Ethnopharmacol.* **55**:165-169.
- Rastogi, R.P. and B.N.P. Mehrotra (2001). *In Compendium of Indian medicinal plants*. Vol. II, (CDRI and National Institute of Science and Communication, New Delhi). 660.
- Rathi, S.S., Grover, J.K., Vikarant, V. and N.R Biswas (2002). Prevention of experimental cataract by Indian ayurvedic plants extracts. *Phytotherapy research.* **16**: 774-7.
- Ravikumar, P. and C. V. Anuradha (1999). Effect of fenugreek seeds on blood lipid peroxidation and antioxidants in diabetic rats. *Phytotherapy Research.* **13** (3): 197-201.
- Ravi, K., Ramachandran, B and S. Subramanian (2004). Protective effects of *Eugenia jambolana* seed kernal on tissue antioxidants in streptozotocin-induced diabetic rats. *Biol Pharm Bull.* **27**: 1212–1217.
- Ravi, K., Sekar, D.S. and S.C. Subramanian (2004). Hypoglycemic activity of inorganic constituents in *Eugenia jambolana* seeds on streptozotocin- induced diabetic rats. *Bio trace Elem Res.* **99** (1-3): 145-55.
- Ribes, G., Sauvaire, Y., Baccou, J. C., Valette, G., Chenon, D., Trimble, E. R. and M. M. Loubatieres-Mariani (1984). Effect of fenugreek seeds on endocrine pancreatic secretions in dogs. *Annals of Nutrition and Metabolism.* **28** (1): 37-43.
- Ribes, G., Sauvaire, Y., Da Costa, C., Baccou, J. C. and M. M. Loubatieres-Mariani (1986). Antidiabetic effects of subfractions from fenugreek seeds in diabetic dogs. *Proceedings of the Society for Experimental Biology and Medicine.* **182** (2): 159-166.
- Riddle, M. (2000). Combining sulfonylureas and other oral agents. *Am J Med.* **108**: 15S-22S.
- Riyad, M. A., Abdul-Salam, S. A and S. S. Mohammed (1988). Effect of fenugreek and lupine seeds on the development of experimental diabetes in rats. *Planta Medica.* **54**: 286–290.

- Rossetti, L., Glaccari, A and R. A. DeFronzo (1990). Glucose toxicity. *Diabetes Care*. **13**: 610-630.
- Ryan, G. J., Wanko, N. S., Redman A. R and C. B. Cook (2003). Chromium as adjunct treatment for type 2 diabetes. *Ann Pharmacother*. **37**: 876-885.
- Rzedowski, J. and G. Rzedowski (1979). *Flora Fanerogamica del valle de Mexico*. 3rd Edition. Continental. Mexico.
- Sajithlal, G. B., Cithra, P. and G. Chandrakasan (1998). Effect of curcumin on the advanced glycation and cross-linking of collagen in diabetic rats. *Biochem. Pharmacol*. **56**: 1607-1614.
- Sakharkar, P. R. and A. T. Patil (1998). Antifungal activity of *Cassia alata*. *Hamdard Medicus*. **41 (3)**: 20-21.
- Salisbury, E. J. (1932). The interpretation of soil climate and the use of stomatal frequency as an interesting index of water relation to the plant. *Beih. Bot. Zentrelb*. **49**: 408-420.
- Saltiel, A. R and J. M. Olefsky. Thiazolidinediones in the treatment of insulin resistance and type II diabetes. *Diabetes*. **45**: 1661-9.
- Samappito, S., Page, J., Schmidt, J., De Eknankul, W., Kutchan, T. M., Samappito, S. and E. Wanchai De, (2002). Molecular characterization of root-specific chalcone synthases from *Cassia alata*. *Planta Medica*. **216 (1)**: 64-71.
- Sandstrom, J., Nilsson, P., Karlsson, K and S. L. Marklund (1994). 10-fold increase in human plasma extracellular superoxide dismutase content caused by a mutation in heparin-binding domain. *J Biol Chem*. **269**: 19163-19166.
- Sasaki, T., Matsy, S. and A. Sonae (1972). Effect of acetic acid concentration on the colour reaction in the O-toludine boric acid method for blood glucose estimation. *Rinsh Kagaku*. **1**: 346-353.
- Sato, M., Fujiwara, S., Tsuchiya, H., Fuji, T., Iinuma, M. and H. Tosa (1996). Flavones with antibacterial activity against cariogenic bacteria. *Journal of ethnopharmacology*. **54 (2/3)**: 171-176.
- Sauvaire, Y., Petit, P., Broca, C., Manteghetti, M., Baissac, Y., Fernandez-Alvarez, J., Gross, R., Roye, M., Leconte, A., Gomis, R. and G. Ribes (1998). 4-Hydroxyisoleucine: a novel amino acid potentiator of insulin secretion.

Diabetes. **47** (2): 206-210.

- Seema, P. V., Sudha, B., Padayatti, P.S., Abraham, A., Raghu, K. G and C. S. Paulose (1996). Kinetic studies of purified malate dehydrogenase in liver of streptozotocin-diabetic rats and the effect of leaf extract of *Aegle marmelose* (L.) Correa ex Roxb. *Indian J Exp Biol*. **34**: 600-602.
- Sekeroglu, M. R., Sahin, H., Dulger, H and E. Algun (2000). The effect of dietary treatment on erythrocyte lipid peroxidation, superoxide dismutase, glutathione peroxidase and serum lipid peroxidation in patients with type 2 diabetes mellitus. *Clin Biochem*. **33**(8): 669-74.
- Sekikawa, A., Ogawa, A. and H. Manaka (1995). Effect of seishin-renshi-in and *Gymnema sylvestre* on insulin resistance in streptozotocin-induced diabetic rats. *Diabetes Research and Clinical Practice*. **29** (1): 11-17.
- Sevanian, A and E. Kim (1985). Phospholipase A2 dependent release of fatty acids from peroxidized membranes. *J Free Radic Biol Med*. **1**: 263-271.
- Shinomiya, K., Aida, M., Hano, Y. and T. Nomura (1995). A Diels-Alder-type adduct from *Artocarpus heterophyllus*. *Phytochemistry*. **40** (4): 1317-1319.
- Singh, N., Kapur, K. K. and S.P. Singh (1982). Mechanism of cardiovascular action of *Terminalia arjuna*. *Planta Med*. **45**: 102-104.
- Singh, S. N., Vats, P., Suri, S., et al., (2001). "Effect of an antidiabetic extract of *Catharanthus roseus* on enzymatic activities in streptozotocin induced diabetic rats". *J Ethnopharmacol*. **76**: 269-77.
- Sinha, A., Formica, C., Tsalamandris, C., Panagiotopoulos, S., Hendrich, E., DeLuise, M., et al., (1996). Effect of insulin on body composition in patients with insulin-dependent and non-insulin-dependent diabetes. *Diabet Med*. **13**:40-6.
- Sinha, K. A. (1972). Colorimetric assay of catalase. *Anal Biochem*. **47**: 489- 494.
- Shanmugasundaram, E. R., Gopinath, K. L., Radha Shanmugasundaram, K. and V. M. Rajendran (1990). Possible regeneration of the islets of Langerhans in streptozotocin-diabetic rats given *Gymnema sylvestre* leaf extracts. *J Ethnopharmacol*. **30**(3): 265-79.
- Shanmugasundaram, K. R., Panneerselvam, C., Samudram, P. and E. R. Shanmugasundaram (1983). Enzyme changes and glucose utilization in diabetic

- rabbits: the effect of *Gymnema sylvestre*. R.Br.; *J Ethnopharmacol.* **7(2)**: 205-34.
- Sharma, R. K. and B. Dash (1998). *Carka Samhita*, Volume II. Varanasi, India: Chowkamba Sanskrit Series Office.
- Sharma, S.B., Nasir, A., Prabhu, K.M., Murthy, P.S. and G. Dev (2003). Hypoglycaemic and hypolipidemic effect of ethanolic extract of seeds of *Eugenia jambolana* in alloxan-induced diabetic rabbits. *Journal of ethnopharmacology*, **85 (2-3)**: 201-206.
- Sharma, R. D., Raghuram, T. C. and N. S. Ravo (1990). Effect of fenugreek seeds on blood glucose and serum lipids in type I diabetes. *Eur J Clin Nutr.* **44**: 301-306.
- Sharma, P. V. (1983). *Dravyaguna vijnana*, Varanasi (in Hindi).
- Shimizu, K., Abe, T., Nakajyo, S., Urakawa, N., Atsuchi, M. and C. Yamashita (1996). Inhibitory effects of glucose utilization by *Gymnema* acids in the guinea-pig ileal longitudinal muscle. *Journal of Smooth muscle Research.* **32 (5)**: 219-228.
- Shimizu, K., Lion, A., Nakajima, J., Tanaka, K., Nakajyo, S., Urakawa, N., Atsuchi, M., Wada, T. and C. Yamashita (1997). Suppression of glucose absorption by some fractions extracted from *Gymnema sylvestre* leaves. *The Journal of the Veterinary Medical Science.* **59 (4)**: 245-251.
- Shobana, S. and K. A. Naidu (2000). Antioxidant activity of selected Indian spices. *Prostaglandins Leukot Essera fatty acids.* **62**: 107-110.
- Shoba, F. G. and M. Thomas (2001). Study of anti-diarrhoeal activity of four medicinal plants in castor-oil induced diarrhoea. *J Ethnopharmacol.* **76**: 73-76.
- Sodipo, O. A., Effraim, K. D. and E. Emmagun (1998). Effect of aqueous leaf extract of *Cassia alata* (Linn.) on some haematological indices in albino rats. *Phytotherapy Research.* **12 (6)**: 431-433.
- Sozmen E. Y., Sozemen, B., Delen, Y. and T. Onat (2001). Catalase/Superoxide dismutase (SOD) and Catalase/Paraoxonase (PON) ratios may implicate poor glycemic control. *Arch. Med. Res.* **32**: 283-287.
- Srivastava, H.C. (1953). Paper chromatography of fruit juices: part I. *J. Sci Industr Res.* **12B**: 363-365.
- Stanely Mainzen Prince, P., Kamalakkannan, N. and V.P. Menon (2003). *Syzigium*

- cumini* seed extracts reduce tissue damage in diabetic rat brain. *Journal of ethnopharmacology*, **84** (2-3): 205-209.
- Stanely, P., Prince, M. and V. P. Menon (2001). Antioxidant action of *Tinospora cordifolia* root extract in alloxan diabetic rats. *Phytother Res.* **15**: 213–218.
- Stark, A. and Z. Madar (1993). The effect of an ethanol extract derived from fenugreek (*Trigonella foenum-graecum*) on bile acid absorption and cholesterol levels in rats. *British Journal of Nutrition.* **69** (1): 277-287.
- Steinbeck, M. K., Khan, A. U and M. J. Karnovsky (1993). Extracellular production of singlet oxygen by stimulated macrophages qualified using 9, 10-diphenylanthracene and perylene in a polystyrene film. *J Biol Chem.* **268**: 15649-15654.
- Stumvoll, M. (2003). Thiazolidinediones-some recent developments. *Expert Opin Investig Drugs.* **12**(7): 1179-87.
- Subbiah, R., Karuran, S. and S. Subramaniam (2005). Antioxidant effect of *Aelo vera* gel extract in streptozotocin induced diabetic rats. *Pharmacological report.* **57**: 90-96.
- Subramanian, S.S. and A.G.R. Nair (1972). Flavonoids of the flowers of *Eugenia jambolana*. *Current Sci.* **41**(19): 703-704.
- Sundaram, R. K., Bhaskar, A., Vijialingam, S., Viswanathan, M., Moha, R. and K. R. Shanmuga Sundaram (1996). Antioxidant status and lipid peroxidation in type 2 diabetes mellitus with and without complications. *Clin Sci.* **90**: 255-260.
- Suresh Kumar, J. S. and V. P. Menon (1993). Effect of diabetes on levels of lipid peroxides and glycolipids in rat brain. *Metabolism.* **42** (11): 1435-1439.
- Sur, T. K., Pandit, S., Pramanik, T. and D. Bhattacharyya (2002). Effect of *Aegle marmelos* leaf on rat sperm mortality: An *in vitro* study. *Indian Journal of Pharmacology.* **34**: 276-277.
- Sur, T. K., Pandit, S. and T. Pramanik (1999). Anti-spermatogenic activity of leaves of *Aegle marmelos*, Corr. in albino rats: A preliminary report. *Biomedicine.* **19**:199-202.

- Telci, A., Cakatay, U., Salman, S., Satman, I and A. Sivas (2000). Oxidative protein damage in early stage Type I diabetic patients. *Diabetes Res Clin Pract.* **50(3)**: 213-23.
- Than, M. A., Myint, M. M. S., Than, A., Thant, M. T., Myint, T. and T. N. Swe (2002). Purgative effect of Pway-mezali (*Cassia alata* Linn.) leaves on healthy subjects. *Myanmar Health Sciences Research Journal.* **14(1/3)**: 17-21.
- Thompson, K. H., Godin, D. V. and M. Lee (1992). Tissue antioxidant status in streptozotocin-induced diabetes in rats. Effect of dietary management deficiency. *Biol. Trace. Element. Res.* **35**: 213- 224.
- Timbola, A.K., Szpoganicz, B., Branco, A., Monache, F.D. and M.G. Pizzolatti (2002). A new flavonol from leaves of *Eugenia jambolana*. *Fitoterapia.* **73**: 174-76.
- Tim Kaczmar. (1998). Herbal support for diabetes management. *Clinical nutrition insight.* **6**: 1-4.
- Tominaga, M., Kimura, M., Sugiyama, K., Abe, T., Igarashi, K., Igarashi, M., Eguchi, H., Sekikawa, A., Ogawa, A. and H. Manaka (1995). Effect of seishin-reishi-in and *Gymnema sylvestre* on insulin resistance in streptozotocin-induced diabetic rats. *Diabetes Research and Clinical Practice.* **29 (1)**: 11-17.
- Trinder P. (1969). Determination of glucose by glucose oxidase method. *Annals Clin Biochem.* **6**: 24-26.
- Trow, L. G., Lewis, J., Greenwood, R. H., Sampson, S. J., Self, K. A., Crews, H. M and S. J. Fairweather-Tait (2000). Lack of effect of chromium supplementation on glucose tolerance, plasma insulin and lipoprotein levels in patients with type 2 diabetes. *Int J Vitam Nutr Res.* **71**: 14-18.
- Ueda, J. Y., Tezuka, Y., Banskota, A. H., *et al.*, (2002). "Anti-proliferative activity of Vietnamese medicinal plants". *Biol Pharm Bull.* **25(6)**: 753-60.
- Ugochukwu, N. H. and N. E. Babady (2002). Antioxidant effects of *Gongronema latifolium* in hepatocytes of rat models of non-insulin-dependent diabetes mellitus. *Fitoterapia.* **73**: 612-618.
- United Kingdom Prospective Diabetes Study 24 (1998): A 6-year, randomized, controlled trial comparing sulfonylurea, insulin, and metformin therapy in patients

- with newly diagnosed type 2 diabetes that could not be controlled with diet therapy. United Kingdom Prospective Diabetes Study Group. *Ann Intern Med.* **128**:165-75.
- Venkateswarlu, G. (1952). On the nature of the clouring matter of the jambul fruit (*Eugenia jambola*). *Journal of Indian Chem Soci.* **29**(6): 434-437.
- Vijayakumari, K., Siddhuraju, P. and K. Janardhanan (1997). Chemical composition, amino acid content and protein quality of the little known legume *Bauhinia purpurea* L. *Journal of the Science of Food and Agriculture.* **73**(3): 279-286.
- Wahab *et al.*, (1987). Hypoglycemic activity of *Bauhinia purpurea* hydroalcoholic leaf extract. *Herba Hung.* **26** (1): 27.
- Walker, L. M., York, J. L., Imam, S. Z., Ali, S. F., Muldrew, K. L and P. R. Mayeux (2001). Oxidative stress and reactive nitrogen species generation during renal ischemia. *Toxicol Sci.* **63**(1): 143-8.
- Walti, M. K., Zimmermann, M. B., Spinas, G. A and R. F. Hurrell (2003). Low plasma magnesium in type 2 diabetes. *Swiss Med Wkly.* **133**: 289-292.
- Wang, S., Zheng, Z., Weng, Y., *et al.*, (2004). "Angiogenesis and anti-angiogenesis activity of Chinese medicinal herbal extracts". *Life Sci.* **74**(20): 2467-78.
- Warram, J. H., Martin, B. C., Krolewski, A. S., *et al.*, (1990). Slow glucose removal rate and hyperinsulinemia precede the development of type II diabetes in the offspring of diabetic parents. *Ann Intern Med.* **113**: 909-915.
- Whittington, K. B., Solomon, S. S. and Z. N. Lu (1991). Islet allograft in the cryptorchid testes of spontaneously diabetic BB/W or dp rats: response to glucose, glipizide and arginine. *Endocrinology.* **128**: 2671-2677.
- Wilson, G. L and E. H. Leiter (1990). Streptozotocin interactions with pancreatic beta cells and the induction of insulin-dependent diabetes. *Curr Top Microbiol Immunol.* **156**:27-54.
- Winton. *Structure and composition of foods* (1935). vol II, (Wiley, New York), 810.
- Wolff, S. P. (1993). Diabetes mellitus and free radicl. *Br. Med. Bull.* **49**: 642-652.
- Wong, K. C., Lim, C. L. and L. L. Wong (1992). Volatile flavor constituents of chempedak (*Artocarpus polyphema* Pers.) fruit and jack fruit (*Artocarpus heterophyllus* Lam). *Flavour Fragr J.* **7**: 307.

- World Health Organization (1985). Diabetes mellitus: Report of a WHO Study Group. Geneva: Who. Technical Report Series. 727.
- World Health Organization Expert committee on diabetes mellitus (1980). Second Report. Geneva: WHO. Technical report Series. 646.
- Yadav, S., Bhadoria, B. K. and S. Yadav (2001). Chemical and biochemical assessment of some leguminous tree leaves. *Indian Journal of Animal Nutrition*. **18(2)**: 113-118.
- Yadav. S. and B. K. Bhadoria (2005). Two dimeric flavonoids from *Bauhinia purpurea*. *Indian J. Chem.* **44B (12)**: 2604-07.
- Yadava, R. N. and P. Tripathi (2000). A novel flavone glycoside from the stem of *Bauhinia purpurea*. *Fitoterapia*. **71(1)**: 88-90.
- Yajnik, V.H. *et al.* (1993). Efficacy and safety of D-400, a herbal formulation, in diabetic patients. *The Indian Practitioner*. Vol. **XLVI (12)**: 917-922.
- Yoshida, K., Hiroawa, J., Tagami, S. S., Kavorkam, Y. and Y. Urata (1995). Weakened cellular scavenging activity against oxidation stress in diabetes regulation of glutathione synthesis and efflux. *Diabetes*. **38**: 201-210.
- Yoshikawa, M., Murakami, T., Kadoya, M., Matsuda, H., Muraoka, O., Yamahara, J. and N. Murakami (1996). Medicinal foodstuff. III. Sugar beet. Hypoglycemic oleanolic acid oligoglycosides, betavulgarosides I, II, III and IV from the root of *Beta vulgaris* L. (Chenopodiaceae). *Chemical and Pharmaceutical Bulletin (Tokyo)*. **44 (6)**: 1212-1217.
- Zak, B., Boyle, A. J. and A. Zlatkis . A method for determination of serum cholesterol. *J. Clin Med*. **41**: 486-492.
- Zheng, W. and S. Y. Wang (2001). "Antioxidant Activity and Phenolic Compounds in Selected Herbs". *J Agric Food Chem*. **49**: 5165-70.
- Zilversmit, B. B. and A. K. Davies (1950). Micro determination of plasma phospholipids by TCA precipitation. *J. Lab. Clin. Med*. **35**: 155-160.
- Zoring, H. and G. Weiss (1925). Anatomy of leaves of Compositae, *Arch. Pharm. Berl*. **263**: 462.