

BIBLIOGRAPHY

- Amer, I.J. 1961. Egg quality of four breeds of domestic fowl. *Br. Poult. Sci.*, **38**: 156- 160.
- Adams, B.M. 1968. Effect of cortisol on growth and uric acid excretion in the chick. *J. Endocrinol.*, **40**: 145.
- Andrews, L.D., Stamps, L.K. and Coffield, A.W. 1990. Performance of broiler breeders reared under different lighting regimens. *Poult.Sci.*, **69**:1223-1225.
- Agricultural Research Council, 1975. The nutritional requirements of farm livestock. No.1, Poultry, 2nd ed. London, Her Majesty's Stationery office.
- Akiba, Y., Nagano, H. and Horiguchi, M. 1992. Effects of corticosterone injected at graded dose levels and implanted with tube at low levels on growth and hepatic lipid and abdominal fat deposition in broiler chickens. *Jap.Poul.Sci.*, **29**: 287-295.
- Assenmacher, I. 1973. The peripheral endocrine glands, In : *Avian Biology* (D.S. Farmer and J.R.King eds.) Vol. 3, pp. 183-286. Academic press New York.
- Astier, H. and Newcomer, W.S. 1978. Extrathyroidal conversion of thyroxine to triiodothyronine in a bird : the peking duck. *Gen.Comp. Endocrinol.*, **35**: 496-499.
- Bair, C.W., Marion, W.W. and Hotchkiss, D.K. 1980. Relationship of yolk cholesterol and onset of egg production. *Poult. Sci.*, **50**: 666-669.

- Balnave, D. 1973. Biological factors affecting energy expenditure. In: *Energy requirements of Poultry*, pp. 25-46. Edit. Morris, T.R. and Freeman, B.M., *Edinburgn, Br. Poult. Sci.*
- Bartov, I. 1982. Corticosterone and fat deposition in broiler chicks: Effect of injections, time, breed, sex and age. *Brit.Poul.Sci.*, **23**:161-170.
- Baum,G. J. and Meyer, R. K. 1960. Effect of adrenal steroids and diethylbestan on growth and fat content of cockerels.*Am.J.Physiol.*, **198**: 1263-1266.
- Bellamy, D. and Leonard, R.A. 1965. Effect of cortisol on the growth of chicks. *Gen.Comp.Endocrinol.*, **5**: 402-410.
- Bermudez, F.F., Forbes, J.M. and Injidi, M.H. 1983. Involvement of melatonin and thyroid hormones in the control of sleep, food intake and energy metabolism in the domestic fowl. *J.Physiol.*, **337** : 19-27.
- Beuving, G. and Vonder, G.M.A. 1977. Daily rhythm of corticosterone in egg laying hens and the influence of egg laying. *J. Repro. Fertility.*, **51** : 169-173.
- Bhatti, B.M. and Morris, T.R. 1978. The relative importance of sunrise and sunset for entrainment of oviposition in the fowl. *Br. Poult. Sci.*, **19**: 365-371.
- Bibis, S., Taaouis, M., Derovet, M. Chivalier, B. and Simon, J. 1994. Corticosterone-induced insulin resistance is not associated with alterations of insulin receptor number and kinase activity in chicken kidney. *Gen. Comp. Endocrinol.*, **96**: 370-377.

Blivaiss, B.B. 1947. Development of secondary sexual characters in thyroidectomized Brown Leghorn hens. *J.Exp.Zool.*, **104**: 267-305.

Brake, N.P., Brake, J., Thaxton, J.P. and Murray, D.L. 1988. Effect of cortisol on basophil hypersensitivity to phytohemagglutinin in chickens. *Poul.Sci.*, **67**: 669-673.

Braveman, L.E., Ingbar, S.H. and Sterling, K. 1970. Conversion of thyroxine to triiodothyronine in athyroidic human subjects. *Journal of Clinical Investigations*, **49**: 855-864.

Brindley, D.N. 1981. Regulation of hepatic triacylglycerol synthesis and lipoprotein metabolism by glucocorticoids. *Clin. Sci.*, **61**: 129-133.

Brody, S. 1945." Bioenergetics and growth". New York, Reinhold.

Brody, T.B., Siegel, P.B. and Cherry, J.A. 1984. Age, body weight, and body composition requirements for the chickens. *Br. Poult. Sci.*, **25**: 245-252.

Cain, J.R. and Wilson, W.O. 1974. The influence of specific environmental parameters on the circadian rhythms of chickens. *Poult. Sci.*, **53**:1438-1337.

Callenbach, E.W., Nicholar, J.E. and Murphy, R.R. 1943. Effect of light and availability of feed on egg production. *Penn. Agri. Exp.Sta. Bull.* 455.

Carr, B.L. and R.B.Chiasson. 1983. Age related changes in pituitary/thyroid function in chickens. *Gen. Comp. Endocrinol.*, **50**:18-23.

Carsia, R.V., Morin, M.V., Rosen, H.D. and Weber, H. 1987. Ontogenetic corticosteroidogenesis of the domestic fowl. Response of isolated adrenocortical cells. *Proc. Soc. Exp. Biol. Med.* **184**: 436-445.

Charles, D.R. 1984. A model of egg production. *Poul. Sci.*, **25**: 309-321.

Chopra, I.J. 1977. a study of extra-thyroidal conversion of thyroxine (T_4) to 3,3,5-triodothyronine (T_3) in vitro. *Endocrinol.*, **101**: 453-463.

Christie, W. W. and Moore, J. H. 1970a. The structure of egg yolk triglycerides. *Bioch. et Biophys. Acta.*, **218**: 83-88.

Christie, W.W. and Moore, J.H. 1972. The lipid composition of eggs from triglyceride structure of eggs from several avian species. *Comp.Biochem.Physiol.*, **41B**: 297-306.

Chung, R.A. and Stadelman, W.J. 1965. A study of variations in the structure of the hen's egg. *British Poultry Science*, **6**: 277-282.

Clarke, I.J., Hemsworth, P.H., Barnett, J.L. and Tilbrook, A.J. 1992. Stress and reproduction in farm animals, in:"*Stress and Reproduction*".Serno Symposia publication from Raven press (K.E.Sheppard, J.H.Boublik, J.W.Funder Eds.) Raven press New York.

Coggins, J.E. and Wells, R.G. 1980. Further studies on the growth patterns of replacement pullets. *Harper Adams Poultry hysbandry experimental unit*, Report no. R/29.

Cotterill, O.J., Marion, W.W. and Naber, E.C. 1977. A nutrient re-evaluation of shell eggs. *Poul. Sci.*, **56**: 1927-1934.

Cruickshank, E.M. 1941. Studies on fat metabolism in the fowl. I. The composition of the egg fat and depot fat of the fowl as affected by the ingestion of large amounts of different fats. *Nutrition Abstracts and Reviews*, **10**: 645-659.

Cunningham, F.E., Cotterill, O.J. and Funk, E.M. 1960. The effect of season and age of bird. 2. On the chemical composition of egg white. *Poul. Sci.*, **39**: 300-308.

Cunningham, F.E. and Lee, H.W. 1978. A study of turkey egg yolk. 1. Comparison and electrophoretic separation of components. *J. Food Biochem.*, **2**: 251-257.

Davison, T.F., Freeman, B.M. and Rea, J. 1985. Effects of continuous treatment with synthetic ACTH or corticosterone of immature *Gallus domesticus*. *Gen. Comp. Endocrinol.*, **59**: 416-423.

Davison, T.F., Rea, J. and Rowell J.C. 1983. Effects of corticosterone and growth and metabolism of immature *Gallus domesticus*. *Gen. Comp. Endocrinol.*, **50** : 463-468

Davison, T., Scanes, C.G., Flack, I.H., and Harvey, S. 1979. Effect of daily injections of ACTH on growth on the adrenal and lymphoid tissues of two strains of immature fowls. *Br. Poul. Sci.*, **20**: 575-585.

deFranca, C.R., Hess; R.A., Cooke, P.S. and Russel, L.D. 1995. Neonatal hypothyroidism causes delayed sertoli cell maturation in rats treated with

propylthiouracil : Evidence that the sertoli cell controls testis growth. *Anata. Rec.*, **242**: 57-69.

Decuypere, E. and E.R.Kuhn. 1988. Thyroid hormone physiology in galliformes: Age and strain related changes in physiological control. *Am. Zool.*, **28**: 401-415.

Decuypere, E., Scanes, C.G., and Kuhn, E.R. 1983. Effect of glucocorticoids on circulating concentrations of T₃ and T₄ on peripheral mono-deiodination in pre and post hatching chickens. *Hormone and Metabolic Research*, **15** : 233-236.

Donald, D.Bell and Carol. J. Adams. 1992. First and second lay cycle egg production characteristics in commercial table egg flocks. *Poul. Sci.*, **71**: 448-459

Dunn, I.C., Sharp,P.J. and Hocking, P.M. 1990. Effect of interaction between photostimulation, dietary restriction and dietary maize oil dilution on plasma LH and ovarian and oviduct weights in broiler breeder females during rearing. *Brit. Poul. Sci.*, **31**: 415-427.

Dunn, I.C. and Sharp, P.J. 1992. The effect of photoperiodic history on egg laying in dwarf broiler breeder hens. *Poul. Sci.*, **71**: 2090-2098.

deKrester, D.M., Risbridger, G.P., Curminoid, A.E., Gonzales, G. and Sun, Y.T. 1985. Paracrine mechanisms in regulation of testicular functions. In: *Growth Factors in Fertility Regulation*, (FP. Haseltine and J.K. Finlay eds.) Cambridge University press, Cambridge, pp. 143-156.

Devkar, R.V. 1998. Photoendocrine manipulations and poultry productivity: Effect of timed transition from long to short photoperiod in combination with hyper. or hypocorticalism in RIR pullets. Ph.D thesis submitted to, The M.S.University of Baroda.

Edwards, H.M. 1964. The influence of breed and / strain on the fatty acid composition of egg lipids. *Poul. Sci.*, **43**: 751-754.

Eitan, Y. and Soller, M. 1991. Two-way selection for threshold body weight at first egg in broiler strain females. 2. Effect of supplemental light on weight and age at first egg. *Poul.Sci.*, **70**: 2017-2022.

Etches, R.J. 1979. Plasma concentration of progesterone and corticosterone during the ovulation cycle of the hen (*Gallus domesticus*) *Poul.Sci.*, **58**: 211-216.

Etches, R. J. 1996." Reproduction in Poultry". CAB International, Wallingford, Oxon, OX 10 8 DE, U.K.

Etches, R.J. and Croze, F. 1983. Plasma concentration of luteinizing hormone, progesterone and corticosterone during ACTH and corticosterone induced ovulation in the hen (*Gallus domesticus*). *Gen. Comp. Endocrinol.*, **50**: 359-365.

Etches, R.J. and Cunningham, V.J. 1977. The plasma concentration of testosterone and luteinizing hormone during the ovulation cycle of the hen. *Acta Endocrinol.*, **84**: 357-366.

Etches, R.J., MacGregor, H.E., Morris, T.R. and Williams, J.B. 1983. Follicular growth and maturation in the domestic hen (*Gallus domesticus*). *J. Reprod. Fert.*, **67**: 351-358.

Everson, G.H. and Sounders, H.J. 1957. Composition and nutritive importance of eggs. *J. Am. Diet. Assoc.*, **33**: 1244-1254.

Evans, R. J. and Bandemer, S. L. 1961. Lipid distribution in egg yolk lipoprotein complexes. *Poul. Sci.*, **40**: 597-602.

Folch, J., Lees, M. and Stanley G.H.S. 1957. A simple method for the isolation and purification of total lipids from animal tissues. *Journal of Biological Chemistry*, **226**: 497-509.

Frasp, R.M. 1955. Egg production and fertility in poultry. In: *Progress in the physiology of farm animals*. Vol.2. Ed. by J. Hammand. Butterworths, London.

Francavilla, S., Cordeschi, G., Properzi, G., Dicicco, L., Jannini, E, A., Palmero, S., Fugassa, E., Loras, B. and D'Armiento, M. 1991. Effect of thyroid hormone on the pre-and post-natal development of the rat testis. *J. Endocrinol.*, **129**: 35-42.

Fromme-Bouman, H..1962. Jahresperiodische Untersuchungen an der Nebennierenrinde der Amsel (*Turdus merula*. I). *Vogelwarte*. **21**: 188-198.

Froming, G.W. 1971. "Eggs and egg products".In:*Encyclopedia of Industrial Chemical Analysis*, **12**: 57-58. Ed. Snell, F.W. New York,J.Wiley and Sons.

Freeman, B.M., Chubb, L.G. and Pearson, A.W. 1966. Some effects of adrenocorticotropic hormone on bursectomised and intact chickens. pp. 103-112. In: *Physiology of the domestic fowl*. C.Horton-Smith and E.C. Ambroso, ed. Oliver and Boyd, Edinburg, UK.

Freeman, B.M., Manning, A.C.C. and Flack, I.H. 1979. Habituation by the immature fowl in response to repeated injections of corticotrophin. *Poul. Sci.*, **20** : 391-399.

Freeman, B.M. and Vince, M.A. 1974. "Development of Avian Embryo." Chapman and Hall, London.

Garren, H.W. 1957. Attempt to stimulate lymphatic gland changes of fowl typhoid with adrenal cortex extract. *Proc. Soc. Exp. Biol. Med.*, **95**: 716-719.

Garren, H.W. and Borber, C.W. 1955. Endocrine and lymphatic gland changes occurring in young chickens with fowl typhoid. *Poult. Sci.*, **34**: 1250-1258.

Garren, H.W., Hill, C.H. and Carter, M.W. 1961. Adrenal responses of young chickens to adrenocorticotrophic hormone as influenced by dosage and frequency of injection. *Poult. Sci.*, **40**: 446-453.

Garren, H.W., Hill, C.H. and Corth, M.W. 1961. Adrenal response of young chickens to ACTH as influenced by dosage and frequency of injection. *Poult. Sci.*, **40**: 446-453.

Gavora, J.S. and Hodgson, G.C. 1970. *Can. J. Genet. Cytol.*, **12**: 627-634, as cited by B.M.Freeman, 1983.

Gavora, J.S. and Kondra, P. A. 1970. *Can. J. Anim. Sci.*, **50**: 629-637 as cited by B.M.Freeman 1983.

Gibson, S.W., Hughes, B.O., Harvey, S. and Dunn, P. 1986. *Poult. Sci.*, **51**: 621-628.

Griffin, H.D., Grant, G. and Perry, M. 1982. Hydrolysis of plasma triacylglycerol-rich lipoproteins from immature and laying hens(*Gallus domesticus*) by lipoprotein lipase *in vitro*. *Biochem.J.*, **206**: 647-654.

Gross, W.B., Siegel, P.B. and DuBase, R.T. 1980. Some effects of feeding corticosterone to chickens. *Poul. Sci.*, **59**: 516-522.

Gutteridge, H.S. and O'Neil, J.B. 1942. The relative effect of environment and heredity on body measurement and production characteristics of poultry. II. Period of egg production. *J.Agric. Sci.*, **22**: 378-379.

Hall, G. O. and Marble, D.R. 1932. The relationship between the first year egg production and later years. *Poul. Sci.*, **11**: 194-203.

Hall, L.M. and Mckay, L.C. 1993. The relationship between yolk cholesterol and total lipid concentration throughout the first year of egg production in the domestic fowl. *Brit. Poul. Sci.*, **34**: 487-495.

Hall, L.M. and McKay, J.C. 1992. Variation for egg yolk cholesterol concentration between and within breeds of the domestic fowl. *Br. Poult. Sci.*, **33**: 941-946.

Hamilton, R. M. G. 1978. Observations on the changes in physical characteristics that influence egg shell quality in lean strains of White leghorn. *Poul. Sci.*, **57**:1192-1197.

Harvey, S. and Klandorf, H. 1983. Reduced adrenocortical function and increased thyroid function in fasted and fed chickens. *J. Endocrinol.*, **98**: 129-135.

Hayashi, K., Kayali, A.G. and Young, V.R. 1986. Synergism of triodo-thyronine and corticosterone on muscle protein breakdown. *Biochem Biophys acta*, **883**: 108-111.

Hayashi, K., Nagai, Y., Ohtsuka, A. and Tomita, Y. 1994. Effect of dietary corticosterone and trilostane on growth and skeletal muscle protein turnover in broiler cockerels. *Brit. Poul. Sci.*, **35**: 789-798.

Howard, A.N. and Constable, B.J. 1958. The metabolism of adreno-corticotropic hormone on ascorbic acid in the chick. *Biochemical Journal*, **69** : 501-505.

Howarth, B. Jr. and Marks, H.L. 1973. Thyroidal ¹³¹I Uptake of Japanese Quail in response to three different dietary goitrogens. *Poul. Sci.*, **52**: 326-331.

Hutchinson, J.C.D. 1962. The annual rhythm of egg production in fowls. *12th World Poultry Congress*. Sydney, pp. 124-129.

Hutchinson, J.D.C. and Taylor, W.W. 1957. Seasonal variation in the egg production of fowl: Effect of temperature and changes of day length. *J. Agri. Sci.*, **49**: 419-434.

Huybrechts, L.M.D., King,B., Lauterio, T., Marsh, J. and Scanes, C.G. 1985. Plasma concentration of somatomedin C in hypophysectomized dwarf and intact growing domestic fowl as determined by heterologous radio-immunoassay. *J. Endocrinol.*, **104**: 233-239.

Ishii. and Farner. 1976. as cited by ,Ishii. S. 1993. The molecular biology of Avian gonadotropin. *Poult. Sci.*, **72**: 856-866.

Ishii. and Adachi. 1977. as cited by ,Ishii. S. 1993. The molecular biology of Avian gonadotropin. *Poult. Sci.*, **72**: 856-866.

Idris, A.A. and Robbins, K.R. 1994. Light and feed management of broiler breeders reared under short versus natural day length. *Poult. Sci.*, **73**: 603-609.

Ishii. S. 1993. The molecular biology of Avian gonadotropin. *Poult. Sci.*, **72**: 856-866.

Jallages, M. and Assenmacher, I. 1973. Effects de la photoperiode et du taux d'androgene circulant sur la fonction thyroidienne du canard. *Gen. Comp. Endocrinol.*, **19**: 331-340.

Jallages, M. and Assenmacher, I. 1974. Thyroid-gonadal interactions in the male domestic duck in relationship with the sexual cycle. *Gen. Comp. Endocrinol.*, **22**: 13-20.

Johnson, A.L. and vanTienhoven, A. 1983. Plasma corticosterone concentration relative to photoperiod, oviposition and ovulation in the domestic hen. *Poul. Sci.*, **98**: 10-16.

Joyce, K.L., Porcelli, J. and Cooke, P.S. 1993. Neonatal goiterogen treatment increases adult testis size and sperm production in the mouse. *J. Androl.*, **14**: 448-455.

Joseph. J. and Ramachandran, A.V. 1993. Effect of exogenous DXM and corticosterone on weight gain and organ growth in post-hatched white leghorn chicks. *Ind. J.Exp. Biol.*, **31**: 858-860.

Kalliecharan/~~and~~ Hall. 1974. A developmental study of the progesterone, corticosterone, cortisol and cortisone circulating in plasma of chick embryos. *Gen.Comp.Endocrinol.*, **24**: 364.

Kallend, G. A., Vora, A., Peterson, M. and Swerdloff, R.S. 1978. Reproductive hormonal axis of the male rats in experimental hypothyroidism. *Endocrinol.*, **102**: 476-484.

Kameda, Y. Oyama, N. and Horino, M. 1984. Ontogeny of immunoreactive somatostatin in thyroid cells from dogs and guinea pigs. *Anatomical Research*, **208**: 81-101.

Kikuchi and Ishii. 1989. as cited by ,Ishii. S. 1993. The molecular biology of Avian gonadotropin. *Poult. Sci.*, **72**: 856-866.

King, D.B. and King, C.R. 1973. Thyroidal influence on early muscle growth of chickens. *Gen. Comp.Endocrinol.*, **21**: 517-529.

Klausner, H. and Heimberg, M. 1967. Effects of adrenocortical hormones on release of tryglycerides and glucose by liver. *Am. J. Physiol.*, **212**: 1236-1246.

Kuhn, E.R., Decuypere, E. and Rudas, D. 1984. Hormonal and environmental interactions on thyroid function in the chick embryos and post-hatching chicken. *J. Exp. Zool.*, **232**: 653-658.

Kuhn, E.R., Verheyen, G., Decuypere, E., Hubrechts, L. and Iqbal, A. 1986. Growth hormone and thyrotropin releasing hormone stimulate the peripheral conversion of thyroxine into triiodothyronine and liver 5'-monodeiodinase activity in the adult chicken. *IRCS Med. Sci.*, **14**: 479.

Lahiri, N.L. and Baliga, B.R. 1970. Nutritive value of duck and hen eggs. *Indian Food Packer*, **24**: 25-29.

Lam, S.K., Harvey, S., Hall, T.R. and Spencer, G.S.G. 1986. Somatostatin immunoneutralization stimulates thyroid function in fowl. *J. Endocrinol.*, **110**: 127-132.

Lang, G.F., Etches, R.J. and Walton, J.S. 1984. Effects of luteinizing hormone, progesterone, testosterone, estradiol and corticosterone on ovulation and LH release in hens treated with aminoglutethimide. *Biol of Repro.*, **30**: 278-288.

Lanson, R.K. 1960. A study of the influence of light and darkness upon the reproductive performance of the fowl. Ph.D. thesis, University of Rutgers, New Jersey, USA.

Legait, H and Legait, E. 1959. Variations d' activite du systeme hypothalamo-neuro-hypophysaire et modifications surrenaliennes chez le pouceau cours du cycle. *Annual CR Soc. Biol.*, **153**: 668-670..

Lepkovsky, S., Chart-Bitron, A., Lemmon, R.M., Ostwald, R.G. and Dimmick, M.K. 1960. Metabolic and anatomic adaptations in chickens "trained" to eat their daily food in two hours. *Poult. Sci.*, **39**: 385-389.

Lewis, P.D., Perry, G.C. and Morris, T.R. 1992. Effect of timing and size of light increase on sexual maturity in two breeds of domestic hen. *Proceedings XIX World Poultry Congress*. Amsterdam, vol.1, 689-692.

Lewis, P.D., Perry, G.C., Morris, T.R. and Follett, B.K. 1994. Effects of timing and size of daylength change on brown egg laying domestic hens: Plasma Luteinizing hormone concentration and sexual maturity. *Brit.Poul. Sci.*, **35**: 25-31.

Lewis, P.D., Perry, G.C. and Morris, T.R. 1996a. Effects of changes in photoperiod and feeding opportunity on the performance of two breeds of laying hen. *Brit.Poul. Sci.*, **37**: 279-293.

Lewis, P.D., Perry, G.C. and Morris, T.R. 1996b. Effects of constant and of changing photoperiod on age at first egg and related traits in pullets. *Brit.Poul. Sci.*, **37**: 885-894.

Lowry, O.H., Rosebrough, N.J. Farr, A.L. and Randall, R.J. 1951. Protein measurement with the Folin Phenol reagent. *Journal of Biological Chemistry*, **193** :265-275.

Macleod, M.G. and Shannon, D.W.F. 1978. Effects of food intake regulation on the energy metabolism of laying hens. *Br. Poult. Sci.*, **19**: 349-363.

Magdi, T.A.M. and Hutson, T.M. 1974. The effect of administration of dexamethasone and adrenocorticoids on ^{22}Na retention, water consumption and gland weights of cockreals. *Poultry Science*, **53**:2229-2231.

Marion, J.E., Woodroof, J.G. and Cook, R.E. 1965. Some physical and chemical properties of eggs from hens of five different stocks. *Poul. Sci.*, **44**: 529-534

May, J.D. 1978. Effect of fasting on T3 and T4 concentration in chicken serum. *Gen. Comp. Endocrinol.*, **34**: 323-327.

McDaniel, G.R. 1985. Factors affecting broiler breeder performance 6. The relationship of premolt performance to post molt performance. *Poul. Sci.*, **64**: 2267-2272.

McDaniel, G.R., Brake, J. and Bushong, R.D. 1981. Factors affecting broiler performance. I. Relationship of daily feed intake level to reproductive performance of pullets. *Poult. Sci.*, **60**: 307-312.

Melek, O., Morris, T.R. and Jennings, R.C. 1973. The time factor in egg formation for hens exposed to ahemeral light-dark cycles. *Br. Poult. Sci.*, **14**: 493-498.

Morris, T.R. 1963. The effect of changing day lengths on the reproductive responses of the pullet. *Proceedings XII World Poultry Congress, Symposia Reports*. pp. 115-124.

Morris, T.R. 1973. The effects of ahemeral light and dark cycles on egg production in the fowl. *Poult. Sci.*, **52**: 423-445.

Morris, T.R., Fox, S. and Jennings, R.L. 1964. The response of laying pullets to abrupt changes in daylength. *Brit.Poul.Sci.*, **5**:133-147.

Morris, T.R. 1968. Light requirements of the fowl. in: CARTER, T.C. (Ed.) *Environmental Control in Poultry Production*, pp. 15-39. Edinburgh, Oliver & Boyd.

Murton, R.K. and Westwood, N.J. 1977. Endocrine secretion and photoperiodism, In "Avian breeding cycles", Clarendon press, Oxford. pp. 308-339.

Nagra, C.L. and Meyer, R.K. 1963. Influence of corticosterone on the metabolism of palmitate and glucose in cockerel *Gen. Comp. Endocrinol.*, **73**:131-138.

Nagra, C.L. and Meyer, R.K. 1963. Influence of corticosterone on the metabolism of palmitate and glucose in cockerel *Gen. Comp. Endocrinol.*, **73**:131-138.

Nagra, C.L., Savers, A. K. and Wittamaier, H. W. 1965. Effect of testosterone, progesterone and metapirone on adrenal activity in cockerels. *Gen. Comp. Endocrinol.*, **5**: 69-73.

Oishi, T. and Konishi, T. 1978. Effects of photoperiod and temperature on testicular and thyroid activity of Japanese Quail. *Gen. Comp. Endocrinol.*, **36**: 250-254.

Okumura, J., Mori, N., Muramatsu, T. and Tasaki, I. 1988. Analysis of the factors affecting year round performance of single comb white leghorn

laying hens reared under a open-sided housing system. *Poul. Sci.*, **67**: 1130-1138.

Oldale, P.M.D., Coggins, J.E. and Wells, R.G. 1977. Effect of variations in the pattern of growth of pullets on subsequent layer performance. *Harper Adams Poultry hysbandry experimental unit*, Report no. R/24.

Palmero, S., deMarchis, M., Gallo, G. and Fugassa, E. 1989. Thyroid hormone affects the development of sertoli cell function in the rat. *J. Endocrinol.*, **123** : 105-111.

Palmero, S., Benahmed, M., Morera, A.M., Trucchi, P. and Fugassa, E. 1992. Identification of nuclear tri-iodothyronine receptors in sertoli cells from immature piglet testis. *Journal of Molecular Endocrinology*, **9** : 55-59.

Palmero, S., Prati, M., deMarco, P., Trucchi, P. and Fugassa, E. 1993. Thyroidal regulation of nuclear tri-iodothyronine receptors in the developing rat testis. *J. Endocrinol.*, **136** : 277-282.

Panda, P.C. 1995, Formation, structure, food value and chemical composition of eggs. In : "Textbook of egg and poultry technology", pp. 1-11.

Pankakoshi, E. and Klaus, M.T. 1982. Relation of adrenal weight to sex, maturity and season in five species of small mammals. *Ann. Zool. Fenn.*, **19** : 225-232.

Parkinson, T. L. 1966. The chemical composition of eggs. *J.Agric.Sci.*, **17**: 101-111.

Patton, A. R. and Palmer, L. S. 1958. The amino acid content of eggs and chicks : In relation to diet and to incidence of chondroystrophy. *Biochem.J.*, **2**:187-196.

Payne, C.G. 1975. Daylength during rearing and the subsequent egg production of meat strain pullets. *Brit.Poul. Sci.*, **16**: 559-563.

Proudfoot, F.G. 1980. Effect of dietary protein levels, ahemeral light and dark cycles, and intermittent photoperiods on the performance of chicken broiler parent genotypes. *Poul.Sci.*, **59**: 1258-1267.

Raheja, K.L., Snedecor, J.G. and Freedland, R.A. 1971. Effect of propyl thiouracil feeding on glycogen metabolism and malic enzyme in the liver of the chick (*gallus domesticus*). *Comp.Biochem. Physiol.*, **39B**: 833-842.

Rahn, 1976. Seasonal commercial egg production curve differences. *Poul. Sci.*, **55**: 1302-1312.

RamaRao, A.V.S.S. 1986. *Text Book of Biochemistry*, fifth ed., pp. 1-515. L.K. & S. Publishers, Tanuka, A.P.

Renden, J.A. and Oates, S.S. 1989. Sexual maturity in broiler breeder pullets. *Poul.Sci.*, **68** (suppl.1) : 120 (Abstr.).

Renden, J.A., Lien, R.J., Oates, S.S. and Bilgili, S.F. 1994. Plasma concentration of corticosterone and thyroid hormones in broilers provided various lighting schedules. *Poul. Sci.*, **73**: 186-193.

Rhodes, D.W. and Lea, C.H. 1956. Phospholipids. *Biochem.J.*, **65**: 526-533.

Riddle, O., Honeywell, H.E. and Fischer, W.I. 1924. as cited by Holmes, W.N. and Phillips, J.G. "Adrenal cortex of Birds" pp. 291-340. In: *Gen. Clin. And Comp. Endocrinol. of Adrenal Cortex*, pp. 1-146. Academic Press, London, New York, San Francisco.

Riemenschneider, R.W., Ellis, N.R. and Titus, H.W. 1938. The fatty acids in the lecithin and glycerides fractions of egg yolk. *J. Biol. Chem.*, **126**: 255-263.

Ricklefs, R.E. 1977. Composition of eggs of several bird species. *Auk*, **94**: 350-356.

Romanoff, A.L. and Romanoff, A.J. 1949. "The avian egg". New York, Wiley.

Roca, P., Sainz, F., Gonzalez, M. and Alemany, M. 1982. Energitic components in the unicubated egg fractions of several avian species. *Comp. Biochem. Physiol.*, **72B**: 439-443.

Roca, P., Sainz, F., Gonzalez, M. and Alemany, M. 1984. Structure and composition of the eggs from several avian species. *Comp. Biochem. Physiol.*, **77A-2**: 307-310.

Rolland, D.A., Sr. and Brake, J. 1982. Influence of premolt production on post-molt performance with explanation for improvement of egg production due to force moulting. *Poultry Science*. **61**: 2473-2481.

- Ricklefs, R.E. 1977. Composition of eggs of several bird species. *Auk*, **94**: 350-356.
- Rudas, P. and Pethe, G. 1984. Studies on the conversion of thyroxine to 3,5,3'-triiodothyronine in normal and thyroidectomized chickens. *Gen. Comp. Endocrinol.*, **54**: 154-161.
- Sainz, F., Gonzalez, M., Roca, P. and Alemany, M. 1983. Physical and chemical nature of eggs from six breeds of domestic fowl. *Brit. Poult. Sci.*, **24**: 301-309.
- Saadaun, A., Simon, J. and Leclercq, B. 1987. Effect of exogenous corticosterone in genetically fat and lean chickens. *Brit. Poult. Sci.*, **28**: 519-528.
- Sandoval, D.M. and Gernat, A.G. 1996. Evaluation of early feed restriction on egg size and hen performance. *Poult. Sci.*, **75**: 311-314.
- Sato, K. and Glick, B. 1970. Antibody and cell mediated immunity and corticosteroid-treated chicks. *Poult. Sci.*, **49** : 982-986.
- Scanes, C.G., Harvey, S., Marsh, J.A. and King, D.B. 1984. Hormones and growth in poultry. *Poult. Sci.*, **63**: 2062-2074.
- Scanes, C.G., Harvey, S., Morgan, B.A., Hayes, M.A. 1981. Effect of synthetic thyrotropin-releasing hormone and its analogues on growth hormone secretion in domestic fowl (*Gallus domesticus*). *Acta Endocrinol.*, **97**: 448-453.

Scanes, C.G., Harvey, S., and Bolaffi, J.L. 1985. TRH stimulation of *in vivo* GH release in the domestic fowl : Influence of TRH metabolites and effect of age on *in vivo* degradation of TRH. *Neuroendocrinology*, **40**: 33-38.

Schwartz, H.L., Surks, M.I. and Oppenheimer, J.H. 1971. Quantification of extrathyroidal conversion of L-thyroxine to 3,5,3'-triiodothyronine in the rat. *J. Clin. Invest.*, **50**: 1129-1130.

Seifter, S., Dayton, S., Novic, B., Muntwyer, E., 1950. The estimation of glycogen with anthrone reagent. *Arc. Biochem.*, **25** : 191-200.

Shortland, F.B 1951. The fatty acid composition of egg yolk lipids. *New Zealand J. Sci. Tech.*, **33B**: 224-229.

Shanawany, M.M., Sorensen, P. and Pirchner, F. 1993. Genotypic differences in speed and magnitude of response to ahemeral lighting. *Brit.Poul. Sci.*, **34**: 881-886.

Shanawany, M.M., Morris, T.R. and Pirchner, F. 1993. Influence of sequence length on the response to ahemeral lighting late in lay. *Brit. Poul. Sci.*, **34**: 873-880.

Sharp, P.J. 1993. Photoperiodic control of reproduction in the domestic hen. *Poul. Sci.*, **72**: 897-905.

Sharp, P.J. and Beauving . G. 1978. The role of corticosterone in the ovulatory cycle of the hen. *J. Endocrinol.*, **78**: 195-200.

Sharp, P.J., Dunn, I.C. and Cerolini, S. 1992. Neuroendocrine control of reduced persistence of egg-laying in domestic hens : Evidence for the development of photorefractoriness. *J. Reprod. Fert.*, **94**: 221-235.

Sibbald, I.R. 1979. The gross energy of avian eggs. *Poul. Sci.*, **31**:31-34.

Siegel, H.S. 1961. Age and sex modification of responses to adrenocorticotrophin in young chicken. 1. Changes in adrenal and lymphatic gland weight. *Poul. Sci.*, **40**: 1263-1274.

Siegel, P.B., Gross, W.B. and Dunnigton, E.A. 1989. Effect of dietary corticosterone in young Leghorn and meat-type cockerels. *British Poul. Sci.*, **30**: 185-192.

Singh, A. and Reineke, E.P. 1967. Thyroxine and triiodothyronine turnover in the chicken, bobwhite and Japanese quail. *Gen. Comp. Endocrinol.*, **9**: 353-361.

Singh, A., Reineke, E.P. and Ringer, R.K. 1968. Influence of thyroid status of the chick on growth and metabolism, with observation on several parameters of thyroid function. *Poul. Sci.*, **47** : 212-129.

Singh, A and Prashad, O. 1978. Precocious sexual maturity and enhanced egg production in chickens given goitrogen at an early age. *Br. Poul. Sci.*, **19**: 521-527.

Soliman, K.F.A. and Hutson, T.H. 1974. Adrenal gland in ovulation of the fowl. *Poul. Sci.*, **53** : 1664-1667.

Sterling, K., Brenner, M.A. and Newhlan, E.S. 1970. Conversion of thyroxine to triiodothyronine in normal human subjects. *Science*, **163** : 1099-1100.

Stockell-Hartree and Cunningham. 1969. as cited by ,Ishii, S. 1993. The molecular biology of Avian gonadotropin. *Poult. Sci.*, **72**: 856-866.

Svensson, S.A. 1964. Composition and energy content of eggs, growing chicks and hens with some notes on preparation and methods of analysis. *Lantbr-Hogsk Annir*. **30** : 405-442.

Swanson, M.H. and Bell, D.D. 1974. Force molting of chickens-III performance characteristics. *Univ. of California Coop. Ext. Publ.*, AXT-412, Riverside, CA.

Sykes, A.H. 1956. Short day-length and egg production in the fowl. *Journal of Agricultural Science*, **47**: 429-434.

Tanabe, Y. Relation of thyroxine secretion rate to age and growth rate in the cockerel. *Poul. Sci.*, **44**: 591-595.

Thapliyal, J. P. and Pandha, S.K. 1967a. Thyroid and the hypophyseal-gonadal axis in the female spotted munia, *Uroloncha punctulata*. *Gen. Comp. Endocrinol.*, **8**: 84-93.

Thapliyal, J.P. and Pandha, S.K. 1967b. Thyroidectomy and gonadal recrudescence in Ial munia, *Estricala amandara*. *Endocrinology*, **81**: 915-918.

Thedoropoulos, T.J. 1985. Somatostatin is a regulator of thyrotropin secretion in the perinatal rat. *Endocrinol.*, **117**: 1683-1686.

Tucker, S.A. and Charles, D.R. (1993) Light intensity, intermittent lighting and feeding regimen during rearing as affecting egg production and egg quality. *Bri. Poult. Sci.*, **34**: 255-266.

Urbanske, H. and Follett, B.K. 1982. Photoperiodic modulation of gonadotrophin secretion in castrated Japanese quail. *J. Endocrinol.*, **92**: 73-83.

Warren, D.C. and Scott, H.M. 1935. The time factors in egg formation. *Poult. Sci.*, **14**: 195-207.

Washburn, K.W. 1979. Genetic variation in the chemical composition of the eggs. *Poult. Sci.*, **58**: 529-535.

Williams, J.B., Etches, R.J. and Razasa, J. 1985. Induction of pause in laying by corticosterone infusion or by dietary alterations : Effects on the reproductive system, food consumption and body weight. *Br. Poult. Sci.*, **26**: 25-34.

Williams, J.B. and Sharp, P.J. 1978. Ovarian morphology and rates of ovarian follicular development in laying broiler breeders and commercial egg producing hens. *Bri. Poult. Sci.*, **19** : 387-395.

Wilson, S.C. and Cunningham, F.J. 1980. Effect of increasing day length and intermittent lighting schedules in domestic hen on plasma concentration of luteinizing hormone (LH) and the LH response to exogenous progesterone. *Gen. Comp. Endocrinol.*, **41** : 546-553.

Wilson, S.C. and Lacassagne, L. 1978. The effects of dexamethasone on plasma luteinizing hormone and oviposition in the hen. *Gen. Comp. Endocrinol.*, **35** : 16-26.

Winchester, C.I. and Davis, G.K. 1952. Influence of thyroxine on growth of chicks *Poul. Sci.*, **31**: 31-34.

Winton, A.L. and Winton, K.B. 1993. "Poultry eggs". Ed. Dr. R.L.Lakhotia. Agro botanical Pub.Ind.

Yadav, N.K. and Arneja, D.V. 1993. Effect of altered thyroid status on body weight and feed intake of white leghorn chicks. *Indian Journal of Poultry Science*, **28(3)**: 253-255.