

B I B L I O G R A P H Y

BIBLIOGRAPHY

- Ambrose, D.G. and Sciuchetti, L.A. (1962). Influence of kinetin and gibberellic acid on growth and alkaloid patterns in Datura metaloides. J. Pharm. Sci. 51: 934-938.
- Amrhein, N. and Zenk, M.H. (1971). Untersuchungen Zur Rolle der Phenylalanine Ammonium-Lyase (PAL) bei der Regulation der Flavonoidsynthese im Buchweizen (Fagopyrum esculentum Moench). Z. Pflanzenphysiol. 64: 145-168.
- Arya, H.C. (1965). Effect of naphthalaneacetic acid on the nitrogen and nucleic acid contents of phylloxera gall and normal grape stem single cell clones in tissue culture. In "Tissue Culture" (C.V. Ramakrishnan ed.). Dr. W. Junk Publishers, Hague.
- Arya, H.C., Hildebrandt, A.C. and Riker, A.J. (1962). Clonal variation of grape stem and phylloxera gall callus growing in vitro in different concentrations of sugars. Amer. J. Bot. 49: 368-372.
- Audus, L.J. (1972). "Plant Growth Substances" Vol. I : Chemistry and Physiology. Leonard Hill Books, London.
- Audus, L.J. and Bakhsh, J.K. (1961). On the adaptation of pen roots to auxins and auxin homologues. In "Plant Growth Regulation" (R.M. Klein ed.). Iowa State Univ. Press, Ames, Iowa.

- Bergman, L. (1959). Plant viruses in tissue culture.
Trans. N.Y. Acad. Sci. ser.II, 21:227.
- Berlin, J. and Barz, W. (1971). Stoffwechsel von
isoflavonen and Cumostanen in Zell-und Callus-
suspensionskulturen Von Phaseolus aureus Roxb.
Planta (Berl.) 98: 300-314 (1971).
- Blakely, L.M. and Steward, F.C. (1964). Growth induction
in cultures of Haplopappus gracilis. 1. The
behaviour of cultured cells. Amer. J. Bot.
48: 351-358.
- Boll, W.G. (1965). On the claimed adaptive nature of IAA
oxidase and an effect of green light on IAA oxidase
activity. Can. J. Bot. 43: 885-892.
- Brakke, M.K. and Nickell, L.G. (1951). Secretion of
C -amylase by Kumex virus tumors in vitro.
Properties and assay. Arch. Biochem. Biophys. 32:28.
- Briggs, W.R. and Ray, P.M. (1956). An auxin inactivation
system involving tyrosinase. Plant Physiol. 31:
165-167.
- Butenko, R.G. (1968). Plant tissue culture and plant
morphogenesis (M. Kh. Chailakhyan ed.). Israel
programme for scientific translations, Jerusalem.
- Carcellar, M., DaVey, M.R., Fowler, M.W. and Street, H.E.
(1971). The influence of sucrose, 2,4-D and
kinetin on the growth, fine structure and lignin
content of cultured Sycamore cells. Protoplasma,
73:367-385.

- Chan, W. and Staba, E.J. (1965). Alkaloid production by Datura callus and suspension tissue cultures. Lloydia 28:55-61.
- Cheng, C.K. and Marsh, H.V. (1968). Gibberellic acid-promoted lignification and phenylalanine ammonia-lyase activity in a dwarf pea (Pisum sativum). Plant Physiol. 43: 1755-1759.
- Constabel, F. (1968). Gerbstoff produktion der Calluskulturen Von Juniperus communis L. Planta (Berl.) 79:58-64.
- Constabel, F., Shyluk, J.P. and Gamborg, O.L. (1971). The effect of hormones on anthocyanin accumulation in cell culture of Haplopappus gracilis. Planta (Berl.) 96: 306-316.
- Creasy, L.L. (1968). The increase in phenylalanine ammonia-lyase (PAL) activity in strawberry leaf disks and its correlation with flavonoid synthesis. Phytochem. 7: 441-446.
- Davies, M.E. (1972). Polyphenol synthesis in cell suspension cultures of Paul's Scarlet rose. Planta (Berl.) 104: 50-65.
- Davies, M.E. (1972). Effect of auxin on polyphenol accumulation and the development of Phenylalanine ammonia-lyase activity in dark grown suspension cultures of Paul's Scarlet rose. Planta (Berl.) 104: 66-67.
- Davis, B.D. (1958). On the importance of being ionized. Arch. Biochem. Biophys. 78: 497 (1958).

- Dawson, H.F. (1942). Nicotine synthesis in excised tobacco roots. *Amer. J. Bot.* 29:813.
- Digby, J. and Wareing, P.F. (1966). The effect of growth substances on cell division and expansion in liquid suspension cultures of Acer pseudoplatanus. *J. Exp.Bot.* 17: 718-728.
- Durst, F. and Mohr, H. (1966). Phytochrome mediated induction of enzyme synthesis in mustard seedlings (Sinapsis alba L.). *Naturwissenschaften* 53:531-532.
- *Engelsma, G. (1968). *Plant* 82: 355-368.
- Fadia, V.P. (1971). Tissue culture studies in cucurbits. Ph.D. Thesis, M.S. University of Baroda, Baroda.
- Fadia, V.P. and Mehta, A.R. (1973). Tissue culture studies on cucurbits. III. Growth and nutrition of cucumis callus cultures. *Indian J. expl. Biol.* 11: 424-427.
- Forrest, G.I. (1969). Studies on the polyphenol metabolism of tissue cultures derived from the tea plant (Camellia sinensis L.) *Biochem. J.* 113: 765-772.
- Fosket, D.E. and Torrey, D.E. (1969). Hormonal control of cell proliferation and xylem differentiation in cultured tissues of Glycine max Var. Biloxi. *Plant Physiol.* 44:871-880.
- Fox, J.E. (1966). Incorporation of a kinin, N⁶-benzyladenin into soluble RNA. *Plant Physiol.* 41:75-82.

- French, D.I. and Gibson, M.R. (1957). The effect of glutamic acid on Datura tatula L. root cultures. J. Amer. Pharm. Assoc. Sci. Ed. 46:151.
- *Freudenberg, K., Harkin, J.B., Reichert, M. and Fukuzumi, T. (1958). Chem. Ber. 91:581.
- Freudenberg, K. (1959). Biosynthesis and constitution of lignin. Nature, 183: 1152-1155.
- Furuya, T. (1967). Applications of plant tissue cultures to modern pharmacognosy. Shoya-Kugaku Zasshi (Jap. J. Pharmacog.) 21:91-96.
- Galston, A.W., Bonner, J. and Baker, R.S. (1953). Flavoprotein and peroxidase as components of the indoleacetic acid oxidase system of peas. Arch. Biochem. Biophys. 49:456-470.
- Galston, A.W. and Dalberg, L.Y. (1954). The adaptive formation and physiological significance of indoleacetic acid oxidase. Amer. J. Bot. 41:373-380.
- Galston, A.W., Lavee, S. and Siegel, B.Z. (1968). The induction and repression of peroxidase isozymes by auxin. In "Biochemistry and physiology of Plant growth substance (F. Wightman and G. Setterfield ed.), Runge Press, Ottawa.
- Galston, A.W. and MacCune, D.C. (1961). An analysis of gibberellin-auxin interaction and its possible metabolic basis. In "Plant Growth Regulation". pp.611-625. Iowa State University Press, Ames, Iowa.

- Gamborg, O.L. (1966). Aromatic metabolism in plants. II. Enzymes of the shikimate pathway in suspension cultures of plant cells. *Can. J. Biochem.* 44:791-799.
- *Gautheret, R.J. (1939). Sur la possibilite' de realiser la culture indefinite des tissus de tuberculer de carotte. *C.R. Acad. Sci. Paris*, 208:118-120.
- Gautheret, R.J. (1945). Une voie nouvelle en biologie vegetale. La culture des tissus. Gallimard, Paris.
- Gautheret, R.J. (1969). "La culture des tissus vegetaux, techniques et realisations", Masson, Paris.
- Gentile, A.C. (1965). Metabolism of plant tissue cultures. In "Tissue Culture" (C.V. Ramakrishnan ed.). Dr. W. Junk Publishers, Hague.
- Givan, C.V. and Collin, H.A. (1967). Studies on the growth in culture of plant cells. II. Changes in respiration rate and nitrogen associated with the growth of Acer pseudoplatanus L. cells in suspension culture. *J. Exp. Bot.* 18: 321-331.
- Goldacre, P.L., Galston, A.W. and Weintraub, R.L. (1953). The effect of substituted phenols on the activity of the indoleacetic acid oxidase of peas. *Arch. Biochem. Biophys.* 43:358-373.
- Gordon, S.A. and Weber (1951). Colorimetric estimation of indoleacetic acid. *Plant Physiol.* 26: 192-195.
- Gortner, W.A. and Kent, M. (1953). Indoleacetic acid oxidase and an inhibitor in pine apple tissue. *J. Biol. Chem.* 204:593-603.

- Grisebach, H. (1968). Recent investigations on the biosynthesis of flavonoids. Recent Advances in Phytochemistry 1:379-406.
- Haberlandt, G. (1902). Kulturversuche mit isolierten pflanzenzellen. Sitz-Ber Akad. Wiss. Wien. Math. Naturw. Kl. Abt. III : 69-92.
- Hadwiger, L.A. and Schwochau, M.E. (1971a). Specificity of deoxyribonucleic acid intercalating compounds in the control of phenylalanine ammonia-lyase and pisatin levels. Plant Physiol. 47:346-351.
- Hadwiger, L.A. and Schwochau, M.E. (1971b). Ultraviolet light-induced formation of pisatin and phenylalanine ammonia-lyase. Plant Physiol. 588-590.
- Halbrock, K. and Wellmann, E. (1970). Light-induced flavone biosynthesis and activity of phenylalanine ammonia-lyase and UDP-apiose synthetase in cell suspension cultures of Petroselinum hortense. Plant (Berl.) 94:236-239.
- Harris, G.P. (1956). Amino acids as sources of nitrogen for the growth of isolated oat embryos. New. Physiol. 58:330.
- Heller, R. (1953). Recherches sur la nutrition minerale des tissus vegetaux cultives in vitro. Ann. sci. Nat. Bot. Biol. Veg. 14:1-223.
- Heller, R. (1954). Les besoins minéraux des tissus en culture. Annee biol. 30: 261-281.

- Henshaw, G.G., Jha, K.K., Mehta, A.R. , Shakeshaft, D.J. and Street, H.E. (1966). Studies on the growth in culture of plant cells. 1. Growth pattern in batch propagated suspension cultures. J. Exp. Bot. 17: 362-372.
- *Miguchi, T. and Ito, Y. (1958). J. Biochem. (Japan) 45: 575.
- Hildebrandt, A.C. (1958). Stimulation or inhibition of virus infected and insect gall tissues and single cell-clones. Proc. Natl. Acad. Sci., 44:351.
- Hildebrandt, A.C. and Riker, A.J. (1949). The influence of various carbon compounds on the growth of marigold, paris-daisy, periwinkle, sunflower and tobacco tissue in vitro. Amer. J. Bot. 36: 74-85.
- Hildebrandt, A.C. and Riker, A.J. (1953). Influence of concentrations of sugars and polysaccharides on callus tissue growth in vitro. Amer. J. Bot. 40:66-76.
- Hyodo, H. and Yang, S.F. (1971). Ethylene-enhanced synthesis of phenylalanine ammonia-lyase in pea seedlings. Plant Physiol. 47:765-770.
- James, R.P. and Sciuchetti, L.A. (1964). Action and interaction of gibberellic acid and B995 on Datura innoxia. J. Pharm. Sci. 53:1093-107.

- Kaul, B. and Staba, E.J. (1967) Ammi visnaga (L.) Lam. tissue cultures. Multiliter suspension growth and examination for furanochromes. *Planta med.* (Stuttg.) 15: 145-156.
- Kaul, B. and Staba, E.J. (1968). Dioscorea tissue cultures. I. Biosynthesis and isolation of diosgenin from Dioscorea deltoidea callus and suspension cultures. *Lloydia* 32:347.
- *Konoshima, M., Tabata, M., Yamamoto, H. and Hiraok, N. (1975). *Yakugaku zasshi* (J. Pharm. Soc. Japan) 90: 370.
- Koukol, J. and Conn, E.E. (1961). The metabolism of aromatic compounds in higher plants. IV. Purification and properties of the phenylalanine deaminase of Hordeum vulgare. *J. Biol. Chem.* 236: 2692-2698.
- *Kuraishi, S. (1959). Effect of kinetin analogs on leaf growth. *Sci. Papers Coll. Gen. Educ. Univ. Tokyo* 9: 67-104.
- Lalchandani, I.G. (1970). Studies on the growth in culture of plant cells. Ph.D. Thesis, M.S. University of Baroda, Baroda.
- Lavee, S. and Galston, A.W. (1968) Hormonal control of peroxidase activity in cultured Pelargonium pith. *Amer. J. Bot.* 55:890-893.

- Lee, T.T. (1972). Interaction of cytokinin, auxin and gibberellin on peroxidase isoenzymes in tobacco tissues cultured in vitro. Can. J. Bot. 50:2471-2477.
- Letham, D.S. (1967). Chemistry and physiology of Kinetin like compounds. Ann. Rev. Plant Physiol. 18:349-364.
- Lichstein, H.C., Gunsalus, I.C. and Umbreit, W.W. (1940). Function of the vitamin B₆ group. Pyridoxal phosphate (Codecarboxylase) in transamination. J. Biol. Chem. 161:311.
- Lockhart, J.A. (1956). Reversal of the light inhibition of pea stem growth by the gibberellins. Proc. Natl. Acad. Sci. Wash. 42:841-848.
- Lohman, L. and Schuster, P. (1937). Co-carboxylase. 1. Naturwissenschaften 25:26.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. (1951). Protein measurement with the Folin Phenol reagent. J. Biol. Chem. 193: 265-275.
- Luckwill, L.C. (1968) In "Recent Aspects of Nitrogen Metabolism in Plants" (E.J. Hewitt and C.V. Cutting ed.) Academic press, London (1968).
- Maehly, A.C. and Chance, B. (1954). The assay of catalases and peroxidases. In "Methods of Biochemical Analysis Vol. I 358-428.
- Maretzki, A., Cruz, A. Dala and Nickell, L.G. (1971). Extracellular hydrolysis of starch in cell suspensions. Plant Physiol. 48: 521-525.

- Mason, H.S., Onopryenko, I. and Buhler, D. (1957).
Hydroxylation: the activation of oxygen by
peroxidase. *Biochem. Biophys. Acta.* 24:225-226.
- Masoud, A.N., Sciuchetti, L.A., Fransworth, N.R.,
Blomster, R.N. and Meer, W.A. (1968). Effect
of gibberellic acid on the growth, alkaloid
production and VLB content. *J. Pharm. Sci.*
57:589-593.
- Mazelis, M. (1962). The pyridoxal phosphate - dependent
oxidative decarboxylation of methionine by
peroxidase. *J. Biol. chem.* 237:104-108.
- MacCune, D.C. (1961). Multiple peroxidases in corn.
Ann. N.Y. Acad. Sci. 94:723-730.
- Mehta, A.R. (1965). Recent advances in free cell cultures
of plants. In "Tissue Culture" (C.V. Ramakrishnan,
ed.), 305-313, Dr. W. Junk Publishers, Hague.
- Mehta, A.R., Henshaw, G.G. and Street, H.E. (1967). Aspects
of growth in suspension cultures of Phaseolus
vulgaris L. and Linum usitatissimum L. *Ind. J. Plant*
Physiol. 10: 44-53.
- Mehta, A.R. and Staba, E.J. (1970). Presence of diosgenin
in tissue cultures of Dioscorea composita Hemsl.
and related species. *J. Pharm. Sci.* 59: 864.
- Miller, C.O. (1961). Kinetin and related compounds in
plant growth. *Ann.Rev. Plant Physiol.* 12:395-408.
- Miller, C.O. (1969). Control of deoxyisoflavone synthesis
in soyabean tissue. *Planta (Berl.)* 87:26-35.

- *Morel, G. and Demetriades, S. (1955). Action de
regulateurs de croissance sur l'activite
oxydesique de tissus de Topinambour. *Annee biol.*
31:227.
- Muir, W.H.A., Hildebrandt, A.C. and Riker, A.J. (1954).
Plant tissue cultures produced from single
isolated cells. *Science*, 119:877-878.
- Murashige, T. and Skoog, F. (1962). A revised medium
for rapid growth bioassay with tobacco tissue
culture. *Physiol. Plant.* 15:473-497.
- Nandy, M. and Ganguli, N.C. (1961). Biological synthesis
of 5-dehydroshikimic acid by plant extracts.
Biochem. Biophys. Acta 48:608.
- Neish, A.C. (1960). Biosynthetic pathways of aromatic
compounds. *Ann. Rev. Plant Physiol.* 11:55-80.
- Neish, A.C. (1964). Major pathways of biosynthesis of
phenols. In "Biochemistry of Phenolic Compounds"
(J.B. Harborne ed.) Academic Press, New York.
- Nickell, L.G. (1962). Submerged growth of plant cells.
Adv. Appl. Microbiol. 4:213-236.
- Nickell, L.G. and Burkholder, P.R. (1950). A typical
growth of plants. II. Growth in vitro of virus
tumors of Rumex in relation to temperature,
pH and various sources of nitrogen, carbon and
sulphur. *Amer. J. Bot.* 37: 538-547:

- Nitsch, J.P. and Nitsch, C. (1957). Auxin dependent growth of excised Helianthus tuberosus tissues. II. Organic nitrogenous substances. Amer. J. Bot. 44: 555-564.
- Nitsch, J.P. and Nitsch, C. (1962). Composes phenoliques et croissance vegetale. Ann. Physiol. Vegetale, 4:211-225.
- Osborne, Daphne J. (1962). Effect of kinetin on protein and nucleic acid metabolism in Xanthium leaves during senescence. Plant Physiol. 37:595-602.
- Osborne, Daphne J. and Susan E. Moss (1963). Effect of kinetin on senescence and abscission in explants of Phaseolus vulgaris. Nature, 200:1299-1301.
- Patau, K., Das, N.K. and Skoog, F. (1957). Induction of DNA synthesis by kinetin and indoleacetic acid in tobacco pith tissues. Physiol. Plant. 10:949-966.
- Pilet, P.E. (1964). Effect of chlorogenic acid on the auxin metabolism and the auxin content of root tissues. Phytochem. 3:617-621.
- Pollard, J.K., Shantz, E.M. and Steward, F.C. (1961). Hexitols in coconut milk. Their role in the nature of dividing cells. Plant Physiol. 36:492-501.
- Rabin, R.S. and Klein, R.M. (1957). Chlorogenic acid as a competitive inhibitor of indoleacetic acid oxidase. Arch. Biochem. Biophys. 70:11-15.

- Racker, E., de la Haba, G. and Leder, I.G. (1953).
Thiamine pyrophosphate, a coenzyme of trans-
ketolase. J. Amer. Chem. Soc. 75:1010.
- Raj Bhandary, S.B., Collin, H.A., Thomas, E. and Street,
H.E. (1969). Root, Callus and cell suspension
cultures from Atropa belladonna L. and Atropa
belladonna, cultivar lutea Doll. J. Exp. Bot.
17:362-377.
- Rao, N.M. (1971). Growth and nutritional studies of
plant tissues cultured in vitro. Ph.D. thesis,
M.S. University of Baroda, Baroda.
- Rao, N.M. and Mehta, A.R. (1968). In vitro growth and
nutrition of Datura anther callus. Ind. J. Plant
Physiol. 11:181-187.
- Ray, P.M. (1958). Destruction of auxin. Ann. Rev. Plant
Physiol. 9:81-118.
- *Reid, P.D. and Marsh, M.Z. (1969). Z. Pflanzenphysiol.
61: 170-172.
- Reinhard, E. (1967). Probleme der produktion von
Arzeistoffen durch pflanzliche Gewebekulturen.
Dtsch. Apoth.-Ztg. 107:1201-1207.
- Reinhard, E., Corduan, G. and Volk, O.H. (1968) Uber
Gewebekulturen Von Ruta graveolens. Planta med.
(Stuttg.) 16: 8-16.
- Riker, A.J. and Gutsche, A.E. (1948). The growth of
sunflower tissue in vitro on synthetic media
with various organic and inorganic sources of
nitrogen. Amer. J. Bot. 35:227-238.

- Riov, J., Monselise, S.P. and Kahn, R.S. (1969). Ethylene-controlled induction of phenylalanine ammonia-lyase in citrus fruit peel. *Plant Physiol.* 44: 631-635.
- Risser, P.G. and White, P.R. (1964), Nutritional requirements of spruce tumor cells in vitro. *Physiol. Plant.* 17:620-635.
- Rubery, P.H. and Fosket, D.E. (1969). Changes in phenylalanine ammonia-lyase during xylem differentiation in Coleus and soyabean. *Planta* 87: 54-62.
- Shantz, E.M. and Steward, F.C. (1959). Investigations on growth and metabolism of plant cells. VII. Sources of nitrogen for tissue cultures under optimal conditions for their growth. *Ann. Bot.* 23: 371-390.
- Siegel, S.M. (1956). Chemistry and physiology of lignin formation. *Quart. Rev. Biol.* 31:1-18.
- Siegelman, H.W. (1964). Physiological studies on phenolic biosynthesis. In "Biochemistry of phenolic compounds". (J.B. Harborne, ed.) Academic Press, New York.
- Simpkins, I., Collin, H.A. and Street, H.E. (1970). The growth of Acer pseudoplatanus L. cells in a synthetic liquid medium: response to the carbohydrate, nitrogenous and growth hormone constituents. *Physiol. Plant.* 23:385-396.

- Simpkins, I. and Street, H.E. (1970). Studies on the growth in culture of plant cells. VII. Effects of kinetin on the carbohydrate and nitrogen metabolism of Acer pseudoplatanus L. cells grown in suspension culture. J. Exp. Bot. 21:170-185.
- Solt, M.L. (1954). Nicotine production and growth of excised tobacco root cultures. Plant Physiol. 22:480.
- *Sprinson, D.B. (1960). Advanc. Carbohydrate Chm. 15:235.
- Srivastava, B.I.S. (1966). Metabolism of kinetin in excised barley leaves and in tobacco pith tissue culture. Plant Physiol. 41:IXii-IXiii.
- Staba, E.J. (1962). Production of cardiac glycosides by plant tissue cultures. 1. Nutritional requirements in tissue cultures of Digitalis lanata and Digitalis purpurea. J. Pharm. Sci. 51:249-254.
- *Staba, E.J. (1963). Developments in Ind. Microbiol. 4:193-198.
- Staba, E.J. (1969). Plant tissue culture as a technique for the phytochemist. Recent Adv. Phytochem. 2:75-106.
- Staba, E.J. and Jindra, A. (1968). Datura tissue cultures: Production of minor alkaloids from chlorophyllous and non-chlorophyllous strains. J. Pharma. Sci. 57: 701-704.

- Stafford, H.A. (1960a). Differences between the lignin-like polymers formed by the peroxidation of eugenol and ferulic acid in leaf section of Phleum. Plant Physiol. 35: 108-114.
- Stafford, H.A. (1960b). Comparison of lignin-like polymers produced peroxidatively by cinnamic acid derivatives in leaf sections of Phleum. Plant Physiol. 35:612-618.
- Steinhart, C.E. (1961). Nutrient requirements for in vitro growth of spruce tissue. Amer. J. Bot. 48:465-470.
- Steinhart, C., Anderson, L. and Skoog, F. (1962). Growth promoting effect of cyclitols on spruce tissue cultures. Plant Physiol. 37:60-66.
- Steward, F.C. (1969). "Plant Physiology" (F.C. Steward ed.) Allied Press, N.Y.
- Steward, F.C., Bidwell, R.G.S. and Yemm, E.W. (1958). Nitrogen metabolism, respiration and growth of cultured plant tissue. J. Exp. Bot. 9:11.
- Steward, F.C., Mapes, M.O. and Mears, K. (1958). Growth and organised development of cultured cells. II. Organisation in cultures grown from freely suspended cells. Amer. J. Bot. 45:705-708.
- Steward, F.C. and Shantz, E.M. (1955). The chemical induction of growth in plant tissue cultures. In "The Chemistry and Mode of Action of Plant Growth Substances" (R.L. Wain and F. Wightman, ed.) Butterworth, London.

- Stockdale, F.E. and Topper, Y.J. (1966). The role of DNA synthesis and mitosis in hormone dependent differentiation. *Proc. Natl. Acad. Sci.* 56:1283-1289.
- Stohs, S.J., Kaul, B. and Staba, E.J. (1969). The metabolism of ^{14}C -Chloesterol by Dioscorea deltoidea suspension cultures. *Phytochem.* 8:1679-1686.
- Straus, J. and Campbell, W.A. (1963). Release of enzymes by plant tissue cultures. *Life Sciences*, 1963:50-62.
- Straus, J. and LaRue, C.D. (1954). Maize edosperm tissue grown in vitro. I. Culture requirements. *Amer. J. Bot.* 41:687-694.
- Street, H.E. (1957). Nutrition and metabolism of plant tissue cultures. *J.U.S. Can. Inst.* 19:467-494.
- Street, H.E. (1963). Recent advances in plant tissue and cell culture. *Rev. World Science* 5:124.
- Street, H.E. (1965). Plant tissue culture is in an interesting condition. In "Tissue Culture" (C.V. Ramakrishnan, ed.) Dr. W. Junk Publishers, Hague.
- Street, H.E. (1966). Methods for plant tissue culture. In "Cells and Tissues in Culture" (E.N. Willmer ed.) Academic Press, New York.
- Street, H.E. (1966). The nutrition and metabolism of plant tissue and organ cultures. In "Cells and Tissues in Culture" (E.N. Willmer ed.) Academic Press, London.

- Street, H.E. and Cockburn, W. (1972). Growth and differentiation. Chapter 9: 263-301. In "Plant Metabolism". Pergamon Press, Oxford.
- Street, H.E., Henshaw, G.G. and Buiatti (1965). The culture of isolated plant cells. Chemistry and Industry, 27-33.
- Stuart, R. and Street, H.E. (1969). Studies on the growth in culture of plant cells. IV. The initiation of division in suspensions of stationary-phase cells of Acer pseudoplatanus L. J. Expl. Bot. 20:556-571.
- Stutz, R.E. (1957). The indoleacetic acid oxidase of Lupinus albus. Plant Physiol. 32:31-39.
- Swain, T. and Hillis, W.E. (1959). The phenolic constituents of prunus domestica. I. The quantitative analysis of phenolic constituents. J. Sci. Fd. Agric. 10:63-68.
- Szweykowska, A. (1959). The effect of nitrogen feeding on anthocyanin synthesis in isolated red cabbage embryos. Acta Soc. Bot. Polon. 28: 539-549.
- *Tabata, M., Yamamoto, H., Hiraoka, N., Oka, A., Kawashima, K. and Konoshima, M. (1969). Jap. J. Pharmacog. 23:83.
- Tabata, M., Yamamoto, H., Hiraoka, N. and Konoshima, M. (1972). Organisation and alkaloid production in tissue cultures of Scopolia parviflora. Phytochem. 11:949-955.
- Tabata, M., Yamamoto, H., Hiraoka, N., Marumoto, Y. and Konoshima, M. (1971). Regulation of nicotine production in tobacco tissue culture by plant growth regulators. Phytochem. 10: 723-729.

- Tamaoki, T. and Ullstrup, A.J. (1958). Cultivation in vitro of excised endosperm and meristem tissue of corn. Bull. Torrey. Bot. Club, 85:260-272.
- Tang, Y.W. and Bonner, J. (1947). The enzymatic inactivation of indoleacetic acid. 1. Some characteristics of the enzyme contained in pea seedlings. Arch. Biochem. 13: 11-25.
- Thimann, K.V. (1934). Studies on the growth hormones of plants. VI. The distribution of the growth substances in plant tissues. J. Gen. Physiol. 18: 23-34.
- Tiwari, M.M. (1968). Studies on the epidemiology and host parasite relationship of Sclerospora graminicola (Sacc) Schroet. On Bajra Pennisetum typhoides Stapf and Hubb. Ph.D. Thesis, University of Rajasthan, Jaipur.
- Tiwari, M.M. and Arya, H.C. (1967). Growth of normal and diseased Pennisetum typhoides tissues infected with Sclerospora graminicola in tissue culture. Indian Phytopath. 20: 356-368.
- Tomaszewski, M. (1964). The mechanism of synergism effect between auxin and some natural phenolic substances. In "Regulateurs naturels de la (roissance vegetale, Colloq. int. Centre natl. Rech. Sci. No.123:335-351.
- Tomaszewski, M. and Thimann, K.V. (1966). Interactions of phenolic acids, metallic ions and chelating agents on auxin induced growth. Plant Physiol. 41:1443-1454.

- Torrey, J.G. (1957). Cell division in isolated single plant cells in vitro. Proc. Natl. Acad. Sci., 43: 887-891.
- Torrey, J.G. and Reinert, J. (1961). Suspension cultures of higher plant cells in synthetic media. Plant Physiol. 36: 483-491.
- Torrey, J.G., Reinert, J. and Merkei, N. (1962). Mitosis in suspension cultures of higher plant cells in synthetic media. Amer. J. Bot. 49:420-424.
- Tulecke, W. (1963). Extracellular degradation of arginine by tissue cultures derived from the pollen of Ginkgo biloba L. Plant Physiol. 38 (Suppl.) XXXII.
- Tulecke, W. and Nickell, L.G. (1960). Methods, problems and results of growing plant cells under submerged conditions Trans. N.Y. Acad. Sci. Ser. II 22:196-206.
- Tulecke, W., Weinstein, L.H., Rutner, A. and Laurencott, H.J. Jr. (1962). Biochemical and physiological studies of tissue cultures and plant parts from which they are derived. II. Ginkgo biloba L. Contrib. Boyce Thompson Inst. 21:291-302.
- Turian, G. (1956). Stimulation by hetero-auxin of acid phosphatase activity of the extracts of potato and maize. Biochem. Biophys. Acta. 21:388-389.
- Vajranabhaiah, S.N. (1969). The changes in nucleic acids in relation to auxins, kinetin and sugar during growth in cultures of Cucumis melo L. and Datura metel L. Ph.D. Thesis, M.S. University of Baroda, Baroda.

- Vasil, I.K. and Hildebrandt, A.C. (1966). Growth and chlorophyll production in plant tissues grown in vitro. *Planta*, 68: 69-82.
- Weinstein, L.H., Nickell, L.G., Laurencott, H.J. Jr. and Tulecke, W. (1959). Biochemical and physiological studies of tissue cultures and plant parts from which they are derived. I. Agave toumeyana Trel. Contrib. Boyce Thompson Inst. 20:239-250.
- West, F.R. Jr. and Mika, S. (1957). Synthesis of atropine by isolated roots and root callus cultures of belladonna. *Bot. Gaz.* 119:50.
- White, P.R. (1934). Potentially unlimited growth of excised tomato root tips in liquid medium. *Plant Physiol.* 9:585-600.
- White, P.R. (1939). Potentially unlimited growth of excised plant callus in an artificial nutrient. *Amer. J. Bot.* 26:59-64.
- Wolter, K.E. and Gordon, J.C. (1972). Hormonal control of growth and lignification in Aspen cultures in relation to peroxidase level and isoenzyme expression. *Plant Physiol. (Supplement)* 49:32.
- *Zenk, M.H. (1966). Wachstum Fortschr. Bot. 28:89.
- Zenk, M.H. and Muller, G. (1963). In vivo destruction of exogenously applied indolyl-3-acetic acid as influenced by naturally occurring phenolic acids. *Nature*, 200:761-763.

Zucker, M. (1965). Induction of Phenylalanine deaminase by light and its relation to chlorogenic acid synthesis in potato tuber tissue. *Plant Physiol.* 40:779-785.

Zucker, M. (1969). Induction of Phenylalanine ammonia-lyase in Xanthium leaf disks. Photosynthetic requirement and effect of daylength. *Plant Physiol.* 44:912-922.

Zucker, M. (1972). Light and enzymes. *Ann. Rev. Plant Physiol.* 23:133-156.