

# LIST OF FIGURES

Fig.No.	Title	Page No.
1	Healthy (control) and diseased leaves of <u>Tectona grandis</u> L.	52
2	Spores of <u>Curvularia clavata</u> .	52
3	The effect of chloroform fraction (C) on the mycelial growth <u>Curvularia clavata</u> and <u>Fusarium solani</u> as observed after seven days.	54
4	The effect of water fraction (F) of the methanol extract on the mycelial growth of <u>Curvularia clavata</u> and <u>Fusarium solani</u> .	54
5	The effect of water fraction (B) of the petroleum ether extract on the mycelial growth of <u>Fusarium solani</u> as observed after seven days.	55
6	The effect of total phenols on the mycelial growth of <u>Fusarium solani</u> .	58
7	The effect of p-hydroxybenzoic acid on the mycelial growth of <u>Fusarium solani</u> .	58
8.	Graph showing the effect of p-hydroxybenzoic acid on the mycelial growth of <u>Fusarium solani</u> .	59
9.	The effect of p-hydroxybenzoic acid on the spore germination and germ tube elongation of <u>Fusarium solani</u> .	59
10.	The effect of p-hydroxybenzoic acid on the mycelial growth of <u>Curvularia clavata</u> .	60

Fig.No.	Title	Page No.
11	The effect of p-hydroxybenzoic acid on spore germination and germ tube length of <u>Curvularia clavata</u> .	60
12.	Diseased leaves of <u>Cassia fistula</u> Linn.	73
13.	Diseased leaves of <u>Morinda tomentosa</u> Heyne	73
14.	Spores of <u>Colletotrichum gleosporoides</u> (Penzig) Penzig and Sacc.	76
15.	A paper chromatogram showing compounds from diffusates of the leaves of <u>Cassia fistula</u> treated with <u>Aspergillus niger</u> .	76
16.	The effect of quercetin on spore germination and germ tube elongation of <u>Aspergillus niger</u> .	78
17.	The effect of quercetin on spore germination and germ tube elongation of <u>Colletotrichum gleosporoides</u> .	79
18.	The effect of quercetin on the mycelial growth of <u>Aspergillus niger</u> .	80
19.	The effect of quercetin on the mycelial growth of <u>Colletotrichum gleosporoides</u>	80
20.	Graph showing the effect of quercetin on the mycelial growth of <u>Aspergillus niger</u> .	81
21.	Graph showing the effect of quercetin on the mycelial growth of <u>Colletotrichum gleosporoides</u>	82

Fig.No.	Title	Page No.
22. A.	Demethylation of methylated compounds leading to the production of hydroxylated compounds, quercetin and kaempferol.	83
B.	<del>Isomerisation</del> of p-coumaric to o-coumaric acid.	83
23.	Diseased leaves of <u>Eucalyptus globulus</u> Labill	94
24.	Spores of <u>Alternaria alternata</u> .	94
25.	A thin layer chromatogram (under UV light) showing a coumarin from diffusates of leaves of <u>Eucalyptus globulus</u> .	97
26.	Antifungal activity of the diffusate from leaves treated with <u>Alternaria alternata</u> .	97
27.	The effect of the diffusate (treated) from leaves of <u>Eucalyptus globulus</u> on the mycelial growth of <u>Alternaria alternata</u> .	98
28.	The effect of the diffusate (treated) from leaves of <u>Eucalyptus globulus</u> on spore germination and germ tube length of <u>Alternaria alternata</u> .	98
29.	Diseased leaves of <u>Syzygium cumini</u> (L.) skeels.	108
30.	A visible photograph of thin layer chromatogram showing compounds of diffusates from leaves of <u>Syzygium cumini</u> treated with <u>Aspergillus niger</u> .	108
31.	A thin layer chromatogram as seen under UV light showing compounds of diffusates from leaves of <u>Syzygium cumini</u> treated with <u>Aspergillus niger</u> .	110

Fig. No.	Title	Page No.
32.	Antifungal activity of the diffusate from leaves of <u>Syzygium cumini</u> treated with <u>Aspergillus niger</u> .	110
33.	The effect of the diffusate (treated) from leaves of <u>Syzygium cumini</u> on mycelial growth of <u>Aspergillus niger</u> .	111
34.	Effect of diffusate (treated) from leaves of <u>Syzygium cumini</u> on spore germination and germ tube elongation of <u>Aspergillus niger</u> .	111
35.	Diseased leaves of <u>Mangifera indica</u> Linn.	118
36.	Diseased leaves of <u>Anogeissus latifolia</u> Wall.	128
37.	Diseased leaves of <u>Madhuca indica</u> Gmel.	128