

List of Figures

No	Title	Page No.
1	Galls of <i>P. integerrima</i>	45
2	Rhizomes of <i>H. spicatum</i>	45
3	T. S. of <i>P. integerrima</i>	46
4	T.S. of <i>H. spicatum</i>	47
5	Powder microscopy of <i>P. integerrima</i>	48
6	Powder microscopy of <i>H. spicatum</i>	48
7	HPTLC profile for successive extracts of <i>P. integerrima</i> in solvent system 1(254 nm)	59
8	HPTLC profile for successive extracts of <i>P. integerrima</i> in solvent system 1(366 nm)	60
9	HPTLC fingerprint for successive extracts of <i>P. integerrima</i> in solvent system 1(540 nm)	61
10	HPTLC fingerprint for successive extracts of <i>P. integerrima</i> in solvent system 2(254 nm)	62
11	HPTLC fingerprint for successive extracts of <i>P. integerrima</i> in solvent system 2(366 nm)	63
12	HPTLC fingerprint for successive extracts of <i>P. integerrima</i> in solvent system 2(540 nm)	64
13	HPTLC fingerprint for successive extracts of <i>P. integerrima</i> in solvent system 3(254 nm)	65
14	HPTLC fingerprint for successive extracts of <i>P. integerrima</i> in solvent system 3(366 nm)	66
15	HPTLC fingerprint for successive extracts of <i>P. integerrima</i> in solvent system 3(540 nm)	67
16	HPTLC fingerprint for successive extracts of <i>H. spicatum</i> in solvent system 1(244 nm)	68
17	HPTLC fingerprint for successive extracts of <i>H. spicatum</i> in solvent system 1(540 nm)	69
18	HPTLC fingerprint for successive extracts of <i>H. spicatum</i> in solvent system 2(254nm)	71
19	HPTLC fingerprint for successive extracts of <i>H. spicatum</i> in solvent system 2(366nm)	72
20	HPTLC fingerprint for successive extracts of <i>H. spicatum</i> in solvent system 2(540nm)	72
21	HPTLC fingerprint for successive extracts of <i>H. spicatum</i> in solvent system 3(254nm)	74
22	HPTLC fingerprint for successive extracts of <i>H. spicatum</i> in solvent system 3(366nm)	75
23	HPTLC fingerprint for successive extracts of <i>H. spicatum</i> in solvent system 3(540nm)	76
24	HPTLC fingerprint for different fractions of Aqueous and methanol extracts of <i>P. integerrima</i> in solvent system 1(254nm)	77

25	HPTLC fingerprint for different fractions of aqueous and Methanol extracts of <i>P. integerrima</i> in solvent system 1(366nm)	78
26	HPTLC fingerprint for different fractions of Aqueous and Methanol extracts of <i>P. integerrima</i> in solvent system 1(540 nm)	80
27	HPTLC fingerprint for different fractions of Aqueous and Methanol extracts of <i>P. integerrima</i> in solvent system 2(254 nm)	81
28	HPTLC fingerprint for different fractions of Aqueous and methanol extracts of <i>P. integerrima</i> in solvent system 2(366 nm)	82
29	HPTLC fingerprint for different fractions of Aqueous and Methanol extracts of <i>P. integerrima</i> in solvent system 2(540 nm)	84
30	HPTLC fingerprint of fractions of Methanol extract of <i>H. spicatum</i> in solvent system 1(254 nm)	85
31	HPTLC fingerprint of fractions of Methanol extract of <i>H. spicatum</i> in solvent system 1(366 nm)	85
32	HPTLC fingerprint of fractions of Methanol extract of <i>H. spicatum</i> in solvent system 1(540 nm)	86
33	HPTLC fingerprint of fractions of Methanol extract of <i>H. spicatum</i> in solvent system 2(254 nm)	87
34	HPTLC fingerprint of fractions of Methanol extract of <i>H. spicatum</i> in solvent system 2(366 nm)	88
35	HPTLC fingerprint of fractions of Methanol extract of <i>H. spicatum</i> in solvent system 2(540 nm)	89
36	HPTLC fingerprint of fractions of Methanol extract of <i>H. spicatum</i> by column chromatography	90
37	Assessment of % purity of PI 1 by HPLC	91
38	IR spectra of PI 1	93
39	Mass spectra of PI 1	94
40	NMR spectra of PI 1	95
41	Probable structure of PI 1	96
42	Assessment of % purity of PI 2 by HPLC	96
43	IR spectra of PI 2	98
44	Mass spectra of PI 2	99
45	NMR of compound PI 2	100
46	Probable structure of PI 2	101
47	Assessment of % purity of PI 3 by HPLC	102
48	IR spectra for PI 3	103
49	Mass spectra for PI 3	104
50	NMR spectra for PI 3	105
51	Probable structure of PI 3	106
52	Assessment of % purity of HS by HPLC	106

53	IR spectra of HS	108
54	Mass spectra of HS	109
55	NMR spectra of HS	110
56	Probable structure of HS	111
57	HPTLC fingerprint for quantification of Kaempferol in Methanol extract <i>H. spicatum</i>	113
58	HPTLC fingerprint for quantification of Quercetine in Methanol extract <i>P. integerrima</i>	114
59	HPTLC fingerprint for quantification of Gallic acid in Methanol extract <i>P. integerrima</i>	116
60	DPPH free radical scavenging activity of extracts, fractions and isolated compounds of <i>P. integerrima</i>	119
61	Reducing power assay of extracts, fractions and isolated compounds of <i>P. integerrima</i>	120
62	Scavenging of hydrogen peroxide of extracts, fractions and isolated compounds of <i>P. integerrima</i>	122
63	Hydroxyl radical scavenging activity of extracts, fractions and isolated compounds of <i>P. integerrima</i>	123