

Chapter

8

REFERENCES



1. A K. Morphology of Bicuspid Aortic Valve in Adult Human Cadaver: In Correlation with Clinical Relevance. *J Hum Anat.* 2017;1(3).
2. Akçaboy MI, Ekici F, Tutar E. Unusually redundant Chiari network. *Pediatr Cardiol.* 2006;27(4):525–6.
3. Aly I, Rizvi A, Roberts W, Khalid S, Kassem MW, Salandy S, et al. Cardiac ultrasound: An Anatomical and Clinical Review. *Transl Res Anat.* 2021;22(July 2020).
4. Amgain K, Thakur S, Virupaxi R, Dixit D, Desai S, Gan M. Mitral valve size measurement in North Karnataka by using cardiac sizer: A cadaveric study. *Arch Med Heal Sci.* 2013;1(2):105.
5. Ashalatha PR, Noone PH. Variations of the pulmonary valve. 2017;8(02):58–63.
6. Athavale S, Deopujari R, Sinha U, Lalwani R, Kotgirwar S. Is tricuspid valve really tricuspid? *Anat Cell Biol.* 2017;50(1):1–6.
7. AV, MV Coronary Ostia-Shrilanka.
8. Aviv Y, Nassar M, Perlman G, Arow Z, Lessick J, Danenberg H, et al. Differences in valve morphology between patients with bicuspid and tricuspid aortic valve. *Eur Heart J.* 2020;41(Supplement_2):3–4.
9. Bailey A, Valley RD, Freid E, Calhoun P, Lawhorn CD. Altering Epidural with Butorphanol Morphine Side Effects in Children Precipitation of Thiopental Muscle Relaxants by Some Transesophageal Normal Variants Echocardiography and Which Method for Intraoral Glossopharyngeal Nerve Block Is Better ? 1995;
10. Bayer Erdoğan S. A case of large Chiari network mimicking right atrial thrombus. *North Clin Istanbul.* 2017;4(13):270–2.
11. Bendadi F, Van Tijn DA, Pistorius L, Freund MW. Chiari's network as a cause of fetal and neonatal pathology. *Pediatr Cardiol.* 2012;33(1):188–91.
12. Bose P, Singh B. Gross Changes Seen in the Heart Samples of Dcm Patients From North India - a Cadaveric Study. *Int J Adv Res.* 2017;5(4):314–20.

13. Byrne JG, Mitchell ME, Adams DH, Couper GS, Aranki SF, Cohn LH. Minimally invasive direct access mitral valve surgery. *Semin Thorac Cardiovasc Surg.* 1999;11(3):212–22.
14. Cardiol WJ. *Contents.* 2021;8462(7).
15. Carpentier A. Cardiac valve surgery: The “French correction.” *J Thorac Cardiovasc Surg.* 1983;86(3):323–37.
16. Chacko BR, Chiramel GK, Vimala LR, Manuel DA, Joseph E, Reka K. Spectrum of pulmonary valve morphology and its relationship to pulmonary trunk in tetralogy of Fallot. *Indian J Radiol Imaging.* 2017;27(1):65–9.
17. Chaudhary K, Dhatrak A, Singh BR, Gajbe U. Morphometry of human tricuspid valve: A cadaveric study. *Int J Res Pharm Sci.* 2020;11(3):4487–91.
18. Chaudhary K, Dhatrak A, Singh BR, Gajbe U. Perimeter of the tricuspid valve: A cadaveric human heart study. *Int J Res Pharm Sci.* 2020;11(3):3424–8.
19. Chauvin M, Shah DC, Haïssaguerre M, Marcellin L, Brechenmacher C. The anatomic basis of connections between the coronary sinus musculature and the left atrium in humans. *Circulation.* 2000;101(6):647–52.
20. Das S, Shariff A, Sarkar AK, Roy TS. Congenital isolated bicuspid pulmonary valve: A case report. *Int Med J.* 2001;8(3):223–5.
21. Delhaas T, Gewillig M, Lance M, Wittens C. Persistent, imperforate eustachian valve. *J Am Coll Cardiol.* 2013;61(25):2568.
22. Dudkiewicz D, Zhingre Sanchez JD, Hołda J, Bolechała F, Strona M, Kopacz P, et al. Aortic valve fenestrations: Macroscopic assessment and functional anatomy study. *Clin Anat.* 2023;36(4):612–7.
23. Editor C. *Tricuspid Valve Anatomy.* 2016;
24. El Sabbagh A, Reddy YNV, Nishimura RA. Mitral Valve Regurgitation in the Contemporary Era: Insights Into Diagnosis, Management, and Future Directions. *JACC Cardiovasc Imaging.* 2018;11(4):628–43.
25. Fattouch K, Murana G, Castrovinci S, Nasso G, Mossuto C, Corrado E, et al. Outcomes of aortic valve repair according to valve morphology and surgical techniques. *Interact Cardiovasc Thorac Surg.* 2012;15(4):644–50.
26. Garg S, Singh P, Sharma A, Gupta G. A Gross Anatomical Study of Pulmonary Valve in Human Cadavers. *Int J Med Dent Sci.* 2014;3(1):325.
27. Garg S, Singh P, Sharma A, Gupta G. Short Communication A gross comparative anatomical study of hearts in human. *Int J Med Dent Sci.* 2013;2(2):170–6.

28. Gupta C, Shetti VR, Manju BVM. Dimensions of the human adult mitral valve in the embalmed cadaver. *J Morphol Sci*. 2013;30(1):6–10.
29. Hasan A, Ragaert K, Swieszkowski W, Selimović Š, Paul A, Camci-Unal G, et al. Biomechanical properties of native and tissue engineered heart valve constructs. *J Biomech*. 2014;47(9):1949–63.
30. Ilankathir S. A Cadaveric Study on Adult Human Heart Valve Annular Circumference and Its Clinical Significance. *IOSR J Dent Med Sci Ver I [Internet]*. 2015;14(12):2279–861.
31. Islam AKMM, Sayami LA, Zaman S. Chiari network: A case report and brief overview. *J Saudi Hear Assoc [Internet]*. 2013;25(3):225–9.
32. Jain A, Angel, Kumar R. Persistent Eustachian Valve in Adults-a Cadaveric Study. *Int J Basic Appl Med Sci [Internet]*. 2013;3(3):132–7.
33. Jansirani DD, Deep SS, Anandaraja S. Anatomical Study of Chiari Network and the Remnant of Left Venous Valve in the Interior of Right Atrium. *Anat Res Int*. 2015;2015:1–5.
34. Jatene MB, Monteiro R, Guimarães MH, Veronezi SC, Koike MK, Jatene FB, et al. Aortic Valve assessment. Anatomical study of 100 healthy human hearts. *Arq Bras Cardiol*. 1999;73(1):81–6.
35. Jiménez Restrepo A, Mesa JE, Sánchez-Quintana D, Cabrera JÁ. Da Vinci Anatomy Card #1: The Eustachian Valve and its Implications in Invasive Cardiology and Cardiac Surgery. *JACC Case Reports*. 2021;3(1):87–90.
36. Joshi SD, Chawre HK, Joshi SS. Morphological study of fossa ovalis and its clinical relevance. *Indian Heart J [Internet]*. 2016;68(2):147–52.
37. Joshi SD, Joshi SS, Athavale SA. Origins of the coronary arteries and their significance. *Clinics [Internet]*. 2010;65(1):79–84.
38. Jost CHA, Connolly HM, Dearani JA, Edwards WD, Danielson GK. Ebstein's anomaly. *Circulation*. 2007;115(2):277–85.
39. Joyce JJ, Joyce TR, Ferns SJ. Prominent prolapsing Chiari network: Presentation and prognosis in paediatric patients. *Cardiol Young*. 2021;
40. June R, June R. [133] vi.
41. Kadiyala M, Hui K, Banga S, Loomba RS, Pandian NG, Kutty S. Persistent Right Venous Valve: Insights From Multimodality Imaging. *Circ Cardiovasc Imaging*. 2021;14(5):E010977.

42. Kalidhar U, Kaur A. Research Journal of Pharmaceutical , Biological and Chemical Sciences REVIEW ARTICLE. Res J Pharm Biol Chem Sci. 2013;2(1):1091–106.
43. Kalyani R, Thej MJ, Prabhakar K, Venkatesh TK, Thomas AK, Kiran J. Morphometric analysis of tricuspid valve: An Indian perspective. J Nat Sci Biol Med. 2012;3(2):147–51.
44. Kaore A, Kamdi A, Kamdi NY. Anatomical Study of Remnant of Left Venous Valve in the Adult Heart. Sch Int J Anat Physiol Abbreviated Key Title Sch Int J Anat Physiol. 2019;8618:47–50.
45. Kaore A, Kamdi A, Kamdi NY. Study of Morphological Characteristics of Fossa Ovalis and Its Clinical Importance - A Cadaveric Study. 2019;8618:90–7.
46. Kassem MW, Lake S, Roberts W, Salandy S, Loukas M. Cardiac veins, an anatomical review. Transl Res Anat. 2021;23(October 2020):100096.
47. Kishve P, Motwani R. Morphometric study of fossa ovale in human cadaveric hearts: embryological and clinical relevance. Anat Cell Biol. 2021;54(1):42–50.
48. Klimek-Piotrowska W, Hołda MK, Koziej M, Strona M. Anatomical barriers in the right atrium to the coronary sinus cannulation. PeerJ. 2016;2016(1):1–11.
49. Knight J, Kurtcuoglu V, Muffy K, Marshall W, Stolzmann P, Desbiolles L, et al. Ex vivo and in vivo coronary ostial locations in humans. Surg Radiol Anat. 2009;31(8):597–604.
50. Koenraadt WMC, Bartelings MM, Gittenberger-de Groot AC, Bökenkamp R, DeRuiter MC, Schalijs MJ, et al. Pulmonary Valve Morphology in Patients with Bicuspid Aortic Valves. Pediatr Cardiol [Internet]. 2018;39(4):690–4.
51. Krawczyk-o A. ACQUIRED: MITRAL VALVE: BASIC SCIENCE Morphologic variability of the mitral valve leaflets. 2017;154(6):1927–35.
52. Kucybała I, Ciuk K, Klimek-Piotrowska W. Clinical anatomy of human heart atria and interatrial septum - Anatomical basis for interventional cardiologists and electrocardiologists. Part 1: Right atrium and interatrial septum. Kardiologia Pol. 2018;76(3):499–509.
53. Kulkarni JP, Paranjpe V. Topography, morphology and morphometry of coronary ostia - A cadaveric study. Eur J Anat. 2015;19(2):165–70.
54. Kumar AS, Talwar S, Mohapatra R, Saxena A, Singh R. Aortic valve replacement with the pulmonary autograft: Mid-term results. Ann Thorac Surg. 2005;80(2):488–94.

55. Lama CP, Pradhan A, Chalise U, Dhungel S, Ghosh SK. Measurement of the Tricuspid and the Mitral Valve in Adult Human Heart: A Cadaveric Study. *Nepal Med Coll J*. 2018;20(4):121–7.
56. Mahato NK. Bicuspid pulmonary valve without associated cardiac anomalies: A case study of a rare occurrence. *Brazilian J Morphol Sci*. 2009;26(1):1–3.
57. Malik SB, Kwan D, Shah AB, Hsu JY. The right atrium: Gateway to the heart— anatomic and pathologic imaging findings. *Radiographics*. 2015;35(1):14–31.
58. Mandar P. K, Andre V. F, Dias M. D e., Vas F. A Pilot Study of Normal Adult Human Heart Valves Annular Circumference at Medico-Legal Autopsies at Goa Medical College. Vol. 27, *Journal of Karnataka Medico Legal Society*. 2018. p. 21–4.
59. Manerikar A, Malaisrie SC. Chiari network and patent foramen ovale associated with stroke. *JTCVS Tech [Internet]*. 2022;11(21):45–7.
60. Mazur M, Jasinska KA, Walocha JA. The morphology, clinical significance and imaging methods of the atrial septal pouch: A critical review. *Transl Res Anat*. 2018;13(November):7–11.
61. Mohammadi S, Hedjazi A, Sajjadian M, Ghoroubi N, Mohammadi M, Erfani S. Study of the normal heart size in Northwest part of Iranian population: a cadaveric study. *J Cardiovasc Thorac Res [Internet]*. 2016;8(3):119–25.
62. Nagarathnamma B, Manjunath AK. Tricuspid valve morphometry – In cadaveric study. 2018;5(12):66–71.
63. Nalluri HB, Mohammed AA, Leela V. Anatomic Variability of Coronary Ostia in Adult Human Cadaveric Hearts. *Int J Anat Res*. 2016;4(1):1905–11.
64. Naqvi N, McCarthy KP, Ho SY. Anatomy of the atrial septum and interatrial communications. *J Thorac Dis*. 2018;10(Suppl 24):S2837–47.
65. Neil DA, Bonser RS, Townend JN. Coronary arteries from a single coronary ostium in the right coronary sinus: a previously unreported anatomy. *Heart*. 2000;83(5):1–2.
66. Nitin G, B S, Sushil K. Morphometric Study of Human Aortic Valve in Adults of Western Maharashtra: a Cadaveric Study. *Int J Med Biomed Stud*. 2020;4(7).
67. Obaji SG, Cooper R, Somauroo J. Chiari network: A protective filter against pulmonary embolism in a case of polycythaemia. *BMJ Case Rep*. 2012;2–5.

68. Pan BYN, Pan N. REMNANTS OF THE VENOUS VALVES IN THE ADULT HEART Taeriia- of the coronary sinus Attachment of chordae tendineae of the valve of the inferior vena ca-va.
69. Patil DS, Mehta CD, Prajapati PA. Morphology of mitral valve in human cadavers. Internet J Cardiol. 2009;7(2):1–8.
70. Pellett AA, Kerut EK. The Chiari Network in an Echocardiography Student. Echocardiography. 2004;21(1):91–3.
71. Perween K, Sinha UP, Sah S, Champaran W. Morphometric Study on the Aortic Valves in Peoples of North Bihar. 2021;12(04):2095–102.
72. POWELL ED, MULLANEY JM. The Chiari network and the valve of the inferior vena cava. Br Heart J. 1960;22:579–84.
73. Pozzoli A, Zuber M, Reisman M, Maisano F, Taramasso M. Comparative Anatomy of Mitral and Tricuspid Valve: What Can the Interventionalist Learn From the Surgeon. Front Cardiovasc Med. 2018;5(June):1–9.
74. Preethi P, Vani M, Gopalan DH. INTERNATIONAL JOURNAL OF SCIENTIFIC RESEARCH MORPHOMETRIC STUDY OF THE TRICUSPID VALVE IN CADAVERIC HUMAN HEARTS IN SOUTH-INDIAN POPULATION Anatomy. 2020;(2):47–9.
75. Rao M, Paranjape V, Mishra P, Kulkarni J. Variations in the Shape of Atrioventricular Cusps. Hear India. 2015;3(2):39.
76. RChauhan K, Udainia A, Mehta CD, Chavda K, Chauhan KR. Study of Incidence of an Abnormal Tricuspid Valve in the Human Cadaveric Heart. Natl J Med Res [Internet]. 2014;4:238–40.
77. Ridha A, Singh M, Al-Abayechi S, Safiullah S, Yeung E, Ramesh V. Quadricuspid Aortic Valve May Be Misdiagnosed as Bicuspid Aortic Valve. J Med Cases. 2015;6(4):170–2.
78. Rivaud MR, Blok M, Jongbloed MRM, Boukens BJ. How cardiac embryology translates into clinical arrhythmias. J Cardiovasc Dev Dis. 2021;8(6).
79. Rohilla A, Singh K. Tricuspid Valve Morphometry: A New Learning from Cadavers. Anat Physiol. 2015;05(04):10–3.
80. S S. Chiari Network: An Embryological Remnant - A Case Report and Review. Int J Clin Cardiol. 2015;2(3):3–5.

81. Sakai T, Okita Y, Ueda Y, Tahata T, Ogino H, Matsuyama K, et al. Distance between mitral annulus and papillary muscles: Anatomic study in normal human hearts. *J Thorac Cardiovasc Surg*. 1999;118(4):636–41.
82. Sakai T, Sato Y, Kawasaki T, Takahashi H. Surgical Removal of a Pacemaker Lead Entrapped by a Chiari Network: A Case Report. *J Med Cases [Internet]*. 2021;12(8):325–7.
83. Sánchez-quintana D, Doblado-calatrava M, Cabrera JA, Macías Y, Saremi F. *Interventional Electrophysiologist*. 2015;2015(Figure 1).
84. Sathasivam R, Vidanapathirana M. An Autopsy Study Conducted in Colombo South of Sri Lanka to Identify Average Sizes of Aortic and Mitral Valves of the Heart. *Medico-Legal J Sri Lanka*. 2021;9(1):7.
85. Schneider B, Hofmann T, Justen MH, Meinertz T. Chiari's network: Normal anatomic variant or risk factor for arterial embolic events? *J Am Coll Cardiol*. 1995;26(1):203–10.
86. Seemann A, Hekimian G, Raffoul R, Vahanian A, Messika-Zeitoun D. Quadricuspid aortic valve: A case study. *Eur J Echocardiogr*. 2011;12(11):883.
87. Senthil Kumar B, Anand A. Morphometric study of mitral valve in human hearts - a comparative anatomical study. *Int J Pharma Bio Sci*. 2013;4(4).
88. Shereen R, Lee S, Salandy S, Roberts W, Loukas M. A comprehensive review of the anatomical variations in the right atrium and their clinical significance. *Transl Res Anat*. 2019;17(August).
89. Shruthi BN, Nishanthi T, Monisha R, Satyamurthy B. Morphometric Analysis of Mitral Valve in Formalin Fixed Human Cadaveric Hearts. 2019;6(November):590–6.
90. Silver MD, Lam JH, Ranganathan N, Wigle ED. Morphology of the human tricuspid valve. *Circulation*. 1971;43(3):333–48.
91. Sirajuddin A, Chen MY, White CS, Arai AE. Coronary venous anatomy and anomalies. *J Cardiovasc Comput Tomogr [Internet]*. 2020;14(1):80–6.
92. Skwarek M, Hreczecha J, Dudziak M, Jerzemowski J, Grzybiak M. The relationship between the membranous part of the interventricular septum and the septal part of the attachment of the tricuspid valve in adult human hearts. *Folia Morphol (Warsz)*. 2008;67(4):251–4.

93. Sławek-Szmyt S, Szmyt K, Zaba C, Grygier M, Lesiak M, Araszkiewicz A. Peculiarities in coronary sinus anatomy: Implications for successful cannulation from an autoptic study. *Europace*. 2021;23(11):1787–94.
94. Sr J, Kr D. Study on topographic relations of coronary ostia with sinotubular junction , commissure of aortic leaflets and aortic sinuses in human cadavers. 2017;4(4):435–40.
95. Suri RM, Grewal J, Mankad S, Enriquez-Sarano M, Miller FA, Schaff H V. Is the Anterior Intertrigonal Distance Increased in Patients With Mitral Regurgitation Due to Leaflet Prolapse? *Ann Thorac Surg* [Internet]. 2009;88(4):1202–8.
96. Topilsky Y, Nkomo VT, Vatury O, Michelena HI, Letourneau T, Suri RM, et al. Clinical outcome of isolated tricuspid regurgitation. *JACC Cardiovasc Imaging*. 2014;7(12):1185–94.
97. Uçar Ö, Canbay A, Diker E, Aydoğdu S. Biventriküler pacemaker implantasyonu sırasında koroner sinüse girilmesini engelleyen uzun Eustachian kapak. *Anadolu Kardiyol Derg*. 2010;10(2):185–6.
98. Ullah QW, Waheed N, Saleem S, Qamar K. Variation in the Number and Location of Coronary Ostia – A Cadaveric Study. 2015;13(3):95–100.
99. Virupaxi RD, Yadav SK, Premkumar S, Desai SP. Morphometric study of aortic orifice and valve in cadavers of north Karnataka. 2016;(September):80–6.
100. Wang AT, Kim U. Prominent Eustachian Valve Mimicking Inferior Rim of Atrial Septum Causing Iatrogenic Inferior Vena Cava Type Sinus Venosus Atrial Septal Defect. *Cureus*. 2021;13(6):6–9.
101. Wang JMH, Rai R, Carrasco M, Sam-Odusina T, Salandy S, Gielecki J, et al. An anatomical review of the right ventricle. *Transl Res Anat* [Internet]. 2019;17(September):100049.
102. Watcharit Anantakal : TV,AV,BV,PV Formalin Fixation 2021.
103. Xanthos T, Dalivigkas I, Ekmektzoglou KA. Anatomic variations of the cardiac valves and papillary muscles of the right heart. *Ital J Anat Embryol*. 2011;116(2):111–26.
104. Yavuz T, Nazli C, Kinay O, Kutsal A. Giant eustachian valve: With echocardiographic appearance of divided right atrium. *Texas Hear Inst J*. 2002;29(4):336–8.
105. Yodfat UA. Right atrial membrane interfering with insertion of pulmonary artery catheter. *Anesthesiology*. 2000;93(2):576–8.

106. Zhang B, Zhou J, Zhao Q. Transcatheter aortic valve implantation versus surgical aortic valve replacement. *Ann Thorac Surg.* 2014;97(3):1120–1.

