

REFERENCES

-
- Acharya, P. P., Kharel, G. P., & Bhandari, M. (2013). Survey on Production, Marketing and Consumption of Gundpak: A Traditional Khoa Based Milk Product of Nepal. *Journal of Food Science and Technology Nepal*, 6, 43–52. <https://doi.org/10.3126/jfstn.v6i0.8259>
- Ahmed, J., Raynes-Greenow, C., & Alam, A. (2020). Traditional practices during pregnancy and birth, and perceptions of perinatal losses in women of rural Pakistan. *Midwifery*, 91, 102854. <https://doi.org/10.1016/J.MIDW.2020.102854>
- Ahmed, M., Hwang, J. H., Hasan, M. A., & Han, D. (2018). Herbal medicine use by pregnant women in Bangladesh: A cross-sectional study. *BMC Complementary and Alternative Medicine*. <https://doi.org/10.1186/s12906-018-2399-y>
- Ahmed, S., Rahman, F., Ahmed, S., & Shohael, A. (2018). Insights into the bioactive compounds, antioxidant potential and TLC profiling of different extracts of Tomato plants. *Jahangirnagar University J. Biol. Sci.*, 7(2), 65–77. <https://www.banglajol.info/index.php/JUJBS/article/view/40748>
- Ahn, Y. Y., Ahnert, S. E., Bagrow, J. P., & Barabási, A. L. (2011). Flavor network and the principles of food pairing. *Scientific Reports*, 1(196). <https://doi.org/10.1038/srep00196>
- Akram, M., Asif, H. M., Akhtar, N., Shah, P. A., Uzair, M., Shaheen, G., Shamim, T., Ali Shah, S. M., & Ahmad, K. (2011). *Tribulus terrestris* Linn.: A review article. *Journal of Medicinal Plants Research*, 5(16), 3601–3605.

- Al-Ghamdi, S., Aldossari, K., Al-Zahrani, J., Al-Shaalan, F., Al-Sharif, S., Al-Khurayji, H., & Al-Swayeh, A. (2017). Prevalence, knowledge and attitudes toward herbal medication use by Saudi women in the central region during pregnancy, during labor and after delivery. *BMC Complementary and Alternative Medicine*. <https://doi.org/10.1186/s12906-017-1714-3>
- Alam, A. (2019). Herbs that heal spices: The hoard of natural remedies. *Annals of Phytomedicine*, 8(2), 7–18.
https://www.academia.edu/download/79609145/2_AfrozAlam.pdf
- Allaire, A. D., Moos, M. K., & Wells, S. R. (2000). Complementary and alternative medicine in pregnancy: a survey of North Carolina certified nurse-midwives. *Obstetrics and Gynecology*, 95(1), 19–23. [https://doi.org/10.1016/S0029-7844\(99\)00481-0](https://doi.org/10.1016/S0029-7844(99)00481-0)
- Antai, A., Ofem, O., Ikpi, D., ... S. U.-N. J. of, & 2009, U. (2009). Phytochemistry and some haematological changes following oral administration of ethanolic root extract of *Gonglonema latifolium* in rats. *Nigerian Journal of Physiological Sciences*, 24(1), 79–83.
<https://www.ajol.info/index.php/njps/article/view/46388>
- Arif Icer, M., & Sanlier, N. (2017). A Review: Pharmacological Effects of Licorice (*Glycyrrhiza glabra*) on Human Health. *Review Article International Journal of Basic and Clinical Studies (IJBCS)*, 6(1), 12–26.
- Ayaz, S., & Yaman Efe, S. (2009). Potentially harmful traditional practices during pregnancy and postpartum. [Http://Dx.Doi.Org/10.1080/13625180802049427](http://Dx.Doi.Org/10.1080/13625180802049427), 13(3), 282–288.
<https://doi.org/10.1080/13625180802049427>
- Azriani, D., Rahman, A., Rahman, A. A., Sulaiman, S. A., Ahmad, Z., Salleh, H., Nudri, W., Daud, W., & Hamid, A. M. (2009). WOMEN’S ATTITUDE AND SOCIODEMOGRAPHIC CHARACTERISTICS INFLUENCING USAGE OF HERBAL MEDICINES DURING PREGNANCY IN TUMPAT DISTRICT, KELANTAN. *Southeast Asian J Trop Med Public Health*, 40(2), 330–337. <http://www.tm.mahidol.ac.th/seameo/2009-40-2/17-4247.pdf>
- Barnes, J. (2003). Quality, efficacy and safety of complementary medicines: fashions, facts and the future. Part 1. Regulation and quality. *Br J Clin Pharmacol*, 55(3), 226–330.

<https://doi.org/10.1046/j.1365-2125.2003.01810.x>

- Benvenega, S., Ferrari, S. M., Elia, G., Ragusa, F., Patrizio, A., Paparo, S. R., Camastra, S., Bonofiglio, D., Antonelli, A., & Fallahi, P. (2020). Nutraceuticals in Thyroidology: A Review of in Vitro, and in Vivo Animal Studies. *Nutrients* 2020, Vol. 12, Page 1337, 12(5), 1337. <https://doi.org/10.3390/NU12051337>
- Benzie, I. F. F., & Strain, J. J. (1996). The ferric reducing ability of plasma (FRAP) as a measure of. *Analytical Biochemistry*, 239(1), 70–76. <https://doi.org/10.1006/ABIO.1996.0292>
- Bernstein, N., Akram, M., Yaniv-Bachrach, Z., & Daniyal, M. (2021). Is it safe to consume traditional medicinal plants during pregnancy? *Phytotherapy Research*, 35(4), 1908–1924. <https://doi.org/10.1002/PTR.6935>
- Bhargava, N. (1983). Ethnobotanical studies of the tribes of Andaman and Nicobar Islands, India. I. Onge. *Economic Botany*, 37(1), 110–119. <https://doi.org/10.1007/BF02859311/METRICS>
- Bhatia, H., Sharma, Y. P., Manhas, R. K., & Kumar, K. (2014). Ethnomedicinal plants used by the villagers of district Udhampur, J&K, India. *Journal of Ethnopharmacology*, 151(2), 1005–1018. <https://doi.org/10.1016/j.jep.2013.12.017>
- Bhattarai, N., & Karki, M. (2004). MEDICINAL, FOOD AND AROMATIC PLANTS | Medicinal and Aromatic Plants: Ethnobotany and Conservation Status. *Encyclopedia of Forest Sciences*, 523–532. <https://doi.org/10.1016/B0-12-145160-7/00255-6>
- Blois, M. S. (1958). Antioxidant determinations by the use of a stable free radical. *Nature*, 181(4617), 1199–1200. <https://doi.org/10.1038/1811199A0>
- Bopana, N., & Saxena, S. (2007). Asparagus racemosus—Ethnopharmacological evaluation and conservation needs. *Journal of Ethnopharmacology*, 110(1), 1–15. <https://www.sciencedirect.com/science/article/pii/S0378874107000025>
- Borrelli, F., Capasso, R., Aviello, G., Pittler, M. H., & Izzo, A. A. (2005). Effectiveness and safety of ginger in the treatment of pregnancy-induced nausea and vomiting. *Obstetrics and Gynecology*, 105(4), 849–856.

<https://doi.org/10.1097/01.AOG.0000154890.47642.23>

- Bruno, L. O., Simoes, R. S., de Jesus Simoes, M., Girão, M. J. B. C., & Grundmann, O. (2018). Pregnancy and herbal medicines: An unnecessary risk for women's health—A narrative review. *Phytotherapy Research*, 32(5), 796–810. <https://doi.org/10.1002/PTR.6020>
- Chang, C. C., Yang, M. H., Wen, H. M., & Chern, J. C. (2020). Estimation of total flavonoid content in propolis by two complementary colometric methods. *Journal of Food and Drug Analysis*, 10(3), 3. <https://doi.org/10.38212/2224-6614.2748>
- Chao, J., Ko, C. Y., Lin, C. Y., Tomoji, M., Huang, C. H., Chiang, H. C., Yang, J. J., Huang, S. S., & Su, S. Y. (2021). Ethnobotanical Survey of Natural Galactagogues Prescribed in Traditional Chinese Medicine Pharmacies in Taiwan. *Frontiers in Pharmacology*, 11, 2443. <https://doi.org/10.3389/fphar.2020.625869>
- Charola, S., Tadvī, B., Albert, S., Suresh, B., & Nair, S. (2021). Analysis of a polyherbal galactagogue Batrisu vasanu, an indigenous Indian ethnomedicine. *Indian Journal of Natural Products and Resources*, 12(4), 610–616.
- Chaturvedi, A., Tiwari, A. K., & Mani, R. J. (2017). Traditional practices of using various medicinal plants during postnatal care in Chitrakoot district. *Indian Journal of Traditional Knowledge*, 16(4), 605–613.
- Choi, Jae Suk, Kim, J. W., Cho, H. R., Kim, K. Y., Lee, J. K., Sohn, J. H., & Ku, S. K. (2014). Laxative effects of fermented rice extract in rats with loperamide-induced constipation. *Experimental and Therapeutic Medicine*, 8(6), 1847. <https://doi.org/10.3892/ETM.2014.2030>
- Choi, June Seek, Han, J. Y., Ahn, H. K., Ryu, H. M., Kim, M. Y., Chung, J. H., Nava-Ocampo, A., & Koren, G. (2013). Fetal and neonatal outcomes in women reporting ingestion of licorice (*Glycyrrhiza uralensis*) during pregnancy. *Planta Medica*, 79(2), 97–101. <https://doi.org/10.1055/S-0032-1328102>
- Conover, E. A. (2003). Herbal agents and over-the-counter medications in pregnancy. In *Best Practice and Research: Clinical Endocrinology and Metabolism* (Vol. 17, Issue 2, pp. 237–251). Bailliere Tindall Ltd. [https://doi.org/10.1016/S1521-690X\(02\)00102-1](https://doi.org/10.1016/S1521-690X(02)00102-1)

- Datta, P. K., Diwakar, B. T., Viswanatha, S., Murthy, K. N., & Naidu, K. A. (2011). Safety evaluation studies on Garden cress (*Lepidium sativum* L.) seeds in Wistar rats. *International Journal of Applied Research in Natural Products*, 4(1), 37–42.
- Daw, J. R., Hanley, G. E., Greyson, D. L., & Morgan, S. G. (2011). Prescription drug use during pregnancy in developed countries: A systematic review. *Pharmacoepidemiology and Drug Safety*, 20(9), 895–902. <https://doi.org/10.1002/PDS.2184>
- de Wet, H., & Ngubane, S. C. (2014). Traditional herbal remedies used by women in a rural community in northern Maputaland (South Africa) for the treatment of gynaecology and obstetric complaints. *South African Journal of Botany*, 94, 129–139. <https://doi.org/10.1016/j.sajb.2014.06.009>
- Ferrier, J., Saleem, A., Carter Ramirez, A., Liu, R., Chen, E., Pesek, T., Cal, V., Balick, M., & Arnason, J. T. (2018). Traditional medicines used by Q'eqchi' Maya to treat diabetic symptoms and their antiglycation potential. *Journal of Ethnopharmacology*, 224, 504–511. <https://doi.org/10.1016/j.jep.2018.06.031>
- Forster, D. A., Denning, A., Wills, G., Bolger, M., & McCarthy, E. (2006). Herbal medicine use during pregnancy in a group of Australian women. *BMC Pregnancy and Childbirth*, 6. <https://doi.org/10.1186/1471-2393-6-21>
- Gaoue, O. G., Coe, M. A., Bond, M., Hart, G., Seyler, B. C., & McMillen, H. (2017). Theories and Major Hypotheses in Ethnobotany. *Economic Botany*, 71(3), 269–287. <https://doi.org/10.1007/s12231-017-9389-8>
- Gauthaman, K., & Adaikan, P. G. (2005). Effect of *Tribulus terrestris* on nicotinamide adenine dinucleotide phosphate-diaphorase activity and androgen receptors in rat brain. *Journal of Ethnopharmacology*, 96(1–2), 127–132. <https://doi.org/10.1016/j.jep.2004.08.030>
- Gauthaman, K., Adaikan, P. G., & Prasad, R. N. V. (2002). Aphrodisiac properties of *Tribulus Terrestris* extract (Protodioscin) in normal and castrated rats. *Life Sciences*, 71(12), 1385–1396. [https://doi.org/10.1016/S0024-3205\(02\)01858-1](https://doi.org/10.1016/S0024-3205(02)01858-1)
- Gbadamosi, I., & Okolosi, O. (2013). Botanical galactogogues: nutritional values and

- therapeutic potentials. *Journal of Applied Biosciences*, 61(0), 4460.
<https://doi.org/10.4314/jab.v61i0.85594>
- Gedif, T., & Hahn, H. J. (2003). The use of medicinal plants in self-care in rural central Ethiopia. *Jour Ethnopharmacol*, 87(2–3), 155–161. [https://doi.org/10.1016/s0378-8741\(03\)00109-0](https://doi.org/10.1016/s0378-8741(03)00109-0)
- Ghasemian, M., Owlia, S., & Owlia, M. B. (2016). Review of Anti-Inflammatory Herbal Medicines. In *Advances in Pharmacological Sciences* (Vol. 2016). Hindawi Limited.
<https://doi.org/10.1155/2016/9130979>
- Ghedira, K., Goetz, P., & Le Jeune, R. (2010). Fenugrec: *Trigonella foenum-græcum* L. (Fabaceae ex. Leguminosae). *Phytotherapie*, 8(3), 180–184.
<https://doi.org/10.1007/S10298-010-0551-Z>
- Gossell-Williams, M., Simon, O. R., & West, M. E. (2006). The past and present use of plants for medicines. *West Indian Medical Journal*, 55(4), 217–218.
<https://doi.org/10.1590/S0043-31442006000400002>
- Government of India. (2011). *Census of India*. 2011.
<https://censusindia.gov.in/census.website/>
- Government of India. (2016). *Ayurveda Pharmacopoeial Publication - PHARMACOPOEIA COMMISSION FOR INDIAN MEDICINE & HOMOEOPATHY (Vol. I to IX)*. 2016.
https://pcimh.gov.in/show_content.php?lang=1&level=1&ls_id=56&lid=54
- Gupta, U., & Solanki, H. (2013). Herbal Folk Remedies used in Treatment of Gynecological Disorders by Tribals of Simalwara Region, Dungarpur, Rajasthan. *International Journal of Pure and Applied Sciences and Technology*, 17(1), 100–107. www.ijopaasat.in
- Iwu, M. M. (2002). Chapter 25 Ethnobotanical approach to pharmaceutical drug discovery: strengths and limitations. *Advances in Phytomedicine*, 1(C), 309–320.
[https://doi.org/10.1016/S1572-557X\(02\)80034-4](https://doi.org/10.1016/S1572-557X(02)80034-4)
- Jadeja, B. A., Odedra, N. K., & Jotava, A. R. (2005). Some Herbal Folk Remedies for Gynaecological Disorders in Gujarat, India. *Plant Archives*, 5(2), 405–413.

https://www.researchgate.net/profile/B-Jadeja/publication/216611014_Some_Herbal_Folk_Remedies_for_Gynaecological_Disorders_in_Gujarat_India/links/62c533ecdb1d233df1cca51f/Some-Herbal-Folk-Remedies-for-Gynaecological-Disorders-in-Gujarat-India.pdf

Jadeja, B. A., Odedra, N. K., & Karavadra, N. S. (2006). Observations on traditional herbal remedies for pregnancy, antenatal care and delivery in Gujarat. *Journal of Economic and Taxonomic Botany*, 30(Suppl. S), 247–257.

Jain, N., Ramawat, K. G., Goyal, S., & Ramawat, K. G. (2011). Evaluation of antioxidant properties and total phenolic content of medicinal plants used in diet therapy during postpartum healthcare in Rajasthan. *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(3), 248–253.

<https://www.researchgate.net/publication/289059015>

Jayawardana, N. W. I. A., Jayalath, W. A. T. A., Madhujith, W. M. T., Ralapanawa, U., Jayasekera, R. S., Alagiyawanna, S. A. S. B., Bandara, A. M. K. R., & Kalupahana, N. S. (2017). Aging and obesity are associated with undiagnosed hypertension in a cohort of males in the Central Province of Sri Lanka: A cross-sectional descriptive study. *BMC Cardiovascular Disorders*, 17(1), 1–9. <https://doi.org/10.1186/s12872-017-0600-8>

Kadir, M. F., Bin Sayeed, M. S., Setu, N. I., Mostafa, A., & Mia, M. M. K. (2014). Ethnopharmacological survey of medicinal plants used by traditional health practitioners in Thanchi, Bandarban Hill Tracts, Bangladesh. *Journal of Ethnopharmacology*, 155(1), 495–508. <https://doi.org/10.1016/j.jep.2014.05.043>

Kala, C. P. (2005). Ethnomedicinal botany of Apatani in the Eastern Himalayan region of India. *J Ethnobiol Ethnomedicine*, 1, 11. <https://doi.org/10.1186/1746-4269-1-11>

Kankara, S. S., Ibrahim, M. H., Mustafa, M., & Go, R. (2015). Ethnobotanical survey of medicinal plants used for traditional maternal healthcare in Katsina state, Nigeria. *South African Journal of Botany*, 97, 165–175. <https://doi.org/10.1016/J.SAJB.2015.01.007>

Katakhdound, S. D. (2017). Ayurvedic Management of Recurrent Abortions due to Uterine

- Fibroid. *Ancient Science of Life*, 36(3), 159. https://doi.org/10.4103/ASL.ASL_189_15
- Kaushik, D., & Mathew, S. (1988). Nutritional composition of traditional supplementary foods consumed by lactating women. *The Indian Journal of Nutrition and Dietetics*, 25(10), 320–324. <http://www.ncbi.nlm.nih.gov/pubmed/12316746>
- Kebede, B., Gedif, T., & Getachew, A. (2009). Assessment of drug use among pregnant women in Addis Ababa, Ethiopia. *Pharmacoepidemiology and Drug Safety*, 18(6), 462–468. <https://doi.org/10.1002/PDS.1732>
- Khare, C. P. (2007). *Indian medicinal plants*. Springer Science & Business media, LLC.
- Kumar, S., Sandhir, R., Ojha, S., Gautam, S., Gautam, A., Chhetri, S., Bhattarai, U., Duda-Chodak, A., Tarko, T., Rus, M., Adedapo, A. A., Jimoh, F. O., Afolayan, A. J., Masika, P. J., Momoh, J. O., Manuwa, A. A., Oshin, T. T., Pratap, R., Aswatha Ram, H. N., ... Zimare, S. B. (2011). Antioxidant activities and phenolic contents of the methanol extracts of the stems of *Acokanthera oppositifolia* and *Adenia gummifera*. *BMC Complementary and Alternative Medicine*, 11(3), 485–492. <https://doi.org/10.1186/1472-6882-8-54>
- Kumaran, A., & Joel Karunakaran, R. (2007). In vitro antioxidant activities of methanol extracts of five *Phyllanthus* species from India. *LWT*, 40(2), 344–352. <https://doi.org/10.1016/J.LWT.2005.09.011>
- Kuruvilla, A. (2002). Herbal formulations as pharmacotherapeutic agents. In *Indian Journal of Experimental Biology* (Vol. 40).
- Kwan, S. H., & Abdul-Rahman, P. S. (2021). Clinical Study on Plant Galactagogue Worldwide in Promoting Women's Lactation: a Scoping Review. *Plant Foods for Human Nutrition*, 76(3), 257–269. <https://doi.org/10.1007/S11130-021-00901-Y/FIGURES/4>
- Lamxay, V., de Boer, H. J., & Björk, L. (2011). Traditions and plant use during pregnancy, childbirth and postpartum recovery by the Kry ethnic group in Lao PDR. *Journal of Ethnobiology and Ethnomedicine*, 7, 14. <https://doi.org/10.1186/1746-4269-7-14>
- López-Varela, S., Sánchez-Muniz, F. J., & Cuesta, C. (1995). Decreased food efficiency ratio, growth retardation and changes in liver fatty acid composition in rats consuming

- thermally oxidized and polymerized sunflower oil used for frying. *Food and Chemical Toxicology*, 33(3), 181–189. [https://doi.org/10.1016/0278-6915\(94\)00133-9](https://doi.org/10.1016/0278-6915(94)00133-9)
- Malan, D. F., & Neuba, D. F. (2011). *Medicinal Plants and Pregnancy African Journal of Reproductive Health* (Vol. 15, Issue 1). <http://www.bioline.org.br/pdf?rh11011>
- McDonald, S., Prenzler, P. D., Antolovich, M., & Robards, K. (2001). Phenolic content and antioxidant activity of olive extracts. *Food Chemistry*, 73(1), 73–84. [https://doi.org/10.1016/S0308-8146\(00\)00288-0](https://doi.org/10.1016/S0308-8146(00)00288-0)
- Michel, J. L., Caceres, A., & Mahady, G. B. (2016). Ethnomedical research and review of Q'eqchi Maya women's reproductive health in the Lake Izabal region of Guatemala: Past, present and future prospects. *Journal of Ethnopharmacology*, 178, 307–322. <https://doi.org/10.1016/j.jep.2015.12.006>
- Mital, N., & Gopaldas, T. (2010). Habit survey of a culturally acceptable mother food in Gujarat, India†. [Http://Dx.Doi.Org/10.1080/03670244.1985.9990864](http://Dx.Doi.Org/10.1080/03670244.1985.9990864), 16(3), 243–252. <https://doi.org/10.1080/03670244.1985.9990864>
- Moini Jazani, A., Nasimi Doost Azgomi, H., Nasimi Doost Azgomi, A., & Nasimi Doost Azgomi, R. (2019). A comprehensive review of clinical studies with herbal medicine on polycystic ovary syndrome (PCOS). *Daru : Journal of Faculty of Pharmacy, Tehran University of Medical Sciences*, 27(2), 863–877. <https://doi.org/10.1007/S40199-019-00312-0>
- Morvin Yabesh, J. E., Prabhu, S., & Vijayakumar, S. (2014). An ethnobotanical study of medicinal plants used by traditional healers in silent valley of Kerala, India. *Journal of Ethnopharmacology*, 154(3), 774–789. <https://doi.org/10.1016/j.jep.2014.05.004>
- Mothupi, M. C. (2014). Use of herbal medicine during pregnancy among women with access to public healthcare in Nairobi, Kenya: A cross-sectional survey. *BMC Complementary and Alternative Medicine*, 14(1), 1–8. <https://doi.org/10.1186/1472-6882-14-432/TABLES/2>
- Na, J. R., Lee, K. H., Kim, E., Hwang, K., Na, C. S., & Kim, S. (2021). Laxative effects of a standardized extract of *dendropanax morbiferus* h. Léveille leaves on experimental

- constipation in rats. *Medicina (Lithuania)*, 57(11).
<https://doi.org/10.3390/MEDICINA57111147/S1>
- Naik, D., Innovation, B. K.-T. P., & 2018, undefined. (2018). Food beliefs and taboos among nomadic tribes of North Karnataka. *Thepharmajournal.Com*, 7(5), 250–252.
<https://www.thepharmajournal.com/archives/2018/vol7issue5/PartD/7-5-59-918.pdf>
- Namsa, N. D., Mandal, M., Tangiang, S., & Mandal, S. C. (2011). Ethnobotany of the Monpa ethnic group at Arunachal Pradesh, India. *Journal of Ethnobiology and Ethnomedicine*, 7(1), 1–15. <https://doi.org/10.1186/1746-4269-7-31/TABLES/4>
- Nandy, S., Mukherjee, A., Pandey, D. K., Ray, P., & Dey, A. (2020). Indian Sarsaparilla (*Hemidesmus indicus*): Recent progress in research on ethnobotany, phytochemistry and pharmacology. *Journal of Ethnopharmacology*, 254.
<https://doi.org/10.1016/j.jep.2020.112609>
- National Family Health Survey (NFHS-5). (n.d.). Retrieved January 23, 2023, from http://rchiips.org/nfhs/factsheet_NFHS-5.shtml
- National Health Portal. (2023). *Women's Health | National Health Portal Of India*.
<https://www.nhp.gov.in/healthyliving/women-s-health>
- Nemoseck, T. M., Carmody, E. G., Furchner-Evanson, A., Gleason, M., Li, A., Potter, H., Rezende, L. M., Lane, K. J., & Kern, M. (2011). Honey promotes lower weight gain, adiposity, and triglycerides than sucrose in rats. *Nutrition Research*, 31(1), 55–60.
<https://doi.org/10.1016/J.NUTRES.2010.11.002>
- Netting, M. J., Middleton, P. F., & Makrides, M. (2014). Does maternal diet during pregnancy and lactation affect outcomes in offspring? A systematic review of food-based approaches. *Nutrition (Burbank, Los Angeles County, Calif.)*, 30(11–12), 1225–1241.
<https://doi.org/10.1016/J.NUT.2014.02.015>
- Nikolajsen, T., Nielsen, F., Rasch, V., Sørensen, P. H., Ismail, F., Kristiansen, U., & Jäger, A. K. (2011). Uterine contraction induced by Tanzanian plants used to induce abortion. *Journal of Ethnopharmacology*, 137(1), 921–925.
<https://doi.org/10.1016/J.JEP.2011.05.026>

- Nordeng, H., & Havnen, G. C. (2004). Use of herbal drugs in pregnancy: A survey among 400 Norwegian women. *Pharmacoepidemiology and Drug Safety*, 13(6), 371–380.
<https://doi.org/10.1002/pds.945>
- Nyeko, R., Tumwesigye, N. M., & Halage, A. A. (2016). Prevalence and factors associated with use of herbal medicines during pregnancy among women attending postnatal clinics in Gulu district, Northern Uganda. *BMC Pregnancy and Childbirth*, 16(1), 296.
<https://doi.org/10.1186/s12884-016-1095-5>
- Okogun, J. I. (2002). Chapter 12 Drug discovery through ethnobotany in Nigeria: Some results. *Advances in Phytomedicine*, 1(C), 145–154. [https://doi.org/10.1016/S1572-557X\(02\)80021-6](https://doi.org/10.1016/S1572-557X(02)80021-6)
- Ouzir, M., El Bairi, K., & Amzazi, S. (2016). Toxicological properties of fenugreek (*Trigonella foenum graecum*). *Food and Chemical Toxicology*, 96, 145–154.
<https://doi.org/10.1016/J.FCT.2016.08.003>
- Ozsoy, S. A., & Katabi, V. (2008). A comparison of traditional practices used in pregnancy, labour and the postpartum period among women in Turkey and Iran. *Midwifery*, 24(3), 291–300. <https://doi.org/10.1016/J.MIDW.2006.06.008>
- Pade, S. D., & Vyas, H. B. (2004). *Aryabhishak athva Hindustan no Vaidhraj* (23rd ed.). Sastun Sahitya Vardhak Karyalay.
- Pangal, M., Arya, V., Yadav, S., Kumar, S., & Yada, J. P. (2010). Indigenous knowledge of medicinal plants used by Saperas community of Khetawas, Jhajjar District, Haryana, India. *Journal of Ethnobiology and Ethnomedicine*, 6(4), 1–12.
<https://doi.org/10.1186/1746-4269-6-4>
- Pant, I., & Chothia, K. (1990). Maternal knowledge regarding breast feeding and weaning practices. *The Indian Journal of Pediatrics*, 57(3), 395–400.
<https://doi.org/10.1007/BF02727923>
- Pascual, Z. N., & Langaker, M. D. (2022). Physiology, Pregnancy. *StatPearls*.
<https://www.ncbi.nlm.nih.gov/books/NBK559304/>

- Pourjafari, F., Haghpahan, T., Nematollahi-Mahani, S. N., Pourjafari, F., & Ezzatabadipour, M. (2020). Hydroalcoholic extract and seed of *Foeniculum vulgare* improve folliculogenesis and total antioxidant capacity level in F1 female mice offspring. *BMC Complementary Medicine and Therapies*, 20(1). <https://doi.org/10.1186/S12906-020-03083-3>
- Prieto, P., Pineda, M., & Aguilar, M. (1999). Spectrophotometric quantitation of antioxidant capacity through the formation of a phosphomolybdenum complex: Specific application to the determination of vitamin E. *Analytical Biochemistry*, 269(2), 337–341. <https://doi.org/10.1006/ABIO.1999.4019>
- R Core Team. (2022). *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing. <https://www.r-project.org/>
- Rahimi, R., medicine, M. A.-C. journal of integrative, & 2013, undefined. (2013). Medicinal properties of *Foeniculum vulgare* Mill. in traditional Iranian medicine and modern phytotherapy. *Springer*, 19(1), 73–79. <https://doi.org/10.1007/s11655-013-1327-0>
- Raval, N., Goyal, A., & Udipi, S. A. (2022). Use of Katlu, a Traditional Food for Lactating Mothers: A Study of Three Generations of Gujarati Women. *International Journal of Science and Healthcare Research*, 7(1), 289–299. <https://doi.org/10.52403/ijshr.20220143>
- Rice-Evans, C. A., Miller, N. J., & Paganga, G. (1997). Antioxidant properties of phenolic compounds. *Trends in Plant Science*, 2(4), 152–159. [https://doi.org/10.1016/S1360-1385\(97\)01018-2](https://doi.org/10.1016/S1360-1385(97)01018-2)
- Rohmat, S., Nisyawati, & Rahayu, S. (2019). Diversity of medicinal plants for pregnancy and postpartum care of Dayak Ngaju tribe in Mantangai sub-district, Kapuas regency, Central Kalimantan. *Journal of Physics: Conf. Series*, 1317, 1–8. <https://iopscience.iop.org/article/10.1088/1742-6596/1317/1/012088/meta>
- Sachan, A. K., Das, D. R., Dohare, S. L., & Shuaib, M. (2012). *Asparagus racemosus* (Shatavari): An Overview. *International Journal of Pharmaceutical and Chemical Sciences Issn: 2277-5005*, 1(3), 588–592. www.ijpcsonline.com
- Sakpa, C. L., & Eguavoen, D. O. (2021). Effects of alcoholic extract of *Myristica fragrans*

- (nutmeg) on pregnancy outcome in female Wistar rats. *Journal of Applied Sciences and Environmental Management*, 25(8), 1483–1491.
<https://doi.org/10.4314/jasem.v25i8.31>
- Saleem, S. M., & Jan, S. S. (2021). Modified Kuppuswamy socioeconomic scale updated for the year 2021. *Indian Journal of Forensic and Community Medicine*, 8(1), 1–3.
<https://doi.org/10.18231/j.ijfcm.2021.001>
- Samuels, N., Zisk-Rony, R. Y., Many, A., Ben-Shitrit, G., Erez, O., Mankuta, D., Rabinowitz, R., Lavie, O., Shuval, J. T., & Oberbaum, M. (2013). Use of and attitudes toward complementary and alternative medicine among obstetricians in Israel. *International Journal of Gynecology and Obstetrics*, 121(2), 132–136.
<https://doi.org/10.1016/J.IJGO.2012.12.008>
- Sankhwal, A., Shah, S., & Gavali, D. (2013). *Traditional knowledge among the locals in two villages of Vadodara Taluka*. 4, 72–75.
- Santas, J., Carbó, R., Gordon, M. H., & Almajano, M. P. (2008). Comparison of the antioxidant activity of two Spanish onion varieties. *Food Chemistry*, 107(3), 1210–1216.
<https://doi.org/10.1016/J.FOODCHEM.2007.09.056>
- Sengupta, P., Bandhopadhyay, D., & Bhattacharya, N. (2016). Perspectives of tribal medicine on the first 6 months of pregnancy. *Human Fetal Growth and Development: First and Second Trimesters*, 513–515. https://doi.org/10.1007/978-3-319-14874-8_40/COVER
- Simon, L., Hanf, M., Frondas-Chauty, A., Darmaun, D., Rouger, V., Gascoin, G., Flamant, C., Nusinovic, S., & Rozé, J. C. (2019). Neonatal growth velocity of preterm infants: The weight Z-score change versus Patel exponential model. *PLoS ONE*, 14(6).
<https://doi.org/10.1371/JOURNAL.PONE.0218746>
- Singh, A. K., Raghubanshi, A. S., & Singh, J. S. (2002). Medical ethnobotany of the tribals of Sonaghati of Sonbhadra district, Uttar Pradesh, India. *Journal of Ethnopharmacology*, 81(1), 31–41. [https://doi.org/10.1016/S0378-8741\(02\)00028-4](https://doi.org/10.1016/S0378-8741(02)00028-4)
- Solomon, N., & Tesfaye, M. (2022). Traditional practices during pregnancy and childbirth among mothers in Shey Bench District, South West Ethiopia. *SAGE Open Medicine*, 10,

205031212210981. <https://doi.org/10.1177/20503121221098139>

- Sperandei, S. (2014). Understanding logistic regression analysis. *Biochemia Medica*, 24(1), 12. <https://doi.org/10.11613/BM.2014.003>
- Strandberg, T., Andersson, S., Järvenpää, A.-L., & McKeigue, P. M. (2002). Preterm birth and licorice consumption during pregnancy. *American Journal of Epidemiology*, 156(9), 803–805. <https://academic.oup.com/aje/article-abstract/156/9/803/256317>
- Sumanth, M., & Narasimharaju, K. (2011). Evaluation of galactagogue activity of lactovedic: A polyherbal formulation. *International Journal of Green Pharmacy*, 5(1), 61–64. <https://doi.org/10.4103/0973-8258.82102>
- Suthari, S., Kota, S., Kanneboyena, O., Gul, M. Z., & Abbagani, S. (2021). Ethnobotanical perspectives in the treatment of communicable and noncommunicable diseases. *Phytomedicine: A Treasure of Pharmacologically Active Products from Plants*, 251–289. <https://doi.org/10.1016/B978-0-12-824109-7.00016-9>
- Telefo, P. B., Lienou, L. L., Yemele, M. D., Lemfack, M. C., Mouokeu, C., Goka, C. S., Tagne, S. R., & Moundipa, F. P. (2011). Ethnopharmacological survey of plants used for the treatment of female infertility in Baham, Cameroon. *Journal of Ethnopharmacology*, 136(1), 178–187. <https://doi.org/10.1016/J.JEP.2011.04.036>
- Tsoukalas, D., Zlatian, O., Mitroi, M., Renieri, E., Tsatsakis, A., Izotov, B. N., Burada, F., Sosoi, S., Burada, E., Buga, A. M., Rogoveanu, I., Docea, A. O., & Calina, D. (2021). A novel nutraceutical formulation can improve motor activity and decrease the stress level in a murine model of middle-age animals. *Journal of Clinical Medicine*, 10(4), 1–17. <https://doi.org/10.3390/jcm10040624>
- Uniyal, S. K., Singh, K. N., Jamwal, P., & Lal, B. (2006). Traditional use of medicinal plants among the tribal communities Chhota, Western Himalaya. *Jour Ethnobiol Ethnomedicine*, 2, 14. <https://doi.org/10.1186/1746-4269-2-14>
- Vadodara Municipal Corporation. (2022a). *Vadodara Municipal Corporation*. 2022. <https://vmc.gov.in/>

- Vadodara Municipal Corporation. (2022b). *Vadodara Municipal Corporation*. 2022.
https://vmc.gov.in/Department_Birth_Death_Marriage.aspx
- Vaidya, A. D. B., & Devasagayam, T. P. A. (2007). Current Status of Herbal Drugs in India: An Overview. *Journal of Clinical Biochemistry and Nutrition*, 41(1), 1.
<https://doi.org/10.3164/JCBN.2007001>
- Vickers, K. A., Jolly, K. B., & Greenfield, S. M. (2006). Herbal medicine: Women's views, knowledge and interaction with doctors: A qualitative study. *BMC Complementary and Alternative Medicine*, 6(1), 1–8. <https://doi.org/10.1186/1472-6882-6-40/TABLES/3>
- Vijayakumar, S., Morvin Yabesh, J. E., Prabhu, S., Manikandan, R., & Muralidharan, B. (2015). Quantitative ethnomedicinal study of plants used in the Nelliampathy hills of Kerala, India. *Journal of Ethnopharmacology*, 161, 238–254.
<https://doi.org/10.1016/J.JEP.2014.12.006>
- Westfall, R. E. (2001). Herbal medicine in pregnancy and childbirth. *Advances in Therapy*, 18(1), 47–55. <https://doi.org/10.1007/BF02850250>
- World Health Organization (WHO). (2022). *Weight velocity*.
<https://www.who.int/tools/child-growth-standards/standards/weight-velocity>
- World Health Organization (WHO). (2023, January 22). *WHO Global Center for Traditional Medicine*. <https://www.who.int/initiatives/who-global-centre-for-traditional-medicine>
- Xavier, T. F., Kannan, M., Lija, L., Auxillia, A., Rose, A. K. F., & Kumar, S. S. (2014). Ethnobotanical study of Kani tribes in Thoduhills of Kerala, South India. *Journal of Ethnopharmacology*, 152(1), 78–90. <https://doi.org/10.1016/j.jep.2013.12.016>
- Yemele, M. D., Telefo, P. B., Lienou, L. L., Tagne, S. R., Fodouop, C. S. P., Goka, C. S., Lemfack, M. C., & Moundipa, F. P. (2015). Ethnobotanical survey of medicinal plants used for pregnant women's health conditions in Menoua division-West Cameroon. *Journal of Ethnopharmacology*, 160, 14–31. <https://doi.org/10.1016/J.JEP.2014.11.017>

