

CONTENTS

Abstract

Chapter 1 Introduction -----(14)

1.1 Background and Literature review -----(15)

1.1.1 Metal nanoparticles----- (16)

1.1.2 Metallopolymers----- (18)

1.1.3 Nanoreactors----- (25)

1.2 Thesis aim and hypothesis----- (30)

1.3 References----- (33)

Chapter 2 α -Hydroxy acids modified β -cyclodextrin capped iron nanocatalyst for rapid reduction of nitroaromatics: A sonochemical approach----- (43)

2.1 Introduction----- (44)

2.2 Experimental Section----- (46)

2.2.1 Materials----- (46)

2.2.2 Characterization of the polymers and the nanocatalysts ----- (46)

2.2.3 Synthesis of the polymers and the nanocatalysts ----- (47)

2.2.4 Catalytic potential of two nanocatalysts----- (50)

2.2.5 Kinetic studies----- (51)

2.3 Results and Discussion----- (52)

2.3.1 Synthesis of β -cyclodextrin derived crosslinked polymers for capping nZVI----- (52)

2.3.2 Characterization----- (52)

2.3.3 Assessment of performance of the catalysts towards reduction of p-nitrophenol----- (67)

2.3.4 The reaction kinetics for the catalytic reduction of p-nitrophenol----- (71)

2.3.5 Catalytic reduction of various nitroaromatics----- (73)

2.3.6 Scale up experiments----- (75)

2.3.7 Recycling and Regeneration studies----- (77)

2.3.8 Proposed mechanism for reduction of nitroaromatics----- (79)

2.4 Conclusion----- (80)

2.5 Reference ----- (81)

Spectral Data -----	(89)
Chapter 3 Palladium nanoparticles-confined pore-engineered urethane-linked thiol-functionalized covalent organic frameworks: a high-performance catalyst for the Suzuki Miyaura cross-coupling reaction -----	(93)
3.1 Introduction -----	(94)
3.2 Experimental section -----	(97)
3.2.1 Materials -----	(97)
3.2.2 Characterization-----	(98)
3.2.3 Synthesis of Urethane-based Covalent Organic Framework (UCOF)-----	(99)
3.2.4 Synthesis of PdNPs@UCOF-SH catalyst-----	(99)
3.2.5 Optimized procedure for the catalytic Suzuki Miyuara cross-coupling reaction-----	(100)
3.2.6 Leaching and Heterogeneity test-----	(101)
3.2.7 Recycling and Regeneration of the catalyst-----	(101)
3.3 Result and Discussions -----	(101)
3.3.1 Synthesis and structural characterization-----	(101)
3.3.2 Catalytic application of PdNPs@UCOF-SH-----	(112)
3.3.3 Recycling and regeneration studies-----	(119)
3.4 Probable mechanism-----	(122)
3.5 Conclusion -----	(123)
3.6 References -----	(124)
Spectral Data -----	(128)
Chapter 4 Copper nanoparticles loaded polymer vesicles as environmentally amicable nanoreactors: A sustainable approach for cascading synthesis of benzimidazole -----	(137)
4.1 Introduction -----	(138)
4.2 Experimental section -----	(140)
4.2.1 Materials-----	(140)

4.2.2 Characterizations-----	(140)
4.2.3 Synthesis and characterization of amphiphilic polymer DMPA-HMDI-----	(141)
4.2.4 Assessment of self-assembly of the amphiphilic polymer-----	(142)
4.2.5 Synthesis of CuNPs@vesicle catalyst-----	(142)
4.2.6 Experimental procedures for catalytic reaction-----	(142)
4.2.7 Experimental procedures for synthesis of benzimidazole using aromatic alcohol----	(143)
4.3 Result and discussions-----	(143)
4.3.1 Synthesis and characterization of catalyst-----	(143)
4.3.2 Role of CuNPs@vesicles as catalyst-----	(152)
4.3.3 Catalytic synthesis of 2-substituted benzimidazoles-----	(156)
4.4 Recycling and regeneration studies-----	(160)
4.5 Plausible mechanism-----	(161)
4.6 Conclusion -----	(163)
4.7 References-----	(164)
Spectral Data -----	(169)
Chapter 5 <i>Candida antarctica</i> Lipase B and nZVI co-loaded bioinspired nanomicelles: A sustainable catalytic nanoreactor for cascade synthesis of p-aminophenol-----	(177)
5.1 Introduction-----	(178)
5.2 Experimental Section-----	(180)
5.2.1 Materials-----	(180)
5.2.2 Characterization-----	(180)
5.2.3 Synthesis of Tyrosine derived amphiphilic polymers-----	(181)
5.2.4 Synthesis of catalytic nanoreactor for chemoenzymatic reactions-----	(184)
5.2.5 Determination of <i>Candida antarctica</i> Lipase B loading in micelle-----	(184)
5.2.6 Amount of zerovalent iron nanoparticles loading in catalyst-----	(185)
5.2.7 Hydrolytic activity of catalytic nanoreactor-----	(185)

5.2.8 Hydrogenation activity of catalytic nanoreactor	(185)
5.2.9 Kinetic evaluation of reduction of 4-Nitrophenol	(186)
5.2.10 Multistep catalytic synthesis of acetaminophen using catalytic nanoreactor	(187)
5.2.11 Recycling studies	(187)
5.3 Results and Discussions	(187)
5.3.1 Synthesis of Tyrosine-derived amphiphilic polymer	(187)
5.3.2 Self-assembly of tyrosine-derived amphiphilic polymer into micelles	(192)
5.3.3 Catalytic evaluation of nanoreactor for chemoenzymatic cascade reaction	(199)
5.3.4 Aqueous nanomicellar solutions as the reaction medium	(202)
5.3.5 Synthesis of acetaminophen via sequential tandem catalysis in one pot	(205)
5.3.6 Recycling studies	(209)
5.3.7 Plausible Mechanism	(210)
5.4 Conclusion	(212)
5.5 References	(213)
Spectral Data	(217)

