

Chapter 8

Bibliography

- Aartsma-Rus, A., & Krieg, A. M. (2017). FDA Approves Eteplirsen for Duchenne Muscular Dystrophy: The Next Chapter in the Eteplirsen Saga. *Nucleic Acid Therapeutics*, 27(1), 1-3. doi:10.1089/nat.2016.0657.
- Aartsma-Rus, A., Van Deutekom, J. C. T., Fokkema, I. F., Van Ommen, G.-J. B., & Den Dunnen, J. T. (2006). Entries in the Leiden Duchenne muscular dystrophy mutation database: An overview of mutation types and paradoxical cases that confirm the reading-frame rule. *Muscle & Nerve*, 34, 135-144. doi:10.1002/mus.20586.
- Abdul-Razak, H., Malerba, A., & Dickson, G. (2016). Advances in gene therapy for muscular dystrophies. *F1000Research*, 5, F1000 Faculty Rev-2030. doi:10.12688/f1000research.8735.1.
- Acsadi, G., Moore, S. A., Cheron, A., Delalande, O., Bennett, L., Kupsky, W., et al. (2012). Novel mutation in spectrin-like repeat 1 of dystrophin central domain causes protein misfolding and mild Becker muscular dystrophy. *Journal of Biological Chemistry*, 287(22), 18153–18162. PMID: 22453924.
- Adamo, C. M., Dai, D.-F., Percival, J. M., Minami, E., Willis, M. S., Patrucco, E.,... Beavo, J. A. (2010). Sildenafil reverses cardiac dysfunction in the mdx mouse model of Duchenne muscular dystrophy. *Proceedings of the National Academy of Sciences of the United States of America*, 107, 19079-19083. <https://doi.org/10.1073/pnas.1013077107>.
- Al Tanoury, Z., Zimmerman, J. F., Rao, J., Sieiro, D., McNamara, H. M., Cherrier, T.,... Pourquié, O. (2021). Prednisolone rescues Duchenne muscular dystrophy phenotypes in human pluripotent stem cell-derived skeletal muscle in vitro. *Proceedings of the National Academy of Sciences*, 118(28), e2022960118. <https://doi.org/10.1073/pnas.2022960118>.

- Alderton, J. M., & Steinhardt, R. A. (2000). How calcium influx through calcium leak channels is responsible for the elevated levels of calcium-dependent proteolysis in dystrophic myotubes. *Trends in Cardiovascular Medicine*, 10(6), 268-272. doi:10.1016/s1050-1738(00)00075-x.
- Antfolk, D., Antila, C., Kemppainen, K., Landor, S. K.-J., & Sahlgren, C. (2019). Decoding the PTM-switchboard of Notch. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, 1866(12), 118507. <https://doi.org/10.1016/j.bbamcr.2019.07.002>.
- Arandel, L., Polay Espinoza, M., Matloka, M., Bazinet, A., De Dea Diniz, D., Naouar, N.,... Furling, D. (2017). Immortalized human myotonic dystrophy muscle cell lines to assess therapeutic compounds. *Disease Models & Mechanisms*, 10(4), 487-497. doi:10.1242/dmm.
- Bachiller, S., Alonso-Bellido, I. M., Real, L. M., Pérez-Villegas, E. M., Venero, J. L., Deierborg, T.,... Ruiz, R. (2020). The Ubiquitin Proteasome System in Neuromuscular Disorders: Moving Beyond Movement. *International Journal of Molecular Sciences*, 21(17), 6429. <https://doi.org/10.3390/ijms21176429>.
- Baeten, J. T., & Lilly, B. (2017). Notch signaling in vascular smooth muscle cells. *Advances in Pharmacology*, 78, 351-382.
- Baron, D., Magot, A., Ramstein, G., Steenman, M., Fayet, G., et al. (2011). Immune Response and Mitochondrial Metabolism Are Commonly Deregulated in DMD and Aging Skeletal Muscle. *PLOS ONE*, 6(11), e26952. <https://doi.org/10.1371/journal.pone.0026952>.
- Barthélémy, F., Defour, A., Lévy, N., Krahm, M., & Bartoli, M. (2018). Muscle Cells Fix Breaches by Orchestrating a Membrane Repair Ballet. *Journal of Neuromuscular Diseases*, 5(1), 21-28. doi:10.3233/JND-170251.
- Barthélémy, F., Santoso, J. W., Rabichow, L., Jin, R., Little, I., Nelson, S. F.,... Miceli, M. C. (2022). Modeling Patient-Specific Muscular Dystrophy Phenotypes and Therapeutic Responses in Reprogrammed Myotubes Engineered on Micromolded Gelatin Hydrogels. *Frontiers in Cell and Developmental Biology*, 10. <https://doi.org/10.3389/fcell.2022.830415>.
- Bassett, D. I., & Currie, P. D. (2003). The zebrafish as a model for muscular dystrophy and congenital myopathy. *Human Molecular Genetics*, 12, R265-R270. <https://doi.org/10.1093/hmg/ddg279>.

- Batra, A., Vohra, R. S., Chrzanowski, S. M., Hammers, D. W., Lott, D. J., Vandenborne, K.,... Forbes, S. C. (2019). Effects of PDE5 inhibition on dystrophic muscle following an acute bout of downhill running and endurance training. *Journal of Applied Physiology*, 126, 1737-1745. <https://doi.org/10.1152/jappphysiol.00664.2018>.
- Bellissimo, C. A., Garibotti, M. C., & Perry, C. G. R. (2022). Mitochondrial stress responses in Duchenne muscular dystrophy: metabolic dysfunction or adaptive reprogramming? *American Journal of Physiology-Cell Physiology*, 323(3), C718-C730. <https://doi.org/10.1152/ajpccell.00249.2022>.
- Bencze, M. (2023). Mechanisms of Myofibre Death in Muscular Dystrophies: The Emergence of the Regulated Forms of Necrosis in Myology. *International Journal of Molecular Sciences*. <https://doi.org/10.3390/ijms24010362>.
- Berger, J., Berger, S., Hall, T. E., Lieschke, G. J., & Currie, P. D. (2010). Dystrophin-deficient zebrafish feature aspects of the Duchenne muscular dystrophy pathology. *Neuromuscular Disorders*, 20, 826-832. <https://doi.org/10.1016/j.nmd.2010.08.004>.
- Bi, P., & Kuang, S. (2015). Notch signaling as a novel regulator of metabolism. *Trends in Endocrinology and Metabolism: TEM*, 26(5), 248–255. <https://doi.org/10.1016/j.tem.2015.02.006>
- Bi, P., Yue, F., Sato, Y., Wirbisky, S., Liu, W., Shan, T., Wen, Y., Zhou, D., Freeman, J., & Kuang, S. (2016). Stage-specific effects of Notch activation during skeletal myogenesis. *eLife*, 5, e17355. <https://doi.org/10.7554/eLife.17355>
- Bies, R. D., Phelps, S. F., Cortez, M. D., Roberts, R., Caskey, C. T., & Chamberlain, J. S. (1992). Human and murine dystrophin mRNA transcripts are differentially expressed during skeletal muscle, heart, and brain development. *Nucleic Acids Research*, 20(7), 1725-1731.
- Birnkrant, D. J., Bushby, K., Bann, C. M., Alman, B. A., Apkon, S. D., Blackwell, A., ... Ward, L. M., & DMD Care Considerations Working Group. (2018). Diagnosis and management of Duchenne muscular dystrophy, part 2: respiratory, cardiac, bone health, and orthopaedic management. *The Lancet. Neurology*, 17, 347–361. [https://doi.org/10.1016/S1474-4422\(18\)30025-5](https://doi.org/10.1016/S1474-4422(18)30025-5)

- Bjornson, C. R. R., Cheung, T. H., Liu, L., Tripathi, P. V., Steeper, K. M., & Rando, T. A. (2012). Notch signaling is necessary to maintain quiescence in adult muscle stem cells. *Stem Cells*, 30, 232-242.
- Bladen, C. L., Salgado, D., Monges, S., Foncuberta, M. E., Kekou, K., Kosma, K.,... Lochmüller, H. (2015). The TREAT-NMD DMD global database: Analysis of more than 7,000 Duchenne muscular dystrophy mutations. *Human Mutation*, 36(4), 395-402. <https://doi.org/10.1002/humu.22758>.
- Blake, D. J., Weir, A., Newey, S. E., & Davies, K. E. (2002). Function and Genetics of Dystrophin and Dystrophin-Related Proteins in Muscle. *Physiological Reviews*, 82(2), 291–329. <https://doi.org/10.1152/physrev.00028.2001>
- Blau, H. M., Webster, C., & Pavlath, G. K. (1983a). Defective myoblasts identified in Duchenne muscular dystrophy. *Proceedings of the National Academy of Sciences of the United States of America*, 80(15), 4856–4860.
- Blau, H. M., Webster, C., Chiu, C. P., Guttman, S., & Chandler, F. (1983b). Differentiation properties of pure populations of human dystrophic muscle cells. *Experimental Cell Research*, 144(2), 495–503. [https://doi.org/10.1016/0014-4827\(83\)90431-7](https://doi.org/10.1016/0014-4827(83)90431-7)
- Bodensteiner, J. B., & Engel, A. G. (1978). Intracellular calcium accumulation in Duchenne dystrophy and other myopathies: A study of 567,000 muscle fibers in 114 biopsies. *Neurology*, 28, 439–446.
- Bonsett, C., & Rudman, A. (1979). Intracellular lipid in pseudohypertrophic muscular dystrophy tissue culture. *Journal of the Indiana State Medical Association*, 72, 184-187.
- Bonsett, C., & Rudman, A. (1994). 'Oil globules' in Duchenne muscular dystrophy—History, demonstration, and metabolic significance. *Medical Hypotheses*, 43, 327-338.
- Bonuccelli, G., et al. (2003). Proteasome inhibitor (MG-132) treatment of mdx mice rescues the expression and membrane localization of dystrophin and dystrophin-associated proteins. *The American Journal of Pathology*, 163, 1663–1675.
- Boppart, M. D., Burkin, D. J., & Kaufman, S. J. (2011). Activation of AKT signaling promotes cell growth and survival in $\alpha 7\beta 1$ integrin-mediated alleviation of muscular dystrophy. *Biochimica*

- et Biophysica Acta (BBA) - Molecular Basis of Disease, 1812(4), 439–446.
<https://doi.org/10.1016/j.bbadis.2011.01.002>
- Boyer, J. G., Huo, J., Han, S., Havens, J. R., Prasad, V., Lin, B. L., ... Molkenstin, J. D. (2022). Depletion of skeletal muscle satellite cells attenuates pathology in muscular dystrophy. *Nature Communications*, 13(1), 2940. <https://doi.org/10.1038/s41467-022-30619-7>
- Bray, S. J. (2016). Notch signalling in context. *Nature reviews Molecular cell biology*, 17(11), 722–735.
- Brennan, C. M., Emerson Jr., C. P., Owens, J., & Christoforou, N. (2021). p38 MAPKs roles in skeletal muscle physiology, disease mechanisms, and as potential therapeutic targets. *JCI Insight*, 6(12). <https://doi.org/10.1172/jci.insight.149915>
- Brennan-Minnella, A. M., Won, S. J., & Swanson, R. A. (2015). NADPH oxidase-2: linking glucose, acidosis, and excitotoxicity in stroke. *Antioxidants & redox signaling*, 22(2), 161–174. <https://doi.org/10.1089/ars.2013.5767>
- Bresolin, N., Castelli, E., Comi, G. P., Felisari, G., Bardoni, A., Perani, D., et al. (1994). Cognitive impairment in Duchenne muscular dystrophy. *Neuromuscular Disorders*, 4, 359–369.
- Bronisz-Budzyńska, I., Kozakowska, M., Podkalicka, P., Kachamakova-Trojanowska, N., Łoboda, A., & Dulak, J. (2020). The role of Nrf2 in acute and chronic muscle injury. *Skeletal Muscle*, 10(1), 35. <https://doi.org/10.1186/s13395-020-00255-0>
- Bruusgaard, J. C., Liestøl, K., Ekmark, M., Kollstad, K., & Gundersen, K. (2003). Number and spatial distribution of nuclei in the muscle fibers of normal mice studied in vivo. *The Journal of Physiology*, 551(Pt 2), 467–478.
- Buas, M. F., Kabak, S., & Kadesch, T. (2009). Inhibition of Myogenesis by Notch: Evidence for Multiple Pathways. *Journal of Cellular Physiology*, 218(1), 84–93. <https://doi.org/10.1002/jcp.21571>
- Buas, M. F., Kabak, S., & Kadesch, T. (2010). The Notch effector Hey1 associates with myogenic target genes to repress myogenesis. *Journal of Biological Chemistry*, 285, 1249–1258.
- Bubak, M. P., Stout, K., Tomtschik, J., Peterson, E., Cardozo, C. P., Graham, Z. A., & Gallagher, P. (2022). Notch, Numb and Numb-like responses to exercise-induced muscle damage in

human skeletal muscle. *Experimental physiology*, 107(8), 800–806.
<https://doi.org/10.1113/EP090364>

Buddhe, S., Cripe, L., Friedland-Little, J., Kertesz, N., Eghtesady, P., Finder, J., Hor, K., Judge, D. P., Kinnett, K., McNally, E. M., Raman, S., Thompson, W. R., Wagner, K. R., & Olson, A. K. (2018). Cardiac Management of the Patient With Duchenne Muscular Dystrophy. *Pediatrics*, 142(Suppl 2), S72–S81. <https://doi.org/10.1542/peds.2018-0333I>

Burr, A. R., Millay, D. P., Goonasekera, S. A., et al. (2014). Na⁺ dysregulation coupled with Ca²⁺ entry through NCX1 promotes muscular dystrophy in mice. *Molecular and Cellular Biology*, 34(11), 1991–2002. <https://doi.org/10.1128/MCB.00339-14>

Bushby, K., Finkel, R., Birnkrant, D. J., Case, L. E., Clemens, P. R., Cripe, L., et al. (2010). Diagnosis and management of Duchenne muscular dystrophy, part 1: diagnosis, and pharmacological and psychosocial management. *Lancet Neurology*, 9, 77–93.

Campbell, C., Barohn, R. J., Bertini, E., Chabrol, B., Comi, G. P., et al. (2020). Meta-analyses of ataluren randomized controlled trials in nonsense mutation Duchenne muscular dystrophy. *Journal of Comparative Effectiveness Research*, 9, 973–984.

Campbell, K. P., & Kahl, S. D. (1989). Association of dystrophin and an integral membrane glycoprotein. *Nature*, 338(6212), 259–262.

Capitanio, D., Moriggi, M., Torretta, E., Barbacini, P., De Palma, S., Viganò, A., Lochmüller, H., Muntoni, F., Ferlini, A., Mora, M., & Gelfi, C. (2020). Comparative proteomic analyses of Duchenne muscular dystrophy and Becker muscular dystrophy muscles: changes contributing to preserve muscle function in Becker muscular dystrophy patients. *Journal of cachexia, sarcopenia and muscle*, 11(2), 547–563. <https://doi.org/10.1002/jcsm.12527>

Carey, K. A., Farnfield, M. M., Tarquinio, S. D., & Cameron-Smith, D. (2007). Impaired expression of Notch signaling genes in aged human skeletal muscle. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*, 62(1), 9–17. <https://doi.org/10.1093/gerona/62.1.9>

Chakkalakal, J. V., Harrison, M. A., Carbonetto, S., Chin, E., Michel, R. N., & Jasmin, B. J. (2004). Stimulation of calcineurin signaling attenuates the dystrophic pathology in mdx mice. *Human Molecular Genetics*, 13(4), 379–388. <https://doi.org/10.1093/hmg/ddh037>

- Chang, N. C., Chevalier, F. P., & Rudnicki, M. A. (2016). Satellite Cells in Muscular Dystrophy - Lost in Polarity. *Trends in Molecular Medicine*, 22(6), 479–496. doi:10.1016/j.molmed.2016.04.002.
- Chavakis, T., Bierhaus, A., & Nawroth, P. P. (2004). RAGE (receptor for advanced glycation end products): a central player in the inflammatory response. *Microbes and infection*, 6(13), 1219–1225. <https://doi.org/10.1016/j.micinf.2004.08.004>
- Chiba, S. (2006). Concise Review: Notch Signaling in Stem Cell Systems. *STEM CELLS*, 24(11), 2437–2447. <https://doi.org/10.1634/stemcells.2005-0661>
- Childers, M. K., Okamura, C. S., & Bogan, J. R. (2013). Are complex locomotor behaviors mediated by skeletal muscle housekeeping or fiber type-specific proteins? *PLOS ONE*, 8(6), e65322. <https://doi.org/10.1371/journal.pone.0065322>
- Chin, R. M., Fu, X., Pai, M. Y., Vergnes, L., Hwang, H., Deng, G., ... Huang, J. (2014). The metabolite α -ketoglutarate extends lifespan by inhibiting ATP synthase and TOR. *Nature*, 510(7505), 397–401. <https://doi.org/10.1038/nature13264>
- Chinet, A. E., Even, P. C., & Decrouy, A. (1994). Dystrophin-dependent efficiency of metabolic pathways in mouse skeletal muscles. *Experientia*, 50(6), 602–605. <https://doi.org/10.1007/BF01921731>
- Choi, I. Y., Lim, H., Estrellas, K., Mula, J., Cohen, T. V., Zhang, Y., ... Lee, G. (2016). Concordant but Varied Phenotypes among Duchenne Muscular Dystrophy Patient-Specific Myoblasts Derived using a Human iPSC-Based Model. *Cell Reports*, 15(10), 2301–2312. <https://doi.org/10.1016/j.celrep.2016.05.016>
- Choi, J. H., Jeong, S. Y., Oh, M. R., Allen, P. D., & Lee, E. H. (2020). TRPCs: Influential Mediators in Skeletal Muscle. *Cells*, 9(4), 850. <https://doi.org/10.3390/cells9040850>
- Church, J. E., Trieu, J., Chee, A., Naim, T., Gehrig, S. M., Lamon, S., Angelini, C., Russell, A. P., & Lynch, G. S. (2014). Alterations in Notch signalling in skeletal muscles from mdx and dko dystrophic mice and patients with Duchenne muscular dystrophy. *Experimental Physiology*, 99(4), 675–687. <https://doi.org/10.1113/expphysiol.2013.076653>

- Collet, C., Allard, B., Tourneur, Y., & Jacquemond, V. (1999). Intracellular calcium signals measured with indo-1 in isolated skeletal muscle fibres from control and mdx mice. *The Journal of Physiology*, 520(2), 417–429. <https://doi.org/10.1111/j.1469-7793.1999.00417.x>
- Conboy, I. M., & Rando, T. A. (2002). The regulation of Notch signaling controls satellite cell activation and cell fate determination in postnatal myogenesis. *Developmental Cell*, 3(3), 397–409. [https://doi.org/10.1016/s1534-5807\(02\)00254-x](https://doi.org/10.1016/s1534-5807(02)00254-x)
- Consalvi, S., Mozzetta, C., Bettica, P., Germani, M., Fiorentini, F., Del Bene, F., ... Serrano, A. L. (2013). Preclinical Studies in the mdx Mouse Model of Duchenne Muscular Dystrophy with the Histone Deacetylase Inhibitor Givinostat. *Molecular Medicine*, 19(1), 79–87. <https://doi.org/10.2119/molmed.2013.00011>
- Cormier, S., Le Bras, S., Souilhol, C., Vandormael-Pournin, S., Durand, B., Babinet, C., Baldacci, P., & Cohen-Tannoudji, M. (2006). The Murine Ortholog of Notch less, a Direct Regulator of the Notch Pathway in *Drosophila melanogaster*, Is Essential for Survival of Inner Cell Mass Cells. *Molecular and Cellular Biology*, 26(9), 3541–3549. <https://doi.org/10.1128/MCB.26.9.3541-3549.2006>
- Craig S. Nowell & Freddy Radtke (2017) Notch as a tumour suppressor. *Nature Reviews Cancer* 17, 145–159. doi:10.1038/nrc.2016.145
- Dabaj, I., Ferey, J., Marguet, F., Gilard, V., Basset, C., Bahri, Y., Brehin, A. C., Vanhulle, C., Leturcq, F., Marret, S., Laquerrière, A., Schmitz-Afonso, I., Afonso, C., Bekri, S., & Tebani, A. (2021). Muscle metabolic remodelling patterns in Duchenne muscular dystrophy revealed by ultra-high-resolution mass spectrometry imaging. *Scientific reports*, 11(1), 1906. <https://doi.org/10.1038/s41598-021-81090-1>
- Dadgar, S., Wang, Z., Johnston, H., Kesari, A., Nagaraju, K., Chen, Y. W., Hill, D. A., Partridge, T. A., Giri, M., Freishtat, R. J., Nazarian, J., Xuan, J., Wang, Y., & Hoffman, E. P. (2014). Asynchronous remodeling is a driver of failed regeneration in Duchenne muscular dystrophy. *The Journal of Cell Biology*, 207(1), 139–158. <https://doi.org/10.1083/jcb.201402079>
- de Brouwer, A. P., Nabuurs, S. B., Verhaart, I. E., Oudakker, A. R., Hordijk, R., Yntema, H. G., ... Kleefstra, T. (2013). A 3-base pair deletion, c.9711_9713del, in DMD results in intellectual

- disability without muscular dystrophy. *European Journal of Human Genetics*, 22(4), 480–485. <https://doi.org/10.1038/ejhg.2013.169>
- de la Pompa, J. L., Wakeham, A., Correia, K. M., Samper, E., Brown, S., Aguilera, R. J., Nakano, T., Honjo, T., Mak, T. W., & Rossant, J. (1997). Conservation of the Notch signalling pathway in mammalian neurogenesis. *Development*, 124(6), 1139–1148.
- De Luca, A. (2012). Preclinical drug tests in the mdx mouse as a model of dystrophinopathies: an overview. *Acta Myologica*, 31(1), 40–47.
- De Palma, C., Morisi, F., Cheli, S., Pambianco, S., Cappello, V., Vezzoli, M., ... Clementi, E. (2012). Autophagy as a new therapeutic target in Duchenne muscular dystrophy. *Cell Death & Disease*, 3, e418–e418.
- Delacroix, C., Hyzewicz, J., Lemaitre, M., Friguet, B., Li, Z., Klein, A., ... Ferry, A. (2018). Improvement of dystrophic muscle fragility by short-term voluntary exercise through activation of the Calcineurin pathway in mdx mice. *The American Journal of Pathology*, 188(11), 2662-2673.
- Den Hartog, L., & Asakura, A. (2022). Implications of Notch signaling in Duchenne muscular dystrophy. *Frontiers in Physiology*, 13, 984373. doi: 10.3389/fphys.2022.984373
- Depre, C., Vanoverschelde, J. L. J., & Taegtmeyer, H. (1999). Glucose for the heart. *Circulation*, 99(4), 578-588.
- Deval, E., Levitsky, D. O., Marchand, E., Cantereau, A., Raymond, G., & Cognard, C. (2002). $\text{Na}^+/\text{Ca}^{2+}$ exchange in human myotubes: Intracellular calcium rises in response to external sodium depletion are enhanced in DMD. *Neuromuscular Disorders*, 12(7-8), 665-673.
- Devoto, S. H., Melançon, E., Eisen, J. S., & Westerfield, M. (1996). Identification of separate slow and fast muscle precursor cells in vivo, prior to somite formation. *Development*, 122(11), 3371-3380.
- Dong, Y., Long, T., Wang, C., Mirando, A. J., Chen, J., O'Keefe, R. J., & Hilton, M. J. (2014). NOTCH-mediated maintenance and expansion of human bone marrow stromal/stem cells: A technology designed for orthopedic regenerative medicine. *Stem Cells Translational Medicine*, 3(12), 1456-1466.

- Doorenweerd, N., Mahfouz, A., van Putten, M., Kaliyaperumal, R., t'Hoen, P. A. C., Hendriksen, J. G. M., Aartsma-Rus, A. M., Verschuuren, J. J. G. M., Niks, E. H., Reinders, M. J. T., Kan, H. E., & Lelieveldt, B. P. F. (2017). Timing and localization of human dystrophin isoform expression provide insights into the cognitive phenotype of Duchenne muscular dystrophy. *Scientific Reports*, 7, 12575. doi:10.1038/s41598-017-12981-5
- Duan, D., Goemans, N., Takeda, S., Mercuri, E., & Aartsma-Rus, A. (2021). Duchenne muscular dystrophy. *Nature Reviews Disease Primers*, 7(1), 13. <https://doi.org/10.1038/s41572-021-00248-3>
- Duchenne, G. B. (1861). *De l'électrisation localisée et de son application à la pathologie*. Baillière.
- Dumont, N. A., Wang, Y. X., Maltzahn, J. Von, Pasut, A., Bentzinger, C. F., Brun, C. E., & Rudnicki, M. A. (2015). Dystrophin expression in muscle stem cells regulates their polarity and asymmetric division. *Nature Medicine*, (November), 1–11. <https://doi.org/10.1038/nm.3990>
- Duncan, C. J. (1978). Role of intracellular calcium in promoting muscle damage: A strategy for controlling the dystrophic condition. *Experientia*. <https://doi.org/10.1007/BF02034655>
- Egorova, T. V, Galkin, I. I., Ivanova, Y. V, & Polikarpova, A. V. (2021). Duchenne Muscular Dystrophy Animal Models. In E. Purevjav, J. F. Pierre, & L. Lu (Eds.), *Duchenne Muscular Dystrophy - Current Advances and Future Perspectives* (Chapter 4). Rijeka: IntechOpen. <https://doi.org/10.5772/intechopen.96738>
- Ehmsen, J., Poon, E., & Davies, K. (2002). The dystrophin-associated protein complex. *Journal of Cell Science*, 115(14), 2801-2803. Retrieved from <http://jcs.biologists.org/content/115/14/2801>
- Ellis, D. A. (1980). Intermediary metabolism of muscle in duchenne muscular dystrophy. *British Medical Bulletin*, 36(2), 165–172. <https://doi.org/10.1093/oxfordjournals.bmb.a071633>
- England, S. B., Nicholson, L. V., Johnson, M. A., Forrest, S. M., Love, D. R., Zubrzycka-Gaarn, E. E., et al. (1990). Very mild muscular dystrophy associated with the deletion of 46% of dystrophin. *Nature*, 343(6254), 180–182. PMID: 2404210
- Ervasti, J. M. (2007). Dystrophin, its interactions with other proteins, and implications for muscular dystrophy. *Biochimica et Biophysica Acta*, 1772, 108-117.

- Ervasti, J. M., & Campbell, K. P. (1991). Dystrophin-associated glycoproteins: Their possible roles in the pathogenesis of Duchenne muscular dystrophy. *Proceedings of the National Academy of Sciences of the United States of America*, 88(18), 8213-8217.
- Ervasti, J. M., Ohlendieck, K., Kahl, S. D., Gaver, M. G., & Campbell, K. P. (1990). Deficiency of a glycoprotein component of the dystrophin complex in dystrophic muscle. *Nature*, 345, 315-319.
- Fairclough, R. J., Wood, M. J., & Davies, K. E. (2013). Therapy for Duchenne muscular dystrophy: Renewed optimism from genetic approaches. *Nature Reviews Genetics*, 14(6), 373–378. <https://doi.org/10.1038/nrg3460>
- Fajardo, V. A., Chambers, P. J., Juracic, E. S., et al. (2018). Sarcolipin deletion in mdx mice impairs calcineurin signalling and worsens dystrophic pathology. *Human Molecular Genetics*, 27(23), 4094-4102. doi:10.1093/hmg/ddy302
- Fan, M., Rhee, J., St-Pierre, J., Handschin, C., Puigserver, P., Lin, J., Jaeger, S., Erdjument-Bromage, H., Tempst, P., & Spiegelman, B. M. (2004). Suppression of mitochondrial respiration through recruitment of p160 myb binding protein to PGC-1alpha: Modulation by p38 MAPK. *Genes and Development*, 18, 278–289.
- Fan, Y., Maley, M., Beilharz, M., & Grundes, M. (1996). Rapid death of injected myoblasts in myoblast transfer therapy. *Muscle Nerve*, 19, 853-860.
- Farr, G. H., Morris, M., Gomez, A., Pham, T., Kilroy, E., Parker, E. U., ... Maves, L. (2020). A novel chemical-combination screen in zebrafish identifies epigenetic small molecule candidates for the treatment of Duchenne muscular dystrophy. *Skeletal Muscle*, 10, 29. <https://doi.org/10.1186/s13395-020-00256-z>
- Feener, C. A., Koenig, M., & Kunkel, L. M. (1989). Alternative splicing of human dystrophin mRNA generates isoforms at the carboxy terminus. *Nature*, 338(6215), 509–511.
- Feige, P., Tsai, E. C., & Rudnicki, M. A. (2021). Analysis of human satellite cell dynamics on cultured adult skeletal muscle myofibers. *Skeletal Muscle*, 11(1), 1. <https://doi.org/10.1186/s13395-020-00256-z>

- Fiacco, E., Castagnetti, F., Bianconi, V., Madaro, L., De Bardi, M., Nazio, F., ... Latella, L. (2016). Autophagy regulates satellite cell ability to regenerate normal and dystrophic muscles. *Cell Death & Differentiation*, 23, 1839–1849.
- Fliegel, L. (2019). Structural and Functional Changes in the Na⁺/H⁺ Exchanger Isoform 1, Induced by Erk1/2 Phosphorylation. *International Journal of Molecular Sciences*, 20(10), 2378. <https://doi.org/10.3390/ijms20102378>
- Fong, P. Y., Turner, P. R., Denetclaw, W. F., & Steinhardt, R. A. (1990). Increased activity of calcium leak channels in myotubes of Duchenne human and mdx mouse origin. *Science*, 250(4981), 673–676.
- Fryer, C. J., Lamar, E., Turbachova, I., Kintner, C., & Jones, K. A. (2002). Mastermind mediates chromatin-specific transcription and turnover of the Notch enhancer complex. *Genes & Development*, 16, 1397–1411.
- Fujimaki, S., Matsumoto, T., Muramatsu, M., Nagahisa, H., Horii, N., Seko, D., ... Ono, Y. (2022). Publisher Correction: The endothelial Dll4-muscular Notch2 axis regulates skeletal muscle mass. *Nature Metabolism*, 4(3), 404. <https://doi.org/10.1038/s42255-022-00560-6>
- Fujimaki, S., Seko, D., Kitajima, Y., Yoshioka, K., Tsuchiya, Y., Masuda, S., & Ono, Y. (2018). Notch1 and Notch2 Coordinately Regulate Stem Cell Function in the Quiescent and Activated States of Muscle Satellite Cells. *Stem Cells (Dayton, Ohio)*, 36(2), 278–285. <https://doi.org/10.1002/stem.2743>
- Gailly, P. (2012). TRP channels in normal and dystrophic skeletal muscle. *Current Opinion in Pharmacology*, 12(3), 326-334. <https://doi.org/10.1016/j.coph.2012.01.018>
- Gaina, G., & Popa (Gruianu), A. (2021). Muscular dystrophy: Experimental animal models and therapeutic approaches (Review). *Experimental and Therapeutic Medicine*, 21, 610.
- Garbincius, J. F., & Michele, D. E. (2015). Dystrophin-glycoprotein complex regulates muscle nitric oxide production through mechanoregulation of AMPK signaling. *Proceedings of the National Academy of Sciences*, 112(44), 13663-13668. <https://doi.org/10.1073/PNAS.1512991112>

- Gervásio, O. L., Whitehead, N. P., Yeung, E. W., Phillips, W. D., & Allen, D. G. (2008). TRPC1 binds to caveolin-3 and is regulated by Src kinase - role in Duchenne muscular dystrophy. *Journal of Cell Science*, 121(Pt 13), 2246-2255. <https://doi.org/10.1242/jcs.032003>
- Gibbs, E. M., Horstick, E. J., & Dowling, J. J. (2013). Swimming into prominence: the zebrafish as a valuable tool for studying human myopathies and muscular dystrophies. *The FEBS journal*, 280(17), 4187–4197. <https://doi.org/10.1111/febs.12412>
- Gioftsidis, S., Relaix, F., & Mourikis, P. (2022). The Notch signaling network in muscle stem cells during development, homeostasis, and disease. *Skeletal Muscle*, 12(1), 9. <https://doi.org/10.1186/s13395-022-00293-w>
- Giordano, C., Mojumdar, K., Liang, F., Lemaire, C., Li, T., Richardson, J., ... Petrof, B. J. (2015). Toll-like receptor 4 ablation in mdx mice reveals innate immunity as a therapeutic target in Duchenne muscular dystrophy. *Human Molecular Genetics*, 24(8), 2147-2162. <https://doi.org/10.1093/hmg/ddu735>
- Gloss, D., Moxley, R. T., 3rd, Ashwal, S., & Oskoui, M. (2016). Practice guideline update summary: Corticosteroid treatment of Duchenne muscular dystrophy: Report of the Guideline Development Subcommittee of the American Academy of Neurology. *Neurology*, 86(5), 465-472. doi:10.1212/WNL.0000000000002337
- Gonzalez, D. R., Treuer, A. V., Lamirault, G., Mayo, V., Cao, Y., Dulce, R. A., & Hare, J. M. (2014). NADPH oxidase-2 inhibition restores contractility and intracellular calcium handling and reduces arrhythmogenicity in dystrophic cardiomyopathy. *American journal of physiology. Heart and circulatory physiology*, 307(5), H710–H721. <https://doi.org/10.1152/ajpheart.00890.2013>
- Görlach, A., Bertram, K., Hudecova, S., & Krizanová, O. (2015). Calcium and ROS: A mutual interplay. *Redox Biology*, 6, 260-271.
- Gowers, W. (1879). Clinical lecture on pseudo-hypertrophic muscular paralysis. *Lancet*, 2, 1–2, 37–39, 73–75, 113–116.
- Gramolini, A. O., & Jasmin, B. J. (1999). Expression of the utrophin gene during myogenic differentiation. *Nucleic Acids Research*, 27(17), 3603–3609. <https://doi.org/10.1093/nar/27.17.3603>

- Granato, M., van Eeden, F. J., Schach, U., Trowe, T., Brand, M., Furutani-Seiki, M., ... Nusslein-Volhard, C. (1996). Genes controlling and mediating locomotion behavior of the zebrafish embryo and larva. *Development*, 123, 399-413.
- Gridley, T. (2007). Notch signaling in vascular development and physiology. *Development*, 134(15), 2709–2718.
- Grounds, M. D., Radley, H. G., Lynch, G. S., Nagaraju, K., & De Luca, A. (2008). Towards developing standard operating procedures for preclinical testing in the mdx mouse model of Duchenne muscular dystrophy. *Neurobiology of Disease*, 31, 1–19.
- Guerette, B., Skuk, D., Célestin, F., Huard, C., Tardif, F., Asselin, I., et al. (1997). Prevention by anti-LFA-1 of acute myoblast death following transplantation. *Journal of Immunology*, 159, 2522–2531.
- Guiraud, S., & Davies, K. E. (2017). Pharmacological advances for treatment in Duchenne muscular dystrophy. *Current Opinion in Pharmacology*, 34, 36–48. <https://doi.org/10.1016/j.coph.2017.04.002>
- Gupte, S. A., Levine, R. J., Gupte, R. S., Young, M. E., Lionetti, V., Labinsky, V., Floyd, B. C., Ojaimi, C., Bellomo, M., Wolin, M. S., & Recchia, F. A. (2006). Glucose-6-phosphate dehydrogenase-derived NADPH fuels superoxide production in the failing heart. *Journal of Molecular and Cellular Cardiology*, 41(2), 340-349. doi:10.1016/j.yjmcc.2006.05.003
- Guyon, J. R., Goswami, J., Jun, S. J., Thorne, M., Howell, M., Pusack, T., ... Kunkel, L. M. (2009). Genetic isolation and characterization of a splicing mutant of zebrafish dystrophin. *Human Molecular Genetics*, 18, 202-211.
- Guyon, J. R., Mosley, A. N., Zhou, Y., O'Brien, K. F., Sheng, X., Chiang, K., ... Kunkel, L. M. (2003). The dystrophin associated protein complex in zebrafish. *Human Molecular Genetics*, 12, 601-615.
- Harisseh, R., Chatelier, A., Magaud, C., Déliot, N., Constantin, B. (2013). Involvement of TRPV2 and SOCE in calcium influx disorder in DMD primary human myotubes with a specific contribution of α 1-syntrophin and PLC/PKC in SOCE regulation. *American Journal of Physiology - Cell Physiology*, 304(9), C881-C894.

- Hathout, Y., Liang, C., Ogundele, M., Xu, G., Tawalbeh, S. M., Dang, U. J., ... McDonald, C. (2019). Disease-specific and glucocorticoid-responsive serum biomarkers for Duchenne Muscular Dystrophy. *Scientific Reports*, 9(1), 12167. doi:10.1038/s41598-019-48548-9
- Hess, H. H. (1965). Glycolysis in muscle disease. *Translational Research*, 66(2), 289-291. [https://doi.org/10.1016/0022-2143\(65\)90028-4](https://doi.org/10.1016/0022-2143(65)90028-4)
- Hightower, R. M., Reid, A. L., Gibbs, D. E., Wang, Y., Widrick, J. J., Kunkel, L. M., ... Alexander, M. S. (2020). The SINE Compound KPT-350 Blocks Dystrophic Pathologies in DMD Zebrafish and Mice. *Molecular Therapy*, 28, 189-201.
- Hildyard, J. C. W., Finch, A. M., & Wells, D. J. (2019). Identification of qPCR reference genes suitable for normalizing gene expression in the mdx mouse model of Duchenne muscular dystrophy. *PloS one*, 14(1), e0211384. <https://doi.org/10.1371/journal.pone.0211384>
- Hintz, C. S., Mckee, D., Felder, S., Kaiser, K., & Lowry, O. H. (1987). Effect of Duchenne Muscular Dystrophy on Enzymes of Energy Metabolism in Individual Muscle Fibers, 761-767.
- Hnia K, Gerald Hugon, François Rivier, Ahmed Masmoudi, Jacques Mercier, Dominique Mornet, Modulation of p38 Mitogen-Activated Protein Kinase Cascade and Metalloproteinase Activity in Diaphragm Muscle in Response to Free Radical Scavenger Administration in Dystrophin-Deficient Mdx Mice, *The American Journal of Pathology*, Volume 170, Issue 2, February 2007, Pages 633-643, ISSN 0002-9440, <http://dx.doi.org/10.2353/ajpath.2007.060344>.
- Hnia, K., Zouiten, D., Cantel, S., Chazalotte, D., Hugon, G., Fehrentz, J. A., ... Benkhelifa-Ziyyat, S. (2007). ZZ domain of dystrophin and utrophin: Topology and mapping of a beta-dystroglycan interaction site. *Biochemical Journal*, 401(3), 667-677.
- Hodges, B. L., Hayashi, Y. K., Nonaka, I., Wang, W., Arahata, K., & Kaufman, S. J. (1997). Altered expression of the alpha7beta1 integrin in human and murine muscular dystrophies. *Journal of Cell Science*, 110(Pt 22), 2873-2881.
- Hoffman, E. P., Knudson, C. M., Campbell, K. P., & Kunkel, L. M. (1987). Subcellular fractionation of dystrophin to the triads of skeletal muscle. *Nature*, 330, 754-758.

- Houang, E. M., Sham, Y. Y., Bates, F. S., & Metzger, J. M. (2018). Muscle membrane integrity in Duchenne muscular dystrophy: Recent advances in copolymer-based muscle membrane stabilizers. *Skeletal Muscle*, 8, 31.
- Hughes, M. C., Ramos, S. V., Turnbull, P. C., Rebalka, I. A., Cao, A., Monaco, C. M. F., ... Perry, C. G. R. (2019). Early myopathy in Duchenne muscular dystrophy is associated with elevated mitochondrial H₂O₂ emission during impaired oxidative phosphorylation. *Journal of Cachexia, Sarcopenia and Muscle*, 10, 643-661.
- Hutter, O. F. (1992). The membrane hypothesis of Duchenne muscular dystrophy: Quest for functional evidence. *Journal of Inherited Metabolic Disease*, 15(4), 565-577.
- Hwang, W. Y., Fu, Y., Reyon, D., Maeder, M. L., Kaini, P., Sander, J. D., Joung, J. K., Peterson, R. T., & Yeh, J. R. (2013). Heritable and precise zebrafish genome editing using a CRISPR-Cas system. *PloS one*, 8(7), e68708. <https://doi.org/10.1371/journal.pone.0068708>
- Ionasescu, V., Zellweger, H., Ionasescu, R., Lara-Braud, C., & Cancilla, P. A. (1976). Protein synthesis in muscle cultures from patients with Duchenne muscular dystrophy. Calcium and A23187 ionophore dependent changes. *Acta Neurologica Scandinavica*, 54(3), 241-247.
- Ishikawa-Sakurai, M., Yoshida, M., Imamura, M., Davies, K. E., & Ozawa, E. (2004). ZZ domain is essentially required for the physiological binding of dystrophin and utrophin to beta-dystroglycan. *Human Molecular Genetics*, 13(7), 693-702.
- Iso, T., Kedes, L., & Hamamori, Y. (2003). HES and HERP families: Multiple effectors of the Notch signaling pathway. *Journal of Cellular Physiology*, 194, 237-255.
- Iwata, Y., Katanosaka, Y., Hisamitsu, T., & Wakabayashi, S. (2007). Enhanced Na⁺/H⁺ exchange activity contributes to the pathogenesis of muscular dystrophy via involvement of P2 receptors. *American Journal of Pathology*, 171(5), 1576-1587.
- Johnson, E. K., Li, B., Yoon, J. H., Flanigan, K. M., Martin, P. T., Ervasti, J., ... & Winder, S. J. (2013). Identification of new dystroglycan complexes in skeletal muscle. *PLoS ONE*, 8(8), e73224. <https://doi.org/10.1371/journal.pone.0073224>
- Jones, L., Naidoo, M., Machado, L. R., & Anthony, K. (2021). The Duchenne muscular dystrophy gene and cancer. *Cellular Oncology*, 44(1), 19–32. <https://doi.org/10.1007/s13402-020-00572-y>

- Jory, A., Le Roux, I., Gayraud-Morel, B., Rocheteau, P., Cohen-Tannoudji, M., Cumano, A., & Tajbakhsh, S. (2009). Numb promotes an increase in skeletal muscle progenitor cells in the embryonic somite. *Stem Cells*, 27, 2769–2780.
- Juan-Mateu, J., Gonzalez-Quereda, L., Rodriguez, M. J., Baena, M., Verdura, E., Nascimento, A., ... & Gallano, P. (2015). DMD mutations in 576 dystrophinopathy families: A step forward in genotype-phenotype correlations. *PLoS ONE*. <https://doi.org/10.1371/journal.pone.0135189>
- Jung, D., Yang, B., Meyer, J., Chamberlain, J. S., & Campbell, K. P. (1995). Identification and characterization of the dystrophin anchoring site on beta-dystroglycan. *Journal of Biological Chemistry*, 270(45), 27305–27310. pmid:7592992
- Kageyama, R., Ohtsuka, T., & Hatakeyama, J. (2005). Roles of bHLH genes in neural stem cell differentiation. *Experimental Cell Research*, 306, 343–348.
- Kamalakar, A., Oh, M. S., Stephenson, Y. C., Ballestas-Naissir, S. A., Davis, M. E., Willett, N. J., ... & Goudy, S. L. (2019). A non-canonical JAGGED1 signal to JAK2 mediates osteoblast commitment in cranial neural crest cells. *Cellular Signalling*, 54, 130–138. <https://doi.org/10.1016/j.cellsig.2018.12.002>
- Kar, N. C., & Pearson, C. M. (1972). NADP-linked dehydrogenases in Duchenne muscular dystrophy. *Clinica Chimica Acta*, 38(1), 183–186. [https://doi.org/https://doi.org/10.1016/0009-8981\(72\)90224-0](https://doi.org/https://doi.org/10.1016/0009-8981(72)90224-0)
- Kar, N. C., & Pearson, C. M. (1975). Glyoxalase enzyme system in human muscular dystrophy. *Clinica Chimica Acta*, 65(1), 153–155. [https://doi.org/https://doi.org/10.1016/0009-8981\(75\)90348-4](https://doi.org/https://doi.org/10.1016/0009-8981(75)90348-4)
- Kargacin, G. J., Kargacin, M. E., Klitzner, T. S., & Vander, A. J. (1986). Alteration in electrical and mechanical behavior of rat ventricular muscle caused by chronic stimulation. *Circulation Research*, 59(2), 253-262. <https://doi.org/10.1161/01.res.59.2.253>
- Kawahara, G., & Kunkel, L. M. (2013). Zebrafish based small molecule screens for novel DMD drugs. *Drug Discovery Today: Technologies*, 10, e91–e96. <https://doi.org/10.1016/j.ddtec.2013.07.001>

- Kawahara, G., Gasperini, M. J., Myers, J. A., Widrick, J. J., Eran, A., Serafini, P. R.,... Kunkel, L. M. (2014). Dystrophic muscle improvement in zebrafish via increased heme oxygenase signaling. *Human Molecular Genetics*, 23, 1869–1878. <https://doi.org/10.1093/hmg/ddt580>
- Kawahara, G., Karpf, J. A., Myers, J. A., Alexander, M. S., Guyon, J. R., & Kunkel, L. M. (2011). Drug screening in a zebrafish model of Duchenne muscular dystrophy. *Proceedings of the National Academy of Sciences*, 108, 5331–5336. <https://doi.org/10.1073/pnas.1016746108>
- Kesari, A., Pirra, L. N., Bremadesam, L., McIntyre, O., Gordon, E., Dubrovsky, A. L., Viswanathan, V. and Hoffman, E. P. (2008), Integrated DNA, cDNA, and protein studies in Becker muscular dystrophy show high exception to the reading frame rule. *Hum. Mutat.*, 29: 728–737. doi:10.1002/humu.20722
- Khairallah, R. J., Shi, G., Sbrana, F., Prosser, B. L., Borroto, C., Mazaitis, M. J., Hoffman, E. P., Mahurkar, A., Sachs, F., Sun, Y., Chen, Y.-W., Raiteri, R., Lederer, W. J., Dorsey, S. G., & Ward, C. W. (2012). Microtubules underlie dysfunction in Duchenne muscular dystrophy. *Science Signaling*, 5(236), ra56. doi: 10.1126/scisignal.2002829
- Kilroy, E. (2020). Zebrafish as a Model to Understand the Impact of Inactivity and Neuromuscular Electrical Stimulation on Duchenne Muscular Dystrophy (Electronic Theses and Dissertations No. 3232). University of Maine. Retrieved from <https://digitalcommons.library.umaine.edu/etd/3232>
- Kilroy, E. A., Ignacz, A. C., Brann, K. L., Schaffer, C. E., Varney, D., Alrowaished, S. S.,... Henry, C. A. (2022). Beneficial impacts of neuromuscular electrical stimulation on muscle structure and function in the zebrafish model of Duchenne muscular dystrophy. *eLife*, 11, e62760. <https://doi.org/10.7554/eLife.62760>
- Kim, S., Campbell, K. A., Fox, D. J., Matthews, D. J., Valdez, R., & MD STARnet (2014). Corticosteroid Treatments in Males With Duchenne Muscular Dystrophy: Treatment Duration and Time to Loss of Ambulation. *Journal of child neurology*, 30(10), 1275–1280. doi:10.1177/0883073814558120.
- Kitajima, Y., Yoshioka, K., & Suzuki, N. The ubiquitin–proteasome system in regulation of the skeletal muscle homeostasis and atrophy: from basic science to disorders. *The Journal of Physiological Sciences*, 70, 40 (2020). <https://doi.org/10.1186/s12576-020-00768-9>

- Kitamoto, T., & Hanaoka, K. (2010). Notch3 Null Mutation in Mice Causes Muscle Hyperplasia by Repetitive Muscle Regeneration. *Stem Cells*, 28(12), 2205–2216. <https://doi.org/10.1002/stem.547>
- Knuesel I, Bornhauser BC, Zuellig RA, Heller F, Schaub MC, Fritschy JM.(2000) Differential expression of utrophin and dystrophin in CNS neurons: an in situ hybridization and immunohistochemical study. *J Comp Neurol* 422: 594–611.
- Koenig, M., Hoffman, E. P., Bertelson, C. J., Monaco, A. P., Feener, C., & Kunkel, L. M. (1987). Complete cloning of the duchenne muscular dystrophy (DMD) cDNA and preliminary genomic organization of the DMD gene in normal and affected individuals. *Cell*, 50(3), 509–517. [https://doi.org/https://doi.org/10.1016/0092-8674\(87\)90504-6](https://doi.org/https://doi.org/10.1016/0092-8674(87)90504-6)
- Kopan R, Nye JS, Weintraub H. The intracellular domain of mouse Notch: a constitutively activated repressor of myogenesis directed at the basic helix–loop–helix region of MyoD. *Development*. 1994; 120:2385–2396.
- Kottlors, M., & Janbernd Kirschner (2010). Elevated satellite cell number in Duchenne muscular dystrophy. *Cell and Tissue Research*, 340(3), 541.
- Kourakis, S., Timpani, C. A., de Haan, J. B., Gueven, N., Fischer, D., & Rybalka, E. (2021). Targeting Nrf2 for the treatment of Duchenne Muscular Dystrophy. *Redox Biology*, 38, 101803. <https://doi.org/https://doi.org/10.1016/j.redox.2020.101803>
- Krishna, S., Spaulding, H. R., Quindry, T. S., Hudson, M. B., Quindry, J. C., & Selsby, J. T.. Indices of Defective Autophagy in Whole Muscle and Lysosome Enriched Fractions From Aged D2-mdx Mice. *Frontiers in Physiology*, 12 (2021). <https://doi.org/10.3389/fphys.2021.691245>
- Kuang S, Kuroda K, Le Grand F, Rudnicki MA. Asymmetric self-renewal and commitment of satellite stem cells in muscle. *Cell*. 2007; 129:999–1010.
- Kumar, V., Vashishta, M., & Dwarakanath, B. S. (2022). Oxidative Stress and Notch Signaling BT - Handbook of Oxidative Stress in Cancer: Mechanistic Aspects. In S. Chakraborti, B. K. Ray, & S. Roychoudhury (Eds.) (pp. 1327–1343). Singapore: Springer Nature Singapore. https://doi.org/10.1007/978-981-15-9411-3_83
- Kuznetsov, A. V., Winkler, K., Wiedemann, F. R., Von Bossanyi, P., Dietzmann, K., & Kunz, W. S. (1998). Impaired mitochondrial oxidative phosphorylation in skeletal muscle of the

- dystrophin-deficient mdx mouse. *Molecular and Cellular Biochemistry*, 183(1–2), 87–96. <https://doi.org/10.1023/A:1006868130002>
- Labun, K., Montague, T. G., Krause, M., Torres Cleuren, Y. N., Tjeldnes, H., & Valen, E. (2019). CHOPCHOP v3: expanding the CRISPR web toolbox beyond genome editing. *Nucleic Acids Research*.
- Lacroix, J., Poët, M., Maehrel, C., & Counillon, L. (2004). A mechanism for the activation of the Na/H exchanger NHE-1 by cytoplasmic acidification and mitogens. *EMBO Reports*, 5(1), 91–96. doi:10.1038/sj.embor.7400035
- Landi, N., Nassi, P., Liguri, G., Bobbi, S., Sbrilli, C., & Marconi, G. (1986). Sarcoplasmic reticulum Ca²⁺-ATPase and acylphosphatase activities in muscle biopsies from patients with Duchenne muscular dystrophy. *Clinica Chimica Acta*, 158(3), 245–251. [https://doi.org/10.1016/0009-8981\(86\)90288-3](https://doi.org/10.1016/0009-8981(86)90288-3)
- Lange, J. N., Wood, K. D., Knight, J., Assimos, D. G., & Holmes, R. P. (2012). Glyoxal formation and its role in endogenous oxalate synthesis. *Advances in urology*, 2012, 819202. <https://doi.org/10.1155/2012/819202>
- Lara-Chacón, B., De León, M. B., Leocadio, D., Gómez, P., Fuentes-Mera, L., Martínez-Vieyra, I., ... Cisneros, B. (2010). Characterization of an importin in α/β -recognized nuclear localization signal in β -dystroglycan. *Journal of Cellular Biochemistry*, 110, 706–717.
- Larcher, T., Lafoux, A., Tesson, L., Remy, S., Thepenier, V., François, V., ... Huchet, C. (2014). Characterization of Dystrophin Deficient Rats: A New Model for Duchenne Muscular Dystrophy. *PLOS ONE*, 9(10), e110371. Retrieved from <https://doi.org/10.1371/journal.pone.0110371>
- Lewis, J., Hanisch, A., & Holder, M. (2009). Notch signaling, the segmentation clock, and the patterning of vertebrate somites. *Journal of Biology*, 8, 44.
- Liang, R. C. R. (1986). Studies on mitochondria from dystrophic skeletal muscle of mice. *Biochemical Medicine and Metabolic Biology*, 36(2), 172–178. [https://doi.org/10.1016/0885-4505\(86\)90121-0](https://doi.org/10.1016/0885-4505(86)90121-0)
- Liberona, J. L., Powell, J. A., Shenoi, S., Petherbridge, L., Caviedes, R., & Jaimovich, E. (1998). Differences in both inositol 1,4,5-trisphosphate mass and inositol 1,4,5-trisphosphate

- receptors between normal and dystrophic skeletal muscle cell lines. *Muscle & Nerve*, 21, 902–909.
- Licitra, R., Marchese, M., Brogi, L., Fronte, B., Pitto, L., & Santorelli, F. M. (2021). Nutraceutical Screening in a Zebrafish Model of Muscular Dystrophy: Gingerol as a Possible Food Aid. *Nutrients*, 13, 998.
- Lidov, H. G., Byers, T. J., Watkins, S. C., & Kunkel, L. M. (1990). Localization of dystrophin to postsynaptic regions of central nervous system cortical neurons. *Nature*, 348, 725–728.
- Lindsay, A., McCourt, P. M., Karachunski, P., Lowe, D. A., & Ervasti, J. M. (2018). Xanthine oxidase is hyper-active in Duchenne muscular dystrophy. *Free Radical Biology and Medicine*, 129, 364–371. doi:10.1016/j.freeradbiomed.2018.10.404
- Lindsell, C. E., Shawber, C. J., Boulter, J., & Weinmaster, G. (1995). Jagged: a mammalian ligand that activates Notch1. *Cell*, 80, 909–917.
- Liu, G., Ito, T., Kijima, Y., Yoshitake, K., Asakawa, S., Watabe, S., & Kinoshita, S. (2021). Zebrafish Danio rerio trunk muscle structure and growth from a spatial transcriptomics perspective. *BioRxiv*, 2021.06.03.446321. <https://doi.org/10.1101/2021.06.03.446321>
- Liu, J., Milner, D. J., Boppart, M. D., Ross, R. S., & Kaufman, S. J. (2012). β 1D chain increases α 7 β 1 integrin and laminin and protects against sarcolemmal damage in mdx mice. *Human Molecular Genetics*, 21(7), 1592–1603. doi:10.
- Ljubcic, V., Khogali, S., Renaud, J.-M., & Jasmin, B. J. (2012). Chronic AMPK stimulation attenuates adaptive signaling in dystrophic skeletal muscle. *American Journal of Physiology-Cell Physiology*, 302(1), C110–C121. doi:10.1152/ajpcell.00183.2011
- Lo Mauro, A., & Aliverti, A. (2016). Physiology of respiratory disturbances in muscular dystrophies. *Breathe (Sheffield, England)*, 12, 318–327. doi:10.1183/20734735.012716
- Lodi, R., Kemp, G. J., Muntoni, F., Thompson, C. H., Rae, C., Taylor, J., ... Taylor, D. J. (1999). Reduced cytosolic acidification during exercise suggests defective glycolytic activity in skeletal muscle of patients with Becker muscular dystrophy. An in vivo ³¹P study. *Magnetic Resonance in Medicine*, 41(1), 121–130.

- Lu, Q. L., Cirak, S., & Partridge, T. (2014). What can we learn from clinical trials of exon skipping for DMD? *Molecular Therapy. Nucleic Acids*, 3, e152. doi:10.1038/mtna.2014.2
- Maffioletti, S., Noviello, M., English, K., & Tedesco, F. (2014). Stem cell transplantation for muscular dystrophy: The challenge of immune response. *BioMed Research International*, 2014, Article ID 964010. doi:10.1155/2014/964010
- Mamchaoui, K., Trollet, C., Bigot, A., Negroni, E., Chaouch, S., Wolff, A., ... Mouly, V. (2011). Immortalized pathological human myoblasts: Towards a universal tool for the study of neuromuscular disorders. *Skeletal Muscle*, 1(1), 34. <https://doi.org/10.1186/2044-5040-1-34>
- Mancinelli, E., Sardini, A., D'Aumiller, A., Meola, G., Martucci, G., Cossu, G., & Wanke, E. (1989). Properties of acetylcholine-receptor activation in human Duchenne muscular dystrophy myotubes. *Proceedings of the Royal Society of London. Series B, Biological Sciences*, 237(1287), 247–257. <https://doi.org/10.1098/rspb.1989.0047>
- Manning, J., & O'Malley, D. (2015). What has the mdx mouse model of Duchenne muscular dystrophy contributed to our understanding of this disease? *Journal of Muscle Research and Cell Motility*, 36, 155–167. doi:10.1007/s10974-015-9395-8
- Marden, J. R., Freimark, J., Yao, Z., Signorovitch, J., Tian, C., & Wong, B. L. (2020). Real-world outcomes of long-term prednisone and deflazacort use in patients with Duchenne muscular dystrophy: experience at a single, large care center. *Journal of Comparative Effectiveness Research*, 9, 177–189.
- Mareedu, S., Million, E. D., Duan, D., & Babu, G. J. (2021). Abnormal Calcium Handling in Duchenne Muscular Dystrophy: Mechanisms and Potential Therapies. *Frontiers in Physiology*, 12. <https://doi.org/10.3389/fphys.2021.647010>
- Maria, A., & Wallimanns, T. (1990). Muscle-type MM Creatine Kinase Is Specifically Bound to Sarcoplasmic Reticulum and Can Support Ca^{2+} Uptake and Regulate Local ATP / ADP Ratios. *Muscles*, 265(9).
- Markham, L. W., Brinkmeyer-Langford, C. L., Soslow, J. H., Gupte, M., Sawyer, D. B., Kornegay, J. N., & Galindo, C. L. (2017). GRMD cardiac and skeletal muscle metabolism gene profiles are distinct. *BMC Medical Genomics*, 10(1), 14–16. <https://doi.org/10.1186/s12920-017-0257-2>

- Markham, L. W., Kinnett, K., Wong, B. L., Woodrow Benson, D., & Cripe, L. H. (2008). Corticosteroid treatment retards development of ventricular dysfunction in Duchenne muscular dystrophy. *Neuromuscular Disorders*. <https://doi.org/10.1016/j.nmd.2008.03.002>
- Matthews, E., Brassington, R., Kuntzer, T., Jichi, F., & Manzur, A. Y. (2016). Corticosteroids for the treatment of Duchenne muscular dystrophy. *The Cochrane Database of Systematic Reviews*, 2016(5), CD003725. <https://doi.org/10.1002/14651858.CD003725.pub4>
- Mayer, O. H., Leinonen, M., Rummey, C., Meier, T., Buyse, G. M., & DELOS Study Group (2017). Efficacy of Idebenone to Preserve Respiratory Function above Clinically Meaningful Thresholds for Forced Vital Capacity (FVC) in Patients with Duchenne Muscular Dystrophy. *Journal of Neuromuscular Diseases*, 4(3), 189–198. <https://doi.org/10.3233/jnd-170241>
- Mázala, D. A. G., Pratt, S. J. P., Chen, D., Molkentin, J. D., Lovering, R. M., & Chin, E. R. (2015). SERCA1 overexpression minimizes skeletal muscle damage in dystrophic mouse models. *American Journal of Physiology-Cell Physiology*, 308(9), C699–C709. <https://doi.org/10.1152/ajpcell.00341.2014>
- McGreevy, J. W., Hakim, C. H., McIntosh, M. A., & Duan, D. (2015). Animal models of Duchenne muscular dystrophy: from basic mechanisms to gene therapy. *Disease Models & Mechanisms*, 8, 195–213.
- Mendell, J. R., Campbell, K., Rodino-Klapac, L., Sahenk, Z., Shilling, C., Lewis, S., ... Walker, C. M. (2010). Dystrophin immunity in Duchenne's muscular dystrophy. *New England Journal of Medicine*, 363(15), 1429–1437. <https://doi.org/10.1056/NEJMoa1000228>
- Mendell, J., & Clark, K. (2006). Challenges for gene therapy for muscular dystrophy. *Current Neurology and Neuroscience Reports*, 6, 47–56.
- Menke, A., & Jockusch, H. (1995). Extent of shock-induced membrane leakage in human and mouse myotubes depends on dystrophin. *Journal of Cell Science*, 108, 727–733.
- Meryon, E. (1852). On granular and fatty degeneration of the voluntary muscles. *Med Chir Trans*, 35, 73.
- Mizuno, Y. (1985). Glucose-6-phosphate dehydrogenase, 6-phosphogluconate dehydrogenase and glyceraldehyde-3-phosphate dehydrogenase activities in early stages of development in

- dystrophic chickens. *Journal of the Neurological Sciences*, 68(1), 47–60.
[https://doi.org/10.1016/0022-510X\(85\)90049-8](https://doi.org/10.1016/0022-510X(85)90049-8)
- Mo, J.-S., Yoon, J.-H., Ann, E.-J., Ahn, J.-S., Baek, H.-J., Lee, H.-J., ... Park, H.-S. (2013). Notch1 modulates oxidative stress induced cell death through suppression of apoptosis signal-regulating kinase 1. *Proceedings of the National Academy of Sciences*, 110(17), 6865–6870.
<https://doi.org/10.1073/pnas.1209078110>
- Mokhtarian, A., Lefaucheur, J. P., Even, P. C., & Seville, A. (1999). Hindlimb immobilization applied to 21-day-old mdx mice prevents the occurrence of muscle degeneration. *Journal of Applied Physiology*, 86(3), 924–931. <https://doi.org/10.1152/jappl.1999.86.3.924>
- Mokri, B., & Engel, A. G. (1975). Duchenne dystrophy: Electron microscopic findings pointing to a basic or early abnormality in the plasma membrane of the muscle fiber. *Neurology*, 25, 1111–1120.
- Monaco, A. P., Neve, R. L., Colletti-Feener, C., Bertelson, C. J., Kurnit, D. M., & Kunkel, L. M. (1986). Isolation of candidate cDNAs for portions of the Duchenne muscular dystrophy gene. *Nature*, 323, 646-650.
- Mondin, L., Balghi, H., Constantin, B., Cognard, C., & Seville, S. (2009). Negative modulation of inositol 1,4,5-trisphosphate type 1 receptor expression prevents dystrophin-deficient muscle cell death. *American Journal of Physiology-Cell Physiology*, 297, C1133-C1145.
- Montarras, D., L'honoré, A., & Buckingham, M. (2013). Lying low but ready for action: the quiescent muscle satellite cell. *FEBS Journal*, 280, 4036-4050.
- Morgan, J. E., Prola, A., Mariot, V., Pini, V., Meng, J., Hourde, C., Dumonceaux, J., Conti, F., Relaix, F., Authier, F. J., Tiret, L., Muntoni, F., & Bencze, M. (2018). Necroptosis mediates myofibre death in dystrophin-deficient mice. *Nature Communications*, 9(1), 3655.
- Mourikis, P., Sambasivan, R., Castel, D., Rocheteau, P., Bizzarro, V., & Tajbakhsh, S. (2012). A critical requirement for Notch signaling in maintenance of the quiescent skeletal muscle stem cell state. *Stem Cells*, 30, 243-252.
- Mukund, K., & Subramaniam, S. (2020). Skeletal muscle: A review of molecular structure and function, in health and disease. *Wiley Interdisciplinary Reviews: Systems Biology and Medicine*, 12(1), e1462.

- Mungamuri, S. K., Yang, X., Thor, A. D., et al. (2006). Survival signaling by Notch1: Mammalian target of rapamycin (mTOR)-dependent inhibition of p53. *Cancer Research*, 66, 4715-4724.
- Muntoni, F., Cau, M., Ganau, A., Congiu, R., Arvedi, G., Mateddu, A., Marrosu, M. G., Cianchetti, C., Realdi, G., Cao, A., et al. (1993). Brief report: deletion of the dystrophin muscle-promoter region associated with X-linked dilated cardiomyopathy. *New England Journal of Medicine*, 329, 921-925.
- Muntoni, F., Torelli, S., & Ferlini, A. (2003). Dystrophin and mutations: One gene, several proteins, multiple phenotypes. *The Lancet Neurology*, 2(12), 731-740.
- Murugan, S., Arthi, C., Thilothammal, N., & Lakshmi, B. R. (2013). Carrier detection in Duchenne muscular dystrophy using molecular methods. *Indian Journal of Medical Research*, 137(6), 1102-1110.
- Nagata, Y., Kiyono, T., Okamura, K., Goto, Y. I., Matsuo, M., Ikemoto-Uezumi, M., & Hashimoto, N. (2017). Interleukin-1 β -induced Notch ligand Jagged1 suppresses mitogenic action of IL-1 β on human dystrophic myogenic cells. *PloS one*, 12(12), e0188821. <https://doi.org/10.1371/journal.pone.0188821>
- Nakamura, K., Fujii, W., Tsuboi, M., Tanihata, J., Teramoto, N., Takeuchi, S., ... Nishihara, M. (2014). Generation of muscular dystrophy model rats with a CRISPR/Cas system. *Scientific Reports*, 4(1), 5635. <https://doi.org/10.1038/srep05635>
- Nalini, A., Polavarapu, K., & Preethish-Kumar, V. (2017). Muscular dystrophies: An Indian scenario. *Neurology India*, 65, 969-970.
- Nandagopal, N., Santat, L. A., & Elowitz, M. B. (2019). Cis-activation in the Notch signaling pathway. *eLife*, 8, e37880. <https://doi.org/10.7554/eLife.37880>
- Nesari, V., Balakrishnan, S., & Nongthomba, U. (2023). Is the fundamental pathology in Duchenne's muscular dystrophy caused by a failure of glycogenolysis-glycolysis in costameres? *Journal of Genetics*, 102, 13. <https://doi.org/10.1007/s12041-022-01410-w>
- Nesmith, A. P., Wagner, M. A., Pasqualini, F. S., O'Connor, B. B., Pincus, M. J., August, P. R., & Parker, K. K. (2016). A human in vitro model of Duchenne muscular dystrophy muscle formation and contractility. *Journal of Cell Biology*, 215(1), 47-56. <https://doi.org/10.1083/jcb.201603111>

- Nguyen, C. T., Ebrahimi, M., Gilbert, P. M., & Stewart, B. A. (2021). Electrophysiological analysis of healthy and dystrophic 3-D bioengineered skeletal muscle tissues. *American Journal of Physiology-Cell Physiology*, 321(4), C749-C759. <https://doi.org/10.1152/ajpcell.00049.2021>
- Nguyen, T. M., Ellis, J. M., Love, D. R., Davies, K. E., Gatter, K. C., Dickson, G., & Morris, G. E. (1991). Localization of the DMDL gene-encoded dystrophin-related protein using a panel of nineteen monoclonal antibodies: presence at neuromuscular junctions, in the sarcolemma of dystrophic skeletal muscle, in vascular and other smooth muscles, and in proliferating brain cell lines. *Journal of Cell Biology*, 115(6), 1695-1700. <https://doi.org/10.1083/jcb.115.6.1695>
- Nickoloff, B. J., Qin, J. Z., Chaturvedi, V., Denning, M. F., Bonish, B., & Miele, L. (2002). Jagged-1 mediated activation of notch signaling induces complete maturation of human keratinocytes through NF-kappaB and PPARgamma. *Cell death and differentiation*, 9(8), 842–855. <https://doi.org/10.1038/sj.cdd.4401036>
- Nio, Y., Tanaka, M., Hirozane, Y., Muraki, Y., Okawara, M., Hazama, M., & Matsuo, T. (2017). Phosphodiesterase 4 inhibitor and phosphodiesterase 5 inhibitor combination therapy has antifibrotic and anti-inflammatory effects in mdx mice with Duchenne muscular dystrophy. *FASEB Journal*, 31, 5307-5320.
- Nofziger, D., Miyamoto, A., Lyons, K. M., & Weinmaster, G. (1999). Notch signaling imposes two distinct blocks in the differentiation of C2C12 myoblasts. *Development*, 126, 1689–1702.
- Nongthomba, U., & Ramachandra, N. B. (1999). A Direct Screen Identifies New Flight Muscle Mutants on the Drosophila Second Chromosome. *Genetics*, 153, 261–274.
- Nowak, K. J., & Davies, K. E. (2004). Duchenne muscular dystrophy and dystrophin: pathogenesis and opportunities for treatment. *EMBO reports*, 5(9), 872–876. <https://doi.org/10.1038/sj.embor.7400221>
- Ohlendieck, K. (2000-2013). The Pathophysiological Role of Impaired Calcium Handling in Muscular Dystrophy. In *Madame Curie Bioscience Database* [Internet]. Austin (TX): Landes Bioscience. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK6173/>
- Ohlendieck, K., Ervasti, J. M., Snook, J. B., et al. (1991). Dystrophin-glycoprotein complex is highly enriched in isolated skeletal muscle sarcolemma. *Journal of Cell Biology*, 112, 135–148.

- Okabe, M., Imai, T., Kurusu, M., Hiromi, Y., & Okano, H. (2001). Translational repression determines a neuronal potential in *Drosophila* asymmetric cell division. *Nature*, 411(6833), 94-98.
- Olson, L. C., Redden, J. T., Schwartz, Z., Cohen, D. J., & McClure, M. J. (2021). Advanced Glycation End-Products in Skeletal Muscle Aging. *Bioengineering*, 8(11), 168. <https://doi.org/10.3390/bioengineering8110168>
- Packer, J. R., Hirst, A. M., Droop, A. P., Adamson, R., Simms, M. S., Mann, V. M., ... Maitland, N. J. (2020). Notch signalling is a potential resistance mechanism of progenitor cells within patient-derived prostate cultures following ROS-inducing treatments. *FEBS Letters*, 594(2), 209–226. <https://doi.org/10.1002/1873-3468.13589>
- Pallafacchina, G., Francois, S., Regnault, B., Czarny, B., Dive, V., Cumano, A., Montarras, D., & Buckingham, M. (2010). An adult tissue-specific stem cell in its niche: a gene profiling analysis of in vivo quiescent and activated muscle satellite cells. *Stem Cell Research*, 4, 77–91.
- Pardo, A. C., Do, T., Ryder, T., Meyer, A., Miles, L., & Wong, B. L. (2011). Combination of steroids and ischial weight-bearing knee ankle foot orthoses in Duchenne's muscular dystrophy prolongs ambulation past 20 years of age - A case report. *Neuromuscular Disorders*. <https://doi.org/10.1016/j.nmd.2011.06.006>
- Pardo, J. V., Siliciano, J. D., & Craig, S. W. (1983). A vinculin-containing cortical lattice in skeletal muscle: transverse lattice elements ("costameres") mark sites of attachment between myofibrils and sarcolemma. *Proceedings of the National Academy of Sciences of the United States of America*, 80(4), 1008–1012. doi:10.1073/pnas.80.4.1008
- Parreira, S. L. S., Resende, M. B. D., Zanolli, E., Carvalho, M. S., Marie, S. K., & Reed, U. C. (2010). Comparison of motor strength and function in patients with Duchenne muscular dystrophy with or without steroid therapy. *Arquivos de Neuro-Psiquiatria*. <https://doi.org/10.1590/s0004-282x2010000500002>
- Partridge, T. (2004). Stem cell therapies for neuromuscular diseases. *Acta Neurologica Belgica*, 104, 141–147.

- Partridge, T. A. (2013). The mdx mouse model as a surrogate for Duchenne muscular dystrophy. *The FEBS Journal*, 280, 4177–4186.
- Pascoal, S., Esteves de Lima, J., Leslie, J. D., Hughes, S. M., & Saúde, L. (2013). Notch Signalling Is Required for the Formation of Structurally Stable Muscle Fibres in Zebrafish. *PLoS ONE*, 8(6), e68021. <https://doi.org/10.1371/journal.pone.0068021>
- Patton, B. L. (2000). Laminins of the neuromuscular system. *Microscopy Research and Technique*, 51, 247–261.
- Pauly, M., Daussin, F., Burelle, Y., et al. (2012). AMPK activation stimulates autophagy and ameliorates muscular dystrophy in the mdx mouse diaphragm. *The American Journal of Pathology*, 181, 583–592.
- Péladeau, C., Adam, N. J., & Jasmin, B. J. (2018). Celecoxib treatment improves muscle function in mdx mice and increases utrophin A expression. <https://doi.org/10.1096/Fj.201800081R>. <https://doi.org/10.1096/FJ.201800081R>
- Percival, J. M., Siegel, M. P., Knowels, G., & Marcinek, D. J. (2013). Defects in mitochondrial localization and ATP synthesis in the mdx mouse model of Duchenne muscular dystrophy are not alleviated by PDE5 inhibition. *Human Molecular Genetics*, 22(1), 153–167.
- Peter, A. K., & Crosbie, R. H. (2006). Hypertrophic response of Duchenne and limb-girdle muscular dystrophies is associated with activation of Akt pathway. *Experimental Cell Research*, 312, 2580–2591.
- Peter, A. K., Cheng, H., Ross, R. S., Knowlton, K. U., & Chen, J. (2011). The costamere bridges sarcomeres to the sarcolemma in striated muscle. *Progress in Pediatric Cardiology*, 31(2), 83–88. doi:10.1016/j.ppedcard.2011.02.003
- Piga, D., Salani, S., Magri, F., Brusa, R., Mauri, E., Comi, G. P., Bresolin, N., & Corti, S. (2019). Human induced pluripotent stem cell models for the study and treatment of Duchenne and Becker muscular dystrophies. *Therapeutic Advances in Neurological Disorders*, 12, 1756286419833478. <https://doi.org/10.1177/1756286419833478>
- Pigozzo, S. R., Da Re, L., Romualdi, C., Mazzara, P. G., Galletta, E., Fletcher, S., ... Vitiello, L. (2013). Revertant Fibers in the mdx Murine Model of Duchenne Muscular Dystrophy: An Age- and Muscle-Related Reappraisal. *PLOS ONE*, 8, e72147.

- Powers, S. K., Duarte, J., Kavazis, A. N., & Talbert, E. E. (2010). Reactive oxygen species are signaling molecules for skeletal muscle adaptation. *Experimental Physiology*, 95(1), 1–9. <https://doi.org/10.1113/expphysiol.2009.050526>
- Pressmar, J., Brinkmeier, H., Seewald, M. J., Naumann, T., & Rüdel, R. (1994). Intracellular Ca^{2+} concentrations are not elevated in resting cultured muscle from Duchenne (DMD) patients and in MDX mouse muscle fibers. *Pflügers Archiv*, 426, 499–505.
- Prosser, B. L., Khairallah, R. J., Ziman, A. P., Ward, C. W., & Lederer, W. J. (2012). X-ROS signaling in the heart and skeletal muscle: Stretch-dependent local ROS regulates $[\text{Ca}^{2+}]$ *Journal of Molecular and Cellular Cardiology*, 58, 172–181.
- Pulido, S. M., Passaquin, A. C., Leijendekker, W. J., Challet, C., Wallimann, T., & Ruedg, U. T. (1998). Creatine supplementation improves intracellular Ca^{2+} handling and survival in mdx skeletal muscle cells. *FEBS Letters*, 439(3), 357–362.
- Quattrocelli, M., Spencer, M. J., & McNally, E. M. (2017). Outside in: The matrix as a modifier of muscular dystrophy. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, 1864, 572–579. <https://doi.org/10.1016/j.bbamcr.2016.12.020>
- Rae, M. G., & O'Malley, D. (2016). Cognitive dysfunction in Duchenne muscular dystrophy: A possible role for neuromodulatory immune molecules. *Journal of Neurophysiology*, 116, 1304–1315.
- Ramos, J., & Chamberlain, J. S. (2015). Gene therapy for Duchenne muscular dystrophy. *Expert Opinion on Orphan Drugs*, 3(11), 1255–1266. doi: 10.1517/21678707.2015.1088780
- Rando, T. A. (2001). Role of nitric oxide in the pathogenesis of muscular dystrophies: A "two-hit" hypothesis of the cause of muscle necrosis. *Microscopy Research and Technique*, 55, 223–235. doi: 10.1002/jemt.1172.
- Reid, A. L., & Alexander, M. S. (2021). The Interplay of Mitophagy and Inflammation in Duchenne Muscular Dystrophy. *Life*, 11. <https://doi.org/10.3390/life11070648>
- Reynolds, J. G., McCalmon, S. A., Donaghey, J. A., & Naya, F. J. (2008). Deregulated protein kinase A signaling and myospryn expression in muscular dystrophy. *Journal of Biological Chemistry*, 283(13), 8070-8074. doi:10.1074/jbc.C700221200

- Riuzzi, F., Beccafico, S., Sagheddu, R., Chiappalupi, S., Giambanco, I., Bereshchenko, O., Riccardi, C., Sorci, G., & Donato, R. (2017). Levels of S100B protein drive the reparative process in acute muscle injury and muscular dystrophy. *Scientific reports*, 7(1), 12537. <https://doi.org/10.1038/s41598-017-12880-9>
- Rodríguez-Muñoz, R., Cárdenas-Aguayo, M. d. C., Alemán, V., Osorio, B., Chávez-González, O., Rendon, A., et al. (2015). Novel Nuclear Protein Complexes of Dystrophin 71 Isoforms in Rat Cultured Hippocampal GABAergic and Glutamatergic Neurons. *PLOS ONE*, 10(9), e0137328. <https://doi.org/10.1371/journal.pone.0137328>
- Rosenberg, A. S., Puig, M., Nagaraju, K., Hoffman, E. P., Villalta, S. A., Rao, V. A., Wakefield, L. M., & Woodcock, J. (2015). Immune-mediated pathology in Duchenne muscular dystrophy. *Science Translational Medicine*, 7, 299rv4.
- Roy, J., Galano, J.-M., Durand, T., Le Guennec, J.-Y., & Chung-Yung Lee, J. (2017). Physiological role of reactive oxygen species as promoters of natural defenses. *The FASEB Journal*, 31, 3729-3745. doi:10.1096/fj.201700170RH
- Rugowska, A., Starosta, A., & Konieczny, P. (2021). Epigenetic modifications in muscle regeneration and progression of Duchenne muscular dystrophy. *Clinical Epigenetics*, 13, 13.
- Rutter, M. M., Wong, B. L., Collins, J. J., Sawnani, H., Taylor, M. D., Horn, P. S., & Backeljauw, P. F. (2020). Recombinant human insulin-like growth factor-1 therapy for 6 months improves growth but not motor function in boys with Duchenne muscular dystrophy. *Muscle & Nerve*, 61(5), 623-631. <https://doi.org/10.1002/mus.26846>
- Rybalka, E., Timpani, C. A., Cooke, M. B., Williams, A. D., & Hayes, A. (2014). Defects in mitochondrial ATP synthesis in dystrophin-deficient Mdx skeletal muscles may be caused by complex I insufficiency. *PLOS ONE*, 9, e115763.
- Sabourin, J., Harisseh, R., Harnois, T., Magaud, C., Bourmeyster, N., Déliot, N., & Constantin, B. (2012). Dystrophin/alpha1-syntrophin scaffold regulated PLC/PKC-dependent store-operated calcium entry in myotubes. *Cell Calcium*, 52, 445-456.
- Sabourin, J., Lamiche, C., Vandebrouck, A., et al. (2009). Regulation of TRPC1 and TRPC4 cation channels requires an alpha1-syntrophin-dependent complex in skeletal mouse myotubes. *Journal of Biological Chemistry*, 284(52), 36248-36261. doi:10.1074/jbc.M109.012872

- Sacco, A., Mourkioti, F., Tran, R., et al. (2010). Short Telomeres and Stem Cell Exhaustion Model Duchenne Muscular Dystrophy in mdx/mTR Mice. *Cell*, 143(7), 1059-1071. doi:10.1016/j.cell.2010.11.039
- Sagheddu, R., Chiappalupi, S., Salvadori, L., Riuzzi, F., Donato, R., & Sorci, G. (2018). Targeting RAGE as a potential therapeutic approach to Duchenne muscular dystrophy. *Human Molecular Genetics*, 27(21), 3734-3746. <https://doi.org/10.1093/hmg/ddy288>
- Sai Swaroop, R., Akhil, P. S., Sai Sanwid, P., Bandana, P., Raksha, R. K., Meghana, M., et al. (2022). Integrated multi-omic data analysis and validation with yeast model show oxidative phosphorylation modulates protein aggregation in amyotrophic lateral sclerosis. *Journal of Biomolecular Structure and Dynamics*, 1-20. <https://doi.org/10.1080/07391102.2022.2090441>
- Saini-Chohan, H. K., Mitchell, R. W., Vaz, F. M., Zelinski, T., & Hatch, G. M. (2012). Delineating the role of alterations in lipid metabolism to the pathogenesis of inherited skeletal and cardiac muscle disorders: Thematic Review Series: Genetics of Human Lipid Diseases. *Journal of Lipid Research*, 53, 4-27.
- Sali, A., Many, G. M., Gordish-Dressman, H., van der Meulen, J. H., Phadke, A., et al. (2013). The Proton Pump Inhibitor Lansoprazole Improves the Skeletal Phenotype in Dystrophin Deficient mdx Mice. *PLOS ONE*, 8(7), e66617. doi:10.1371/journal.pone.0066617
- Salvadori, L., Chiappalupi, S., Arato, I., Mancuso, F., Calvitti, M., Marchetti, M. C., Riuzzi, F., Calafiore, R., Luca, G., & Sorci, G. (2021). Sertoli Cells Improve Myogenic Differentiation, Reduce Fibrogenic Markers, and Induce Utrophin Expression in Human DMD Myoblasts. *Biomolecules*, 11(10), 1504. <https://doi.org/10.3390/biom11101504>
- Schneider, J. S., Thomas, M. M., Bhagavan, M., O'Connor, C. M., & Pavlath, G. K. (2013). Increased sarcolipin expression and decreased sarco(endo)plasmic reticulum Ca²⁺ uptake in skeletal muscles of mouse models of Duchenne muscular dystrophy. *Journal of Muscle Research and Cell Motility*, 34, 349-356.
- Schneider, S. M., Sridhar, V., Bettis, A. K., Heath-Barnett, H., Balog-Alvarez, C. J., Guo, L. J., Johnson, R., Jaques, S., Vitha, S., Glowcwski, A. C., Kornegay, J. N., & Nghiem, P. P. (2018). Glucose Metabolism as a Pre-clinical Biomarker for the Golden Retriever Model of Duchenne

Muscular Dystrophy. *Molecular Imaging and Biology*, 20(5), 780-788.
<https://doi.org/10.1007/s11307-018-1174-2>

Schram, G., Fournier, A., Leduc, H., Dahdah, N., Therien, J., Vanasse, M., & Khairy, P. (2013). All-cause mortality and cardiovascular outcomes with prophylactic steroid therapy in Duchenne muscular dystrophy. *Journal of the American College of Cardiology*.
<https://doi.org/10.1016/j.jacc.2012.12.008>

Schuster-Gossler, K., Cordes, R., & Gossler, A. (2007). Premature myogenic differentiation and depletion of progenitor cells cause severe muscle hypotrophy in Delta1 mutants. *Proceedings of the National Academy of Sciences*, 104(2), 537-542.

Scott, G. F., Nguyen, A. Q., Cherry, B. H., Hollrah, R. A., Salinas, I., Williams, A. G., Jr, Ryou, M. G., & Mallet, R. T. (2017). Pyruvate preserves antiglycation defenses in porcine brain after cardiac arrest. *Experimental Biology and Medicine*, 242(10), 1095-1103.
<https://doi.org/10.1177/1535370217703353>

Seger, C., Hargrave, M., Wang, X., Chai, R. J., Elworthy, S., & Ingham, P. W. (2011). Analysis of Pax7 expressing myogenic cells in zebrafish muscle development, injury, and models of disease. *Developmental Dynamics*, 240(11), 2440-2451.
<https://doi.org/https://doi.org/10.1002/dvdy.22745>

Sekiguchi, M., Zushida, K., Yoshida, M., Maekawa, M., Kamichi, S., Yoshida, M., Sahara, Y., Yuasa, S., Takeda, S., & Wada, K. (2009). A deficit of brain dystrophin impairs specific amygdala GABAergic transmission and enhances defensive behaviour in mice. *Brain : a journal of neurology*, 132(Pt 1), 124–135. <https://doi.org/10.1093/brain/awn253>

Shao, X., Ding, Z., Zhao, M., Liu, K., Sun, H., Chen, J., ... Li, H. (2017). Mammalian Numb protein antagonizes Notch by controlling post endocytic trafficking of the Notch ligand Delta-like 4. *Journal of Biological Chemistry*, 292(50), 20628-20643.
<https://doi.org/10.1074/jbc.M117.800946>

Sharbati-Tehrani, S., Kutz-Lohroff, B., Bergbauer, R., Scholven, J., & Einspanier, R. (2008). miR-Q: a novel quantitative RT-PCR approach for the expression profiling of small RNA molecules such as miRNAs in a complex sample. *BMC Molecular Biology*, 9, 34.
<https://doi.org/10.1186/1471-2199-9-34>

- Sharma, U., Atri, S., Sharma, M. C., Sarkar, C., & Jagannathan, N. R. (2003). Skeletal muscle metabolism in Duchenne muscular dystrophy (DMD): An in-vitro proton NMR spectroscopy study. *Magnetic Resonance Imaging*, 21(2), 145-153. [https://doi.org/10.1016/S0730-725X\(02\)00646-X](https://doi.org/10.1016/S0730-725X(02)00646-X)
- Shastry, A., Aravind, S., Sunil, M., Ramesh, K., Ashley, B., T., N., ... Phalke, S. (2021). Matrilineal analysis of mutations in the DMD gene in a multigenerational South Indian cohort using DMD gene panel sequencing. *Molecular Genetics & Genomic Medicine*, 9(5), e1633. <https://doi.org/10.1002/mgg3.1633>
- Shawber, C., Nofziger, D., Hsieh, J. -D., Lindsell, C., Bögl, O., Hayward, D., & Weinmaster, G. (1996). Notch signaling inhibits muscle cell differentiation through a CBF1-independent pathway. *Development*, 122, 3765–3773.
- Shin, J., Tajrishi, M. M., Ogura, Y., & Kumar, A. (2013). Wasting mechanisms in muscular dystrophy. *The International Journal of Biochemistry & Cell Biology*, 45(10), 2266–2279. <https://doi.org/10.1016/j.biocel.2013.05.001>
- Sienkiewicz, D., Kulak, W., Okurowska-Zawada, B., Paszko-Patej, G., & Kawnik, K. (2015). Duchenne muscular dystrophy: current cell therapies. *Therapeutic advances in neurological disorders*, 8(4), 166–177. <https://doi.org/10.1177/1756285615586123>
- Sku D., Tremblay J. (2013) Myoblast transplantation in skeletal muscle. In: Atala A., Lanza R., editors. (eds), *Handbook of Stem Cells*, 2nd edn, Volume 2: Adult and Fetal Stem Cells. London: Academic Press, Chapter 57, pp. 653–664.
- Smythe, G.M. and Forwood, J.K. (2012), Altered mitogen-activated protein kinase signaling in dystrophic (mdx) muscle. *Muscle Nerve*, 46: 374-383. doi:10.1002/mus.23312
- Soblechero-Martín, P., López-Martínez, A., de la Puente-Ovejero, L., Vallejo-Illarramendi, A., & Arechavala-Gomeza, V. (2021). Utrophin modulator drugs as potential therapies for Duchenne and Becker muscular dystrophies. *Neuropathology and applied neurobiology*, 47(6), 711–723. <https://doi.org/10.1111/nan.12735>
- Srivastava, N. K., Yadav, R., Mukherjee, S., & Sinha, N. (2018). Perturbation of muscle metabolism in patients with muscular dystrophy in early or acute phase of disease: In vitro,

high resolution NMR spectroscopy based analysis. *Clinica Chimica Acta*, 478, 171–181.
<https://doi.org/10.1016/j.cca.2017.12.036>

Srivastava, N. K., Yadav, R., Mukherjee, S., Pal, L., & Sinha, N. (2017). Abnormal lipid metabolism in skeletal muscle tissue of patients with muscular dystrophy: In vitro, high-resolution NMR spectroscopy based observation in early phase of the disease. *Magnetic resonance imaging*, 38, 163–173. <https://doi.org/10.1016/j.mri.2017.01.001>

Stapleton, D. I., Lau, X., Flores, M., Trieu, J., Gehrig, S. M., Chee, A., Naim, T., Lynch, G. S., & Koopman, R. (2014). Dysfunctional muscle and liver glycogen metabolism in mdx dystrophic mice. *PloS one*, 9(3), e91514. <https://doi.org/10.1371/journal.pone.0091514>

Starosta, A., & Konieczny, P. (2021). Therapeutic aspects of cell signaling and communication in Duchenne muscular dystrophy. *Cellular and Molecular Life Sciences*, 78(11), 4867–4891. <https://doi.org/10.1007/s00018-021-03821-x>

Steffen, L. S., Guyon, J. R., Vogel, E. D., Beltre, R., Pusack, T. J., Zhou, Y., ... Kunkel, L. M. (2007). Zebrafish orthologs of human muscular dystrophy genes. *BMC Genomics*, 8(1), 79. <https://doi.org/10.1186/1471-2164-8-79>

Stocco, A., Smolina, N., Sabatelli, P., Šileikytė, J., Artusi, E., Mouly, V., ... Bernardi, P. (2021). Treatment with a triazole inhibitor of the mitochondrial permeability transition pore fully corrects the pathology of sapje zebrafish lacking dystrophin. *Pharmacological Research*, 165, 105421. <https://doi.org/https://doi.org/10.1016/j.phrs.2021.105421>

Stoughton, W. B., Li, J., Balog-Alvarez, C., & Kornegay, J. N. (2018). Impaired autophagy correlates with golden retriever muscular dystrophy phenotype. *Muscle & Nerve*, 58(3), 418–426. <https://doi.org/https://doi.org/10.1002/mus.26121>

Suárez-Sánchez, R., & Cisneros, B. (2016). Dystrophin Dp71, a novel tumor suppressor?. *Journal Of Xiangya Medicine*, 1(1). doi:10.21037/jxym.2016.12.13

Suárez-Sánchez, R., Aguilar, A., Wagstaff, K. M., Velez, G., Azuara-Medina, P. M., Gomez, P., Vásquez-Limeta, A., Hernández-Hernández, O., Lieu, K. G., Jans, D. A., & Cisneros, B. (2014). Nucleocytoplasmic shuttling of the Duchenne muscular dystrophy gene product dystrophin Dp71d is dependent on the importin α/β and CRM1 nuclear transporters and

microtubule motor dynein. *Biochimica et biophysica acta*, 1843(5), 985–1001.
<https://doi.org/10.1016/j.bbamcr.2014.01.027>

Sultan, S. H. A., Dyer, C., & Knight, R. D. (2021). Notch Signaling Regulates Muscle Stem Cell Homeostasis and Regeneration in a Teleost Fish. *Frontiers in Cell and Developmental Biology*, 9, 726281. <https://doi.org/10.3389/fcell.2021.726281>

Suzuki, A., Yoshida, M., Yamamoto, H., & Ozawa, E. (1992). Glycoprotein-binding site of dystrophin is confined to the cysteine-rich domain and the first half of the carboxy-terminal domain. *FEBS letters*, 308(2), 154–160. [https://doi.org/10.1016/0014-5793\(92\)81265-n](https://doi.org/10.1016/0014-5793(92)81265-n)

Swiderski, K., & Lynch, G. S. (2021). Murine models of Duchenne muscular dystrophy: is there a best model? *American Journal of Physiology-Cell Physiology*, 321(2), C409–C412. <https://doi.org/10.1152/ajpcell.00212.2021>

Szibor, R., Till, U., Lösche, W., & Steinbicker, V. (1981). Red cell response to A23187 and valinomycin in Duchenne muscular dystrophy. *Acta biologica et medica Germanica*, 40(9), 1187–1190.

Taylor, L. W., Wilborn, C. D., Kreider, R. B., & Willoughby, D. S. (2012). Effects of resistance exercise intensity on extracellular signal-regulated kinase 1/2 mitogen-activated protein kinase activation in men. *Journal of strength and conditioning research*, 26(3), 599–607. <https://doi.org/10.1519/JSC.0b013e318242f92d>

Tennyson, C. N., Klamut, H. J., & Worton, R. G. (1995). The human dystrophin gene requires 16 hours to be transcribed and is cotranscriptionally spliced. *Nature Genetics*, 9(2), 184–190. <https://doi.org/10.1038/ng0295-184>

Thornalley, P. J. (1993). The glyoxalase system in health and disease. *Molecular aspects of medicine*, 14(4), 287–371.

Timpani, C. A., Hayes, A., & Rybalka, E. (2015). Revisiting the dystrophin-ATP connection: How half a century of research still implicates mitochondrial dysfunction in Duchenne Muscular Dystrophy aetiology. *Medical Hypotheses*, 85(6), 1021–1033. <https://doi.org/10.1016/j.mehy.2015.08.015>

Tinsley, J. M., Fairclough, R. J., Storer, R., Wilkes, F. J., Potter, A. C., Squire, S. E., Powell, D. S., Cozzoli, A., Capogrosso, R. F., Lambert, A., Wilson, F. X., Wren, S. P., De Luca, A., & Davies,

- K. E. (2011). Daily treatment with SMT1100, a novel small molecule utrophin upregulator, dramatically reduces the dystrophic symptoms in the mdx mouse. *PloS one*, 6(5), e19189. <https://doi.org/10.1371/journal.pone.0019189>
- Tinsley, J. M., Potter, A. C., Phelps, S. R., Fisher, R., Trickett, J. I., & Davies, K. E. (1996). Amelioration of the dystrophic phenotype of mdx mice using a truncated utrophin transgene. *Nature*, 384(6607), 349–353. <https://doi.org/10.1038/384349a0>
- Vaishnavi, S. N., Vlassenko, A. G., Rundle, M. M., Snyder, A. Z., Mintun, M. A., & Raichle, M. E. (2010). Regional aerobic glycolysis in the human brain. *Proceedings of the National Academy of Sciences*, 107(41), 17757–17762.
- Van Pelt, D. W., Kharaz, Y. A., Sarver, D. C., Eckhardt, L. R., Dzierzawski, J. T., Disser, N. P., Piacentini, A. N., Comerford, E., McDonagh, B., & Mendias, C. L. (2021). Multiomics analysis of the mdx/mTR mouse model of Duchenne muscular dystrophy. *Connective Tissue Research*, 62(1), 24–39. <https://doi.org/10.1080/03008207.2020.1791103>
- Vandebrouck, A., Sabourin, J., Rivet, J., et al. (2007). Regulation of capacitative calcium entries by $\alpha 1$ -syntrophin: association of TRPC1 with dystrophin complex and the PDZ domain of $\alpha 1$ -syntrophin. *FASEB Journal*, 21(2), 608–617. doi:10.1096/fj.06-6683com
- Vandebrouck, C., Duport, G., Raymond, G., & Cognard, C. (2002). Hypotonic medium increases calcium permeant channels activity in human normal and dystrophic myotubes. *Neuroscience Letters*, 323(3), 239–243. [https://doi.org/10.1016/s0304-3940\(02\)00148-9](https://doi.org/10.1016/s0304-3940(02)00148-9)
- Vargas-Franco, D., Kalra, R., Draper, I., Pacak, C. A., Asakura, A., & Kang, P. B. (2022). The Notch signaling pathway in skeletal muscle health and disease. *Muscle & Nerve*, 66(5), 530–544. <https://doi.org/10.1002/mus.27684>
- Vasyutina, E., Lenhard, D. C., Wende, H., Erdmann, B., Epstein, J. A., & Birchmeier, C. (2007). RBP-J (Rbpsi) is essential to maintain muscle progenitor cells and to generate satellite cells. *Proceedings of the National Academy of Sciences of the United States of America*, 104(11), 4443–4448.
- Vélez-Aguilera, G., de Dios Gómez-López, J., Jiménez-Gutiérrez, G. E., Vásquez-Limeta, A., Laredo-Cisneros, M. S., Gómez, P., ... Cisneros, B. (2018). Control of nuclear β -dystroglycan

content is crucial for the maintenance of nuclear envelope integrity and function. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, 1865, 406–420.

- Vieira, N. M., Elvers, I., Alexander, M. S., Moreira, Y. B., Eran, A., Gomes, J. P., Marshall, J. L., Karlsson, E. K., Verjovski-Almeida, S., Lindblad-Toh, K., Kunkel, L. M., & Zatz, M. (2015). Jagged 1 rescues the Duchenne muscular dystrophy phenotype. *Cell*, 163(5), 1204–1213. <https://doi.org/10.1016/j.cell.2015.10.049>
- Vieira, N. M., Spinazzola, J. M., Alexander, M. S., Moreira, Y. B., Kawahara, G., Gibbs, D. E., ... Kunkel, L. M. (2017). Repression of phosphatidylinositol transfer protein α ameliorates the pathology of Duchenne muscular dystrophy. *Proceedings of the National Academy of Sciences*, 114(23), 6080-6085. <https://doi.org/10.1073/pnas.1703556114>
- Vila, M. C., Rayavarapu, S., Hogarth, M. W., Van der Meulen, J. H., Horn, A., Defour, A., ... Jaiswal, J. K. (2016). Mitochondria mediate cell membrane repair and contribute to Duchenne muscular dystrophy. *Cell Death and Differentiation*, 24, 330. Retrieved from <https://doi.org/10.1038/cdd.2016.127>
- Villarreal-Silva, M., Centeno-Cruz, F., Suárez-Sánchez, R., Garrido, E., & Cisneros, B. (2011). Knockdown of dystrophin Dp71 impairs PC12 cells cycle: localization in the spindle and cytokinesis structures implies a role for Dp71 in cell division. *PloS one*, 6(8), e23504. <https://doi.org/10.1371/journal.pone.0023504>
- Voit, A., Patel, V., Pachon, R., Shah, V., Bakhutma, M., Kohlbrenner, E., ... Babu, G. J. (2017). Reducing sarcolipin expression mitigates Duchenne muscular dystrophy and associated cardiomyopathy in mice. *Nature Communications*. <https://doi.org/10.1038/s41467-017-01146-7>
- Wang, Y., Marino-Enriquez, A., Bennett, R. R., Zhu, M., Shen, Y., Eilers, G., ... Fletcher, J. A. (2014). Dystrophin is a tumor suppressor in human cancers with myogenic programs. *Nature Genetics*. <https://doi.org/10.1038/ng.2974>
- Waugh, T. A., Horstick, E., Hur, J., Jackson, S. W., Davidson, A. E., Li, X., & Dowling, J. J. (2014). Fluoxetine prevents dystrophic changes in a zebrafish model of Duchenne muscular dystrophy. *Human Molecular Genetics*, 23, 4651-4662.

- Webster, C., Silberstein, L., Hays, A. P., & Blau, H. M. (1988). Fast muscle fibers are preferentially affected in Duchenne muscular dystrophy. *Cell*, 52(4), 503-513.
- Wehling, M., Spencer, M. J., & Tidball, J. G. (2001). A nitric oxide synthase transgene ameliorates muscular dystrophy in mdx mice. *Journal of Cell Biology*, 155(1), 123-132.
- Wei, Y., Su, Q., & Li, X. (2022). Identification of hub genes related to Duchenne muscular dystrophy by weighted gene co-expression network analysis. *Medicine*, 101(52). Retrieved from https://journals.lww.com/mdjournal/Fulltext/2022/12300/Identification_of_hub_genes_related_to_Duchenne.111.aspx
- Wen, Y., Bi, P., Liu, W., Asakura, A., Keller, C., & Kuang, S. (2012). Constitutive Notch Activation Upregulates Pax7 and Promotes the Self-Renewal of Skeletal Muscle Satellite Cells. *Molecular and Cellular Biology*, 32(12), 2300-2311.
- Whitehead, N. P., Pham, C., Gervasio, O. L., & Allen, D. G. (2008). N-Acetylcysteine ameliorates skeletal muscle pathophysiology in mdx mice. *The Journal of Physiology*, 586(Pt 7), 2003-2014. <http://doi.org/10.1113/jphysiol.2007.148338>
- Whitehead, N. P., Yeung, E. W., Froehner, S. C., & Allen, D. G. (2010). Skeletal muscle NADPH oxidase is increased and triggers stretch-induced damage in the mdx mouse. *PLoS One*, 5(12), e15354. doi:10.1371/journal.pone.0015354
- Widrick, J. J., Kawahara, G., Alexander, M. S., Beggs, A. H., & Kunkel, L. M. (2019). Discovery of Novel Therapeutics for Muscular Dystrophies using Zebrafish Phenotypic Screens. *Journal of Neuromuscular Diseases*, 6, 271-287.
- Wissing, E. R., Boyer, J. G., Kwong, J. Q., Sargent, M. A., Karch, J., McNally, E. M., ... Molkenin, J. D. (2014). P38 α MAPK underlies muscular dystrophy and myofiber death through a Bax-dependent mechanism. *Human Molecular Genetics*, 23(20), 5452-5463. <https://doi.org/10.1093/hmg/ddu270>
- Xia, R., Webb, J. A., Gnall, L. L. M., Cutler, K., & Abramson, J. J. (2003). Skeletal muscle sarcoplasmic reticulum contains a NADH-dependent oxidase that generates superoxide. *American Journal of Physiology-Cell Physiology*, 285(1), C215-C221. <https://doi.org/10.1152/ajpcell.00034.2002>

- Xiu, M., Liu, Y., & Kuang, B. (2020). The oncogenic role of Jagged1/Notch signaling in cancer. *Biomedicine & Pharmacotherapy*, 129, 110416. <https://doi.org/10.1016/j.biopha.2020.110416>
- Yang, X., Klein, R., Tian, X., et al. (2004). Notch activation induces apoptosis in neural progenitor cells through a p53-dependent pathway. *Developmental Biology*, 269, 81-94.
- Yoshimoto, Y., Ikemoto-Uezumi, M., Hitachi, K., Fukada, S., & Uezumi, A. (2020). Methods for Accurate Assessment of Myofiber Maturity During Skeletal Muscle Regeneration. *Frontiers in Cell and Developmental Biology*, 8. <https://doi.org/10.3389/fcell.2020.00267>
- Yucel, N., Chang, A. C., Day, J. W., Rosenthal, N., & Blau, H. M. (2018). Humanizing the mdx mouse model of DMD: the long and the short of it. *Npj Regenerative Medicine*, 3, 4.
- Yue, F., Bi, P., Wang, C., Li, J., Liu, X., & Kuang, S. (2016). Conditional Loss of Pten in Myogenic Progenitors Leads to Postnatal Skeletal Muscle Hypertrophy but Age-Dependent Exhaustion of Satellite Cells. *Cell Reports*, 17(9), 2340-2353. <https://doi.org/10.1016/j.celrep.2016.11.002>
- Yue, F., Song, C., Huang, D., Narayanan, N., Qiu, J., Jia, Z., ... Kuang, S. (2021). PTEN Inhibition Ameliorates Muscle Degeneration and Improves Muscle Function in a Mouse Model of Duchenne Muscular Dystrophy. *Molecular Therapy*, 29(1), 132-148. <https://doi.org/10.1016/j.ymthe.2020.09.029>
- Zabłocka, B., Górecki, D. C., & Zabłocki, K. (2021). Disrupted Calcium Homeostasis in Duchenne Muscular Dystrophy: A Common Mechanism behind Diverse Consequences. *International Journal of Molecular Sciences*. <https://doi.org/10.3390/ijms222011040>
- Zhang, H., Shang, R., & Bi, P. (2021). Feedback regulation of Notch signaling and myogenesis connected by MyoD-Dll1 axis. *PLOS Genetics*, 17(8), e1009729. Retrieved from <https://doi.org/10.1371/journal.pgen.1009729>
- Zhao, J., Kodippili, K., Yue, Y., Hakim, C. H., Wasala, L., Pan, X., & Lai, Y. (2016). Dystrophin contains multiple independent membrane-binding domains. *Human Molecular Genetics*, 25(17), 3647-3653. doi:10.1093/hmg/ddw210
- Zhu, Y., Zhao, Y., Wang, P., Ahmedna, M., & Sang, S. (2015). Bioactive Ginger Constituents Alleviate Protein Glycation by Trapping Methylglyoxal. *Chemical Research in Toxicology*, 28(9), 1842-1849. <https://doi.org/10.1021/acs.chemrestox.5b00293>

Zucconi, E., Valadares, M. C., Vieira, N. M., Bueno, C. R., Jr, Secco, M., Jazedje, T., ... Zatz, M. (2010). Ringo: discordance between the molecular and clinical manifestation in a golden retriever muscular dystrophy dog. *Neuromuscular Disorders*, 20(1), 64-70. <https://doi.org/10.1016/j.nmd.2009.10.011>

Webliography

Duchenne and Becker muscular dystrophy. Genetics Home Reference (GHR). Retrieved from <http://www.ghr.nlm.nih.gov/condition/duchenne-and-becker-muscular-dystrophy>

Zfin The Zebrafish Information Network: <https://zfin.org/>