

## **List of Tables**

- Table 2.1 : Classification of contact materials on the basis of composition for silver-base contacts.
- Table 2.2 : Contact materials classification on the basis of erosion on make.
- Table 2.3 : Contact materials classification according to threshold of welding current.
- Table 2.4 : Classification on the basis of tendency to welding of closed contacts.
- Table 2.5 : Classification on the basis of arc-extinction property.
- Table 2.6 : Optimum material for switching devices.
- Table 2.7 : Physical properties of silver powders.
- Table 2.8 : Typical batch compositions and milling conditions for MA.
- Table 2.9 : Properties of Ag-MeO contact materials in relation to their applications.
- Table 2.10: Summary of operating parameters for different contact testing set-ups.
- Table 2.11: Ionization potential and work function data.
- Table 3.1 : Characteristics of starting powders.
- Table 3.2 : Equivalent Ag-CdO and Ag-ZnO systems at a glance.
- Table 3.3 : Design and operating parameters of attritor.
- Table 3.4 : Measured load versus amplitude setting.
- Table 4.1 : Estimated values of Na and K by AAS.
- Table 4.2 : Variation of XRD line intensity for ZnO peaks with milling time for AgZnO (MA) powders.
- Table 4.3 : Variation of XRD line intensity for CdO peaks with milling time for AgCdO (MA) powders.

Table 4.4 : Variation of XRD line intensity and FWHM for Ag (200) peaks with milling time for AgZnO (MA) and AgCdO (MA) powders

Table 4.5 : Apparent and tap density data for  
(a) AgZnO powders and (b) AgCdO powders

Table 4.6 : Specific surface area and porosity of powders.

Table 4.7 : Data on relative atomic ratios for different electroless coated powders.

Table 4.8 : Effect of compaction pressure on density of  
(a) Ag 8.6 ZnO (B) and (b) Ag12 CdO (B) system.

Tabel 4.9 : Effect of sintering temperature on sintered density for  
(a) Ag 8.6 ZnO (B) and (b) Ag12 CdO (B) system.

Table 4.10: Effect of sintering time on sintered density for  
(a) Ag 8.6 ZnO (B) and (b) Ag12 CdO (B) system.

Table 4.11: Density data for (a) Ag-ZnO systems and (b) Ag-CdO systems.

Table 4.12: Microhardness data for  
(a) Ag-ZnO systems and (b) Ag-CdO systems.

Table 4.13: Electrical conductivity data for  
(a) Ag-ZnO systems and (b) Ag-CdO systems.

Table 4.14: Data on image analysis measurements for different process routes for Ag-ZnO and Ag-CdO systems

Table 4.15: Summary of test results for lithium activation studies.

Table 4.16: Electrical performance results for Ag7.1 ZnO (C), Ag 7.1 ZnO (E) and Ag 10 CdO (B) contacts.

(xv)

Table 4.17: Electrical performance results for Ag 8.6 ZnO (C) and Ag 8.6 ZnO (E) contacts.

Table 4.18: Electrical performance results for Ag 10.8 ZnO (C) and Ag 10.8 ZnO (E) contacts.

Table 4.19: Electrical performance results for Ag 10.8 ZnO (MA) and Ag 15 CdO (MA) contacts in DC mode.