


# *Bibliography*



## Bibliography

- Abuja, P. M., Esterbauer, H. (1995). Simulation of Lipid Peroxidation in Low-Density Lipoprotein by a Basic "Skeleton" of Reactions. *Chem. Res. Toxicol.* **8**: 753-763
- Aebi, H. (1984). Catalase in vivo. *Methods Enzymol.* **105**:121-26.
- Ahn, I.S., Do, M.S., Kim, S.O., Jung, H.S., Kim, Y.I., Kim, H.J., Park, K.Y. (2006). Anti obesity effect of Kochujang (Korean fermented red pepper paste) extract in 3T3-L1 adipocytes. *J. Med. Food.* **9**:15-21.
- Ahotupa, M., Marniemi, J., Lehtimäki, T., Talvinen, K., Raitakari, O.T., Vasankari, T., Viikari, J., Luoma, J., Ylä-Herttuala, S. (1998). Baseline diene conjugation in LDL lipids as a direct measure of *in vivo* LDL oxidation. *Clin. Biochem.* **31**: 257-261.
- Alam, M., Joy, S., Usman ,A.S. (1991). Screening of *Sida cordifolia* Linn. *Sida rhomboidea* Linn. and *Triumfetta rotundifolia* Lam. for anti-inflammatory and antipyretic activities. *Indian Drugs.* **28**:397-400.
- Alam, M., Joy, S., Usman, A.S. (1991a). Antibacterial activity of *Sida cordifolia* Linn. *Sida rhomboidea* Linn. and *Trium rotundifolia* Lam. *Indian Drugs.* **28**:570-571.
- Albano, E., Mottaran, E., Vidali, M., Reale, E., Saksena, S., Occhino, G., Burt, A. D., Day, C. P. (2005). Immune response towards lipid peroxidation products as a predictor of progression of non-alcoholic fatty liver disease to advanced fibrosis. *Gut.* **54**: 987-93.
- Ames, B.N., Shigenaga, M.K., Hagen, T.M. (1999). Oxidants, antioxidants and the degenerative diseases of aging. *Proceedings of the National Academy of Sciences of the United States of America.* **90**: 7915-7922
- Anghel S., Wahli W. (2007). Fat poetry: a kingdom for PPAR $\gamma$ . *Cell Research* **17**:486 - 511.
- Angulo, P. (2002). Nonalcoholic fatty liver disease. *N. Engl. J. Med.* **346**:1221-31.
- Angulo, P., Lindor, K.D. (2002). Non-alcoholic fatty liver disease. *J.Gastroentrol.Hepatol* **17**:186-190.

## Bibliography

- Angulo, P., Lindor, K.D. (2002). Non-alcoholic fatty liver disease. *J. Gastroentrol. Hepatol.* **17**:186-190.
- Anon: The wealth of India. A dictionary of Indian Raw Materials and Industrial Products, *Council of Scientific and Industrial Research*, New Delhi, 1972.
- Asmis, R., Begley, J.G. (2003). Oxidized LDL promotes peroxide-mediated mitochondrial dysfunction and cell death in human macrophages: a caspase-3-independent pathway. *Cir. Res.* **92**: 20-29.
- Asztalos, B.F., Schaefer, E.J., Horvath, K.V., Yamashita, S., Miller, M., Franceschini, G. and Calabresi, L.J.(2007). Role of LCAT in HDL remodeling: investigation of LCAT deficiency states. *J.Lipid. Res.* **48**: 592-599.
- Auwerx, J., Leroy, P., Schoonjans, K., (1992). Lipoprotein lipase: recent contributions from molecular biology. *Crit. Rev. Clin. Lab. Sci.* **29**: 243-268.
- Aviram, M. (1996). Interaction of oxidized low density lipoproteins with macrophages in atherosclerosis and anti atherogeneity of antioxidant. *Eur. J. Clin. Chem. Clin. Biochem.* **43**: 599–608.
- Aviram, M., Fuhrman, B. (1998). LDL oxidation by arterial wall macrophages depends on the oxidative status in the lipoprotein and in the cells: role of prooxidants vs. antioxidants. *Mo.l Cel.l Biochem.* **188**: 149–159.
- Aviram, M., Fuhrman. Wine flavonoids, LDL cholesterol oxidation and atherosclerosis. CRC Press, 2002, Chapter-7, pp:140-159.
- Bahl, V.K., Prabhakaran, D., Karthikeyan, G. (2001). Coronary artery disease in Indians. *Indian Heart J.* **53**: 707-713.
- Barakat, M. Z., Shehab, S. K., Darwish, N. and Zahermy, E. I. (1973). Determination of ascorbic acid from plants. *Anal. biochem.* **53**:225-247.
- Barsh, G.S., Farooqi, I.S., O'Rahilly, S. (2000). Genetics of body-weight regulation. *Nature*, **404**: 644-651.
- Bell, D.S. (2001). Importance of postprandial glucose control. *South. Med. J.* **94**: 804- 809.

## Bibliography

- Bergman M. B., Kranjcevic, K., Reiner, Z., Milakovic B. S., Stojanovic, S. and Pehar S. (2005). Drug therapy of cardiovascular risk factors: guidelines versus reality in primary health care service. *Croat. Med. J.* **46**: 984–989.
- Berliner, J.A., Navab, M., Fogelman, A.M., et al. (1995). Atherosclerosis: basic mechanisms. Oxidation, inflammation, and genetics. *Circulation*. **91**:2488–2196.
- Betteridge, D.J. (2000). What is oxidative stress? *Metabolism*. **49**:3-8.
- Beutler, E., Duron, O., Kelly, BM. (1963). Improved method for the determination of blood glutathione. *J. Lab. Clin. Med.* **61**: 882-888.
- Björntorp, P. (1997). Obesity. *Lancet*. **3**:423-426.
- Bonadonna, R.C., Groop, L., Kraemer, N., Ferrannini, E., Del Prato, S., DeFronzo, R.A. (1990). Obesity and insulin resistance in humans: a dose-response study. *Metabolism*. **39**: 452-459.
- Bose, M., Lambert ,J.D., Ju, J., Reuhl, K.R., Shapses, S.A., Yang, C.S. (2008). The major green tea polyphenol, (-)-epigallocatechin-3-gallate, inhibits obesity, metabolic syndrome, and fatty liver disease in high fat fed mice. *J. Nutr.* **138**: 1677-1683.
- Bråkenhielm, E., Cao, R., Gao, B., Angelin, B., Cannon, B., Parini, P., Cao, Y (2004). Angiogenesis Inhibitor, TNP-470, Prevents Diet-Induced and Genetic Obesity in Mice. *Circulation. Res.* **94**:1579-1588
- Breslow JL. (1989). Familial disorders of high density lipoprotein metabolism. In: Scrivner CR, Beaudet AL, Sly WS, Valle D, eds. *The Metabolic Basis of Inherited Disease*. Vol I. 6th ed. New York, NY: McGraw-Hill, pp: 1251-1266.
- Brown, M.S., Goldstein, J.L. (1986). A receptor-mediated pathway for cholesterol homeostasis. *Science*. **232**: 34-47.
- Brown, M.S., Goldstein, J.L. (1997). The SREBP pathway: regulation of cholesterol metabolism by proteolysis of a membrane-bound transcription factor. *Cell*. **89**:331-340.
- Browning, J.D., Szczepaniak, L.S., Dobbins, R., et al. (2004). Prevalence of hepatic steatosis in an urban population in the United States: impact of ethnicity. *Hepatology*. **40**:1387-1395.

## Bibliography

- Brunt, E.M. (2007). Pathology of fatty liver disease. *Modern Pathol.* **20**: 40-48.
- Buege, J.A., Aust, S.D. (1978). Microsomal lipid peroxidation. *Methods Enzymol.* **52**: 302-310.
- Cai, G.J., Miao, C.Y., Xie, H.H., Lu, L.H., Su, D.F. (2005). Arterial baroreflex dysfunction promotes atherosclerosis in rats. *Atherosclerosis.* **183**: 41-47.
- Caldwell, S.H., Crespo, D.M. (2004). The spectrum expanded: cryptogenic cirrhosis and the natural history of non-alcoholic fatty liver disease. *J. Hepatol.* **40**:578-84.
- Cao, Z., Tsang, M., Zhao, H., Lia, Y. (2003). Induction of endogenous antioxidants and phase 2 enzymes by  $\alpha$ -lipoic acid in rat cardiac H9C2 cells: protection against oxidative injury . *Biochem Biophy Res Comm.* **310**:979-985.
- Chang, C., Yang, M., Wen, H. and Chern, J. (2002). Estimation of total flavonoid content in propolis by two complementary colorimetric methods. *J. Food. Drug Anal.* **1**: 178-182.
- Chidambaram, J., Venkatraman A.C. (2010). Cissus quadrangularis stem alleviates insulin resistance, oxidative injury and fatty liver disease in rats fed high fat plus fructose diet. *Food Chem Toxicol.* **48**: 2021-2029
- Chitturi, S., Abeygunasekera, S., Farrell, G.C., Holmes-Walker, J., Hui, J.M., Fung, C., Karim, R., Lin, R., Samarasinghe, D., Liddle, C., Weltman, M., George, J. (2002). NASH and insulin resistance: Insulin hypersecretion and specific association with the insulin resistance syndrome. *Hepatology.* **35**:373-379.
- Chitturi, S., Farrell, G.C., George, J. (2004). Non-alcoholic steatohepatitis in the Asia-Pacific region: future shock. *J. Gastroenterol Hepatol.* **19**:368-374.
- Christensen, K.B., Minet, A., Svenstrup, H., Grevesen, K., Zhang, H., Schrader, E., Rimbach, G., Wein, S., Wolffram, S., Kristiansen, K., Christensen, L.P. (2009). Identification of plant extracts with potential anti diabetic properties: effect on human peroxisome proliferator activated receptor (PPAR), adipocyte differentiation and insulin-stimulated glucose uptake. *Phytother. Res.* **23**:1316-1325.
- Cinti, S. (2005).The adipose organ. *Prostaglandins Leukot Essent Fatty Acids.* **73**:9-15.

## Bibliography

- Clark ,J.M., Brancati, F.L., Diehl, A.M. (2002). Nonalcoholic fatty liver disease. *Gastroenterology*. **122**:1649-57
- Collins, P., Williams, G. (2000). Drug treatment of obesity: from past failures to future successes? *Br. J. Clin. Pharmacol.* **51**: 13:25.
- Craig, W.J. (1999). Health-promoting properties of common herbs. *Am. J. Clin. Nutr.* **70**:491.
- Cristin, M: Ephedra falls under FDA jurisdiction - natural stimulant". Vegetarian Times. www.Articles.com.  
[http://findarticles.com/p/articles/mi\\_m0820/is\\_n241/ai\\_19733239/](http://findarticles.com/p/articles/mi_m0820/is_n241/ai_19733239/)
- Cui, W., Chen, S.L., Hu, K. (2010).Quantification and mechanisms of oleic acid-induced steatosis in HepG2 cells. *Am. J. Transl. Res.* **2**: 95-104.
- Cushing, S.D., Berliner, J.A., Valente, A.J., Territo, M.C., Navab, M., Parhami, F., Gerrity, R., Schwartz, C.J., Fogelman, A.M. (1990). Minimally modified low density lipoprotein induces monocyte chemotactic protein 1 in human endothelial cells and smooth muscle cells. *Proc. Natl. Acad. Sci. U.S.A.* **87**:5134-5138.
- Dabhi, A.S., Brahmbhat, K.J., Pandya, T.P., Thorat, P.B., Shah, M.C. (2008). Non-Alcoholic fatty liver disease (NAFLD). *J Indian Acad Clin Med* **9**: 36-40.
- Daniel, R. S., Devi, K. S., Augusti, K.T., Sudhakaran, N.C. R. (2003). Mechanism of action of antiatherogenic and related effects of *Ficus bengalensis* Linn. flavonoids in experimental animals. *Indian. J. Exp. Biol.* **4**: 296-303.
- Daniels, T. F., Killinger K. M., Michal J.J. Raymond W. Wright Jr. and Zhihua Jiang (2009). Lipoproteins, cholesterol homeostasis and cardiac health. *International J. Biol. Sci.* **5**:474-488
- De Geest, B., Collen, D. (2001). Antibodies against oxidized LDL for non-invasive diagnosis of atherosclerotic vascular disease. *Europ. Heart. J.* **22**: 1517-1518.
- Diaz, M.N., Frei, B., Vita, J.A., Keaney, J.F. (1997). Antioxidants and atherosclerotic heart disease. *N Engl. J. Med.* **337**:408-16.

## Bibliography

- Dole, V.P. (1955). The microdetermination of free fatty acids. *J. Lipid. Res.* **6**, 151–157.
- Duell, P. B., Wheaton, D. L., Shultz, A., Nguyen, H. (1998). Inhibition of LDL oxidation by melatonin requires supraphysiologic concentrations. *Clin. Chem.* **44**:1931-1936.
- Duvnjak, M., Lerotic, I., Baršić, N., Tomašić, V., Jukić, L.V., Velagić. (2007). Pathogenesis and management issues for non-alcoholic fatty liver disease. *World. J. Gastroenterol.* **13**: 4539-4550.
- Esterbauer, H., Gebicki, J., Puhl, H., Jurgens, G. (1992). The role of lipid peroxidation and antioxidants in oxidative modification of LDL. *Free. Radic. Biol. Med.* **13**:341-390.
- Farmer, S. R. (2005). Regulation of PPAR $\gamma$  activity during adipogenesis. *Int. J. Obes.* **29**: 13-16.
- Flegal, K.M., Carroll, M.D., Kuczmarski, R.J., Johnson, C.L. (1998). Over weight and obesity in the United States: Prevalence and trends, 1960–1994. *Int. J. Obes. Relat. Metab. Disord.* **22**:39-47.
- Folch, J., Lees, M., Stanley, S.G.H. (1957) . A simple method for the isolation and purification of total lipids from animal tissues. *J. Biol. Chem.* **226**: 497–509.
- Freise, C., Erben, U., Neuman, U., Kim, K., Zeitz, M., Somasundaram, R., Ruehl, M. (2010). An active extract of *Lindera obtusiloba* inhibits adipogenesis via sustained Wnt signaling and exerts anti-inflammatory effects in the 3T3-L1 preadipocytes. *J. Nutr. Biochem.* **21**:1170-1177.
- Friedewald, W.T., Levy, R.I., Fredrickson, D.S. (1972). Estimation of the concentration of low-density lipoprotein cholesterol in plasma, without use of the preparative ultracentrifuge. *Clin. Chem.* **18**: 499–502
- Frings C. S., Fendley, Ted. W., Dunn R. T., Queen C A. (1972). Improved Determination of Total Serum Lipids by the Sulfo-Phospho-Vanillin Reaction. *Clin chem.* **18**: 673-674.
- Frost, P.H., Davis, B.R., Burlando, A.J., Curb, J.D., Guthrie, G.P., Isaacsohn, J.L., Wassertheil-Smoller, S., Wilson, A.C., Stamler, J. (1996). Serum lipids and incidence of coronary heart disease. Findings from the Systolic Hypertension in the Elderly Program (SHEP). *Circulation.* **94**, 2381-8.

## Bibliography

- Galle, J., Schneider, R., Heinloth, A., Wanner, C., Galle, P.R., Conzelmann, E., Dimmeler, S., Heermeier, K. (1999). Lp(a) and LDL induce apoptosis in human endothelial cells and in rabbit aorta: Role of oxidative stress. *Kidney Inter.* **55**: 1450–1461.
- Garaulet, M., Hernandez-Morante, J.J., Lujan, J., Tebar, F.J., Zamora, S. (2006). Relationship between fat cell size and number and fatty acid composition in adipose tissue from different fat depots in overweight/obese humans. *Int. J. Obes.* **30**:899-905.
- Gibbons, G. (2005). Old fat, make way for new fat. *Nat. Med.* **11**:722-723.
- Gibbons, G.F. (1990). Assembly and secretion of hepatic very-low-density lipoprotein. *Biochem. J.* **268**: 1-13.
- Glass, C., Pittman, R.C., Civen, M., Steinberg, D. (1985). Uptake of high-density lipoprotein-associated apoprotein A-I and cholesterol esters by 16 tissues of the rat in vivo and by adrenal cells and hepatocytes in vitro. *J. Biol. Chem.* **260**:744–750.
- Goad, L. J. and Akihisa, T. (1997). Quantification of sterol by calorimetric assay. Analysis of sterols, first ed. Blackie Academic and Professional, an imprint of Chapman and Hall, London, U K, pp. 423-425.
- Goossens, G.H. (2008). The role of adipose tissue dysfunction in the pathogenesis of obesity-related insulin resistance. *Physiology & Behavior* **94**: 206–218
- Goyal, M.M., Rani, K.K. (1988). Effect of natural products isolated from three species of *Sida* on some gram-positive and gran-negetive bacteria. *J. Ind. Chem. Soc.* **65**: 74–76.
- Goyal, M.M., Rani, K.K. (1989). Neutral constituents of the aerial parts of *Sida rhombifolia* var. *rhomboidea*. *Fitoterapia* **60**: 163–164.
- Gregg, E.W., Cheng, Y.J., Cadwell, B.L., Imperatore,G., Williams, D.E., Flegal, K.M., et al. (2005). Secular trends in cardiovascular disease risk factors according to body mass index in US adults. *JAMA*. **293**:1868– 1874.

## Bibliography

---

- Gupta, R., Gupta, H.P., Kumar, N., Joshi, A.K., Gupta, V.P. (1994). Lipoprotein lipids and prevalence of hyperlipidaemia in rural. *J. Cardiovas. Risk.* **1**:179-184.
- Gupta, R., Kaul, V., Prakash, H. (1995). Profiles of cholesterol and other lipids in Indian men. *Indian Heart J.* **47**: 636-640.
- Habig, W.H., Jakoby, W.B. (1974). Glutathione S-transferases. The first enzymatic step in mercapturic acid formation. *J. Biol. Chem.* **249**:7130-7139.
- Haddad, Y., Vallerand, D., Brault, A.; Haddad, P. S. (2009). Antioxidant and, hepatoprotective effects of silibinin in a rat model of nonalcoholic steatohepatitis. *eCAM*. doi:10.1093/ecam/nep 164.
- Halford, J.C., 2006. Obesity drugs in clinical development. *Curr. Opin. Invest. Drugs* **7**: 312–318.
- Halliwell, B. (1994). Free radicals and antioxidants: a personal view. *Nutrition Reviews*. **52**: 253–265.
- Halliwell, B. (1999). Establishing the significance and optimal intake of dietary antioxidants: the biomarker concept. *Nutrition Reviews*. **57**: 104–113.
- Han, C.Y., Pak, Y.K. (1999). Oxidation-dependent effects of oxidized LDL: proliferation or cell death. *Expl. Mol. Med.* **31**:165-173.
- Han, L-K., Zheng, Y-N., Xu, B-J., Okuda, H. and Kimura,Y. (2002). Saponins from Platycodi radix ameliorate high diet-induced obesity in mice. *J. Nutr.* **132**: 2241–2245.
- Hata, K., Hiwatashi, K., Itoh, M., Suzuki, N., Watanabe, T., Takahashi, J., Sasaki, H. (2008). Inhibitory effects of lupeol on 3T3-L1 preadipocyte differentiation . *Phytochem. Lett.* **1**: 191–194.
- Haverslag, R., Pasterkamp, G., Hoefer, I.E. (2008). Targeting adhesion molecules in cardiovascular disorders. *Cardiovasc. Hematol. Disord. Drug. Targets.* **8**: 252-260.

## Bibliography

---

- Hegyi, L., J. N. Skepper, N. R. Cary, and M. J. Mitchinson. 1996. Foam cell apoptosis and the development of the lipid core of human atherosclerosis. *J. Pathol.* **180**:423–429.
- Heilbronn, L., Smith, S.R., Ravussin, E. (2004). Failure of fat cell proliferation, mitochondrial function and fat oxidation results in ectopic fat storage, insulin resistance and type II diabetes mellitus. *Int. J. Obes. Relat. Metab. Disord.* **28**: 12–21.
- Henson, P.M., Bratton, D.L., Fadok, V.A. (2001). Apoptotic cell removal. *Curr. Biol.* **11**: R795–R805.
- Hertog ,M.G.L., Kromhout, D., Aravanis, C., Blackburn, H., Buzina, R., Fidanza, F., Giampaoli, S., Jansen, A., Menotti, A., Nedeljkovic, S., Pekkarinen, M., Simic, B.S., Toshima, H., Feskens, E.J.M., Hollman, P.C.H., Katan, M.B. (1995): Flavonoid intake and long-term risk of coronary heart disease and cancer in the seven countries study. *Arch. Int. Med.* **15**: 381–386.
- Hertog, M.G.L, Feskens, E.J.M, Hollman, P.C.H., Katan, M.B., Kromhout, D. (1993): Dietary antioxidant flavonoids and risk of coronary heart disease: the Zutphen elderly study. *Lancet* **342**: 1007–1011.
- Hitz,J., Steinmetz, J., Siest, G. (1983). Plasma lecithin: cholesterol acyl transferase reference values and effects of xenobiotics. *Clin. Chim. Acta.* **133**: 85–96.
- Hokanson, J.E. (2002) Hypertriglyceridemia and risk of coronary heart disease. *Curr. Cardiol. rep.* **4**: 488-493.
- Holm, C. (2003). Molecular mechanisms regulating hormone-sensitive lipase and lipolysis. *Biochem. Soc. Trans.* **31**, 1120-1124.
- Hong, J.H., Hwang, E.Y., Kim, H.J., Jeong, Y.J., Lee, I.S. (2009). *Artemisia capillaris* inhibits lipid accumulation in 3T3-L1 adipocytes and obesity in C57BL/6J mice fed a high fat diet. *J. Med. Food.* **12**:736-745.
- Howles, P.N., Carter, C.P., Hui, D.Y. *et al.* (1996). Dietary free and esterified cholesterol absorption in cholesterol esterase (bile salt-stimulated lipase) gene-targeted mice. *J. Biol. Chem.* **271**:7196-7202.

## Bibliography

- Hsieh, Y., Kuo, W., Lin, T., Chang, H., Lin, T., Chen, P., Chu, P. (2007). Protective Effects of Berberine against Low-Density Lipoprotein (LDL) Oxidation and Oxidized LDL-Induced Cytotoxicity on Endothelial Cells. *J. Agri. Food Chem.* **55**: 10437–10445.
- Hsu, C.L., Yen, G.C. (2007). Effect of gallic acid on high fat diet-induced dyslipidaemia, hepatosteatosis and oxidative stress in rats. *Br. J. Nutr.* **98**: 727–35.
- Hsuy, S.C., Huang, C.J. (2006). Reduced fat mass in rats fed a high oleic acid-rich safflower oil diet is associated with changes in expression of hepatic PPAR $\alpha$  and adipose SREBP-1c-regulated genes. *J. Nutr.* **136**:1779-1785.
- Ikeda, I. and Sugano, M. (1998). Inhibition of cholesterol absorption by plant sterols for mass intervention. *Curr. Opin. Lipidol.* **9**: 527-531.
- Inoue, K., Sawada, T., Suge, H., Nao, Y., Igarashi, M. (1996). Spouse concordance of obesity, blood pressures and serum risk factors for atherosclerosis. *J Hum Hypertens* **10**: 455-459.
- Itaya, K., Ui, M. (1965). Colorimetric determination of free fatty acids in biological fluids. *J Lipid. Res.* **6**: 16-20.
- Janorkar, A.V., King, K.R., Megeed, Z., Yarmush, M.L. (2009). Development of an *in vitro* cell culture model of hepatic steatosis using hepatocyte-derived reporter cells. *Biotechnol Bioeng.* **102**:1466-1474.
- Jonasson ,L., Holm, J., Skall, O., Bondjers, G., Hansson, G.K. (1986). Regional accumulations of T cells, macrophages, and smooth muscle cells in the human atherosclerotic plaque. *Arteriosclerosis* **6**: 131–138.
- Jong-Ho, K., Jin-Man, K., Un-Jae, C., Hyung-Joo, S. (2003). Hypocholesterolemic Effect of Hot-Water Extract from Mycelia of *Cordyceps sinensis*. *Biol. Pharm. Bull.* **26**: 84-87.
- Kakkar, P., Das, B., Viswanathan, P.N. (1984). A modified spectrophotometric assay of SOD. *Indian. J. Biochem .Biophys.* **21**: 130-132.
- Kamboj, VP. (2000). Herbal medicine. *Curr. Sci.* **78**(1):10.

## Bibliography

- Kaplan, M., Hayek, T., Raz, A., Coleman, R., Dornfeld, L., Vaya, J & Aviram, M. (2001). Pomegranate juice supplementation to atherosclerotic mice reduces macrophage lipid peroxidation, cellular cholesterol accumulation and development of atherosclerosis. *J. Nutri.* **131**, 2082-2089.
- Kelly, D. , Anta, A., Dominique, L., Jeanne, R., Gilles, F., Emilie, V., Christine, F., Jean-Paul, C., Jean-Max ,R. (2009). Preventive effect of a melon extract rich in superoxide scavenging activity on abdominal and liver fat and adipokine imbalance in high-fat-fed hamsters. *J.Agric. Food .Chem.* **57**: 6461–67.
- Kersten, S. (2001). Mechanism of nutritional and hormonal regulation of lipogenesis. *EMBo reports.* **21**: 282-286.
- Khan, B.V., Parthasarathy, S. S., Alexander, R.W., Medford, R .M. (1995). Modified low density lipoprotein and its constituents augment cytokine-activated vascular cell adhesion molecule-1 gene expression in human vascular endothelial cells. *J Clin Invest.* **95**:1262–1270.
- Khan, B.V., Parthasarathy, S.S., Alexander, R.W., Medford, R.M. (1995). Modified low density lipoprotein and its constituents augment cytokine-activated vascular cell adhesion molecule-1 gene expression in human vascular endothelial cells. *J.Clini. Invest.* **95**: 1262-1270.
- Khanna, K., Ramesh, C., Kapoor, N. K. (1996). *Terminalia arjuna*: an Ayurvedic Cardiotonic, Regulates Lipid Metabolism in Hyperlipaemic Rats. *Phytother. Res.* **10**: 663-665.
- Khatoon, S., Srivastava, M., Rawat, A.K.S., Mehrotra, S. (2005). HPTLC Method for Chemical Standardization of *Sida* Species and Estimation of the Alkaloid Ephedrine. *J. Planar. Chromato.* **18**: 364-367.
- Khoo, J.C., Miller, E., McLoughlin, P., Steinberg, D. (1988). Enhanced macrophage uptake of low density lipoprotein after self-aggregation. *Arteriosclerosis.* **8**:348-358.

## Bibliography

---

- Kim, N.H., Choi, S.K., Kim, S.J., Moon, P.D., Lim, H.S., Choi, I.Y., Na, H.J., An, H.J., Myung, N.Y., Jeong, H.J., Um, J.Y., Hong, S.H., Kim, H.M. (2008). Green tea seed oil reduces weight gain in C57BL/6J mice and influences adipocyte differentiation by suppressing peroxisome proliferator-activated receptor-gamma. *Pflugers. Arch.* **457**:293-302.
- Kim, J.B., Wright, H.M., Wright, M., Spiegelman, B.M. (1998). ADD1/SREBP1 activates PPAR gamma through the production of endogenous ligand. *Proc. Natl. Acad. Sci. USA.* **95**: 4333-4337.
- Kleiner, D.E., Brunt, E.M., Natta, M.V., Behling, C., Contos, M.J., Cummings, O.W., Ferrell, L.D., Liu, Y.C., Torbenson, M.S., Unalp-Arida, A., Yeh, M., McCullough, A.J., Sanyal, A.J. (2005). Design and validation of a histological scoring system for nonalcoholic fatty liver disease. *Hepatology.* **41**: 1313-1321.
- Kleinschmidt, K.C. (2006). Epidemiology and pathophysiology of acute coronary syndrome. *Adv. Stud. Med.* **6**:S477-S482.
- Kochhar, A., Nagi, M., Sachdeva, R. (2007). Effect of Supplementation of Traditional Medicinal Plants on Serum Lipid Profile in Non-Insulin Dependent Diabetics. *J. Hum. Ecol.* **22**:35-40.
- Kothari, H.V., Miller, B.F., Kritchevsky, D. (1973). Aortic cholesterol esterase: characteristics of normal rat and rabbit enzyme. *Biochim. Biophys. Acta.* **296**: 446-454.
- Kovanen, P.T., Schneider, W.J. (1999). Regulation of low density lipoprotein (B/F) receptor. *Ad. Vas. Biol.* **5**:165-185.
- Krauss, R.M. (1987). Relationship of intermediate and low density lipoprotein subspecies to risk of coronary artery disease. *Am. Heart J.* **113**: 578-582.
- Kreisberg, R.A., Reusch, J.E.B. (2005). Hyperlipidemia (High Blood Fat) *J. Clin. Endocrinol. Metab.* **90**: 100.
- Krieger, M. (1998). The best of cholesterols, the worst of cholesterols: a tale of two receptors. *Proc. Nat. Acad. Sci. USA.* **14**: 4077- 4080.

## Bibliography

---

---

- Kumar, T.P., Antony, S., Gireesh, G., George, N., Paulose, C.S. (2010). Curcumin modulates dopaminergic receptor, CREB and phospholipase c gene expression in the cerebral cortex and cerebellum of streptozotocin induced diabetic rats. *J. Biomed. Sci.* 17:43.
- Lawrence, L. R., Gregory, S. S. (2000). Cholesterol esters and atherosclerosis—a game of ACAT and mouse. *Nature Med.* 6: 1341–1347.
- Lee, M., Chou, F., Tseng, T., Hsieh, M., Lin, M., Wang, C. (2002). *Hibiscus* Protocatechuic Acid or Esculetin Can Inhibit Oxidative LDL Induced by Either Copper Ion or Nitric Oxide Donor. *J. Agri. Food Chem.* 50: 2130–2136.
- Lee, M.S., Lee, H.J., Lee, H.S., Kim, Y. (2006). L-carnitine stimulates lipolysis via induction of the lipolytic gene expression and suppression of the adipogenic gene expression in 3T3-L1 adipocytes. *J. Med. Food.* 9:468-473.
- Legraud,A., Guillansseav,R.J., Land, J. (1979). Method.Colorimetric simple determination del'actirite, de la lecithin cholesterol acyltransferase (LCAT) plasma fique. Interest on diabetologic. In:Siest, G., Glateau, M.M. (Eds.), Biologic Prospective. Masson, Paris, pp. 368–371.
- Lehmann, J.M., Kliewer, S.A., Moore, L.B., Smith-Oliver, T.A., Oliver, B.B., Su, J.L., Sundseth, S.S., Winegar, D.A., Blanchard, D.E., Spencer, T.A. , Willson, T.M. (1997). Activation of the nuclear receptor LXR by oxysterols defines a new hormone response pathway. *J. Bio. Chem.* 272: 3137-3140.
- Lehrke, M., Lazar, M.A. (2005). The many faces of PPARgamma. *Cell.* 123:993-999.
- Lemieux, I., Lamarche, B., Couillard, C., Pascot, A., Cantin, B., Bergeron, J., Dagenais, G.R., Despre's, J.P.(2001). Total Cholesterol/HDL Cholesterol Ratio vs LDL Cholesterol/HDL Cholesterol Ratio as Indices of Ischemic Heart Disease Risk in Men . *Arch. Intern. Med.*161:2685-2692.
- Lester, C., Nikogosian, K., Shrestha, R. (2006). Atherosclerotic Assault.*Courtney Tucker Eukaryon.* 2: 40-46.

## Bibliography

- Ley, K., Huo, Y. (2001). VCAM-1 is critical in atherosclerosis. *J Clin Invest.* **107**:1209-1210.
- Li, H., Cybulsky, M.I., Gimbrone, M.A., Libby, P. (1993). Inducible expression of vascular cell adhesion molecule-1 by vascular smooth muscle cells in vitro and within rabbit atheroma. *Am J Pathol.* **143**:1551-9.
- Libby, P. (2002). Inflammation in atherosclerosis. *Nature.* **420**: 868-874.
- Lowe, M.E. (1994). Pancreatic triglyceride lipase and colipase: insights into dietary fat digestion. *Gasteroenterology.* **107**:1524-1536. .
- Lowry, O. H., Rosebrough, N. J., Farr, A.L & Randall, R.J. (1951). Protein measurement with the Folin phenol reagent. *J. Biol. Chem.* **193**:265-275.
- Ludwig, J., Viggiano, T.R., Mc Gill, D.B., Oh, B.J. (1980). Nonalcoholic steatohepatitis: Mayo Clinic experiences with a hitherto unnamed disease. *Mayo. Clin. Proc.* **55**: 434-438.
- Ma, P.T., Gil, G., Südhof, T.C., Bilheimer, D. W., Goldstein, J.L., Brown, M.S. (1986). Mevinolin, an inhibitor of cholesterol synthesis, induces mRNA for low density lipoprotein receptor in livers of hamsters and rabbits. *Proc. Natl. Acad. Sci. U S A.* **83**: 8370-8374.
- Maffei, M., Halaas, J., Ravussin, E., Pratley, R. E., Lee, G. H., Zhang, Y., Fei, H., Kim, S., Lallone, R., Ranganathan, S. (1995). Leptin levels in human and rodent: measurement of plasma leptin and ob RNA in obese and weight-reduced subjects. *Nat. Med.* **1**: 1155-1161.
- Marques, B.G., Hausman, D.B., Martin, R.J. (1998). Association of fat cell size and paracrine growth factors in development of hyperplastic obesity. *Am. J. Physiol.* **275**:1898-1908.
- Mayer, M.A., Hocht, C., Puyo, A., Taira, C.A., (2009). Recent advances in obesity pharmacotherapy. *Curr. Clin. Pharmacol.* **4**:53–61.
- Mays, P.A., Felts, J.M. (1968). The functional status of lipoprotein lipase in rat liver. *Biochem. J.* **108**: 483-487.

## Bibliography

- Melnikova, I., Wages, D., 2006. Anti-obesity therapies. *Nat. Rev. Drug Discov.* **5**: 369–370.
- Mertens, A., Holvoet, P. (2001). Oxidized LDL and HDL: antagonists in atherosclerosis. *FASEB J.* **15**:2073-2084.
- Middleton, E.; Kandaswami, C.; Theoharides, T. C. (2000). The effects of plant flavonoids on mammalian cells: Implications for inflammation, heart disease and cancer. *Pharmacol. Rev.* **52** :673–751.
- Mishra, D., Mehta, A., Flora, S.J.S. (2008). Reversal of arsenic-induced hepatic apoptosis with combined administration of DMSA and its analogues in Guinea Pigs: Role of glutathione and linked enzymes. *Che. Res. Toxicol.* **21**: 400-407.
- Mohan, V., Deepa, R., Rani, S.S., Premalatha, G.(2001). Prevalence of coronary artery disease and its relationship to lipids in a selected population in South India. The Chennai Urban Population Study (CUPS No. 5). *J.Am. Coll. Cardiol.* **38**:682-687.
- Mohandas, J., Marshall, J.J., Duggin, G.G., Horvath, J.S., Tiller, D.J. (1984). Differential distribution of glutathione and glutathione-related enzymes in rabbit kidney: Possible implications in analgesic nephropathy. *Biochem. Pharmacol.* **33**: 1801-1807.
- Mosback, E.H., Klenisky, H .J., Hal, P., Kendall, E.E. (1954). Determination of deoxycholic acid and cholic acid in bile. *Arch.Biochem.Biophys.*, **51**: 402-409.
- Muldoon, F. M., Kritchevsky, S. B. (1996) Flavonoids and heart disease: evidence of benefit still fragmentary. *Brit. Med. J.* **312**: 458–459
- Nakamoto, K., Takayama, F., Mankura, M., Hidaka, Y., Egashira, T., Ogino, T., Kawasaki, H., Mori, A. (2009). Beneficial effects of fermented green tea extract in a rat model of non-alcoholic steatohepatitis. *J. Clin. Biochem. Nutr.* **44**: 239-46.
- Nakashima, Y., Raines, E.W., Plump, A.S., Breslow, J.L., Ross, R. (1998). Up-regulation of VCAM-1 and ICAM-1 at atherosclerosis-prone sites on the endothelium in the apoe-deficient mouse. *Arterioscler. Thromb. Vasc. Biol.* **18**: 842–851.

## Bibliography

- Nakayama, T., Suzuki, S., Kudo, H., Sassa, S., Nomura, M., Sakamoto, S. (2007). Effectsof three Chinese herbal medicines on plasma and liver lipids in mice fed a high fat diet. *J. Ethnopharmacol.* **109**: 236–240.
- Nammi, S., Koka, S., Chinnala, K.M., Boini, K.M. (2004). Obesity: An overview on its current perspectives and treatment options. *Nutri. J.* **3**:3
- Napoli, C., Lerman, L.O. (2001). Involvement of oxidation-sensitive mechanisms in the cardiovascular effects of hypercholesterolemia. *Mayo. Clin. Proc.* **76**: 619-631.
- Nathan, D.M. (1993). Long term complications of diabetes mellitus. *N. Engl. J.Med.* **328**:1676.
- NCEP. (1994). National Cholesterol Education Program. Second Report of the Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel II). *Circulation* (1994). **89**:1329–145.
- NCHS. (2006).National Center for Health Statistics. Chartbook on Trends in the Health of Americans. Health, United States, 2006. Hyattsville, MD: Public Health Service. 2006.
- Nerurkar, P.V., Lee, Y.K., Nerurkar, V.R. (2010). *Momordica charantia* (bitter melon) inhibits primary human adipocyte differentiation by modulating adipogenic genes. *BMC Compl Alter Med.* **10**:34
- Newsholme, P., Newsholme, E. A. (1989). Rates of utilization of glucose, glutamine and oleate and formation of end-products by mouse peritoneal macrophages in culture. *Biochem. J.* **261**: 211–218.
- Nourooz-Zadeh, J., Tajaddini-Sarmadi, J., Ling, K. L., Wolff, S. P. (1996). Low-density lipoprotein is the major carrier of lipid hydroperoxides in plasma. Relevance to determination of total plasma lipid hydroperoxide concentrations. *Biochem. J.* **1**: 781–786.
- Ntambi, J. M., Kim, Y.C. (2000). Adipocyte Differentiation and Gene Expression. *J. Nutr.* **130**:3122S-3126S.

## Bibliography

- O'Brien, K. D., Allen, M. D., McDonald, T.O., Chait, A., Harlan, J.M., Fishbein, D., McCarty, J., Ferguson, M., Hudkins, K., Benjamin, C.D. (1993). Vascular cell adhesion molecule-1 is expressed in human coronary atherosclerotic plaques. Implications for the mode of progression of advanced coronary atherosclerosis. *J Clin Invest.* **92**: 945–951
- Okamoto, Y., Tanaka, S., Haga, Y. (2002). Enhanced GLUT2 gene expression in an oleic acidinduced *in vitro* fatty liver model. *Hepatol. Res.* **23**:138-44.
- Oluwatosin, A., Adaramoye, Olajumoke, A., Jonah, A., and Michael, A. F. (2008). Lipid-lowering effects of methanolic extract of *Vernonia amygdalina* leaves in rats fed on high cholesterol diet. *Vasc. Health. Risk. Manag.* **4**: 235–241.
- Pagliassotti, M.J., Gayles, E.C., Hill, J.O. (1997). Fat and energy balance. *Ann. N. Y. Acad. Sci.* **827**: 431–448.
- Pande, R. Cardiovascular disease in India and the impact of lifestyle and food habits. *Health Care Management*, 15th December 2004.
- Pang, J., Xu, Q., Xu, H., Yin, H., Xu, R., Guo, S., Hao, W., Wangc, L., Chen, C., Cao, J. (2010). Hexarelin suppresses high lipid diet and vitamin D3-induced atherosclerosis in the rat. *31*: 630-638.
- Park, E. K., Jung, H. S., Yang, H. I., Yoo, M. C., Kim, C & Kim, K. S. (2007). Optimized THP-1 differentiation is required for the detection of responses to weak stimuli. *Inflamm. Res.* **56**: 45-50.
- Park, M.Y., Lee, K.S., Sung, M.K. (2005). Effects of dietary mulberry, Korean red ginseng, and banaba on glucose homeostasis in relation to PPAR-a, PPAR-c, and LPL mRNA expressions. *Life Sci.* **77**: 3344–3354.
- Patel, S.P., Katyare, S.S. (2006). A comparative study of reactive oxygen species (ros) related parameters in rat tissues. *Indian. J. Clin. Biochem.* **21**: 48-53.
- Patel, T., Lee, J.G. (2001). Fatty liver. *eMedicine Journal.* **2**: 8.

## Bibliography

- Pereira, C.F., Oliveira, C.R. (2000). Oxidative glutamate toxicity involves mitochondrial dysfunction and perturbation of intracellular Ca<sup>2+</sup> homeostasis. *Neurosci. Res.* **37**: 227–236.
- Ponz de Leon, M., Loria, P., Iori, R., et al. (1981). Cholesterol absorption in cirrhosis: the role of total and individual bile acid pool size. *Gastroenterology* **80**:1428-1437.
- Pozarowski, P., Darzynkiewicz, Z. (2004). Analysis of cell cycle by flow cytometry. *Methods Mol. Biol.* **281**: 301-312.
- Prakash, A., Verma, R.K., Ghosal, S. (1981). Alkaloidal constituents of *Sida acuta*, *S.rhombifolia* and *S. spinosa*. *Plant. Med.* **43**: 384-388.
- Proctor, S.D., Vine, D.F., Mamo, J.C. (2002). Arterial retention of apolipoprotein B48- and B100-containing lipoproteins in atherosclerosis. *Curr. Opin. Lipidol.* **13**: 461–470.
- Prolo, P., Wong, M.L., Licinio, J. (1998). Leptin. *Int. J. Biochem. Cell. Biol.* **30**:1285-1290.
- Pullaiah, T.(2006). Encyclopaedia of World Medicinal Plants. Regency Publications, New Delhi, India, pp. 1797.
- Puri, H.S. (2002). Rasayana: Ayurvedic Herbs for Longevity and Rejuvenation CRC, United kingdom, pp. 65.
- Qi, K., Seo, T., Jiang, Z., Carpentier, Y.A., Deckelbaum, R.J. (2006). Triglycerides in fish oil affect the blood clearance of lipid emulsions containing long- and medium-chain triglycerides in mice. *J. Nutr.* **136**: 2766-2772.
- Rajadurai, M., Mainzen Prince, P. S. (2006). Preventive effect of naringin on lipid peroxides and antioxidants in isoproterenol-induced cardiotoxicity in Wistar rats: Biochemical and histopathological evidences. *Toxicol.* **228**: 259–268.
- Rajman, I., Eacho, P.I., Chowienczyk, P.J., Ritter, J.M. (1999). LDL particle size: an important drug target? *Br. J. Clin. Pharmacol.* **48**:125-33.
- Ramachandra Rao, S.K., Sudarshan, S.R. (2005). *Encyclopaedia of Indian Medicine*. Dr. V. Parameshvara Charitable Trust, Bangalore, India. pp. 33- 34.

## Bibliography

---

- Ramachandran, A. (2004). Diabetes & obesity - The Indian angle Indian. *J. Med. Res.* **120**: 437-439.
- Rao, A. V., Ramakrishnan, S. (1975). Indirect assessment of hydroxy-methylglutaryl-Co A reductase (NADPH) activity in liver tissue. *Clin. chem.* **21**, 1523-1525.
- Rathi, A.B., Nath, N. and Chari, S.N. (1984). Action of bioflavonoids on lipid peroxidation & glutathione redox system in hypercholesterolemic rats. *Indian. J. Med. Res.* **79**: 508-513.
- Rayalam, S., Yang, J.Y., Della-Fera, M.A., Park, H.J., Ambati, S., Baile, C.A. (2009). Anti-obesity effects of xanthohumol plus guggulsterone in 3T3-L1 adipocytes. *J. Med. Food.* **12**:846-853.
- Rebuffé-Scrive, M., Surwit, R., Feinglos, M., Kuhn, C., Rodin, J. (1993). Regional fat distribution and metabolism in a new mouse model (C57BL/6J) of non-insulin-dependent diabetes mellitus. *Metabolism.* **42**:1405-1409.
- Regnstrom, J., Nilssonm, J., Tornvall, P., Landou, C., Hamsten, A. (1992). Susceptibility to low-density lipoprotein oxidation and coronary atherosclerosis in man. *Lancet.* **339**:1183-1186.
- Reid, V.C., & Mitchinson, M.J. (1993). Toxicity of oxidised low density lipoprotein towards mouse peritoneal macrophages *in vitro*. *Atherosclerosis*, **4**, 98, 17-24.
- Reiner Ž, Tedeschi-Reiner E, Štajminger G. (2007).The role of omega-3 fatty acids from fish in prevention of cardiovascular diseases. *Lijec. Vjesn.* **129**: 350–355.
- Reiner, Z., Tedeschi-Reiner, E. (2006). Atherosclerosis –a paradox of Eastern European countries. *Atherosclerosis*, **7/3(Suppl.)**, 461.
- Ren, G., Qiao, H.X., Yang, J., Chang, X. Z. (2010). Protective Effects of Steroids from *Allium chinense* against H<sub>2</sub>O<sub>2</sub>-induced Oxidative Stress in Rat Cardiac H9C2 Cells. *Phytother Res.* **24**: 404–409.
- Rexrode, K.M., Manson, J.E., Hennekens, C.H. (1996). Obesity and cardiovascular disease: *Curr. Opin. Cardiol.* **11**: 490-495.

## Bibliography

---

- Reznick, A.Z., Packer, L. (1994). Oxidative damage to proteins: spectrophotometric method for carbonyl assay. *Methods Enzymol.* **233**: 357-363.
- Romics, L., Hesz, A., Csuka, I., Antoni, F., Karádi, I. (1992). The effect of low density lipoprotein (LDL) on NO formation and on arginase activity in mouse peritoneal macrophages. *Orv Hetil.* **133**:1359-1362.
- Rosenblat, M., Oren, R & Aviram, M. (2006). Lysophosphatidylcholine (LPC) attenuates macrophage-mediated oxidation of LDL. *Biochem. Biophys. Res. Comm.* **344**: 1271-1277.
- Ross, R. (1999). Atherosclerosis--an inflammatory disease. *N Engl J Med.* **340**:115-26.
- Steinberg, D., Witztum, J.L. (1999). Lipoproteins, Lipoprotein, Oxidation, and Atherogenesis, K.R. Chien, ed. (Philadelphia: W.B. Saunders Co.).
- Ross, R., Glomset, J.A. (1973). Atherosclerosis and the arterial smooth muscle cell: Proliferation of smooth muscle is a key event in the genesis of the lesions of atherosclerosis. *Science.* **180**:1332-1339.
- Rotruck, J.T., Pope, A.L., Ganther, H., Swanson, A. B. , Hafeman, D.G., Hoekstra, W.G. (1973). Selenium: Biochemical role as a component of glutathione peroxidase. *Science.* **179**: 588- 590.
- Rousseau, V., Becker, D.J., Ongemba, L.N., Rahier, J., Henquin, J.C., Brichard, S.M. (1997). Developmental and nutritional changes of ob and PPAR gamma 2 gene expression in rat white adipose tissue. *Biochem. J.* **321**:451-456.
- Russell, D.W., Setchell, K.D. (1992). Bile acid biosynthesis. *Biochemistry.* **31**:4737-4749.
- Ryan, E., Temel, L. H., Lawrence L. R., Gregory, S.S. (2007). ACAT2 stimulates cholestrylo ester secretion in apoB-containing lipoproteins *J. Lipid. Res.* **48**: 1618-1627.
- Ryan, L., O'Callaghan, Y.C., O'Brien, N.M. (2005). Oxidised Products of Cholesterol: Their Role in Apoptosis. *Cur. Nut. Food Sci.* **1**: 41-51.

## Bibliography

- Satoskar, R.S., Bhandarkar, S.D., Ainapure, S.S., 2003.Hypolipidemic drugs. In: Pharmacology and Pharmacotherapeutics, 18th ed. Popular Prakashan, Mumbai, India, pp. 567–575.
- Sattler, W., Levak-evak, S., Radner, H., Kostner, G. M. and Zechner R. (1996). Muscle-specific overexpression of lipoprotein lipase in transgenic mice results in increased a-tocopherol levels in skeletal muscle. *Biochem. J.* **318**: 15-19.
- Schachtrup, C.E.T., Bleck, B., Sandqvist, A., Spener, F. (2004). Functional analysis of peroxisome-proliferator-responsive element motifs in genes of fatty acid-binding proteins. *Biochem. J.* **382**:239-245.
- Schmitz, G., Langmann, T. (2001). Structure, function and regulation of the ABC1 gene product. *Curr. Opin. Lipidol.* **12**: 129-40.
- Shashkin, P., Dragulev, B., Ley, K. (2005).Macrophage differentiation to foam cells. *Curr Pharm Des* **11**: 3061–3072.
- Sheehan, D., Hrapchak, B. (1979).Theory and Practice of Histotechnology, second edition, Battelle Press, Ohil, pp 226-227.
- Silva J. P., Sardao, V. A., Coutinho, O.P., Olveira, P. J. (2010). Nitrogen Compounds Prevent H9c2 Myoblast Oxidative Stress-Induced Mitochondrial Dysfunction and Cell Death. *Cardio. Toxicol.* **10**: 51–65.
- Song, H.Y., Rho, M.C., Lee, S.W., Kwon, O.E., Chang, Y.D., Lee, H.S., Kim, Y.K. (2002). Isolation of Acyl-CoA:cholesterol acyltransferase inhibitor from Persicaria vulgaris. *Planta. med.* **68**: 845-847.
- Spiegelman, B.M., Flier, J.S. (1996). Adipogenesis and obesity: rounding out the big picture. *Cell.* **87**: 377–389.
- Staiger, H., Tschritter, O., Machann, J., Thamer, C., Fritzsche, A., Maerker, E., Schick, F., Haring, H. U., Stumvoll, M. (2003). Relationship of serum adiponectin and leptin concentrations with body fat distribution in humans. *Obes. Res.* **11**: 368-372.
- Steinberg, D. (1997). Low density lipoprotein oxidation and its pathobiological significance. *J. Biol. Chem.* **272**:20963-20966.

## Bibliography

---

- Steinberg, D., Lewis, A. (1997). Conner Memorial Lecture: Oxidative Modification of LDL and Atherogenesis. *Circulation.* **95:** 1062 - 1071.
- Steinberg, D., Parthasarathy, S., Carew, T.E., Khoo, J.C., Witztum, J.L. (1989). Beyond cholesterol. Modifications of low-density lipoprotein that increase its atherogenicity. *N. Engl. J. Med.* **320:**915-924.
- Steinbrecher, U.P., Zhang, H.F., Lougheed, M. (1990). Role of oxidatively modified LDL in atherosclerosis. *Free. Rad. Biol. Med.* **9:**155-168.
- Stocker, R., Keaney, J. F. (2004). Role of Oxidative Modifications in Atherosclerosis. *Physiol Rev.* **84:** 1381–1478.
- Sturgeon, R.J., Deamer, R.L., Harbison, H.A. (1979). Improved spectrophotometric determination of glycerol and its comparison with an enzymatic method. *J. Pharmaceutic. Sci.* **68:** 1064-1066.
- Surwit, R.S., Feinglos, M.N., Rodin, J., Sutherland, A., Petro, A.E., Opara, E.C., Kuhn, C.M., Rebuffé-Scrive, M. (1995). Differential effects of fat and sucrose on the development of obesity and diabetes in C57BL/6J and A/J mice. *Metabolism.* **44:**645-651.
- Tabas, I. (2005) Consequences and therapeutic implications of macrophage apoptosis in atherosclerosis: the importance of lesion stage and phagocytic efficiency. *Ath. Thrombo. Vas. Biol.* **25:** 2255-2264.
- Tabas, I. (2009). Macrophage Apoptosis in Atherosclerosis:Consequences on Plaque Progression and the Role of Endoplasmic Reticulum Stress. *Antioxid. Redox Signal.* **11:** 2333–2339.
- Tanasescu, M., Cho, E., Manson, J. E., Hu, F. B. (2004). Dietary fat and cholesterol and the risk of cardiovascular disease among women with type 2 diabetes. *Am. J. Clin Nutr.* **79:** 999-1005.

## Bibliography

- Tang, F., Wu, X., Wang, T., Wang, P., Li, R., Zhang, H., Gao, J., Chen, S., Bao, L., Huang, H., Liu, P., 2007. Tanshinone II A attenuates atherosclerotic calcification in rat model by inhibition of oxidative stress. *Vas. Pharmacol.* **46**:427-438.
- Tang, F.T., Chen, S.R., Wu, X.Q., Wang, T.Q., Chen, J.W., Li, J., Bao, L.P., Huang, H.Q., Liu, P.Q. (2006). Hypercholesterolemia accelerates vascular calcification induced by excessive vitamin D via oxidative stress. *Cal. Tis. Inter.* **79**: 326-339.
- Tartaglia, L.A., Dembski, M., Weng, X., Deng, N., Culpepper, J., Devos, R., Richards, G.J., Campfield, L.A., Clark, F.T., Deeds, J., Muir, C., Sanker, S., Moriarty, A., Moore, K.J., Smutko, J.S., Mays, G.G., Woolf, E.A., Monroe, C.A., Tepper, R.I. (1995). Identification and expression cloning of a leptin receptor, OB-R. *Cell.* **83**:1263-1271.
- Thounaojam MC, Jadeja RN, Ansarullah, Devkar RV, Ramachandran AV. (2010c). Prevention of high fat diet induced insulin resistance in C57BL/6J mice by *Sida rhomboidea* Roxb. extract. *J. Health Sci.* **56**,92-98.
- Thounaojam MC, Jadeja RN, Devkar RV, Ramachandran AV. (2010a). *Sida rhomboidea*. Roxb leaf extract ameliorates gentamicin induced nephrotoxicity and renal dysfunction in rats. *J. Ethnopharmacol.* **132**: 365–367.
- Thounaojam, M.C., Jadeja, R.N., Ansarullah., Karn, S.S., Shah, J.D., Patel, D.K., Salunke, S.P., Padate, G.S., Devkar, R.V., Ramachandran, A.V. (2011). Cardioprotective effect of *Sida rhomboidea*. Roxb extract against isoproterenol induced myocardial necrosis in rats. *Exp. Toxicol. Pathol.* doi:10.1016/j.etp.2010.02.010.
- Thounaojam, M.C., Jadeja, R.N., Devkar, R. V., Ramachandran, A. V. (2010b). Antioxidant and free radical scavenging activity of *Sida rhomboidea*. Roxb methanolic extract determined using different *in vitro* models. *BLCPMA.* **9**: 191-198.
- Thounaojam, M.C., Jadeja, R.N., Patel, D.K., Devkar, R.V., Ramachandran, A. V. (2010d) Acute and Sub Chronic Oral Toxicity of *Sida rhomboidea*.Roxb Leaf Extract. *J Comp Integr Med.* **7**, 1, 1.

## Bibliography

- Tiniakos, D.G., Vos, M. B., Brunt, E. M. (2010). Nonalcoholic Fatty Liver Disease: Pathology and Pathogenesis. *Annu. Rev. Pathol. Mech. Dis.* **5**:145–171
- US Department of Health and Human Services. Office of the Surgeon General: The surgeon General's call to action to prevent and decrease overweight and obesity. *Rockville MD: United States Department of Health and Human Services* 2001.
- Uusitupa, M.I., Niskanen, L., Luoma, J., Vilja, P., Mercuri, M., Rauramaa, R., Ylä-Herttula, S. (1996). Auto antibodies against oxidized LDL do not predict atherosclerotic vascular disease in non-insulin-dependent diabetes mellitus. *Ath Throm. Vas. Biol.* **16**: 1236-1242.
- Vasu, V. T., Modi, H., Thaikottathil, J. V., Gupta S. (2005). Hypolipidaemic and antioxidant effect of *Enicostemma littorale* Blume aqueous extract in cholesterol fed rats *J. Ethnopharmacol.* **101**: 277–282.
- Venkatesh, S., Reddy, Y.S., Suresh, B., Reddy, B.M., Ramesh, M. (1999). Antinociceptive and anti-inflammatory activity of *Sida rhomboidea* leaves. *J. Ethnopharmacol.* **67**: 229-232.
- Verma, S., Singh, S.P. (2008). Current and future status of herbal medicines. *Veterinary World*.**1**: 347-50.
- Virmani, R., Burke, A.P., Kolodgie, F.D., Farb, A. (2002).Vulnerable plaque: the pathology of unstable coronary lesions. *J. Interv. Cardiol.* **15**: 439–446.
- Wallin, R., Wajih, N., Greenwood, G.T., Sane, D.C. (2001) Arterial calcification: a review of mechanisms, animal models, and the prospects for therapy. *Med. Res. Rev* **21**:274-301.
- Wang, M.Y., Lee, Y., Unger, R.H. (1999). Novel form of lipolysis induced by leptin. *J. Biol. Chem.* **274**:17541-17544.
- WHO. (2002). The world health report- reducing risks, promoting healthy lifestyles. Geneva; WHO.
- WHO. (2003). Obesity and overweight. Global Strategy on Diet, Physical Activity and Health, geneva, 2003.

## Bibliography

- WHO. (2003). Screening for type 2 diabetes. Report of a World Health Organization and International Diabetes Federation meeting: Department of Noncommunicable Diseases Management. Geneva.
- WHO. 1996. Guidelines for the assessment of herbal medicines. WHO expert committee on specification for pharmaceutical preparations. Technical report series no. 863. Geneva.
- Wilson, P.W. (1990). High density lipoprotein, low density lipoprotein and coronary heart disease. *Am. J. Cardiol.* **66**: 7-10.
- Wilson, P.W., Abbott, R.D., Castelli, W.P. (1988). High density lipoprotein cholesterol and mortality. The Framingham Heart Study. *Atherosclerosis*, **8**: 737-741.
- Wise, L.S., Green, H. (1979). Participation of one isozyme of cytosolic glycerophosphate dehydrogenase in the adipose conversion of 3T3 cells. *J. Biol. Chem.* **254**: 273-275.
- Witztum J.L., Steinberg, D. (1991). Role of Oxidized Low Density Lipoprotein in Atherogenesis. *J. Clin. Invest.* **88**: 1785-1792.
- Woollard, K.J. (2005). Soluble bio-markers in vascular disease: much more than gauges of disease? *Clin. Exp. Pharm. Phys.* **32**: 233-240.
- Woollard, K.J., Chin-Dusting, J. (2007). Therapeutic targeting of p-selectin in atherosclerosis. *Inflamm. Allergy. Drug. Targets.* **6**: 69-74.
- World Health Organisation. (2000). Obesity: Preventing and managing the global epidemic. *WHO. Tech. Rep. Ser.* **894**: 1-253.
- Wu, Y., Li, J., Wang, J., Si, Q., Zhang, J., Jiangd, Y., Chua, L. (2009). Anti-atherogenic effects of centipede acidic protein in rats fed an atherogenic diet. *J. Ethnopharmacol.* **122**: 509-516.
- Xi, M., Hai, C., Tang, H., Chen, M., Fang, K., Liang X. (2007). Antioxidant and antiglycation properties of total saponins extracted from traditional Chinese medicine used to treat diabetes mellitus. *Phytother. Res.* **22** : 228 – 237.

## Bibliography

- Yao, L., Heubi, J.E., Buckley, D.D., *et al.* (2002). Separation of micelles and vesicles within luminal aspirates from healthy humans: solubilization of cholesterol after a meal. *J. Lipid. Res.* **43**:654-660.
- Yen, G. and Hsieh, C. (1998). Antioxidant activity of extracts from Du-zhong (*Eucommia ulmoides*) toward various lipid peroxidation models *in vitro*. *J. Agri. Food. Chem.* **46**: 3952-3957.
- Ylitalo K, Syvänen M, Salonen R, Nuotio I, Taskinen MR, Salonen JT. (2002). Carotid artery intima-media thickness in Finnish families with familial combined hyperlipidemia. *Atherosclerosis*. **162**:171-178.
- Yokozawa, T., Ishida, A., Cho, E.J., Nakagawa, T. (2003). The effects of *Coptidis rhizoma* extract on a hypercholesterolemic animal model. *Phytomedicine*. **10**: 17-22.
- Young, I.S., McEneny, J. (2001) Lipoprotein oxidation and atherosclerosis. *Biochem. Soc. Trans.* **29**: 358-362.
- Young, S.C., Hui, D.Y. (1999). Pancreatic lipase-colipase mediated triglyceride hydrolysis is required for cholesterol transport from lipid emulsions to intestinal cells. *Biochem. J.* **339**:615-620.
- Yun, J.W. (2010). Possible anti-obesity therapeutics from nature – A review. *Phytochemistry*. **71**:1625-1641.
- Yun, J.W. (2010). Possible anti-obesity therapeutics from nature – A review. *Phytochemistry*. **71**: 1625–1641
- Zhang, Z., Li, D. S., Blanchard, D. E., Lear, S. R., Erickson, S. K., Spencer, T. A. (2001). Key regulatory oxysterols in liver: analysis as  $\Delta^4$ -3-ketone derivatives by HPLC and response to physiological perturbations. *J. Lipid. Res.* **42**: 649-658.
- Zimmet, P. (1982). Type II (non-insulin dependent) diabetes: an epidemiological overview. *Diabetologia* **22**: 399-411.