ACKNOWLEDGEMENTS

I am greatly indebted to Dr. G. Prathapasenan, Reader, Department of Botany, The Maharaja Sayajirao University of Baroda, Baroda for his valuable guidance and constant encouragement throughout the period of this investigation.

I wish to express my sincere thanks to Prof.A.R.Mehta, former Head, Department of Botany, and Prof. S.D.Sabnis, Head, Department of Botany, Maharaja Sayajirao University of Baroda, Baroda for providing necessary facilities and help.

I would like to express my deep sense of gratitude to Prof. N. Ravi, Department of Botany, Sree Narayana College, Quilon, Kerala for his constant encouragement and keen interest in my work.

I am thankful to Prof.R.P.Bhatt and Dr.P.N.Bhatt for their help and good wishes extended to me.

I would like to acknowledge with gratitude the help rendered by Dr. Mayur Baxi, Department of Microbiology, The Maharaja Sayajirao University of Baroda, Baroda for G.C. analysis.

I take this opportunity to express my deep sense of gratitude to my parents for their constant encouragement and financial assistance given to me. The help rendered by my colleagues and friends during the course of this work is greatly appreciated.

Finally I place on record my thanks to Mrs.R.Titus for the neat typing of the thesis.

sh

SHAH, T.