

## INDEX



### **Chapter 1 Introduction**

#### **CELL DEATH**

<b>1.1</b>	<b>Necrosis</b>	2-10
1.1.1	Morphology of Necrosis	2
1.1.2	Biochemical features of necrosis	3
1.1.3	Physiological roles and significance of necrosis	6
1.1.4	Molecular mechanism of programmed cell necrosis	7
	1.1.4.1 Calcium as a mediator of necrotic cell death	7
	1.1.4.2 ROS-initiated necrosis	9
	1.1.4.3 Proteases involved in necrosis	10
	1.1.4.3.1 Calpains	10
	1.1.4.3.2 Lysosomal enzymes	11
<b>1.2</b>	<b>Apoptotic cell death or caspase-dependent PCD</b>	11-24
1.2.1.	Physiological roles and significance of apoptosis	12
1.2.2	Morphology of apoptosis	13
1.2.3	Biochemical features of apoptosis	14
1.2.4	Molecular mechanism of apoptosis	15
	1.2.3.1 Extrinsic or death receptor-mediated pathway	17
	1.2.3.2 Perforin/granzyme pathway	19
	1.2.3.3 Intrinsic or Mitochondria mediated pathway	21
	1.2.3.3.1 Apoptosome formation	24
	1.2.3.4 Execution pathway	24
1.2.5	The discovery of metacaspases and paracaspases	27
	1.2.5.1 Metacaspases and cell death	27
	1.2.5.2 Paracaspase and cell death	29
<b>1.3</b>	<b>Paraptotic cell death or caspase-independent pcd</b>	30
1.3.1	Poly(ADP-ribose) polymerase (PARP)	33
	1.3.1.1 PARP-1 Structure and Biochemical Activities	34
	1.3.1.2 Biochemistry of PARP-1 DNA Binding, Chromatin Binding, and Genomic Localization	35

1.3.1.3	Catalytic Activity, Binding Partners, and Targets	37
1.3.1.4	Posttranslational Modifications of PARP-1	38
1.3.1.5	PARP-1 and NAD <sup>+</sup> Metabolism	42
1.3.1.6	PARP-1 overactivation depletes NAD <sup>+</sup>	43
1.3.2	Poly(ADP-ribose) glycohydrolase (PARG)	44
1.3.3	PARP-1 overactivation induces AIF (Apoptosis Inducing Factor) release	45
<b>1.4</b>	<b>Molecular and cellular mechanisms of Cd<sup>2+</sup> carcinogenesis</b>	<b>49</b>
1.4.1	Cd <sup>2+</sup> as a carcinogen	50
1.4.2	Inhibition of DNA repair	50
1.4.3	Cd <sup>2+</sup> and cell proliferation	52
1.4.4	Inhibition of apoptosis	52
1.4.5	Cd <sup>2+</sup> -induced necrosis	53
1.4.6	Induction of apoptosis	54
1.4.7	Reactive oxygen species and interference with the cellular antioxidant system	57
1.4.8	Gene regulation and signal transduction	57
<b>1.5</b>	<b><i>Dictyostelium discoideum</i> as model organism</b>	<b>61</b>
1.5.1	<i>D. discoideum</i> development	61
1.5.2	Molecular aspects of <i>D. discoideum</i> development	64
1.5.3	Cell cycle arrest	64
1.5.4	<i>D. discoideum</i> and Programmed Cell Death	66
	<b>Objectives</b>	<b>69</b>

<b>Chapter 2</b>	<b>Materials and Methods</b>	<b>107-119</b>
<b>Chapter 3</b>	<b>Mechanism of cadmium (Cd<sup>2+</sup>) induced cell death in <i>Dictyostelium discoideum</i></b>	<b>120-156</b>
3.0	Introduction	119
3.1	Oxidative stress induction by Cd <sup>2+</sup>	123
3.1.1	Cd <sup>2+</sup> induced cell death in <i>Dictyostelium discoideum</i>	123
3.1.2	Cd <sup>2+</sup> induced intracellular Reactive Oxygen Species (ROS) production	124

3.1.3	Effect of GSH on Cd <sup>2+</sup> induced cell death	125
3.1.4	Effect of GSH on Cd <sup>2+</sup> induced intracellular ROS production	126
3.1.5	Induction of DNA damage by Cd <sup>2+</sup> exposure	127
3.1.6	Cd <sup>2+</sup> induced PARP activation	128
3.1.7	PARP activation leads to NAD <sup>+</sup> depletion	129
3.1.8	NAD <sup>+</sup> depletion leads to MMP changes	129
3.1.9	Effect of GSH on Cd <sup>2+</sup> induced changes in MMP	131
3.1.10	Cd <sup>2+</sup> induced changes in development	132
<b>3.2</b>	<b>Oxidative stress induction by exogenous addition of H<sub>2</sub>O<sub>2</sub></b>	<b>134-156</b>
3.2.1	Effect H <sub>2</sub> O <sub>2</sub> on <i>Dictyostelium discoideum</i> cell death	134
3.2.2	Effect H <sub>2</sub> O <sub>2</sub> on intracellular (ROS) production	135
3.2.3	PARP activation induced by H <sub>2</sub> O <sub>2</sub>	137
3.2.4	Effect of H <sub>2</sub> O <sub>2</sub> on NAD <sup>+</sup> content	138
3.2.5	Effect of H <sub>2</sub> O <sub>2</sub> on mitochondrial membrane potential (MMP)	138
	Discussion	140

<b>Chapter 4</b>	<b>The role of poly (ADP-ribose) polymerase during Cd<sup>2+</sup> induced cell death</b>	<b>157-205</b>
4.0	Introduction	158
4.1	Standardization of NAD <sup>+</sup> concentration for Cd <sup>2+</sup> induced cell death	160
4.2	Effect of NAD <sup>+</sup> , PARP or PARG on Cd <sup>2+</sup> induced cell death	160
4.3	Effect of NAD <sup>+</sup> , benzamide, gallotannin or ALLN pre treatment on Cd <sup>2+</sup> induced ROS production	165
4.4	PARP activation induced by oxidative stress	168
4.5	Effect of NAD <sup>+</sup> , benzamide, gallotannin or ALLN pre treatment on oxidative stress induced NAD <sup>+</sup> depletion	176
4.6	Effect of NAD <sup>+</sup> , benzamide, gallotannin or ALLN pre treatment on oxidative stress induced MMP changes	179
4.7	Heterologous expression of <i>Sf-1</i> caspase using pA15-cas (constitutive promoter) in <i>D. discoideum</i>	190
	<i>Concluding Remarks and Synopsis</i>	207
	<b>Publications</b>	