



LITERATURE CITED

Literature Cited

- Abdullah,A.R., C.M.Bajet , M.A.Matin , D.D.Nhan, and A.H.Suliman. (1997).** Ecotoxicology of pesticides in the tropical irrigated paddy field ecosystem. *Environmental and Toxicological Chemistry* 16:59-70.
- Agarwala, B.K. and P.Bardhanroy. (1999).** Numerical response of ladybird beetles (Col., Coccinellidae) to aphid prey (Hom., Aphididae) in a field bean in North-east India. *J. Appl. Ent.*, 123; 401-405.
- Agnew, C.W. and J.W. Smith. (1989).** Ecology of spiders (Araneae) in a peanut agroecosystem. *Environ. Entomol.* 18:30-42.
- Alderweireldt M. (1989).** An ecological analysis of the spider fauna (Araneae) occurring in the maize fields, Italian ryegrass fields and their edge zones, by means of different multivariate techniques. *Agric. Ecosys. Environ.* 27(1-4), 293-305.
- Alderwiereldt M. (1994).** Habitat manipulations increasing spider densities in agroecosystems: possibilities for biological control? *J. Appl. Entomol.*, 118:10-16.
- Amalin D M, J.E.Peria, J.Reiskind, R. McSorly.(2001).** Comparision of the survival of three species of sac spiders on natural and artificial diet. *The journal of arachonology.* 29: 253-262.
- Amanda K.M., Jensen A.S., S.Alan, P.Keith. and Snyder W. E. (2005).** Comparison of predator and pest communication in Washington potato fields treated with broad-spectrum, selective or organic insecticides. *Environ. Entomol.* 34(1); 87-95.
- Ambrose, D. P. and M. A. Claver. (1997).** Functional and numerical response of the reduviid predator, *Rhynocoris fuscipes* F. (Het., Reduviidae) to cotton leafworm *Spodoptera litura* F. (Lep., Noctuidae). . *Appl. Ent.*, 121; 331-336.

Literature Cited

- Andow, D.A. and P.M.Rosset. (1990).** Integrated pest management. In Agroecology, (C.R.Caroll , J.Vandermeer and P.M.Rosset., eds) McGraw Hill , New York.
- Armes N.J.; D.R. Jadhav and K.R. DeSouza (1996).** A survey of insecticides resistance in *Helicovera armigera* in the Indian Subcontinent. **Bull. Entomol. Res. 86:499-514.**
- Ayyar, T.V.R. (1963).** Pests of Castor. Handbook of Economic Entomology for South India. Madras pp 204-209.
- Barrion, A.T. and J.A.Litsinger. (1995).** Rice land spiders of South and South East Asia. Center for CAB international (CABI) UK .and International Rice research Institute (IRRI). Manila, Philippines. Pp 700.
- Barrion,A. (1999).** Ecology of Spiders in selected Non-rice habitats and irrigated rice fields in two southern Tagalog provinces in the Phillipines. PhD Thesis. *University of Philippines* at la Banos.
- Baur,B ., Joshi, B ., Schmidt,A., Hanggi,D.,Borcard ,J., Stacy ,A., Rusterholz,P., Oggier,S.,Ledergerber and A.Erhardt. (1996).** Variation in species richness of plants and diverse groups of invertebrates in three calcareous grasslands of Swiss Jura Mountains. *Revue Swisse Zoologie*. 103:801-833.
- Beckerman, A.P., M.Uriarte and O.J. Schmitz. (1997).** Experimental evidence for a behaviour-mediated trophic cascade in a terrestrial food chain. *Natl. Acad. Sci.*, 94; 10735-10738.
- Bell, D.; G.E.Petts; and J.P.Sadler. (1999).** The distribution of spiders in the wooden riparian zone of three rivers in Western Europe. *Regulated Rivers Research and Management* 15:141-158.
- Bilde, T. and S. Toft. (1997).** Consumption by Carabid beetles of three cereal aphid species relative to other prey types. *Entomophaga*, 42 (1/2); 21-32.

Literature Cited

Bilde, T. and S. Toft. (1998). Quantifying food limitation of arthropod predators in the field. *Oecologia*, 115; 54-58.

Bishop L. and S.E. Richert. (1990). Spider colonization of agroecosystems: Mode and source. *Environ. Entomol.*, 19:1738-1745.

Blackwall ,J. (1864). Descriptions of seven new species of east Indian spiders received from Rev.O.P.Cambridge. *Annals and Magazine of natural history*14(3):36-45. (As Cited by Siliwal et al 2005, Zoosprint Vol 20 (10):1999-2049.

Blackwall,J. (1867). Descriptions of several species of east Indian species, apparently to be new or little known to arachonologists. *Annals and Magazine of natural history*.19 (3):387-394. (As Cited by Siliwal et al 2005, Zoosprint Vol 20 (10):1999-2049.

Bodeheimer,F.S. 1951.Insects as Human Food. The Hague: W.Junk, pp 352. (A source of several references)

Bogya S. and V. Markó. (1999). Effect of pest management systems on ground-dwelling spider assemblages in an apple orchad in Hungary. *Agric. Ecosys. Environ.* 73:7-18.

Bogya, S., Mols, P.J.M. (1996). The role of spiders as predators of insect pests with particular reference to orchads: A Review. *Acta Phytopath. Entomol. Hung.* 31(1-2), 83-159.

Brown K.C.; J.H. Lawton and S.W. Shires. (1983). Effects of insecticides on invertebrate predators and their cereal aphid (Hemiptera: Aphididae) prey: laboratory experiments. *Environ. Entomol.* 12(6), 1747-1750.

Cambridge,F.O.P. (1897).On the cteniform spiders of Ceylon, Burma and the Indian Archipelago, west and north of the Wallace line; with bibliography and list of those from Australia, South and East of the Wallace line. *Annals and Magazine of natural history*.20 (6):329-356. .(as Cited by Siliwal et al 2005 , Zoosprint Vol 20 (10):1999-2049.

Literature Cited

- Chang, G.C. (1996).** Comparison of Single versus Multiple Species of Generalist Predators for Biological Control. *Environ. Entomol.* 25 (1): 207-212.
- Channa,N.B.B. and F.P.Amarasinghe.(2003).** Biodiversity associated with the rice field agroecosystem in Asian Countries: A brief Review. Working Paper 63. Colombo, Sri Lanka: International Water Management Institute.
- Cherret, J.M. (1964).** The distribution of spiders on the Moor House National Nature Reserve, Westmorland. *Journal of Animal Ecology* 33:27-48.
- Chiverton, P.A. (1986).** Predator density manipulation and its effects on populations of *Rhopalosiphum padi* (Hom.: Aphididae) in spring barley. *Annals of Applied Biology* 109:49-60.
- Claver M.A.; G.Ramasubbu , B.Ravichandran and D.P.Ambrose. (2002).** Searching behaviour and functional response of *Rhynocoris longifrons* (Stal) (Heteroptera: Reduviidae), a key predator of pod sucking bug , *Clavigralla gibbosa* Spinola. *Entomon* 27(4): 339-346.
- Craig, C.L., and G.D. Bernard. (1990).** Insect attraction to ultraviolet-reflecting spider webs and web decorations. *Ecology* 71:616.623.
- Craig, C.L., R.S. Weber, and G.D. Bernard. (1996).** Evolution of predator-prey systems: spider foraging plasticity in response to the visual ecology of prey. *American Naturalist.* 147:205.229.
- Culin,J.D. and K.V.Yeargean.(1983).** Comparative study of spider communities in alfalfa and soybean agroecosystems, foliage dwelling spiders. *Annals. Entomol.Soc.Amer.* 76:825-831.
- Dabrowska-Prot, E. and J. Luczak. (1968).** Studies on the incidence of mosquitoes in the food of *Tetragnatha montana* Simon and its food activity in natural habitat. *Ekologia Polska – Seria A* 16: 843-852.

Literature Cited

- Dabrowska-Prot, E., J. Luczak and Z. Wojcik. (1973).** Ecological analysis of two invertebrate groups in the wet alder wood and meadow ecotone. *Ekologia Polska* 21:753-812.
- Dale,D. (1994).** Insect pests of the rice plant – their biology and ecology. *In Biology and Managment of rice insects*, ed. E.A.Heinrichs Wiley Eastern Ltd., India and International Rice research Institute (IRRI) Manila, Phillipines Pp 393-487.
- Dean D.A.; W.L. Sterling; M. Nyffeler and R.G. Breene. (1987).** Foraging by selected spider predators on the cotton fleahopper and other prey. *Southwestern Entomolgist*. 12:263-270.
- Diaz- Fleischer Francisco. (2005).** Predatory behaviour and prey-capture decision-making by the web-weaving spider *Micrathena sagittata*. *Can. J. Zool.* 83(2); 268-273.
- Dinter, A. (2002).** Microcosm studies on intraguild predation between female erigonid spiders and lacewig larvae and influence of single versus multiple predators on cereal aphids. *J. Appl. Ent.*, 126; 249-257.
- Dinter, A. (2004).** A mass rearing method for the linyphiid spider species *Erigone atra* (Blackwall) (Araneae: Linyphiidae). *J. Appl. Ent.*, 128(3); 200-203.
- Döbel, H.G. (1987).** The role of spiders in the regulation of salt marsh planthopper populations. *Unpubl. Master's Thesis, University of Maryland*.
- Dolly Kumar and Shivakumar M.S. (2004).** Ecological studies in the role of spiders in paddy agroecosystem of Vadodara with special emphasis on biocontrol aspect. *Ind. Jour, Ento.* 66(4): 323-327.
- Dolly Kumar and Shivakumar, M.S, (2006).** Seasonal Abundance of spiders in Pigeonpea agroecosystem. *Indian Journal of Environmental Sciences* .10(1): 43-46.

Literature Cited

- Dondale, C.D., B. Parent and D. Pitre. (1979).** A six year study of spiders (Araneae) in a Quebec apple Orchard. *Can .Entomol.*, 111: 377-380.
- Dondale, C.D. (1970).** Spiders of Heasman's field, mown meadow near Belleville, Ontario. *Proc.Entomol.Soc.Ontario*, 101: 62-69.
- Dondale, C.D. and M.R.Binns (1977).** Life histories and distribution pattern of hunting spiders (Araneidae) in an Ontario meadow. *Journal of Arachnology* 4:73-93.
- Doutt, R.L. (1964)** The historical development of biological control . pp 21-42. In *Biological control of insect pests and weeds*. London. Chapman and Hall, pp 864.
- Duffey E. (1962).** A population study of spiders in limestone grassland. *Journal of Animal Ecology* 31:571-599.
- Duffey E. (1978).** Ecological strategies in spiders including some characteristics of species in pioneer and mature habitats. *Symposium of the Zoological Society of London* 42:109-123.
- Dyal, S. (1935).** Spiders of Lahore. *Bulletin of Department of Zoology, Punjab University* 1:117-252.(as Cited by Siliwal et al 2005 , *Zoosprint* Vol 20 (10):1999-2049.
- Edgar, W.D. (1971).** The life-cycle, abundance and seasonal movement of the wolf spider, *Lycosa (Pardosa) lugubris*, in central Scotland. *Journal of Animal Ecology*. 40:303-322.
- Fagan, W.F. and L.E.Hurd. (1991).** Direct and indirect effects of generalist predators in a terrestrial arthropod community. *American Midland Naturalist* 126:380-384.
- FAO Stat, 2004.** Statistical Database. <http://www.fao.org/rice2004/e>.

Literature Cited

- Finke, D.L. and R.F. Denno. (2002).** Intraguild predation diminished in complex-structured vegetation: implications for prey suppression. *Ecology* 83:643-652.
- Fleischer F.D. (2005).** Predatory behaviour and prey-capture decision making by the web-weaving spider *Micrathena sagittata*. *Can. J. Zool.* 83; 268-273.
- Furuta, K. (1977).** Evaluation of spiders, *Oxyopes sertatus* and *O. badius* (Oxyopidae) as a mortality factor of gypsy moth, *Lymantria dispar* (Lepidoptera: Lymantridae) and Pine moth, *Dendrolimus spectabilis* (Lepidoptera :Lasiocampidae). *Applies Entomology and Zoology* 12:313:324.
- Gillespie,R.G. (1987).**The mechanism of habitat selection in the long jawed orb weaving spider *Tetragnatha elongate*(Araenae : Tetragnathidae). *Journal of Arachnology* 15:81-90.
- Givens,R.(1978).** Dimorphic foraging strategies of a Salticid spider (*Phiddipus audax*). *Ecology*, 59:309-321.
- Greenstone , M.H. (1978).**The numerical response of prey availability of *Pardosa ramulosa* (McCook) (Araneidae:Lycosidae) and its relationship to the role of spiders in the balance of nature. *Symposia of the Zoological Society of London* 42:183-193.
- Greenstone, M.H. and K.D. Sunderland. (1999).** Why a Symposium on spiders in Agroecosystems now? *J.Arachonol.*27: 267-269.
- Greenstone,M.H. (1984).** Determinants of Web spider species diversity: vegetation structural diversity versus prey availability. *Oecologia* 62:299-304.
- Gunnarson, B. (1990).** Vegetation structure and the abundance and size distribution of spruce – living spiders. *Journal of animal ecology* 59:743-752.

Literature Cited

- Hagerty A. M., Kilpatrick A.L., Turnipseed S. G., Sullivan M. J. and Bridges W. C. (2005).** Predacious arthropods and lepidopteran pests on conventional, Bollgard, and Bollgard II cotton under untreated and Disrupted conditions. *Environ. Entomol.*, 34(1); 105-114.
- Harwood J. D. and J. J. Obrycki. (2005).** Web-construction Behaviour of Linyphiid Spiders (Araneae, Linyphiidae): Competition and Co-existence within a Generalist Predator Guild. *Journal of Insect Behaviour*, Vol. 18. No.5; 593-607.
- Harwood, J.D., K.D. Sunderland, and W.O.C. Symondson. (2001).** Living where the food is: web location by linyphiid spiders in relation to prey availability in winter wheat. *J. Appl. Ecol.* 38:88-99.
- Haynes,D.L. and P.Sisojevic. (1966).** Predatory behaviour of Philodromous rufus Walckenaer (Araenae:Thomisidae) . *Canadian Entomologist* 98:113-133.
- Heidger,C. and W.Nentwig. (1989).** Augumentation of beneficial arthropods by strip management: artificial introduction of spider species which preys on wheat pest insects. *Entomophaga* 34: 511-522.
- Henderson, P.A.(2003).** Practical Methods in Ecology. Blackwell Science publication pp160.
- Heong,K.L.; G.B.Aquino; and A.T.Barrion(1991).** Arthropod community structures of rice ecosystems in the Phillipines. *Bull. Ento.Res.* 81: 407-416.
- Holling, C.S. (1959).** Some characteristics of simple types of predation and parasitism. *Canadian Entomologist* 91:385-398.
- Holling, C.S. (1965).** The functional response of predators to prey density and its role in mimicry and population regulation. *Mem . Entomological Society of Canada* 45:1-60.
- Holling, C.S. (1966).** The functional response of invertebrate predators to prey density. *Mem. Entomological society Canada* No48 Pp 86.

Literature Cited

- Hooks, C.R.R. and M.W. Johnson. (2002).** Lepidopteran pest populations and crop yields in row intercropped broccoli. *Agriculture and Forest Entomology*, 4; 117-125.
- Hooks, C.R.R., R.R. Pandey and M.W. Johnson. (2003).** Impact of avian and arthropod predation on lepidopteran caterpillar densities and plant productivity in an ephemeral agroecosystem. *Ecological Entomology*, 28; 522-532.
- Ishijima, C., T. Motobayashi, M. Nakai and Y. Kunimi. (2004).** Impacts of tillage practices on hoppers and predatory spiders (Araneae: Lycosidae) in rice paddies. *Appl. Entomol. Zool.* 39(1):155-162.
- Jackai L.E.N. and S.R. Singh (1991).** Research on the legume pod borer, *Maruca testulalis*. *Int. Inst. Trop. Agric. Res.* 1:1-7.
- Jackson R.R and S.D. Pollard. (1996).** Predatory behaviour of jumping spiders. *Ann. Rev. Ento.* 41:287-308.
- Jackson, R.R. and Willey M. B. (1994).** The comparative study of the predatory behaviour of *Myrmarachne*, ant-like jumping spiders (Araneae: Salticidae). *Zoological Journal of the London Societ*, 110; 77-102.
- Jeschke, J.M ; M. Kopp and R. Tollrian .(2004)** Consumer –food systems: Why type I functional responses are exclusive to filter feeders. *Biological Reviews* 79: 337-349.
- Jill DeVito, J. M. Meik, M. M. Gerson and D. R. Formanowicz. (2004).** Physiological tolerances of three sympatric riparian wolf spiders (Araneae: Lycosidae) correspond with microhabitat distributions. *Can. J. Zool.*, 82(7); 1119-1125.
- Jocque, R. (1973).** The spider fauna of adjacent woodland areas with different humus types. *Biologisch Jaarboek* 41:153-179.

Literature Cited

- Jones,D.P. (1973).** Agricultural Entomology. In: History of Entomology
R.F.Smith, T.E.Mittler and C.N.Smith (eds). *Annual Reviews Palo Alto*.Pp
307-332.
- Joshi. S., C.R. Ballal and N.S.Rao. (1999).** Biotic potential of three
coccinellid predators on six different aphid hosts. *J.ent. Res.*, 23(1); 1-7.
- Juliano,B.O.(1993).** Rice in human nutrition. Food and Agricultural
Organisation (FAO) and International Rice Research Institute (IRRI), Manila,
Philippines Pp 162.
- Kaaya,G.P. (1994).** Achieving sustainable food production in Africa: Role of
pesticides and biological control in integrated pest management. *Insect Sci
Appl*, 15: 223-234.
- Kaston,B.J. (1978).** How to know spiders.*Dubuque, Iowa, Wm C . Brown Co
Publishers.*
- Kawahara,S., K.Kiritani and T.Sasaba (1971).** The selective activity of rice
pest insecticides against the green leaf hopper and spiders. *Botyu –Kagaku*
36:121-128.
- Keilty, J.P., A. Williams and N. Underwood. (1999).** Prey preferences of six
species of Carabidae (Coleoptera) and one Lycosidae (Araneae) commonly
found in UK arable crop fields. *J. Appl. Ent.*, 123; 193-200.
- Kelley T.G.; Y. Mohan Rao and T.G. Shanower (1996).** Pigeonpea pest
management in Marepalle village, Ranga Reddy District, Andhra Pradesh:
Farmers' perceptions and practices. Prog. Rep. 120. Patancheru, Andhra
Pradesh, India: **Int. Crops Res. Inst. Semi-Arid Trop., Sociocon Policy
Div.**
- Kenmore,P.E.;F.O.Carino.;C.A.Pervez.;V.A.Dyck and
A.P.Guittierrez.(1984).**Population regulation of the brown plant hopper (
Nilaparvata lugens) within rice fields in the Phillipines. *Journal of Plant
protection in Tropics* 1:19-37.

Literature Cited

- Kim, H.S (1992).** Supperssive effects of Wolf spider, *Pirata subpiraticus* (Araenae : Lycosidae) on the population density of Brown plant hopper (*Nilparvarta lugens*) Unpublished PhD thesis, Dougkuk University , Seoul Korea pp 69.
- Kiritani,K., and N.Kakiya. (1975).** An analysis of the predator-prey system in the paddy field. *Researches on Population Ecology* 17:29-38.
- Kiritani,K., S.Kawahara,T.Sasaba and F.Nakasuji. (1972).** Quantative evaluation of predation by spiders on the green rice leaf hopper, *Nephotettix cinctipes* by sight count method. *Researches on population Ecology* 13:187-200.
- Konishi,M. and Y.Ito. (1973).**Early Entomology in East Asia. In: History of Entomology R.F.Smith, T.E.Mittler and C.N.Smith (eds). *Annual Reviews Palo Alto*.Pp 1-20.
- Kromp B. and K.H. Steinberger. (1992).** Grassy field margin and arthropod diversity: a case study on ground beetles and spiders in eastern Austria (Coleoptera: Carabidae; Arachnida: Aranei, Opiliones). *Agricul. Ecosys. Environ.* 40(1-4), 71-93.
- Kronk, A.E. and S.E. Riechert. (1979).** Parameters affecting the habitat choice of desert wolf spider, *Lycosa santrita* Chamberlin and Ivie. *Journal of Arachnology* 7:155-166.
- Kuijpers L.A.M. (1992).** A review of the selectivity of DIMILIN in orchards. *Acta. Phytopath. Entomol. Hung.* 27(1-4), 375-384.
- Kumar, A., N. Kumar, A. Siddiqui and C. P. M. Tripathi. (1999).** Prey-predator relationship between *Lipaphis erysimi* Kalt. (Hom., Aphididae) and *Coccinella septumpunctata* L. (Col., Coccinellidae). II. Effect of host plants on the fuctional response of the predator. *J.Appl. Ent.*, 123; 591-601.
- Kumar, M.G. and R, Velousamy. (1995).** Studies on the biology and fecundity of the wolf spiders *Lycosa pseudoannulata* Boest , A potential predator of Rice hoppers. *J.Biological control*, 9(1): 30-33.

Literature Cited

- Kumar, P; R. Singh; and S.K. Pandey. (1996).** Population dynamics of Rice leaf folder *Cnaphalocrocis medinalis* Guen., in relation to stage of the crop , weather factors and predatory spiders. *J.Ent.Res.* 20(3): 205-210.
- Lang A.; J. Filser and J.R. Henschel. (1999).** Predation by ground beetles and wolf spiders on herbivorous insects in a maize crop. *Agric. Eco. Environ.* 72:189-199.
- Lang, A and A.J. Klarenberg. (1997)**Experiments on the foraging behaviour of the hunting spider *Pisaura mirabilis* (Araneae: Pisauridae): Utilization of single prey items. *Eur. J. Entomol.* 94:453-459.
- Langelotto, G.A. and R. F. Denno. (2004).** Responses of invertebrate natural enemies to complex-structured habitats: a meta- analytical synthesis. *Oecologia*, 139; 1-10.
- Lateef, S.S. and W. Reed. (1983).** Review of crop losses caused by insect pest in pigeonpea internationally and in India. *Indian J. Entomol. spec.* 2:284-293.
- Li, D and Robert R Jackson. (1996).** Prey specific capture behaviour and prey preferences of myrmicophagic and araneophagic jumping spiders (Araneae: Salticidae). *Revue Suisse De Zoologie Vol hors.serie:* 423-436.
- Li, Diaquin (2000).** Prey Preferences of *Phaecius malayensis*, a spartaeine jumping spider (Araneae: Salticidae) from Singapore. *Canadian Journal of Zoology* 78:2218-2226.
- Li, Diaquin and R.Jackson. (1996).** Prey preferences of *Portia fimbriata*, an arenophagic jumping spider (Araneae: Salticidae) from queensland. *Journal of Insect behavior* 9 (4): 613- 642.
- Li. D, Jackson, R.R. and Cutler, B. (1996).** Prey-capture techniques and prey preferences of *Habrocestum pulex*, an ant-eating jumping spider (Araneae, Salticidae) from North America. *J.Zool., Lond.* 240; 551-562.

Literature Cited

- Lima, S. L. (1998).** Nonlethal effects in the ecology of predator-prey interactions. *BioScience*. 48:25-34.
- Lockley T.C. and O.P. Young (1987).** Prey of the striped lynx spider *Oxyopes salticus* (Araenae: Oxyopidae) on cotton in the delta area of Mississippi. *The Journal of Arachnology*. 14:395-397.
- Lowrie, D.C. (1948).** The ecological succession of spiders of the Chicago area dunes. *Ecology* 29:334-351.
- Luczak, J. (1979).** Spiders in Agrocoenoses. *Pol.Ecol.Stud.* 5:151-200.
- Ludy, C and A. Lang. (2004).** How to catch foliage-dwelling spiders (Araneae) in maize fields and their margins: a comparison of two sampling methods. *J. Appl. Ent.*, 128(7); 501-509.
- Mansour .F and U.Heimbach (1993).** Evaluation of Lycosid, Micryphantid and Linyphiid spiders as predators of *Rhopalosiphum padi* (Homoptera :Aphididae) and their functional response to prey density – Laboratory experiments. *Entomophaga* 38(1): 79-87.
- Mansour F. (1987).** Spiders in sprayed and unsprayed cotton fields in Israel, their interactions with cotton pests and their importance as predators of the Egyptian cotton leaf worm, *Spodoptera littoralis*. *Phytoparasitica* 15:31-41.
- Mansour F. and W.H. Whitcomb. (1986).** The spiders of a citrus grove in Israel and their role as biocontrol agents of *Ceroplastes floridensis* (Homoptera: Coccidae). *Entomophaga* 31:269-276.
- Mansour, F. ; D.Rosen., A.Shulov., H.N.Plaut. (1980a).** Evaluation of spiders as biological control agents of *spodoptera littoralis* larvae on Apple in Israel. *Acta Oecologica/ Oecologia Applicata.*, 1: 225-232.
- Mansour, F., D.Rosen and A.Shulov. (1980b).** Functional response of the spider *Chieracanthium meildei* (Arachnida: Clubionidae) to prey density. *Entomophaga* 25:313-316.

Literature Cited

- Marc,P. and A.Canard. (1997).** Maintaining spider biodiversity in agroecosystems as a tool in pest control. *Agriculture Ecosystem and Environment* 62:229-235.
- Marc.P, A.Canard and F.Ysnel (1999).** Spiders (Araenae) useful for pest limitation and bioindication. *Agro.Eco and Env.* 74(1-3): 229-273.
- Markezich, A.L. (1987).** Late season physiological adaptations of two syntopic araneid spiders. *Unpubl. Ph.D. Dissertation, Illinois State University.*
- Marshall S.D. and A.L. Rypstra. (1999).** Spider competition in structurally simple ecosystems. *J. Arachnol.* 27:343-350.
- Marusik, Y.M. and S. Koponen. (2002).** Diversity of spiders in Boreal and Arctic zones. *The journal of Arachnology*, 30; 205-210.
- Maupin, J.L. and S.E. Riechert. (2001).** Superfluous killing in Spiders: a consequence of adaptation to food-limited environments? *Behavioural Ecology*, 12(5); 569-576.
- Mayntz, D., D. Raubenheimer, M. Salomon, S. Toft and S.J. Simpson. (2005).** Nutrient-specific foraging in Invertebrate Predators. *Science*, 307; 111-113.
- Merkens, S. (1997).** Influence of environmental factors on the community structure of spiders in a humidity gradient of extensively managed, moist pastures. *Europ. Coll. Arachnol.*, 237-248.
- Midega, C.A.O., C. K. P. O. Ogoi and W. A. Overholt. (2004).** Effect of agroecosystem diversity and natural enemies of maize stem borers in coastal Kenya. *Intl. J. Tropical Insect Science*, 24(4); 280-286.
- Miliczky, E.R. and C. O. Calkins. (2001).** Prey of the spider, *Dictyna coloradensis* on apple, pear, and weeds in central Washington (Araneae: Dictynidae). *Pan-pacific Entomologist*, 77(1); 19-27.

Literature Cited

Miliczky, E.R. and C. O. Calkins. (2002). Spiders (Araneae) as potential predators of leafroller larvae and egg masses (Lepidoptera: Tortricidae) in central Washington apple and pear orchards. *Pan-pacific Entomologist*, 78(2): 140-150.

Miliczky, E. R.; C.O .Calkins; and D.R.Horton. (2000). Spider abundance and diversity in Apple orchards under three insect pest management programmes in Washington State, U.S.A. *Agricultural and Forest Entomology* 2:203-215.

Morin, P.J. (1999). *Community Ecology*. Blackwell Science, Inc., Malden,MA.

Morse, D.H. and R.S. Fritz. (1982). Experimental and observational studies of patch choice at different scales by the crab spider *Misumena vatia*. *Ecology* 63:172-182.

Murdoch, W.W. (1977). Stabilizing effects of spatial heterogeneity in predator-prey systems. *Theoretical Population Biology* 11:252-273.

Muzika, Rose-Marie and M.J. Twery. (1997) Early-season and habitat characteristics of Terricolous Spider Families (Araneae) in an Appalachian Oak-Mixed Hardwood Forest. *Environ. Entomol.* 26(3); 497-506.

Nair, M.R.G.K. (1995). Insects and Mites of crops in India. Published by IARI New Delhi. Pp 70-76.

Nakamura, K. (1977). A model for the functional response of a predator to varying prey densities, based on the feeding ecology of wolf spiders. *Bulletin of the National Institute of Agricultural Science of Japan, Series C* 31:28-89.

Narayan, K. (1915). Notes on ant-like spiders of the family Attidae in the collection of the Indian Museum. *Records of Indian Museum, Calcutta* 11:393-406. (As Cited by Siliwal et al 2005, Zoosprint Vol 20 (10):1999-2049.

Negm, A.A. (1994). Relative role of certain true spiders (Arachnida: Araneomorphae) as biological control agents of insects in Upper Egypt. *Bull. 2nd Pest. Cont. Congr. Alexandria*, Egypt. Pp 425-436.

Literature Cited

- Nene Y.L. and V.K. Sheila (1990). Pigeonpea geography and importance. See Ref. 56, pp. 1-14.
- Nentwig, W. (1980). The selective prey of linyphiid-like spiders and of their space webs. *Oecologia* 45:236-243.
- Nentwig, W. (1982). Epigeic spiders, their potential prey and competitors:relationship between size and frequency. *Oecologia* 55:130 - 136.
- Nentwig,W (1987). The Prey of Spiders. In *Ecophysiology of Spiders*. Springer-Verlag, Berlin. NewYork. Pp.249-263
- Newsome,L.D. (1970). The end of an era and future prospects for insect control. *Proc. Tall Timbers Conf.Ecol.Anim.Comtrol*.pp.117-136.
- Norgaard, E. (1951). On the ecology of two lycosid spiders (*Pirata piraticus* and *Lycosa pullata*) from a Danish *Sphagnum* bog. *Oikos* 3: 1-21.
- Nyffeler M and K.D.Sutherland (2003). Composition, abundance and pest control potential of spider communities in agroecosystems. A comparison of European and U.S studies. *Agro.Eco and Env*.95: 579-612.
- Nyffeler, M and R.G.Breene. (1990). Evidence of low daily food consumption by wolf spiders in meadowland and comparison with other cursorial hunters. *Journal of Applied Entomology* 110:73-81.
- Nyffeler, M. (1982). Field studies on the ecological role of spiders as insect predators in agroecosystems. *PhD dissertation. Swiss Federal institute of technology, Zurich*. Pp,174
- Nyffeler, M. (1999). Prey selection of spiders in the field. *J.Arachnol.* 27:317-324.
- Nyffeler,M. ,and G.Benz. (1987). Spiders in Natural pest control: A review. *Journal of Appl. Entomol.*, 103: 321-339.

Literature Cited

- Nyffeler, M. and Benz, G. (1994).** Spiders in Natural pest control: a review. *Journal of Applied Entomology* 103:321-339.
- Nyffeler, M. and G. Benz. (1988).** Prey and Predatory importance of *Micryphantid* spiders in winter wheat fields and hay meadows. *Zeitschrift fur angewandte entomologie* 103: 321-339.
- Nyffeler, M., W.L. Sterling, D.A. Dean. (1994a).** Insectivorous activities of spiders in United States field crops. *J. Appl. Entomol.* 118:113-128.
- Nyffeler M.; W.L. Sterling and D.A. Dean. (1994b).** How spiders make a living. *Environ. Entomol.* 23:1357-1367.
- Okuma, C., M.H. Lee and N. Hokyo. (1978).** Fauna of spiders in a Paddy field in Suweon, Korea. *Esakia.*, 11:81-88.
- Olszak R.W.; J. Luczak; E. Neimezyk and R. Zajac. (1992).** The spider community associated with apple trees under different pressure of pesticides. *Ekologia Polska*, 40:265-286.
- Omkar and B.E. James. (2003).** Searching and feeding efficiency of a ladybird beetle, *Coccinella transversalis* F on Aphid, *Aphis gossypii* G. *Journal of Biological Control* 17(2): 107-112.
- Oraze, M.J. and A.A. Grigarick. (1989).** Biological control of aster leafhopper (Homoptera: Cicadellidae) and Midges (Diptera: Chironomidae) by *Pardosa ramulosa* (Araneidae: Lycosidae) in Californian Rice fields. *Journal of Economic Entomology*. 82: 745 – 749.
- Oraze, M.J., A.A. Grigarick, J.H. Lynch and K.A. Smith. (1988).** Spider Fauna of flooded rice fields in northern California. *J. Arachnology*. 16: 331-337.
- Ordish, G. (1976).** The Constant Pest: A short History of pests and their control. Peter Davies, London.
- Orians, G.H. (2000).** Behavior and community structure. *Etologia*, 8:43-51.

Literature Cited

- Pandey, S.N. (1969).** Observations on the biology of castor hairy caterpillar *Euproctis lunata*. *Indian Journ Entomol.* 30 :263-265.
- Patel, B.H., G.K. Pillai and P.A. Seebastian. (1986).** The ground activity of spiders in cotton fields in Gujarat, India. *Actas X Congr. Int. Arcon. Jaca/Espana*, 1:245-251.
- Patel, R.K. and G.A. Gangrade. (1971).** Note on the biology of castor capsule borer *Dichorocis punctiferalis* Indian jour Agri sci. 41:443-444.
- Pathak, M.D. and Z.R. Khan. (1994).** Insect pests of rice. International Rice Research Institute (IRRI), Philippines Pp 89.
- Pearce S., Hebron W.M., Raven R. J., Zalucki M. P. and Hassan E. (2004).** Spider fauna of soybean crops in South-east Queensland and their potential as predators of *Helicoverpa* spp. (Lepidoptera: Noctuidae). *Aus. J. Entomol.*, 43(1); 57-65.
- Pekár S. (1999).** Foraging mode: a factor affecting the susceptibility of spiders (Araneae) to insecticide applications. *Pest. Sci.* 55:1077-1082.
- Pekar, S. and F. Kocourek. (2004).** Spiders (Araneae) in the biological and integral pest management of apple in the Czech Republic. *J. Appl. Entomol.*, 128(8); 561-566.
- Persons, M. H. and A. L. Rypstra. (2000).** Preference for chemical cues associated with recent prey in the wolf spider *Hogna helluo* (Araneae: Lycosidae). *Ethology*, 106; 27-35.
- Pianka (1978).** *Evolutionary Ecology*. Harper and Row publishers' .New York.
- Pimental, D.; U. Stachow; D. Takacs; H.W. Brubaker; A.R. Dumas; J.J. Meaney; J.A.S. O'Neil; D.E. Onsi; and D.B. Corzilius. (1992).** Conserving Biological diversity in agricultural / forestry systems. *Bioscience* 42(5): 354-362.

Literature Cited

- Platnick, N. I. 2006.** The world spider catalog, version 7.0. American Museum of Natural History, online at <http://research.amnh.org/entomology/spiders/catalog/index.html>
- Platnick, N.I. (2002-2006).** The World spider catalog, Version 3.5 (URL: <http://research.amnh.org/entomology/spiders/catalog81-87/intro.html>.)
- Pocock, R.I. (1900).** The Fauna of British India including Ceylon and Burma, Secretary for India in council, London Pp 279.
- Powell W.; G.J. Dean and R. Bardner. (1985).** Effects of pirimicarb, dimethoate and benomyl on natural enemies of cereal aphids in winter wheat. *Ann. Appl. Biol.* 106(92), 235-242.
- Provencher L. and W. Vickery. (1988).** Territoriality, vegetational complexity, and biological control: the case of spiders. *Am. Nat.* 132:257-266.
- Provencher, W and D. Coderre. (1987).** Functional responses and switching of *Tetragnatha laboriosa* Hentz (Araneae: Tetragnathidae) and *Clubiona pikei* Gertsch (Araneae: Clubionidae) for the aphids *Phopalosiphum maidia* (Fitch) and *Rhopalosiphum padi* (L.) (Homoptera: Aphididae). *Environmental Entomology* 16:1305-1309.
- Punzo and Kukoyi. (1997).** The effects of prey chemical cues on patch residence time in the wolf spider *Trochosa parthenus* (Chamberlin) (Lycosidae) and the lynx spider *Oxyopidae salticus* (Hentz) (Oxyopidae). *Bull. Br. Arachnol. Soc.* 10:323-326.
- Punzo, F. (1998).** Food imprinting and subsequent prey preference in the lynx spider *Oxyopes salticus* (Hentz) (Araenae, Oxyopidae). *Behavioural Processes.* 58(3): 177-181.
- Punzo, F. (2001).** Early experiences and prey preference in lynx spider *Oxyopes salticus* (Hentz) (Araenae, Oxyopidae). *Journal of New York Entomological Society* 110(2): 255-259.

Literature Cited

- Ragini, J.C., D.Thangaraju and P.M.M. David. (1999).** Effect of organic manures on some predators in the rice ecosystem. *Pest Science and Management* Pp15.
- Rajeshakar K.P and Raghavendra N (2001).** An overview of spider diversity in India. [www.wii.gov.in\ envis \ rainforest\ chapter7.htm](http://www.wii.gov.in/envis/rainforest/chapter7.htm)
- Richert, S.E. (1979).** Games spiders play II. *Resource assessment strategies. American Naturalist.* 117:871-892.
- Richert, S.E. and J. Luczak. (1982).** Spider foraging: Behavioral responses to prey. In : *Spider communication: Mechanisms and ecological significance*, P N Witt& J S Rovener, eds. ,pp. 353-385.Princeton, Princeton University Press.
- Richert, S.E. and L. Bishop. (1990).** Prey control by an assemblage of generalist predators: spiders in garden test systems. *Ecology* 71:1441-1450.
- Richert, S.E. and T.Lockley (1984).** Spiders as biological control agents. *Ann.Rev.Entomol.*, 29:299-320.
- Richert, S.E. (1974).** The pattern of local web distribution in a desert spider: mechanism and seasonal variation. *Journal of Animal Ecology* 43: 733-746.
- Richert, S.E., W.G. Reeder., and T.A. Allen. (1973).**Patterns of spider distribution (*Agelenopsis aperta* (gertsch) desert grassland and recent lava bed habitats, south central new Mexico. *Journal of Animal Ecology.*42:19-35.
- Richert,S.E , and J.M.Harp. (1987).** Nutritional ecology of spiders. In: Slansky,F., J.G.Rodriguez (eds), *Nutritional Ecology of Insects , Mites and Spiders*. Wiley, New York, Pp 645-672.
- Riechert, S.E. and K. Lawrence. (1997).** Test for predation effects of single versus multiple species of generalist predators: spiders and their insect prey. *Entomologia Experimentalis et Applicata*, 84: 147-155.

Literature Cited

- Riessig, W.H., E.A.Heinrichs., J.A.Listinger., K.Moody, L.Fielder, T.W.Mew., and A.T.Barrion.(1986). Illustrated guide to integrated pest management in rice in tropical Asia. Manila, Philippines: IRRI Pp 411.
- Roach, S.H. (1987). Observations on feeding and prey selection by *Phidippus audax* (Hentz) (Araneae: Salticidae). *Environ. Entomol.* 16:1098-1102.
- Roland, H., L.Szabolcs., S. Csaba. and J.Laszlo. (2005). The effect of prey availability on European black pine (*Pinus nigra*) bark: spatial patterns and guild structure. *Can. J. Zool.* 83(2); 324-335.
- Romeis,J.,T.G.Shanower.,C.P.W.Zebitiz. (1998). Trichogramma egg parasitism of *Helicoverpa armigera* on Pigeonpea and Sorghum in Southern India. *Entomol.Exp.Appl.* 87: 275-284.
- Romeis,J.,T.G.Shanower.,C.P.W.Zebitiz. (1998). Trichogramma egg parasitism of *Helicoverpa armigera* on Pigeonpea and Sorghum in Southern India. *Entomol.Exp.Appl.*
- Root,R. (1973). Organization of a plant –arthropod association in simple and diverse habitats. The fauna of collards (*Brassica oleracea*). *Ecol.Monogr.* 43: 95-124.
- Rushton,S.P; C.J. Topping and M.D.Eyre. (1987). The habitat preferences of grassland spiders as identified using Detrended Correspondence Analysis (DECORANA). *Bulletin of the British Arachnological Society* 7:165-170.
- Rypstra A.L. and P.E. Carter. (1995). The web-spider community of soyabean agroecosystems in south-western Ohio. *Jour. of. Arach.* 23(3), 135-144.
- Rypstra, A, P.E. Carter, R.A. Balfour, S.D. Marshall. (1999). Architectural features of Agricultural habitats and their impact on the spider inhabitants. *Jour of.Arach.* 27: 371-377.
- Rypstra, A.L. (1983). The importance of food and space in limiting web spider densities: a test using field enclosures. *Oecologica* 59:312-316.

Literature Cited

- Rypstra, A.L. (1986).** Web spiders of Temperate and Tropical forests: relative abundance and environmental correlates. *American Midland Naturalist* 115:42-45.
- S.Pekar. and F. Kocourek. (2004).** Spiders (Araneae) in the biological and integral pest management of apple in the Czech Republic. *J.Appl. Entomol.*, 128(8); 561-566.
- Sahu, S., R.Singh and P.Kumar.(1996).** Host Preference and Feeding potential of spiders predaceous on insect pests of rice. *Journal of Entomological Research* 20(2): 145-150.
- Samu, F and Z, Biro (1993).** Functional Response, Multiple feeding and wasteful killing in a wolf spider (Araneae: Lycosidae). *European Journal of Entomology* 90: 471-476.
- Samu, F.; K.D.Sunderland; C.Szinetar (1999).** Scale dependent dispersal and distribution patterns of spiders in Agricultural systems: A review. *J.Arachnol.* 27:325-332.
- Sasaba, T. and K. Kiritani. (1972).** Evaluation of mortality factors with special reference to parasitism of the green rice leaf hopper, *Nephotettix cincticeps*. *Applied Entomology and Zoology*.7: 83-93.
- Sasaba, T., K.Kiritani and T.Urabe. (1973).** A preliminary model to simulate the effect of insecticides on a spider –leafhopper system in the paddy field. Researches on the population. *Ecology*. 15 : 9-22.
- Savory, T.H. (1977).** Arachnida. Academic Press, London, New York, San Francisco.
- Schoemans P. (1995).** The importance of insects and spiders present on hedges in relation to apple orchards under integrated control (in French). *Fruit Belge*. 83(456), 117-123.
- Schoneley, K.G., H.D.Justo., A.T.Barrion., and D.G.Botrell (1998).** Analysis of invertebrate biodiversity in a Philippines farmers irrigated rice field. *Environmental Entomology* 27(5): 1125-1136.

Literature Cited

Sebastian, P.A., Mathew, M.J., Beevi, S. Pathummal, Joseph, John, and Biju, C.R. (2005). The spider fauna of the irrigated rice ecosystem in central Kerala, India across different elevational ranges. *Journal of Arachnology*, 33(2); 247-255.

Sebastian, P.A., S. Davis and B.H. Patel. (2001). The phenology and predatory behaviour of *Pardosa birmanica* Simon (Araneae: lycosidae) on Insect Pests of Cotton. *Entomon*, 26(3&4); 317-321.

Sebastian,P.A., M.J.Mathew., S.P.Beevi.,J.Joseph and C.R.Biju. (2005). The Spider fauna of the irrigated rice ecosystem in central kerala, India across different altitudinal ranges. *J.Arachnology* 33(2):247-255.

Settle,W.H.,H.Ariawan, E.T.Asuti,W. Cayhana, A.L.Hakim , D.Hindayana ,A.S.Lestari, and S.Pajrningsih.(1996). Managing tropical irrigated rice pests through conservation of generalist natural enemies and alternative prey. *Ecology* 77(7):1975-1988.

Shanower T.G.; S.S. Lal and V.R. Bhagwat. (1998). Biology and management of *Melanagromyza obtuse* (Malloch) (Diptera: Agromyzidae). *Crop Protection* 17:249-63.

Shanower T.G.; V. Anita; V.R. Bhagwat and H. Dreyer. (1996). Parasitism of *Clavigralla* spp. (Hemiptera: Coreidae) eggs by *Gryon clavigralla* Mineo (Hymenoptera: Seelionidae). *Journal of Biological Control*

Shanower,T.G., J.Romeis., E.M.Minja. (1999). Insect pest of Pigeonpea and their management. *Ann.Rev.Entomol.*44:77-96.

Sharma,V.K. and P.Sarup (1979). Predatory role of spiders in the integrated control of the maize stalk borer, *Chilo partellus* (Swinhoe). *Journal of Entomological Research* 3(2): 229-231.

Sheriffs, W.R. (1919). A contribution to the study of south Indian arachnology. *Annals and Magazine of Natural History* (9)4: 220-253. (As Cited by Siliwal et al 2005, *Zoosprint* Vol 20 (10):1999-2049.

Literature Cited

Sheriffs, W.R. (1927). South Indian arachnology. Part II. *Annals and Magazine of Natural History* (9)19:533-542. (As Cited by Siliwal et al 2005, Zoosprint Vol 20 (10):1999-2049.

Sheriffs, W.R. (1928). South Indian arachnology. Part III. *Annals and Magazine of Natural History* (10)2:177-192. (As Cited by Siliwal et al 2005, Zoosprint Vol 20 (10):1999-2049.

Sigsgaard, L. (2000). Early Season natural biological control of insect pests in Rice by spiders – and some factors in the management of the cropping system that may affect this control. *Proceedings of the 19th European colloquium of Arachnology, European Arachnology*. Aarhus University Press. Pp 57-64.

Sigsgaard, L., and S.Villareal (1999). Predation rates of *Atypena formosana* (Araneae: Linyphiidae) on brown plant hopper and green leaf hopper. *International Rice research notes*. 14: 30-31.

Siliwal, M. (2000). Taxonomic Study on the spiders in agroecosystems of Baroda, with special emphasis on the biological control of Insect Pests. Ph.D Thesis submitted in “*The M S University of Baroda*”.

Siliwal, M., S.Molur and B. K. Biswas. (2005). Indian spiders (Arachnida: Araneae): updated checklist 2005. *Zoos Print.*, 20(10): 1999-2049.

Siliwal, M., Suresh, B., Dhuru, S. and B. Pilo. (2003). Spider diversity of riparian zone of river Vishwamitri, Gujarat. *J. Curr. Sci.*, 3(2): 429-434.

Singh S.R.; K.F.A. Walters; G.R. Port; and P. Northing. (2004). Consumption rates and predatory activity of adult and fourth instar larvae of the seven spot ladybird, *Coccinella septempunctata* (L.), following contact with dimethoate residue and contaminated prey in laboratory arenas. *Biological Control* 30: 127-133

Literature Cited

Singh, B., G.S. Battu and A.S. Atwal. (1975). Studies on the spider predators of the maize borer, *Chilo partellus* (Swinhoe) in the Punjab. *Indian J. Ent.*, 37(1): 72 -76.

Singh, S.R., K.F.A.Walters. and G.R.Port. (2001). Behaviour of the adult seven spot ladybird, *Coccinella septempunctata* (Coleoptera: Coccinellidae), in trespone to dimethoate residue on bean plants in the laboratory. *Bulletin of Entomologist Research*, 91: 221-226.

Smith ,R.B. and W.G. Wellington. (1986). The functional response of juvenile orb weaving spider . in : Proceedigs of the 9th international congress of Arachnology, W.G.Eberhard , Y.D.Lubin and B.C.Robinson, eds. Pp 275-279. Washington D C, Smithsonian Institution Press.

Solomon, M.E. (1949). The Natural control of animal population. *Journal of Animal Ecology*, 18: 1-35.

Southwood, T.R.E., and P.A. Henderson. (2000). Ecological Methods. 3rd ed. Blackwell Science pp 560.

Stephen,D.W. and J.R.Krebs (1986) Foraging Theory.Princeton University Press,Princeton. NJ.

Stoliczka, F. (1869). Contribution towards the knowledge of Indian Arachnoidea. *Journal of the Asiatic Society of Bengal*. 38:201-251. (As Cited by Siliwal et al 2005, Zoosprint Vol 20 (10):1999-2049.

Sunderland K. (1999). Mechanism underlying the effects of spiders on pest population. *The Journal of Arachnology* 27:308-316.

Sunderland K.D.; A.N. Fraser and A.F.G. Dixon. (1986). Field and laboratory studies on many spiders (*Linyphiidae*) as predators of cereal Aphids. *J. Appl. Ecol.* 23:433-447.

Literature Cited

- Sunderland, K.D. and M.H. Greenstone (1999).** Summary and Future directions for research on spiders of Agroecosystems. *Journal of Arachnology*, 27:397-400.
- Sunderland, K.D. (1996).** Studies on the population ecology of the spider *Lepthyphantes tenuis* (Araneae: Linyphiidae) in cereals. *Bull. SROP/WPRS* 19(3):53-69.
- Sunderland, K.D., N.E. Crook, D.L. Stacey and B.J. Fuller. (1987).** A study of feeding of polyphagous predators on cereal aphids using ELISA and gut dissection. *Journal of Applied Ecology* 24:907-933.
- Symondson, W.O.C; K.D. Sunderland, & M.H. Greenstone. (2002).** Can generalist predators be effective biocontrol agents? *Ann. Rev. Ento.* 47:561-594.
- Tarsitano M S and R.R. Jackson. (1992).** Influence of prey movement on the performance of simple detours by jumping spiders. *Behaviour* 123(1-2):107-120.
- Teotia, T.P.S and S. Chaudhari. (1966).** Some observations on the life history of *Euproctis fraternal* on Castor. Labdev . *Jour. Sci. Tech. Kanpur* 4:45-47.
- Tikader, B.K. (1982a).** Family Araneidae (= Argiopidae), typical orbweavers. *Fauna India (Araneae)* 2:1-293.
- Tikader, B.K. (1982b).** Family Gnaphosidae. *Fauna India (Araneae)* 2:295-536.
- Tikader, B.K. (1987).** Handbook of Indian Spiders, Zoological survey of India, Calcutta, India Pp251.
- Tikader, B.K. and M.S. Malhotra. (1980).** Lycosidae (wolf-spiders). *Fauna India (Araneae)* 1:248-447.

Literature Cited

- Toft, S. and D. H. Wise. (1999).** Behavioural and ecophysiological responses in a generalist predator to single- and mixed-species diets of different quality. *Oecologia*, 119: 198-207.
- Toft, S. (1999).** Prey choice and spider fitness. *The Journal of Arachnology*. 27:301-307.
- Toth F. and J Kiss. (1999).** Comparative analyses of epigeic spider assemblages in northern Hungarian winter wheat fields and their adjacent margins. *Jour of arach.* 27:241-248.
- Toth, F.; J. Kiss; F. Samu; I. Toth and E. Kozma. (1996).** Dominant spider species (Araenae) in winter wheat in pitfall trap catches. *Novenyvedelem* 32(5):235-239.
- Turnbull, A.L. (1973).** Ecology of the true spiders (Araneomorphae). *Ann.Rev.Entomol.*, 18: 305-348.
- Turnbull, A.L. (1960).** The prey of the spider *Linyphia triangularis* (Clerck) (Araneae:Linyphiidae). *Canadian Journal of Zoology*. 35:859-873.
- Uetz, G.W. (1977).** Coexistence in a guild of wandering spiders. *Jour. Anim. Ecol.* 46: 531-542.
- Uetz, G.W. (1991).** Habitat Structure and spider foraging. In *Habitat structure: The Physical arrangement of objects in space*, S.S.Bell, E.D.McCoy and H.R.Mushinsky, eds., pp.325-348.
- Uetz, G.W., J. Halaj; A.B. Cady. (1999).** Guild structure of spiders in major crops. *J. Arachnol.* 27:270-280.
- Venzon, M., A. Janssen, A. Pallini and M.W. Sabelis. (2000).** Diet of a polyphagous arthropod predator affects of refuge seeking of its thrips prey. *Animal Behaviour*, 60(3); 369-375.
- Vijayalakshmi, K. (1980)** Potential of spiders in the biological control of social forest pests and plantation crops. pp 171-177.

Literature Cited

- Walker, S.E. and A.L. Rypstra (2002).** Sexual dimorphism in trophic morphology and feeding behaviour of wolf spiders (Araneae: Lycosidae) as a result of differences in reproductive roles. *Canadian Journal of Zoology*. 80: 679-688.
- Walter, G.H. (2003).** Insect Pest Management and Ecological Research, Cambridge University Press, United Kingdom. Pp 385.
- Way, M.J. and K.L. Heong (1994).** The role of biodiversity in the dynamics and management of insect pests of tropical irrigated rice - a review. *Bulletin of Entomological Research* 84:567-587.
- Whitcomb, W.H. (1974).** Natural populations of entomophagous arthropods and their effect on the agroecosystem. In Maxwell, F.G., F.A. Harris (eds), *Proceedings of the summer institute on Biological control of plant insects and diseases*. University Press of Mississippi, Jackson, M S, Pp 150-169.
- Whorton, J.C. (1974).** Before silent spring: Pesticides and Public health in Pre-DDT America. Princeton University press, Princeton.
- Wise, D.H. (1975).** Food limitation of the spider *Linyphia marginata*: experimental field studies. *Ecology* 56:637-646.
- Wise, D.H. (1993).** Spiders in Ecological Webs. Cambridge University Press, United Kingdom. pp 1-523.
- Wise, D.H., and B. Chen. (1999).** Impact of intraguild predators on survival of a forest-floor wolf spider. *Oecologia*. 121:129-137.
- Wise, D.H.; W.E. Synder; P. Tuntibunpakul ; J. Halaj. (1999).** Spiders in Decomposition food webs of agroecosystems: theory and practice. *J. Arachnol.* 27:363-370.
- Wise, D.H. (1981).** Inter and Intraspecific effects on density manipulations upon females of two orb weaving spiders (Araneae: Araeneidae). *Oecologia* 48:252-256.

Literature Cited

Yasuda, H. and T. Kimura. (2001). Interspecific interaction in a tri-trophic arthropod system: effects of a spider on the survival of larvae of three predatory ladybirds in relation to aphids. *Entomologia Experimentalis et Applicata*, 98: 17-25.

Young O.P. and G.B. Edwards. (1990). Spiders in United States field crops and their potential effect on the crop pests. *J. Arachnol.* 18: 1-27.

Young O.P. and T.C. Lockley. (1985). The striped lynx spider, *Oxyopes salticus* (Araneae: Oxyopidae), in agroecosystems. *Entomophaga*. 30:329-346.