

## **TABLE OF CONTENTS**

| Sr. No.   | Title   | Page No.  |
|-----------|---|-----------|
| 5.1.1.0   | *****   | 10501101- |
| Chapter 1 | Introduction  |           |
| 1         | General aspects of vitiligo                                     | 1         |
| 1.1       | Historical background   | 2         |
| 1.2       | Prevalence  | 2         |
| 1.3       | Types of vitiligo   | 3         |
| 1.4       | The human skin  | 5         |
| 1.4.1     | Melanocytes   | 6         |
| 1.4.2     | Melanosomes   | 8         |
| 1.4.3     | Melanin   | 9         |
| 1.5       | Vitiligo etiopathogenesis                                       | 11        |
| 1.5.1     | Neurochemical Hypothesis  | 12        |
| 1.5.2     | Oxidative Stress Hypothesis                                     | 16        |
| 1.5.2.1   | Free radicals   | 16        |
| 1.5.2.2   | Reactive Oxygen Species (ROS)                                   | 16        |
| 1.5.2.3   | Reactive Nitrogen Species (RNS)                                 | 19        |
| 1.5.2.4   | ROS in Vitiligo   | 19        |
| 1.5.2.5   | Antioxidant defense mechanisms                                  | 27        |
| 1.5.3     | Autoimmune Hypothesis   | 40        |
| 1.5.3.1   | Humoral immune response in vitiligo                             | 42        |
| 1.5.3.2   | Cell mediated immunity:   | 44        |
| 1.5.3.3   | Oxidative Stress and the Immune System in Vitiligo Pathogenesis | 45        |
| 1.5.3.4   | Cytokines   | 49        |
| 1.5.3.5   | Vitiligo and Apoptosis  | 59        |
| 1.5.4     | Convergence Theory  | 60        |
| 1.6       | Vitiligo genetics   | 61        |
| 1.7       | Single nucleotide polymorphisms                                 | 63        |
| 1.7.1     | SNP analysis  | 64        |
| 1.7.1.1   | SNP identification methods                                      | 64        |
| 1.7.1.2   | Snp genotyping methods  | 66        |
| 1.7.2     | Association studies   | 66        |
| 1.8       | Candidate genes associated with vitiligo susceptibility         | 67        |
| 1.8.1     | AIRE  | 69        |
| 1.8.2     | CTLA4   | 69        |
| 1.8.3     | CAT   | 69        |
| 1.8.4     | СОМТ  | 69        |
| 1.8.5     | LMP and TAP   | 70        |
| 1.8.6     | MC1R and ASIP   | 70        |
| 1.8.7     | ACE   | 70        |
| 1.8.8     | ESRI  | 70        |
| 1.8.9     | PTPN22  | 71        |
| 1.8.10    | KIT   | 71        |

| 1.8.11  | FOXD3   | 72  |
|---|---|---|
| 1.8.12  | CD4   | 72  |
| 1.8.13  | CLEC11A   | 72  |
| 1.8.14  | MYG1 (C12orf10)   | 73  |
| 1.8.15  | DDR1  | 73  |
| 1.8.16  | EDNI  | 73  |
| 1.8.17  | FAS   | 74  |
| 1.8.18  | FBX011-MSH6   | 74  |
| 1.8.19  | FOXP3   | 74  |
| 1.8.20  | GSTM and GSTT1  | 74  |
| 1.8.21  | ILIRN   | 75  |
| 1.8.22  | IL10  | 75  |
| 1.8.23  | MBL2  | 75  |
| 1.8.24  | PDGFRA-Kit  | 76  |
| 1.8.25  | TSLP  | 76  |
| 1.8.26  | UVRAG   | 76  |
| 1.8.27  | VDR   | 76  |
| 1.8.28  | XBP1  | 77  |
| 1.9   | Linkage and association studies   | 77  |
| 1.9.1   | HLA associations  | 77  |
| 1.10  | Genome wide association studies   | 80  |
| 1.11  | Treatment   | 82  |
| 1.11.1  | Non-surgical therapies  | 82  |
| 1.11.2  | Surgical therapies  | 85  |
| 1.11.3  | Herbal products   | 87  |
| 1.12  | References  | 90  |
|   | Role of superoxide dismutase 1 (SOD1)   |   |
| Chapter 2   | in vitiligo susceptibility  |   |
| 2.1   | Introduction  | 132   |
|   | Materials and methods   | 134   |
| 2.2   | Study Subjects  | 134   |
| 2.2<br>2.2.1  |   | 1.5 1   |
|   | Blood collection  | 135   |
| 2.2.1<br>2.2.2  | Blood collection  |   |
| 2.2.1<br>2.2.2<br>2.2.3   | Blood collection           Estimation of LPO levels and SOD1 activity   | 135<br>135  |
| 2.2.1<br>2.2.2<br>2.2.3<br>2.2.3.1  | Blood collectionEstimation of LPO levels and SOD1 activityLipid Peroxidation (LPO) levels   | 135   |
| 2.2.1<br>2.2.2<br>2.2.3   | Blood collectionEstimation of LPO levels and SOD1 activityLipid Peroxidation (LPO) levelsSuperoxide Dismutase 1 (SOD1) estimationDetermination of SOD1 and GAPDH mRNA   | 135<br>135<br>136   |
| 2.2.1<br>2.2.2<br>2.2.3<br>2.2.3.1<br>2.2.3.2<br>2.2.4  | Blood collectionEstimation of LPO levels and SOD1 activityLipid Peroxidation (LPO) levelsSuperoxide Dismutase 1 (SOD1) estimationDetermination of SOD1 and GAPDH mRNAexpression   | 135<br>135<br>136<br>137<br>138   |
| 2.2.1<br>2.2.2<br>2.2.3<br>2.2.3.1<br>2.2.3.2<br>2.2.4<br>2.2.4.1   | Blood collectionEstimation of LPO levels and SOD1 activityLipid Peroxidation (LPO) levelsSuperoxide Dismutase 1 (SOD1) estimationDetermination of SOD1 and GAPDH mRNAexpressionRNA extraction and cDNA synthesis  | 135<br>135<br>136<br>137<br>138<br>138  |
| 2.2.1<br>2.2.2<br>2.2.3<br>2.2.3.1<br>2.2.3.2<br>2.2.4<br>2.2.4<br>2.2.4.1<br>2.2.4.2                                     | Blood collectionEstimation of LPO levels and SOD1 activityLipid Peroxidation (LPO) levelsSuperoxide Dismutase 1 (SOD1) estimationDetermination of SOD1 and GAPDH mRNAexpressionRNA extraction and cDNA synthesisReal-time PCR   | 135           135           136           137           138           138           139                         |
| 2.2.1<br>2.2.2<br>2.2.3<br>2.2.3.1<br>2.2.3.2<br>2.2.4<br>2.2.4<br>2.2.4.1<br>2.2.4.2<br>2.2.5                            | Blood collectionEstimation of LPO levels and SOD1 activityLipid Peroxidation (LPO) levelsSuperoxide Dismutase 1 (SOD1) estimationDetermination of SOD1 and GAPDH mRNAexpressionRNA extraction and cDNA synthesisReal-time PCRWestern blot analysis of SOD1 and GAPDH  | 135         135         136         137         138         138         139         139                         |
| 2.2.1<br>2.2.2<br>2.2.3<br>2.2.3.1<br>2.2.3.2<br>2.2.4<br>2.2.4<br>2.2.4.1<br>2.2.4.2<br>2.2.5<br>2.2.6                   | Blood collectionEstimation of LPO levels and SOD1 activityLipid Peroxidation (LPO) levelsSuperoxide Dismutase 1 (SOD1) estimationDetermination of SOD1 and GAPDH mRNAexpressionRNA extraction and cDNA synthesisReal-time PCRWestern blot analysis of SOD1 and GAPDHGenomic DNA preparation:  | 135         135         136         137         138         139         139         141                         |
| 2.2.1<br>2.2.2<br>2.2.3<br>2.2.3.1<br>2.2.3.2<br>2.2.4<br>2.2.4<br>2.2.4.1<br>2.2.4.2                                     | Blood collectionEstimation of LPO levels and SOD1 activityLipid Peroxidation (LPO) levelsSuperoxide Dismutase 1 (SOD1) estimationDetermination of SOD1 and GAPDH mRNAexpressionRNA extraction and cDNA synthesisReal-time PCRWestern blot analysis of SOD1 and GAPDHGenomic DNA preparation:Genotyping of SOD1 C/T (Ile40Thr)polymorphism   | 135         135         136         137         138         139         139         141                         |
| 2.2.1<br>2.2.2<br>2.2.3<br>2.2.3.1<br>2.2.3.2<br>2.2.4<br>2.2.4<br>2.2.4.1<br>2.2.4.2<br>2.2.5<br>2.2.6                   | Blood collectionEstimation of LPO levels and SOD1 activityLipid Peroxidation (LPO) levelsSuperoxide Dismutase 1 (SOD1) estimationDetermination of SOD1 and GAPDH mRNAexpressionRNA extraction and cDNA synthesisReal-time PCRWestern blot analysis of SOD1 and GAPDHGenomic DNA preparation:Genotyping of SOD1 C/T (Ile40Thr)   | 135         135         136         137         138         139         139         141                         |
| 2.2.1<br>2.2.2<br>2.2.3<br>2.2.3.1<br>2.2.3.2<br>2.2.4<br>2.2.4.1<br>2.2.4.2<br>2.2.5<br>2.2.6<br>2.2.7                   | Blood collectionEstimation of LPO levels and SOD1 activityLipid Peroxidation (LPO) levelsSuperoxide Dismutase 1 (SOD1) estimationDetermination of SOD1 and GAPDH mRNAexpressionRNA extraction and cDNA synthesisReal-time PCRWestern blot analysis of SOD1 and GAPDHGenomic DNA preparation:Genotyping of SOD1 C/T (Ile40Thr)polymorphismHigh Resolution Melting (HRM) Analysis of SOD1 | 135         135         136         137         138         139         139         141         141             |
| 2.2.1<br>2.2.2<br>2.2.3<br>2.2.3.1<br>2.2.3.2<br>2.2.4<br>2.2.4<br>2.2.4.1<br>2.2.4.2<br>2.2.5<br>2.2.6<br>2.2.7<br>2.2.8 | Blood collectionEstimation of LPO levels and SOD1 activityLipid Peroxidation (LPO) levelsSuperoxide Dismutase 1 (SOD1) estimationDetermination of SOD1 and GAPDH mRNAexpressionRNA extraction and cDNA synthesisReal-time PCRWestern blot analysis of SOD1 and GAPDHGenomic DNA preparation:Genotyping of SOD1 C/T (Ile40Thr)polymorphismHigh Resolution Melting (HRM) Analysis of SOD1 | 135         135         136         137         138         139         139         141         141         142 |

|           | vitiligo patients and controls  |                                       |
|-----------|---|---------------------------------------|
| 2.3.2     | Estimation of Superoxide Dismutase 1 activity in vitiligo patients and controls                                     | 145                                   |
| 2.3.3     | Determination of <i>SOD1</i> mRNA and protein levels<br>in vitiligo patients and controls                           | 146                                   |
| 2.3.3.1   | Relative gene expression of <i>SOD1</i> in patients with vitiligo and controls                                      | 146                                   |
| 2.3.3.2   | SOD1 protein levels in patients with vitiligo and controls by western blot analysis                                 | 148                                   |
| 2.3.4     | Analysis of association between <i>SOD1</i> exon 2 C/T<br>(Ile40Thr) polymorphism and susceptibility to<br>vitiligo | 150                                   |
| 2.3.5     | SOD1 gene scanning for novel genetic variations<br>using High Resolution Melt Curve (HRM) analysis                  | 151                                   |
| 2.4 .     | Discussion  | 155                                   |
| 2.5       | References  | 159                                   |
| Chapter 3 | Role of superoxide dismutase 2 (SOD2) in vitiligo susceptibility  | · · · · · · · · · · · · · · · · · · · |
| 3.1       | Introduction  | 162                                   |
| 3.2       | Materials and methods   | 165                                   |
| 3.2.1     | Study Subjects  | 165                                   |
| 3.2.2     | Blood collection and genomic DNA preparation  | 166                                   |
| 3.2.3     | Genotyping of SOD2 Leu84Phe (C/T) and Thr58Ile<br>(C/T) polymorphisms   | 166                                   |
| 3.2.4     | Genotyping of SOD2 Val16Ala (T/C) and Ile82Thr<br>(T/C) polymorphisms   | 167                                   |
| 3.2.5     | Estimation of Superoxide dismutase 2 activity   | 168                                   |
| 3.2.6     | Determination of SOD2 and GAPDH mRNA expression   | 170                                   |
| 3.2.6.1   | RNA extraction and cDNA synthesis   | 170                                   |
| 3.2.6.2   | Real-time PCR   | 170                                   |
| 3.2.7     | Statistical analyses  | 171                                   |
| 3.3       | Results   | 172                                   |
| 3.3.1     | Analysis of association between <i>SOD2</i> C/T;<br>Leu84Phe polymorphism and susceptibility to<br>vitiligo         | 172                                   |
| 3.3.2     | Analysis of association between SOD2 C/T;<br>Thr58Ile polymorphism and susceptibility to<br>vitiligo                | 173                                   |
| 3.3.3     | Analysis of association between SOD2 T/C;<br>Val16Ala polymorphism and susceptibility to<br>vitiligo                | 175                                   |
| 3.3.4     | Analysis of association between <i>SOD2</i> T/C;<br>Ile82Thr polymorphism and susceptibility to<br>vitiligo         | 176                                   |
| 3.3.5     | Relative gene expression of <i>SOD2</i> in patients with vitiligo and controls                                      | 182                                   |
| 3.3.6     | Estimation of SOD2 activity in vitiligo patients and controls   | 183                                   |

| Chapter 6           | Role of tumor necrosis factor α (TNFα) invitiligo susceptibilityIntroduction                                | 232                      |
|---------------------|---|--------------------------|
| <i>J.J</i>          |   | 231                      |
| <u>5.4</u><br>5.5   | References  | 229                      |
| <u>5.3</u><br>5.4   | Discussion  | 227                      |
| <u>5.2.4</u><br>5.3 | Results   | 226                      |
| 5.2.3               | enzyme linked immunosorbent assay (ELISA)<br>Statistical analysis   | 226                      |
|                     | Estimation of inpid peroxidation (LPO) levels<br>Estimation of antimelanocyte antibody levels by            | 225                      |
| 5.2.1               | Estimation of lipid peroxidation (LPO) levels   | 224                      |
| 5.2<br>5.2.1        | Study subjects  | 224                      |
| <u>5.1</u><br>5.2   | Introduction<br>Materials and methods   | <u>224</u><br>224        |
| Chapter 5           | hypotheses in onset and progression of vitiligo   | 1                        |
| 4.5                 | References           Evaluation of oxidative stress and autoimmune  | 220                      |
| 4.4                 | Discussion  | 216                      |
| 4.3.5               | (Ala40Thr) genotypes with SOD3 activity in vitiligo patients  | 017                      |
|                     | controls<br>Correlation of SOD3 C/G (Arg213Gly) and G/A   | 214                      |
| 4.3.4               | vitiligo and controls<br>Estimation of SOD3 activity in vitiligo patients and                               | 213                      |
| 4.3.3               | Relative gene expression of SOD3 in patients with   | 212                      |
| 4.3.2               | Analysis of association between <i>SOD3</i> G/A;<br>Ala40Thr polymorphism and susceptibility to<br>vitiligo | 207                      |
| 4.3.1               | Analysis of association between SOD3 C/G;<br>Arg213Gly polymorphism and susceptibility to<br>vitiligo       | 206                      |
| 4.3                 | Results   | 206                      |
| 4.2.6               | expression Statistical analyses   | 205                      |
| 4.2.5               | Determination of SOD3 and GAPDH mRNA  | 203                      |
| 4.2.4               | Ala40Thr (G/A) polymorphismsEstimation of Superoxide dismutase 3 activity                                   | 203                      |
| 4.2.3               | Genotyping of SOD3 Arg213Gly (C/G) and  | 201                      |
| 4.2.2               | Blood collection and genomic DNA Preparation  | 200                      |
| 4.2.1               | Study Subjects  | 200                      |
| <u>4.1</u><br>4.2   | Introduction<br>Materials and methods   | <u>    197   </u><br>200 |
| Chapter 4           | Role of superoxide dismutase 3 (SOD3)<br>in vitiligo susceptibility   | 107                      |
| 3.5                 | References  | 192                      |
| 3.4                 | Discussion  | 186                      |
| 3.3.7               | (Thr58Ile) and T/C (Val16Ala) genotypes with SOD2 activity in vitiligo patients                             |                          |

| 6.2        | Materials and methods  | 234   |
|------------|--|-------|
| 6.2.1      |  | 234   |
|            | Study Subjects           Blood collection and DNA extraction   | 234   |
| 6.2.2      |  |       |
| 6.2.3      | Genotyping of <i>TNFA</i> promoter polymorphisms   | 235   |
| 6.2.4      | Determination of <i>TNFA</i> , <i>ICAM1</i> and <i>GAPDH</i> mRNA expression                             | 236   |
| 6.2.4.1    | RNA extraction and cDNA synthesis  | 236   |
| 6.2.4.2    | Real-time PCR  | 236   |
| 6.2.5      | Estimation of serum TNFa levels by enzyme-linked immunosorbent assay                                     | 239   |
| 6.2.6      | Statistical analyses   | 239   |
| 6.3        | Results  | 240   |
| 6.3.1      | Association of <i>TNFA</i> promoter polymorphisms with generalized vitiligo                              | 240   |
| 6.3.2      | Association of <i>TNFA</i> promoter polymorphisms<br>with localized vitiligo                             | 243   |
| 6.3.3      | Linkage disequilibrium (LD) and haplotype<br>analyses of <i>TNFA</i> promoter polymorphisms              | 245   |
| 6.3.4      | Age of onset of vitiligo and <i>TNFA</i> promoter haplotypes in patients with vitiligo                   | 250   |
| 6.3.5      | Relative gene expression of <i>TNFA</i> in patients with vitiligo and controls                           | 251   |
| 6.3.6      | Functional correlation of <i>TNFA</i> promoter polymorphisms with its levels in the serum                | 253   |
| 6.3.7      | Relative gene expression of <i>ICAM1</i> in patients with vitiligo and controls                          | 255   |
| 6.4        | Discussion   | 258   |
| <u>6.5</u> | References   | 264   |
| 0.5        | Role of tumor necrosis factor-β (TNFβ) in  | 204   |
| Chapter 7  | vitiligo susceptibility  | м<br> |
| 7.1        | Introduction   | 269   |
| 7.2        | Materials and methods  | 271   |
| 7.2.1      | Study Subjects   | 271   |
| 7.2.2      | Genomic DNA preparation  | 272   |
| 7.2.3      | Genotyping of <i>TNFB</i> +252G/A polymorphism   | 272   |
| 7.2.4      | Genotyping of <i>TNFB</i> Thr26Asn A/C polymorphism  | 273   |
| 7.2.5      | Determination of <i>TNFB</i> and <i>GAPDH</i> mRNA expression  | 274   |
| 7.2.5.1    | RNA extraction and cDNA synthesis  | 274   |
| 7.2.5.2    | Real-time PCR  | 274   |
| 7.2.6      | Statistical analyses   | 274   |
| 7.3        | Results  | 275   |
| 7.3.1      | Analysis of association between <i>TNFB</i> +252G/A polymorphism and susceptibility to vitiligo          | 275   |
| 7.3.2      | Analysis of association between <i>TNFB</i> A/C;<br>Thr26Asn polymorphism and susceptibility to vitiligo | 279   |
|            | vitiligo   |       |

|       | onset of vitiligo and its progression  | ······                                   |
|-------|--|--|
| 7.3.4 | Linkage disequilibrium (LD) and haplotype analyses                             | 285                                      |
| 7.3.5 | Relative gene expression of <i>TNFB</i> in patients with vitiligo and controls | 285                                      |
| 7.3.6 | Correlation of <i>TNFB</i> transcripts with the <i>TNFB</i> +252G/A genotypes  | 286                                      |
| 7.3.7 | Correlation of <i>TNFB</i> transcripts with the <i>TNFB</i> A/C genotypes      | 286                                      |
| 7.3.8 | Effect of <i>TNFB</i> expression on disease progression                        | 286                                      |
| 7.4   | Discussion   | 290                                      |
| 7.5   | References   | 295                                      |
|       | Concluding Remarks   | 306                                      |
|       | Appendix   | an a |
|       | Publications and Presentations   | ······································   |
|       | Synopsis   |  |

,

.