

REFERENCES

- Allen C. B. et al. (1996) New production and photosynthetic rates within and outside a cyclonic mesoscale eddy in the north Pacific subtropical gyre, *Deep Sea Research*, **43**, 917-936.
- Anderson F. R., (2003) What regulates the efficiency of the Biological pump in the Southern Ocean, *U.S. JGOFS News*, **12(2)**, 1-4.
- Bange H. W. et. al., (2000) A revised nitrogen budget for the Arabian Sea, *Global Biogeochemical Cycle*, **14**, 1283-1297.
- Bange H.W. et al., (2005) The nitrogen cycle in the Arabian Sea, *Progress in Oceanography*, **65**, 145-158.
- Banse K., (1987) Seasonality of phytoplankton chlorophyll in the central and northern Arabian Sea, *Deep Sea Res I*, **34**, 713-723.
- Barber R.T., (1992) Introduction to the WCE88 cruise: An investigation into why the equator is not greener, *Journal of Geophysical Research*, **97**, 609-610.
- Barber R.T., Murray J.W., and McCarthy J.J., (1994) Biogeochemical interactions in the equatorial Pacific, *Ambio*, **23**, 62-66.
- Bates N. R. et al., (2006a) Ocean carbon cycling in the Indian Ocean: 1. Spatio-temporal variability of inorganic carbon and air-sea CO₂ gas exchange, *Global Biogeochemical Cycles*, **20**, GB3020, doi: 10.1029/2005GB002491
- Bates N. R. et al., (2006b) Ocean carbon cycling in the Indian Ocean: 2. Estimates of net community production, *Global Biogeochemical Cycles*, **20**, GB3021, doi: 10.1029/2005GB002492
- Bender M., Ducklow H., Kiddon J., Marra J. and Martin J. (1992) The carbon balance during the 1989 spring bloom in the North Atlantic Ocean, 47°N, 20°W. *Deep Sea Res.*, **39**, 1707-1725.
- Bianchi, M. et al., (1997) Nitrification rates, ammonium and nitrate distribution in the upper layers of the water column and in sediments of the Indian sector of the Southern Ocean, *Deep-Sea Research II*, **44(5)**, 1017-1032.
- Bienfang P.K. et. al., (1990) Nitrate and ammonium uptake by phytoplankton populations during the spring bloom in Auke Bay, Alaska, *Estuarine, Coastal and shelf sciences*, **30(5)**, 509-524
- Bhattathiri et al., (1996) Phytoplankton production and chlorophyll distribution in the eastern and central Arabian Sea in 1994-1995, *Current Science*, **71(11)**, 857-862

Blain S. et al., (2007) Effect of natural Iron fertilization on carbon sequestration in the Southern Ocean, *Nature*, **446**, doi:10.1038/nature05700

Borole D.V., (2002) Analysis of ^{210}Pb in sediment trap samples and sediments from the northern Arabian Sea: evidence for boundary scavenging, *Deep Sea Research I*, **49(6)**, 1055-1069.

Boyd P.W. and Law C.S., (2001) The Southern Ocean Iron Release experiment (SOIREE) – introduction and summary, *Deep Sea Research II*, **48**, 2425-2438

Broecker W. S., (1982) glacial to interglacial changes in ocean chemistry, *Progress in oceanography*, **11**, 151-197.

Broecker W.S. and Peng T. H., (1982) Tracers in the Sea, Eldigio, Palisades, New York.

Bronk D.A., Glibert P.M., and Ward B.B., (1994) Nitrogen uptake, dissolved nitrogen release and new production, *Science*, **265**, 1843-1846.

Buesseler K. O. et al., (1998) Upper ocean export of particulate organic carbon in the Arabian Sea derived from Thorium-234, *Deep Sea Research II*, **45**, 2461-2487.

Buesseler K.O., (1991) Do upper-ocean sediment traps provide an accurate record of particle flux?, *Nature*, **353**, 420-423

Burkill P.H., Mantoura R.F.C. and Owens N.J.P. (1993) Biogeochemical cycling in the northwestern Indian Ocean: a brief overview, *Deep Sea Research II*, **40 (3)**, 643-649.

Capone D.G. et al., (1997) *Trichodesmium*, a globally significant marine cyanobacterium, *Science*, **276**, 1221-1229.

Chisholm W.S., Falkowski P.G., and Cullen J.J., (2001), Dis-crediting Ocean fertilization, *Science*, **294**, 309-310.

Coale et al., (1996) A massive phytoplankton bloom induced by an ecosystem-scale iron fertilization experiment in the equatorial Pacific Ocean, *Nature*, **383**, 495-501.

Coale et al., (2004) Southern Ocean Iron Enrichment Experiment: Carbon cycling in high and low-Si waters, *Science*, **304**, 408-417.

Collos Y. and Slawyk G., (1986) ^{13}C and ^{15}N uptake by marine phytoplankton IV: Uptake ratios and the contribution of nitrate to the productivity of Antarctic waters (Indian Ocean sector), *Deep-Sea Research*, **33**, 1039-1051.

Constable A. J., and Nicol S., (2003) Southern Ocean productivity in relation to spatial and temporal variations in the physical environments, *Journal of Geophysical Research*, **108**, C4, doi:10.1029/2001JC001270.

de Baar J.W.H. et al., (2005) Synthesis of Iron Fertilization experiments: From the iron age in the age of enlightenment, *Journal of Geophysical Research*, **110**, doi:10.1029/2004JC002601.

De Souza et al., (1996) Seasonal variability in oxygen and nutrients in the central and eastern Arabian Sea, *Current Science*, **71**(11), 847-851

DiTullio G.R. and Laws E.A. (1991) Impact of an atmospheric-oceanic disturbance on phytoplankton community dynamics in the North Pacific Central Gyre, *Deep Sea Res*, **38**, 1305-1329.

Dore J. E. and Karl D. M. (1996) Nitrification in the euphotic zone as a source of nitrite, nitrate, and nitrous oxide at station ALOHA, *Limnology and Oceanography*, **41**(8), 1619-1628.

Dugdale, R.C., and Goering, J. J., (1967) Uptake of new and regenerated forms of nitrogen in primary productivity, *Limnology and Oceanography*, **12**, 196-206.

Dugdale, R.C. and Wilkerson, F. P., (1986) The use of ^{15}N to measure nitrogen uptake in eutrophic oceans: experimental considerations, *Limnology Oceanography*, **31**, 673-689

Dugdale R.C., Wilkerson F.P., Barber R. T. and Chavez F.P. (1992) Estimating new production in the Equatorial Pacific Ocean at 150° W, *Journal of Geophysical Research*, **97**(C1), 681-686.

Ducklow H.W. and Harris R. (1993) Introduction to the JGOFS North Atlantic Bloom Experiment, *Deep Sea Research II*, **40**, 1-8.

Ducklow H.W. (1995) Ocean Biogeochemical fluxes: New production and export of organic matter from the upper ocean, *Review of Geophysics*, Supplement, 1271-1276.

Dupelssy J.C, (1982) Glacial to interglacial contrasts in the northern Indian Ocean, *Nature*, **295**, 319-321.

Dwivedi R.M. et al., (2006) Influence of northeasterly trade winds on intensity of winter bloom in the northern Arabian Sea, *Current Science*, **90**(10), 1397-1406

Emerson S., Quay P., Karl d., Winn C., Tupas L. and Landry M. (1997) Experimental determination of organic carbon flux from open Ocean surface waters, *Nature*, **389**, 951-954.

Eppley R.W., Sharp J.H., Renger E.H., Perry M.J. and Harrison W.G. (1977) Nitrogen assimilation by phytoplankton and other microorganism in the surface waters of the central North Pacific Ocean, *Mar. Biol.*, **39**, 111.

Eppley R.W. and Peterson B.J. (1979) Particulate organic matter flux and planktonic new production in the deep ocean, *Nature*, **282**, 677-680.

Falkowski P.G. et al., (1998) Biogeochemical controls and feedbacks on ocean primary production, *Science*, **281**, 200-206.

Falkowski P.G. et al., (2000) The global carbon cycle: A test of our knowledge of Earth as a system, *Science*, **290**, 291-296.

Falkowski P.G., Laws E.A., Barber R.T. and Murray J.W. (2003) Phytoplankton and their role in primary new and export production, In: Ocean Biogeochemistry (Eds) M.J.R. Fasham, 99-121, Springer, Heidelberg.

Fernandez C., et al., (2005), An estimation of annual new production and carbon fluxes in the northeast Atlantic Ocean during 2001. *Journal of Geophysical Research* **110**, C07S13, doi:10.1029/2004JC002616.

Field C.B. et al., (1998) Primary production of the biosphere: Integrating terrestrial and oceanic components, *Science*, **281**, 237-240.

Fischer J., Schott F.A., and Stramma L., (1996) Currents and transports of the Great Whirl-Socotra Gyre system during the summer monsoon August 1993, *Journal of Geophysical Research*, **101**, 3573-3587.

Gall et al., (2001) Phytoplankton processes. Part 1: Community structure during the Southern Ocean Iron RElease Experiment (SOIREE), *Deep Sea Research II*, **48**, 2551-2570

Geider, R. J., and Roche, J. La., (1994) The role of Iron in phytoplankton photosynthesis and the potential of iron limitation of primary productivity in the sea, *Photosynthetic Research*, **39**, 275-301.

Gervais F. and Riebesell U., (2002) Changes in the primary productivity and chlorophyll-a in the response to iron fertilization in the southern frontal zone, *Limnology and Oceanography*, **47(5)**, 1324-1335.

Gilbert P. M. et al., (1982) Isotope dilution models of uptake and re-mineralization of ammonium by marine phytoplankton, *Limnology and Oceanography*, **27**(4), 639-650

Godfrey J.S., (1996) The effect of the Indonesian throughflow on ocean circulation and heat exchange with the atmosphere: A review, *J. Geophys. Res.*, **101**, 12217-12238.

Goes J et. al., (2005) Warming of the Eurasian landmass is making the Arabian Sea more productive, *Science*, **308**, 545-547.

Godfrey J S., (1996) The effect of the Indonesian throughflow on ocean circulation and heat exchange with the atmosphere: A review, *Journal of Geophysical Research*, **101**, 12,217–12,237

Godfrey, J. S., Johnson, G. C., McPhaden, M. J., Reverdin, G., & Wijffels, S. (2001). The tropical ocean circulation. In J. Church, J. Gould, & G. Siedler (Eds.), *Ocean circulation and climate* pp. 215–245 London: Academic Press.

Gordon A. and Fine R., (1996) Pathways of water between the Pacific and Indian Oceans in the Indonesian seas, *Nature*, **379**, 146-149.

Gregg et al., (2002) Ocean primary production and climate: Global decadal Changes, *Geophysical Research Letters*, **30**(15), doi:10.1029/2003GL016889

Gregg W. W., N. W. Casey, C. R. McClain (2005), Recent trends in global ocean chlorophyll, *Geophys. Res. Lett.*, **32**, L03606, doi:10.1029/2004GL021808.

Hall T. M. et al., (2004) Estimates of anthropogenic carbon in the Indian Ocean with allowance for mixing and time-varying air-sea CO₂ disequilibrium, *Global Biogeochemical Cycle*, **18**, doi:10.1029/2003GB02120

Hansell D.A., Whittlestone T.E. and Goering J.J. (1993) Patterns of nitrate utilization and new production over the Bering -Chukchi Shelf, *Continental Shelf Research*, **13**, 601-627.

Hansen P.J. et al., (2004) Green *Noctiluca Scintillans*: a dinoflagellate with its own greenhouse, *Marine Ecology Progress Series*, **275**, 79-87.

Harrison W. G. et al., (1987) *f*-ratio and its relationship to ambient nitrate concentration in coastal waters, *Journal of plankton research*, **9**(1), 235-248).

Hellerman S. and Rosenstein M. (1983) Normal monthly wind stress over the world ocean with error estimates, *Journal of Physical Oceanography*, **13**, 1093–1104.

Hood R. R. et al., (2006) Carbon Cycling and biogeochemical variability in the Indian Ocean, *CLIVER Exchanges*, 11(4), 24-28.

Holm-Hansen O. and Mitchell B.G.(1991) Spatial and temporal distribution of phytoplankton and primary production in the western Bransfield Strait region, *Deep Sea Research*, 38, 961-980,1991.

Honjo S. and Manganini S.J. (1993) Annual biogenic particle fluxes to the interior of the North Atlantic Ocean studied at 34°N, 21°W and 48°N, 21°W, *Deep Sea Research II*, 40, 587-607.

Huntley M., Karl D.M., Niller P. and Holm-Hansen O. (1991) Research on Antarctic Coastal Ecosystem Rates (RACER): An interdisciplinary field experiment, *Deep Sea Research*, 38, 911-941.

Hutchins D. A., (1995) Iron and the marine phytoplankton community, *Prog. Phycol. Res.*, 11, 1-49.

Intergovernmental Panel on Climate Change (IPCC) report no. IV, (2007) Cambridge University Press, ISBN 978-0-521-88009-1

Ittekkot V. (1991) Particle flux studies in the Indian Ocean, *EOS*, 72(47), 527-530.

JGOFS Report No. 19. (1996) Protocol for the Joint Global Ocean Flux Study (JGOFS) core measurements, 145-150, SCOR, Bergen, Norway.

Karl D. et al., (1997) The role of nitrogen fixation in biogeochemical cycling in the subtropical north Pacific Ocean, *Nature*, 388, 533-538.

Levitus et al., (2000) Warming of the world Ocean, *Science*, 287, 2225-2229

Levitus S., Burgett R. and Boyer T.P. (1994) World Ocean Atlas 1994, Vol. 5, Salinity. NOAA Atlas NESDIS, Vol. 3, US Government Printing Office, Washington DC, 99pp.

Lohrenz S.E. et al. (1992) Seasonal variability in primary production and particle flux in the northwestern Sargasso Sea: U.S. JGOFS Bermuda Atlantic Time Series Study, *Deep Sea Research*, 39, 1373-1391.

Madhupratap M et. al., (1996) Mechanism of the biological response to winter cooling in the Northeastern Arabian Sea, *Nature*, 386, 549-552.

Martin, J H. et al., (1991) The case of Iron, *Limnology Oceanography*, 36(8), 1793-1802.

Martin J. H. and Fitzwater S.E., (1988) Iron deficiency limits phytoplankton growth in the north-east subarctic, *Nature*, **331**, 341-343.

Martin J.H., Gordan R.M. and Fitzwater S.E., (1990) Iron in Antarctic waters, *Nature*, **345**, 156-158

Martin J., et al., (1991) The case of Iron, *Limnology and Oceanography*, **36**(8), 1793-1802.

Malone T.C., Pike S.E., Conley, D.J. (1993) Transient variations in phytoplankton productivity at the JGOFS Bermuda time series station, *Deep Sea Research*, **40**, 903-924.

Marinov et al. (2006) The Southern Ocean biogeochemical divide, *Nature*, **441**, doi:10.1038/nature04883.

McCarthy J.J., Garside C., Nevins J.L. and Barber R.T. (1996) New production along 140°W in the equatorial Pacific during and following the 1992 El Nino event, *Deep Sea Research II*, **43**, 1065-1093.

McCarthy J.J., Garside C. and Nevins J. (1999) Nitrogen dynamics during the Arabian Sea northeast monsoon, *Deep Sea Research II*, **46**, 1623-1664.

Mengesha S. et al., (1998) Seasonal variations of phytoplankton community structure and nitrogen uptake regime in the Indian sector of the Southern Ocean, *Polar Biology*, **20**, 259-172.

Michaels A.F., Siegel D.A., Johnson R.J., Knap A.F. and Galloway J.N. (1993) Episodic inputs of atmospheric nitrogen to the Sargasso Sea: Contribution to new production and phytoplankton blooms, *Global Biogeochemical Cycles*, **7**, 339-351.

Michaels A.F., Bates N.R., Buesseler K.O., Carlson C.A., Knap H.H. (1994) Carbon cycle imbalances in the Sargasso Sea, *Nature*, **372**, 537-540.

Miller C.B. et al. (1991) Ecological dynamics in the subarctic Pacific, a possibly iron limited ecosystem, *Limnology and Oceanography*, **36**, 1600-1615.

Miller C.B. (1993) Pelagic production processes in the subarctic Pacific, *Progress in Oceanography*, **32**, 1-15.

Minas J. H. et al., (1986) Productivity in upwelling areas deduced from hydrographic and chemical fields, *Limnology and Oceanography*, **31**, 1182-1206.

Mitchell, G., et al. (1991) Light limitation of phytoplankton biomass and macronutrient utilization in the Southern Ocean, *Limnology and Oceanography*, **36**(8), 1662-1677.

- Miyama T et al., (2003) Structure and dynamics of the Indian Ocean cross equatorial cell, *Deep Sea Research II*, **50**, 2023-2047.
- Mullin M.M. et al., (1975) Nutrient regeneration by oceanic zooplankton: a comparison of methods, *Mar. Sci. Comm.*, **1**, 1-13
- Murray J.W., The 1988 Black Sea Oceanography Expedition: Introduction and Summary, *Deep-Sea Res*, **38** (Supplement 2) (1991): S655-S661
- Murtugudde R., Signorini S., Christian J., Busalacchi A., McLain C. and Picaut J. (1999) Ocean color variability of the tropical Indo-Pacific basin observed by SeaWiFS during 1997–98, *Journal of Geophysical Research*, **104**, 18351–18366.
- Nair R.R. et al., (1989) Increased particle flux to the deep ocean related to monsoons, *Nature*, **338**, 749-751.
- Naqvi et al., (1982) Denitrification in the Arabian Sea, *Deep Sea Research*, **29**, 459-469.
- Naqvi, S.W.A. and Jaykumar, D.A., (2000) Ocean biogeochemistry and atmospheric composition: Significance of the Arabian Sea, *Current Science*, **78**, 289-299.
- Neess, J.C., R.C., Dugdale, and J.J, Goering, (1962) Nitrogen metabolism in lakes, Measurement of nitrogen fixation with ^{15}N , *Limnolo Oceanogr*, **7**, 163-169.
- O'Reilly J. et. al., (1998) Ocean colour chlorophyll algorithms for SeaWiFS, *Journal of Geophysical Research*, **103**, 24,937-24,953.
- Oslon R.J. (1980) Nitrate and Ammonium uptake in Antarctic waters, *Limnology and Oceanography*, **25**, 1064-1074.
- Owens N. J. P. and Rees A. P. (1989) Determination of nitrogen-15 at sub-microgram levels of nitrogen using automated continuous-flow isotope ratio mass spectrometer, *Analyst*, **114**, 1655-1657.
- Owens N. J. P. et al. (1993) Size-fractionated primary production and nitrogen assimilation in the northwestern Indian Ocean, *Deep Sea Research II*, **40**(3), 607-709.
- Parab S. G. et al., (2006) Monsoon driven changes in phytoplankton populations in the eastern Arabian Sea as revealed by microscopy and HPLC pigment analysis, *Continental Shelf Research*, **26**, 2538-2558.

Pfannkuche O. and Lochte K., (2000) The biogeochemistry of the deep Arabian Sea: overview, *Deep Sea Research II*, **47**, 2615-2628.

Platt T., and Sathyendranath S., (1988) Oceanic primary production: estimation by remote sensing at local and regional scales, *Science*, **241**, 1613-1620.

Poisson A., N Metzl., C. Brunet, B. Schauer, B. Bres, D. Ruiz-Pino and F. Louanchi, (1994) Variability of sources and sinks of CO₂ in the Western Indian and Southern Oceans during the year 1991, *Journal of Geophysical Research*, **98**, 22,759–22,778.

Prasanna Kumar S. et al., (2001a) High biological productivity in the central Arabian Sea during the summer monsoon driven by Ekman pumping and lateral advection, *Current Science*, **81**(12), 1633-1638

Prasanna Kumar S., et al., (2001b) High biological in the central Arabian Sea during the summer monsoon driven by Ekman pumping and lateral advection, *Current Science*, **81**(12), 1633-1638

Prasanna Kumar S. and Prasad T.G., (1996) Winer cooling in the northern Arabian Sea, *Current Science*, **71**, 834-841.

Probyn T.A., and Painting S.J., (1985) Nitrogen uptake by size-fractionated phytoplankton population in Antarctic surface waters, *Limnology and Oceanography*, **30**(6), 1327-1332.

Raimbault P. et al., (1999) Carbon and nitrogen uptake and export in the equatorial Pacific at 150W: evidence of an efficient regenerated production cycle, *Journal of Geophysical Research*, **104**(C2), 3341-3356.

Ramaswamy V., Sarin M. M. and Rengarajan R., (2005) Enhanced export of carbon by salps during the northeast monsoon period in the northern Arabian Sea, *Deep Sea Research II*, **52**, 1922-1929.

Rao, R. R , Molinari, R. L. and Festa, J., (1989) Evolution of the near surface thermal Structure of the tropical Indian Ocean. Part I: Description of mean monthly mixed layer depth and surface temperature, surface current and surface meteorological field. *J. Geophys. Res.*, **94**, 10801-10815.

Reay et al., (2001) Regulation by low temperature of phytoplankton growth and nutrient uptake in the southern Ocean, *Marine Ecology Progress Series*, **219**, 51-64.

Redfield A.C. (1934) On the proportions of organic derivatives in seawater and their relation to the composition of plankton, *James Johnstone Memorial Volume*, Liverpool, 176p.

Rees A. P. et. al., (2002) Size-fractionated nitrogen uptake and carbon fixation during a developing coccolithophore bloom in the North Sea during June 1999, *Deep-Sea Research II*, **49**, 2905-1927.

Rees A.P., Woodward E.M.S., and Joint I. (2006). Concentrations and uptake of nitrate and ammonium in the Atlantic Ocean between 60°N and 50°S. *Deep Sea Research II*, **53(14-16)**, 1649-1665.

Roman M.R., Dam H.G., Gauzens, A.L. and Napp J.M. (1993) Zooplankton biomass and grazing at the JGOFS Sargasso Sea time series station, *Deep Sea Research*, **40**, 883-901.

Sabine C. L. et al., (2000) Seasonal CO₂ fluxes in the tropical and sub-tropical Indian Ocean, *Marine Chemistry*, **72**, 33-53.

Sahayak S. et al., (2005) Red tide of *Noctiluca milliaris* off south of Thiruvananthapuram subsequent to the ‘stench event’ at the southern Kerala coast, *Current Science*, **89(9)**, 1472-1473.

Sambrotto R.N., Martin J.H., Broenkow W.W., Carlson C.A. and Fitzwater S.E. (1993) Nitrate utilization in surface waters of the Iceland Basin during spring and Summer of 1989, *Deep Sea Research II*, **40**, 441-457.

Sambrotto R. N., and Mace B. J. (2000) Coupling of biological and physical regimes across the Antarctic Polar Front as reflected by nitrogen production and recycling, *Deep Sea Research II*, **47**, 3339-3367.

Sambrotto R. N., (2001) Nitrogen production in the Arabian Sea during spring intermonsoon and southwest monsoon seasons, *Deep Sea Research II*, **48**, 1173-1198.

Sanjeev Kumar and Ramesh R., (2005) Productivity measurements in the Bay of Bengal using the ¹⁵N tracer: Implications to the global carbon cycle, *Indian Journal of Marine Sciences*, **34(2)**, 153-162.

Sanjeev Kumar et al., (2004) High new production in the Bay of Bengal: Possible causes and implications, *Geophysical Research Letters*, **31**, L18304, doi:10.1029/2004GL021005.

Sanjeev Kumar et al., (2008) Effect of winter cooling on nitrogen uptake in the northeastern Arabian Sea, *AGU Monograph*, (under review).

Sarangi R. K., Prakash Chauhan and Nayak S.R., (2005) Inter-annual variability of phytoplankton blooms in the northern Arabian Sea during winter monsoon

period (February-March) using IRS-P4 OCM data, *Indian Journal of Marine Sciences*, **34**, 163-173.

Sarkar A., Ramesh, R., Bhattacharya, S.K., and Rajagopalan, G.S., (1990) Oxygen isotope evidence for a stronger winter monsoon current during the last glaciation, *Nature*, **343**, 548-551.

Sarin M. M., Rengarajan R., and Ramaswamy V., (1996) ^{234}Th scavenging and particle export fluxes from the upper 100 m of the Arabian Sea, *Current Science*, **71**, 888-893.

Sarmiento J. L. et al., (2003) High-latitude controls the thermocline nutrients and low latitude biological productivity, *Nature*, **247**, doi:10.1038/nature02127.

Sarmiento J.L., and Gruber N., (2002) Sinks for Anthropogenic Carbon, *Physics Today*, **8**, 30-36.

Sathyendranath S., (2000) Remote sensing of Ocean Colour in coastal, and other optically complex waters, Reports of the International Ocean-Colour Coordinating group, Report No. 3.

Savoye N et al., (2004) Regional variations of spring N-uptake and new production in the Southern Ocean, *Geophysical Research Letters*, **31**, L03301, doi:10.1029/2003GL018946.

Schott F.A. et al., (2002) The shallow overturning circulation of the Indian Ocean, *Progress in Oceanography*, **53**, 57-103.

Schott F.A. and McCreary P. Jr. (2001) The monsoon circulation of the Indian Ocean, *Progress in Oceanography*, **51**, 1-123.

Schott F. A., & Fischer J., (2000), Winter monsoon circulation of the northern Arabian Sea and Somali Current. *Journal of Geophysical Research*, **105**, 6359–6376.

Semeneh M. et al., (1998) Nitrogen uptake regime and phytoplankton community structure in the Atlantic and Indian sectors of the Southern Oceans, *Journal of Marine Systems*, **17**, 159-177.

Shankar D, Vinaychandran P.N., and Unnikrishnan A.S., (2002) The monsoon currents in the north Indian Ocean, *Progress in Oceanography*, **52**, 63-120.

Slawyk G., (1979) ^{13}C and ^{15}N uptake by phytoplankton in the Antarctic upwelling area: Results from the Antipod I cruise in the Indian Ocean sector, *Aust. J. Mar. Freshwater Res.*, **30**, 431-448.

Smith W.O. and Nelson D.M. (1990) Phytoplankton growth and new production in the Weddell Sea marginal ice zone in the austral spring and autumn, *Limnol. Oceanogr.*, **35**, 809-821.

Smith W.O. et al., (1997) New production in the northeast water Polynya, *Journal of Marine Systems*, **10**, 199-209.

Smith S.L., (2001) Understanding the Arabian Sea: Reflections on the 1994-1996 Arabian Sea expedition, *Deep Sea Research II*, **48**, 1385-1402.

Sparrow M.D., and Heywood, K .J., (1996) Current Structure of the south Indian Ocean, *Journal of Geophysical Research*, **101(C3)**, 6377-6391.

Stramma, L., (1992) The South Indian Ocean Current, *Journal of Physical Oceanography*, **22**, 421-430.

Srivastava R., Ramesh R., Satya Prakash, N. Anil Kumar, M. Sudhakar (2007) Oxygen isotope and salinity variations in the Indian sector of the Southern Ocean, *Geophys. Res. Lett.*, **34**, L24603, doi:10.1029/2007GL031790

Sullivan C.W., Arrigo K.R., McClain C.R., Comiso J.C. and Firestone J. (1993) Distribution of phytoplankton blooms in the Southern Ocean, *Science*, **262**, 1832-1837.

Sweeney B.M. (1971) Laboratory studies of a green *Noctiluca* from New Guinea, *Journal of Phycology*, **7**, 53-58

Takahashi et al., (2002) Global sea-air CO₂ flux based on climatological surface ocean pCO₂, and seasonal biological and temperature effects, *Deep Sea Research II*, **49**, 1601-1622.

Toggweller J.R., (1999) An ultimate limiting nutrient, *Nature*, **400**, 511-512.

Townsend D.W., Keller M.D., Sieracki M.E. and Ackleson S.G. (1992) Spring phytoplankton blooms in the absence of vertical water column stratification, *Nature*, **360**, 59-62.

Treguer, P., and Jacques, G., (1992) Dynamics of nutrients and phytoplankton, and fluxes of carbon, nitrogen and silicon in the Antarctic Ocean, *Polar Biology*, **12**, 149-162.

Tyrell T. (1999) The relative influence of nitrogen and phosphorus on oceanic primary production, *Nature*, **400**, 525-531

Tyrell T and Law C.S., (1997) Low Nitrate: Phosphate ratio in the global Ocean, *Nature*, **387**, 793-796.

Van Cappellen P. and Ingall E., (1994) Benthic phosphorus regeneration, net primary production, and ocean anoxia: A model of the coupled marine biogeochemical cycles of carbon and phosphorus, *Paleoceanography*, **9**(5): doi: 10.1029/94PA01455

Van Leeuwe M. A., et al., (1997) Iron enrichment experiment in the Southern Ocean: physiological responses of plankton communities, *Deep Sea Research II*, **44**, 189-207.

Varela D. E. and Harrison P. J. (1999) Seasonal variability in nitrogenous nutrition of phytoplankton assemblages in the northeastern subarctic Pacific Ocean, *Deep Sea Research II*, **46**, 2505-2538.

Villareal T.A., Altabet M.A. and Culver-Rymsza K. (1993) Nitrogen transport by vertically migrating diatom mats in the North Pacific Ocean, *Nature*, **363**, 709-712.

Vinayachandran et al., (2004) Biological response of the sea around Sri Lanka to summer monsoon, *Geophysical Research Letters*, **31**: doi:10.1029/2003GL018533

Vyas N.K., et al., (2007) Utility of OCEANSAT-1 OCM data in deciphering Antarctic features, *Current Science*, **93**(3), 292-294.

Watts L.J. and Owens N.J.P. (1999) Nitrogen assimilation and f-ratio in the northwestern Indian Ocean during an Intermonsoon period, *Deep Sea Research II*, **46**, 725-743.

Wiebe P.H., Boyd S. and Cox J.L. (1975) Relationship between zooplankton displacement volume, wet weight, dry weight, and carbon, *Fishery Bulletin*, **73**(4), 777-786.

Wheeler P. A. and Kokkinakis S. A. (1990) Ammonium recycling limits nitrate use in the oceanic subarctic Pacific, *Limnology and Oceanography*, **35**, 1267-1278.

Wiggert J. D. et al., (2000) The Northeast Monsoon's impact on mixing, plankton biomass and nutrient cycling in the Arabian Sea, *Deep-Sea Research II*, **47**, 1353-1385

Wiggert et al., (2002) Processes controlling interannual variations in wintertime (Northeast Monsoon) primary productivity in the central Arabian Sea, *Deep-Sea Research II*, **49**, 2319-2343

Wilkerson F.P., Dugdale R.C. and Barber R.T., (1987) Effects of El Nino on new, regenerated and total production in eastern boundary upwelling systems, Journal of Geophysical Research, 92, 14347-14353.

Wyrtki K., (1973) An equatorial jet in the Indian Ocean, Science, 181, 262-264.

Wyrtki K., (1988) Oceanographic Atlas of the International Indian Ocean Expedition, Amerind Publishing Co. Pvt. Ltd., New Delhi, India.