



# INDEX

## TABLE OF CONTENTS

| Sr. No. | DESCRIPTION  | Page No. |
|---------|--|----------|
| 1       | GENERAL INTRODUCTION   | 1        |
| 2       | XYLANASE   | 20       |
| 2.1     | Type of hemicelluloses   | 21       |
| 2.1.1   | Structural features of xylan                                       | 23       |
| 2.1.2   | Enzymes required for hemicelluloses degradation                    | 24       |
| 2.1.3   | Classification of hemicellulases                                   | 24       |
| 2.1.4   | Industrial application of xylanases                                | 27       |
|         | <b>Materials and methods</b>                                       |          |
| 2.2     | General procedures   | 31       |
| 2.3     | Fungal isolates and growth conditions                              | 31       |
| 2.4     | Study of physio-chemical factors for xylanase production           | 35       |
| 2.5     | Parameters for xylanase activity                                   | 37       |
| 2.6     | Parameters studied for xylanase activity                           | 40       |
|         | <b>Results and Discussion</b>                                      |          |
|         | <b>I- <i>Trichoderma harzanium</i></b>                             |          |
| 2.7T    | Xylanase production using solid substrate                          | 45       |
| 2.7T1   | Effect of incubation time on xylanase production and activity      | 46       |
| 2.7T2   | Influence of pH and temperature                                    | 46       |
| 2.7T3   | Influence of moistening agent and moisture level                   | 48       |
| 2.7T4   | Influence of carbon and nitrogen sources                           | 50       |
| 2.7T5   | Pretreatment of substrates   | 51       |
| 2.7T6   | Influence of metal ions  | 51       |
| 2.7T7   | Influence of different combinations and particle size of substrate | 52       |
| 2.7T8   | Partial purification of enzyme and molecular weight determination  | 53       |
| 2.7T9   | Thermostability of xylanase  | 53       |
| 2.7T10  | Storage stability of xylanase                                      | 54       |
| 2.7T11  | Properties of xylanase   | 54       |

|        |  |    |
|--------|--|----|
|        | <b>II- <i>Crysosporium asperatum</i></b>                           |    |
| 2.8C   | Effect of solid substrates and combinations on xylanase production | 55 |
| 2.8C1  | Effect of incubation time on xylanase production and activity      | 57 |
| 2.8C2  | Influence of temperature and pH                                    | 58 |
| 2.8C3  | Effect of inoculum level on xylanase production                    | 59 |
| 2.8C4  | Influence of moistening agents and moisture level                  | 60 |
| 2.8C5  | Influence of carbon and nitrogen sources                           | 61 |
| 2.8C6  | Pretreatment of substrates   | 63 |
| 2.8C7  | Influence of particle size on substrates                           | 64 |
| 2.8C8  | Mutation studies   | 64 |
| 2.8C9  | Purification and molecular weight determination of xylanase        | 65 |
| 2.8C10 | Influence of metal ions  | 66 |
| 2.8C11 | Thermostability  | 67 |
| 2.8C12 | Storage stability  | 68 |
| 2.8C13 | Properties of xylanase from <i>C. asperatum</i>                    | 68 |
| 3      | <b>AMYLASE</b>   | 69 |
| 3.1    | Structure and properties of starch                                 | 69 |
| 3.2    | Enzyme required for hydrolysis of starch                           | 71 |
| 3.3    | Industrial applications of amylases                                | 73 |
|        | <b>Materials and Methods</b>                                       |    |
| 3.4    | General procedures   | 76 |
| 3.5    | Fungal isolate and growth medium                                   | 76 |
| 3.6    | Optimisation of media for amylase production                       | 78 |
| 3.7    | Parameters of amylase activity                                     | 79 |
|        | <b>Results and Discussion</b>                                      |    |
| 3.8    | Selection of strains for amylase activity                          | 84 |
| 3.9    | Optimisation of amylase under submerged Fermentation               | 84 |
| 3.9.1  | Effect of inoculum size and incubation time on amylase production  | 84 |
| 3.9.2  | Effect of different substrate and substrate concentration          | 85 |
| 3.9.3  | Effect of carbon sources on production of amylase                  | 87 |

|         |   |     |
|---------|---|-----|
| 3.9.4   | Effect of nitrogen sources on production of amylase                       | 89  |
| 3.9.5   | Effect of pH and temperature on production of amylase                     | 90  |
| 3.10    | Effect of temperature and pH on amylase activity                          | 91  |
| 3.10.1  | Effect of substrate concentration and incubation time on amylase activity | 93  |
| 3.10.2  | Effect of metal ions on amylase activity                                  | 94  |
| 3.11    | Ammonium sulphate precipitation and purification of amylase               | 95  |
| 4       | <b>SECONDARY METABOLITES</b>  | 97  |
| 4.1     | Natural products  | 98  |
| 4.2     | Antibiotics   | 101 |
| 4.3     | Current production of antibiotics and secondary metabolites from fungi    | 105 |
|         | <b>Materials and Methods</b>  |     |
| 4.4     | Isolates used for screening of antibacterial antibiotics                  | 109 |
| 4.4.1   | Bacterial strains   | 109 |
| 4.4.2   | Fungal growth and extraction of crude extract                             | 109 |
| 4.4.2.1 | In shaking condition  | 109 |
| 4.4.2.2 | In static condition   | 110 |
| 4.5     | Antibacterial activity  | 110 |
| 4.6     | Effect of incubation time and media                                       | 110 |
| 4.7     | Analysis of exudate collected   | 111 |
|         | <b>Results and Discussion</b>   |     |
| 4.8     | Preliminary isolation of antibacterial activity(shaking condition)        | 112 |
| 4.8.1   | Effect of parameters in shaking condition                                 | 112 |
| 4.9     | Static condition  | 114 |
| 4.10    | Exudate analysis  | 114 |
| 5       | <b>HISTOLOGY</b>  | 117 |
|         | <b>Material and methods</b>   |     |
| 5.1     | Collection and preparation of samples ( <i>In vivo</i> study)             | 123 |
| 5.2     | Microtomy and staining  | 124 |
| 5.3     | Isolation and identification of fungi                                     | 124 |
|         | <b>Results</b>  |     |
|         | <i>Azadirachta indica</i> (L.) Del.                                       |     |
| 5.4     | Structure of wood   | 126 |

|      |   |     |
|------|---|-----|
| 5.5  | Decay by <i>Trichoderma harzianum</i>       | 126 |
| 5.6  | Decay by <i>Chrysosporium asperatum</i>     | 128 |
|      | <i>Tectona grandis</i> L.f.                 |     |
| 5.7  | Wood structure                              | 129 |
| 5.8  | Wood colonisation and cell wall degradation | 129 |
| 5.9  | Decay by <i>Trichoderma harzianum</i>       | 130 |
| 5.10 | Decay by <i>C. asperatum</i>                | 132 |
|      | Discussion                                  | 134 |
| 6    | REFERENCES                                  | 155 |