

Table of Contents

| Content | Page No. |
|--|----------|
| Chapter 1: General Introduction | 1-24 |
| 1.1. Consequences of polymers | 2 |
| 1.1.1. Brief Introduction and History | 2 |
| 1.1.2 Classification of polymers | 3 |
| 1.2. Free Radical Polymerization (FRP) and its limitations | 3 |
| 1.3. "Living"/Controlled Radical Polymerization (L/CRP) | 4 |
| 1.4. Generation of Atom Transfer Radical Polymerization (ATRP) | 7 |
| 1.4.1. Mechanism of ATRP | 8 |
| 1.4.2. Kinetics of ATRP | 8 |
| 1.4.3. Factors affecting the ATRP | 9 |
| 1.4.4. Merits and Demerits of ATRP | 9 |
| 1.5. Blocks/multiblock copolymers (BCPs) | 10 |
| 1.6. Silicon based polymers | 12 |
| 1.6.1. Vinyl terminated poly(dimethylsiloxane) in ATRP | 13 |
| 1.7. Fumed silica and its grafting polymers | 13 |
| 1.8. References | 17 |
| Chapter 2: Scope of study of multiblock copolymers via Atom Transfer Radical Polymerization Technique | 25-38 |
| 2.1. Experimental section | 26 |
| 2.1.1. Synthesis of bi-functional bromo-terminated polystyrene (Macroinitiator) | 26 |
| 2.1.2. Synthesis triblock copolymer: PMMA- <i>b</i> -PS- <i>b</i> -PMMA | 28 |
| 2.1.3. Synthesis of pentablock copolymer: PtBA- <i>b</i> -PMMA- <i>b</i> -PS- <i>b</i> -PMMA- <i>b</i> -PtBA | 29 |
| 2.2. Materials and methods | 30 |
| 2.2.1. FT-IR | 30 |
| 2.2.2. ^1H NMR | 30 |
| 2.2.3. GPC | 30 |
| 2.2.4. TGA | 31 |

| | |
|---|-------|
| 2.3. Results and Discussion | 31 |
| 2.4. Conclusion | 38 |
| Chapter 3: Synthesis and characterization of ABA type triblock copolymer of polydimethylsiloxane: PS-<i>b</i>-PDMS-<i>b</i>-PS | 39-56 |
| 3.1 introduction | 40 |
| 3.2 Experimental section | 41 |
| 3.2.1. Synthesis of PDMS-MI (macroinitiator) via Thiol-Michael addition | 41 |
| 3.2.2. Synthesis of PS- <i>b</i> -PDMS- <i>b</i> -PS (triblock copolymer) by ATRP | 41 |
| 3.3. Materials and methods | 44 |
| 3.3.1. FT-IR | 44 |
| 3.3.2. GPC | 44 |
| 3.3.3. ^{13}C NMR | 44 |
| 3.3.4. TGA | 45 |
| 3.3.5. EDS | 45 |
| 3.3.6. DSC | 45 |
| 3.3.7. SEM | 45 |
| 3.3.8 DLS | 45 |
| 3.3.9 Contact Angle Analyzer | 45 |
| 3.4. Results and Discussion | 46 |
| 3.5. Conclusion | 54 |
| 3.6. References | 55 |
| Chapter 4: Synthesis and Characterization of well-defined triblock copolymers via ATRP: PDMS-<i>b</i>-PS-<i>b</i>-PDMS | 57-73 |
| 4.1. Introduction | 58 |
| 4.2. Experimental section | 59 |
| 4.2.1. Preparation of high molecular weight homopolymer | 59 |
| 4.2.2. Preparation of tri block copolymer via ATRP | 61 |
| 4.2.3. Preparation of film (Homopolymer and triblock copolymer) | 63 |
| 4.3. Materials and methods | 64 |
| 4.4. Results and discussion | 64 |
| 4.5. Conclusion | 71 |
| 4.6. References | 72 |

| | |
|---|-------|
| Chapter 5: Blending of polymer with fumed silica as a filler | 74-93 |
| 5.1. Introduction | 75 |
| 5.2. Materials and methods | 76 |
| 5.3. Experimental Section | 76 |
| 5.3.1. Preparation of PMMA via ATRP | 77 |
| 5.3.2. Activation of Silone group | 78 |
| 5.3.3. Surface Modification to Bromine Group | 78 |
| 5.3.4. Preparation of Polymer Grafted Silica Using MMA as Monomer via ATRP | 79 |
| 5.3.5. Preparation of Polymer Grafted Silica Using GMA as Monomer via ATRP | 80 |
| 5.3.6. Preparation of a film by blending of polymer with fumed silica as a filler | 81 |
| 5.4. Results and discussion | 82 |
| 5.5. Conclusion | 91 |
| 5.6. References | 92 |
| Chapter 6: Summary, Conclusions & Future Directions | 94-98 |
| 6.1. Summary and Conclusion | 95 |