
BIBLIOGRAPHY

- Aarthi, H. P., Tamboli, N. D., & More, S. A. (2022). Bioefficacy of bio-control agents against eggs, larvae and pupa of fall armyworm *Spodoptera frugiperda* (J E Smith) on maize under laboratory conditions. *The Pharma Innovation Journal*, 11(4): 461–464.
- Albérich, M., Ménez, C., Sutra, J. F., & Lespine, A. (2014). Ivermectin exposure leads to up-regulation of detoxification genes in vitro and in vivo in mice. *European journal of pharmacology*, 740(1): 428-435.
- Abdollahi, M., Ranjbar, A., Shadnia, S., Nikfar, S., & Rezaie, A. (2004). Pesticides and oxidative stress : A review. *Medical Science Monitor*, 10(6): 141–147.
- Agarwal, M., & Garg, S. (2015). Study on Sub-Standard, Spurious / Counterfeit Pesticides in India. New Delhi: FICCI. <https://iccwbo.org/content/uploads/sites/3/2016/11/FICCI-Study-on-Sub-standard-Spurious-Counterfeit-Pesticides-in-India-2015.pdf>.
- Ahmad, M., Arif, M. I., & Ahmad, M. (2007). Occurrence of insecticide resistance in field populations of *Spodoptera litura* (Lepidoptera : Noctuidae) in Pakistan. *Crop Protection*, 26(6): 809–817.
- Ali, M., & Gupta, S. (2012). Carrying capacity of Indian agriculture: Pulse crops. *Current Science*, 102(6): 874–881.
- Ardelli, B. F., Stitt, L. E., Tompkins, J. B., & Prichard, R. K. (2009). A comparison of the effects of ivermectin and moxidectin on the nematode *Caenorhabditis elegans*. *Veterinary parasitology*, 165(1-2): 96-108.
- Babu, R. S., Kalyan, R., Joshi, S., Balai, C., Mahla, M., & Rokadia, P. (2019). Report of an exotic invasive pest the fall armyworm, *Spodoptera frugiperda*. *Journal of Entomology and Zoology Studies*, 7(3): 1296–1300.
- Bafaro, E., Liu, Y., Xu, Y., & Dembski, R. E. (2017). The emerging role of zinc transporters

- in cellular homeostasis and cancer. *Signal transduction and targeted therapy*, 2(1): 1-12.
- Balla, A., Bhaskar, M., Bagade, P., & Rawal, N. (2019). Yield losses in maize (*Zea mays*) due to fall armyworm infestation and potential IoT-based interventions for its control. *Journal of Entomology and Zoology Studies*, 7(5): 920–927.
- Bandara, J. S., & Cai, Y. (2014). The impact of climate change on food crop productivity , food prices and food security in South Asia. *Economic Analysis and Policy*, 44(4): 451–465.
- Banwo, O. O., & Adamu, R. S. (2003). Insect pest management in African agriculture: Challenges in the current millenium. *Archives of Phytopathology and Plant Protection*, 36(1): 59–68.
- Bhut, J., Khanpara, D., Bharadiya, A., & Madariya, R. (2022). Bio-efficacy of chemical insecticides against defoliators *Spodoptera litura* and *Achaea janata* in castor. *The Journal of Phytopharmacology*, 11(5): 368–370.
- Bishopp, F. C. (1945). Insect problems in world war II with special references to the insecticide DDT. *American Journal of Public Health*, 35(1): 373–378.
- Boaventura, D., Ulrich, J., Lueke, B., Bolzan, A., Okuma, D., Gutbrod, O., Geibel, S., Zeng, Q., Dourado, P. M., Martinelli, S., Flagel, L., Head, G., & Nauen, R. (2020). Molecular characterization of Cry1F resistance in fall armyworm, *Spodoptera frugiperda* from Brazil. *Insect Biochemistry and Molecular Biology*, 116(1): 79-89.
- Booth, M. P., Conners, R., Rumsby, G., & Brady, R. L. (2006). Structural basis of substrate specificity in human glyoxylate reductase/hydroxypyruvate reductase. *Journal of molecular biology*, 360(1): 178-189.
- Bruce, T. J. A. (2010). Tackling the threat to food security caused by crop pests in the new millennium. *Food security*, 2(1): 133–141.
- Brun-barale, A., Hema, O., Martin, T., Suraporn, S., Audant, P., Sezutsu, H., & Feyereisen, R. (2010). Multiple P450 genes overexpressed in deltamethrin-resistant strains of *Helicoverpa armigera*. *Pest Management Science*, 66(8): 900–909.
- Campbell, W. C. (2012). History of avermectin and ivermectin, with notes on the history of Bibliography

other macrocyclic lactone antiparasitic agents. *Current pharmaceutical biotechnology*, 13(6): 853-865.

Campos, E. V. R., Proen  a, P. L. F., Oliveira, J. L., Bakshi, M., Abhilash, P. C., & Fraceto, L. F. (2019). Use of botanical insecticides for sustainable agriculture : Future perspectives. *Ecological Indicators*, 105(1): 483–495.

Carvalho, R. A., Omoto, C., Field, L. M., Williamson, M. S., & Bass, C. (2013). Investigating the molecular mechanisms of organophosphate and pyrethroid resistance in the fall armyworm *Spodoptera frugiperda*. *PLoS ONE*, 8(4): 1-11.

Chadha, G. K. (2003). Indian agriculture in the new millennium: Human response to technology challenges. *Indian Journal of Agricultural Economics*, 58(1): 1–31.

Chormule, A., Shejawal, N., Deshmukh, S., Kalleshwaraswamy, C., Asokan, R., & Mahadeva Swamy, H. (2019). First report of the fall Armyworm, *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera, Noctuidae) on sugarcane and other crops from Maharashtra, India. *Journal of Entomology and Zoology Studies*, 7(1): 114–117.

Colovic, M. B., Krstic, D. Z., Lazarevic-Pasti, T. D., Bondzic, A. M., & Vasic, V. M. (2013). Acetylcholinesterase inhibitors: pharmacology and toxicology. *Current neuropharmacology*, 11(3): 315-335.

Damasia, D. M., Pastagia, J. J., & Kachela, H. R. (2020). First report of the occurrence of fall armyworm , *Spodoptera frugiperda* (J E Smith) on finger millet (*Eleusine coracana* Gaertn) in Gujarat, India. *Indian Journal of Plant Protection*, 48(4): 368–371.

De Groote, H., Kimenju, S. C., Munyua, B., Palmas, S., Kassie, M., & Bruce, A. (2020). Spread and impact of fall armyworm (*Spodoptera frugiperda* J.E. Smith) in maize production areas of Kenya. *Agriculture, Ecosystems and Environment*, 292(106804), 1-10.

Dev, S. M. (2009). Challenges for Revival of Indian Agriculture. *Agricultural Economics Research Review*, 22(1): 21–45.

Deshmukh, S., Kalleshwaraswamy, C. M., Asokan, R., & Maruthi, M. S. (2018). First report of the Fall armyworm, *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae), an

alien invasive pest on maize in India. *Pest Management in Horticultural Ecosystems*, 24(1): 23–29.

Devashrayee, V., Patel, D. R., & Sankhla, P. M. (2022). Efficacy of insecticides against pod borers of Indian bean. *Indian Journal of Entomology*, 1(1): 1–4.

Dhobi, C. B., Zala, M. B., Verma, H. S., Sisodiya, D. B., Thumar, R. K., Patel, M. B., Patel, J. K., & Borad, P. K. (2020). Evaluation of bio-pesticides against fall armyworm , *Spodoptera frugiperda* (J . E . Smith) in maize. *International Journal of Current Microbiology and Applied Sciences*, 9(8): 1150–1160.

Divya, D. (2016). Management of *Spodoptera Litura*. *Imperial Journal of Interdisciplinary Research*, 2(5): 285–289.

Dobariya, U. R., & Sisodiya, D. B. (2022). Evaluation of insecticides as seed treatment against fall armyworm, *Spodoptera frugiperda* (J . E . Smith) infesting fodder maize, *Zea mays* L. *The Pharma Innovation Journal*, 11(9): 1144–1148.

Dumas, P., Morin, M. D., Boquel, S., Moffat, C. E., & Morin, P. J. (2019). Expression status of heat shock proteins in response to cold, heat, or insecticide exposure in the Colorado potato beetle *Leptinotarsa decemlineata*. *Cell Stress and Chaperones*, 24(3): 539–547.

El-Saber Batiha, G., Alqahtani, A., Ilesanmi, O. B., Saati, A. A., El-Mleeh, A., Hetta, H. F., & Magdy Beshbishi, A. (2020). Avermectin derivatives, pharmacokinetics, therapeutic and toxic dosages, mechanism of action, and their biological effects. *Pharmaceuticals*, 13(8): 1–37.

Elfaki, I., Mir, R., Almutairi, F. M., & Duhier, F. M. A. (2018). Cytochrome P450: polymorphisms and roles in cancer, diabetes and atherosclerosis. *Asian Pacific journal of cancer prevention*, 19(8): 2057-2070.

Enayati, A. A., Ranson, H., & Hemingway, J. (2005). Insect glutathione transferases and insecticide resistance. *Insect Molecular Biology*, 14(1): 3–8.

Esteves, F., Rueff, J., & Kranendonk, M. (2021). The central role of cytochrome P450 in xenobiotic metabolism—a brief review on a fascinating enzyme family. *Journal of*

xenobiotics, 11(3): 94-114.

Fernandes, F. O., Abreu, J. A., Christ, L. M., & Rosa, A. P. S. A. (2018). Efficacy of insecticides against *Spodoptera frugiperda* (Smith, 1797). *Journal of Agricultural Science*, 11(1): 494-503.

Gandhi, A., Kariyat, R. R., Chappa, C., Tayal, M., & Sahoo, N. (2020). Tobacco hornworm (*Manduca sexta*) oral secretion elicits reactive oxygen species in isolated tomato protoplasts. *International Journal of Molecular Sciences*, 21(21): 1-14.

Georghiou, G. P. (1972). The evolution of resistance to pesticides. *Annual Review of Ecology and Systematics*, 3(1): 133-168.

Gilden, R. C., Huffling, K., & Sattler, B. (2010). Pesticides and health risks. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 39(1): 103–110.

Givan, C. V., & Kleczkowski, L. A. (1992). The enzymic reduction of glyoxylate and hydroxypyruvate in leaves of higher plants. *Plant Physiology*, 100(2): 552-556.

Goergen, G., Kumar, P. L., Sankung, S. B., Togola, A., & Tamò, M. (2016). First report of outbreaks of the fall armyworm *Spodoptera frugiperda* (J E Smith) (Lepidoptera, Noctuidae), a new alien invasive pest in West and Central Africa. *PloS one*, 11(10): 1-9

Gouin, A., Bretaudeau, A., Nam, K., Gimenez, S., Aury, J., Duvic, B., Hilliou, F., Durand, N., Montagné, N., Darboux, I., Kuwar, S., Chertemps, T., Siaussat, D., Bretschneider, A., Mo, Y., Ahn, S., Hänniger, S., Grenet, A. G., Neunemann, D., Couloux, A. (2017). Two genomes of highly polyphagous lepidopteran pests with different host-plant ranges. *Scientific Reports*, 7(1): 1–12.

Gupta, G. P., Rani, S., Birah, A., & Raghuraman, M. (2005). Improved artificial diet for mass rearing of the tobacco caterpillar, *Spodoptera litura* (Lepidoptera: Noctuidae). *International Journal of Tropical Insect Science*, 25(1): 55–58.

Haenniger, S., Goergen, G., Akinbuluma, M. D., Kunert, M., Heckel, D. G., & Unbehend, M. (2020). Sexual communication of *Spodoptera frugiperda* from West Africa : Adaptation of an invasive species and implications for pest management. *Scientific Reports*, 10(1): 1–

9.

- Harrison, R. D., Thierfelder, C., Baudron, F., Chinwada, P., Midega, C., Scha, U., & Berg, J. Van Den. (2019). Agro-ecological options for fall armyworm (*Spodoptera frugiperda* JE Smith) management : Providing low-cost, smallholder friendly solutions to an invasive pest. *Journal of Environment Management*, 243(1): 318–330.
- Hazelton, G. A., & Lang, C. A. (1983). Glutathione S-transferase activities in the yellow-fever mosquito [*Aedes aegypti* (Louisville)] during growth and aging. *Biochemical Journal*, 210(2): 281–287.
- Hemingway, J., Hawkes, N. J., McCarroll, L., & Ranson, H. (2004). The molecular basis of insecticide resistance in mosquitoes. *Insect Biochemistry and Molecular Biology*, 34(7): 653–665.
- Hosokawa, M. (2008). Structure and catalytic properties of carboxylesterase isozymes involved in metabolic activation of prodrugs. *Molecules*, 13(2), 412–431.
- Hou, Q., Zhang, H., Zhu, J., & Liu, F. (2022). Transcriptome Analysis to Identify Responsive Genes under Sublethal Concentration of Bifenazate in the Diamondback Moth, *Plutella xylostella* (Linnaeus, 1758) (Lepidoptera: Plutellidae). *International Journal of Molecular Sciences*: 23(21): 1-19.
- Huang, W. K., Wu, Q. S., Peng, H., Kong, L. A., Liu, S. M., Yin, H. Q., & Peng, D. L. (2016). Mutations in Acetylcholinesterase2 (ace2) increase the insensitivity of acetylcholinesterase to fosthiazate in the root-knot nematode *Meloidogyne incognita*. *Scientific Reports*, 6(1): 1-9.
- Huang, Y., Xu, Z., Lin, X., Feng, Q., & Zheng, S. (2011). Structure and expression of glutathione S -transferase genes from the midgut of the Common cutworm, *Spodoptera litura* (Noctuidae) and their response to xenobiotic compounds and bacteria. *Journal of Insect Physiology*, 57(7): 1033–1044.
- Integrated Pest Management (IPM) Principles (2023). EPA, United States Environmental Protection Agency. Retrieved 17 January, 2023, from [Integrated Pest Management \(IPM\) Principles | US EPA](#)

IRAC Mode of Action Classification Scheme (2022). Insecticide Resistance Action Committee. Retrieved on 7 January 2023, from [Microsoft Word - MoA-Classification v10.4 13Dec22.docx \(irac-online.org\)](https://irac-online.org/Microsoft%20Word%20-%20MoA-Classification%20v10.4%2013Dec22.docx)

IRAC Susceptibility Test Methods Series (2011). Insecticide Resistance Action Committee. Retrieved on 20 September 2022, from <https://irac-online.org/methods/spodoptera-helicoverpa-heliothis-larvae/?ext=pdf>

Isman, M. B. (2006). Botanical insecticides, deterrents, and repellents in modern agriculture and an increasingly regulating world. *Annual Review of Entomology*, 51(1): 45–66.

Jenčič, V., Černe, M., Eržen, N. K., Kobal, S., & Cerkvenik-Flajs, V. (2006). Abamectin effects on rainbow trout (*Oncorhynchus mykiss*). *Ecotoxicology*, 15(1) 249-257.

Jie, L. I., & Hui, Z. (2014). The Research of Urbanization , Industrialization and Agricultural Modernization's Effect on Food Security. *Studies in Sociology of Science*, 5(3): 124–127.

Jing, D. P., Guo, J. F., Jiang, Y. Y., Zhao, J. Z., Sethi, A., He, K. L., & Wang, Z. Y. (2019). Initial detections and spread of invasive *Spodoptera frugiperda* in China and comparisons with other noctuid larvae in cornfields using molecular techniques. *Insect Science*, 27(4): 780-790.

Jing, T. X., Tan, Y., Ding, B. Y., Dou, W., Wei, D. D., & Wang, J. J. (2018). NADPH-cytochrome P450 reductase mediates the resistance of *Aphis* (Toxoptera) *citricidus* (Kirkaldy) to abamectin. *Frontiers in Physiology*, 9(1): 1–9.

Joshi, M. J., V, P. R., Solanki, C. B., & Vaishali, B. V. (2020). Desert Locust (*Schistocerca gregaria* F.) Outbreak in Gujarat (India). In *Agriculture & food: e-newsletter*, 2(6): 691-693.

Jukes, T. H. (1974). Insecticides in Health, Agriculture and the Environment. *Naturwissenschaften*, 61(1), 6–16.

Kaduskar, B., Kushwah, R. B. S., Auradkar, A., Guichard, A., Li, M., Bennett, J. B., Julio, A. H. F., Marshall, J. M., Montell, C., & Bier, E. (2022). Reversing insecticide resistance with allelic-drive in *Drosophila melanogaster*. *Nature Communications*, 13(1): 1–8.

Kalleshwaraswamy, C., Asokan, R., Mahadevaswamy, H. M., & Sharanabasappa. (2019). First record of invasive fall armyworm, *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) on rice (*Oryza sativa*) from India. *Journal of Entomology and Zoology Studies*, 7(3): 332–337.

Kamaraju, R., Pant, C. S., Uragayala, S., Baharia, R. K., Srivastava, H. C., & Yadav, R. S. (2021). Small-scale field evaluation of the entomological efficacy and the residual activity of Fludora Fusion WP-SB indoor residual spraying against *Anopheles culicifacies* s.l. in Gujarat, India. *Tropical Medicine and International Health*, 26(4): 469–477.

Kaminsky, R., Gauvry, N., Schorderet Weber, S., Skripsky, T., Bouvier, J., Wenger, A., Schroeder, F., Desaules, Y., Hotz, R., Goebel, T., Hosking, B. C., Pautrat, F., Wieland-Berghausen, S., & Ducray, P. (2008). Identification of the amino-acetonitrile derivative monepantel (AAD 1566) as a new anthelmintic drug development candidate. *Parasitology Research*, 103(4): 931–939.

Kamita, S. G., & Hammock, B. D. (2010). Juvenile hormone esterase: biochemistry and structure. *Journal of Pesticide Science*, 35(3): 265-274.

Kanno, R. H., Bolzan, A., Kaiser, I. S., Lira, E. C., Amaral, F. S. A., Guidolin, A. S., Nascimento, A. R. B., & Omoto, C. (2019). Low risk of resistance evolution of *Spodoptera frugiperda* to chlorfenapyr in Brazil. *Journal of Pest Science*, 93(1): 365-378

Kataria, R., & Kumar, D. (2020). Reduction of hazardous impact of chemical control from agricultural crops by utilization of different insect biolures. *Journal of Entomology and Zoology Studies*, 8(1): 799–804.

Kataria, R., & Kumar, D. (2012). Occurrence and infestation level of sucking pests : Aphids on various host plants in agricultural fields of Vadodara, Gujarat (India). *International Journal of Scientific and Research Publications*, 2(7): 1–6.

Khan, H. A. A., Akram, W., Khan, T., Haider, M. S., Iqbal, N., & Zubair, M. (2016). Risk assessment, cross-resistance potential, and biochemical mechanism of resistance to emamectin benzoate in a field strain of house fly (*Musca domestica* Linnaeus). *Chemosphere*, 151(1): 133–137.

Kookana, R. S., Drechsel, P., Jamwal, P., & Vanderzalm, J. (2020). Science of the Total Environment Urbanisation and emerging economies: Issues and potential solutions for water and food security. *Science of the Total Environment*, 732(139057): 1-13.

Komoszyński, M. (1996). Comparative studies on animal and plant apyrases (ATP diphosphohydrolase EC 3.6.1.5) with application of immunological techniques and various ATPase inhibitors. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 113(3): 581-591.

Kumar, D., & Sharma, H. (2022). Management of the pest *Plutella xylostella* Linnaeus, 1758 (Lepidoptera: Plutellidae) by artificial rearing method. In *Environmental Pollution , Climate Change and Altered Life Style during COVID* (pp. 407–418). New Delhi: Daya Publishing House.

Kumar, P., Singh, R., Jaswinder, S. B. S., Sekhar, K. J. C., & Soujanya, P. L. (2018). An overview of crop loss assessment in maize. *Maize Journal*, 7(2): 56–63.

Kumar, S., Naveen, S. B. S., Sekhar, K. J. C., & Nebapure, S. (2022). Insecticide susceptibility vis - à - vis molecular variations in geographical populations of fall armyworm, *Spodoptera frugiperda* (J. E. smith) in India. *3 Biotech*, 12(9): 1–13.

Kutner, J., Shabalin, I. G., Matelska, D., Handing, K. B., Gasiorowska, O., Sroka, P., Gorna, M. W., Ginalski, K., Wozniak, K., & Minor, W. (2018). Structural, biochemical, and evolutionary characterizations of glyoxylate/hydroxypyruvate reductases show their division into two distinct subfamilies. *Biochemistry*, 57(6), 963–977.

Lad, D., & Pawar, G. (2022). Efficacy of different insecticides against larval population of *Spodoptera frugiperda* on rabi Jowar. *The Pharma Innovation Journal*, 11(7): 1820–1822.

Lasota, J. A., & Dybas, R. A. (1990). Abamectin as a pesticide for agricultural use. *Acta Leidensia*, 59(1): 217-225.

Lassalle, L., Engilberge, S., Madern, D., Vauclare, P., Franzetti, B., & Girard, E. (2016). New insights into the mechanism of substrates trafficking in glyoxylate/ hydroxypyruvate reductases. *Scientific Reports*, 6(1): 1–12.

Li, D., Xu, L., Liu, H., Chen, X., & Zhou, L. (2022). Metabolism and antioxidant activity of SIGSTD1 in *Spodoptera litura* as a detoxification enzyme to pyrethroids. *Scientific Reports*, 12(1): 1–9.

Li, Q., Sun, Z., Shi, Q., Wang, R., Xu, C., Wang, H., Song, Y., & Zeng, R. (2019). RNA-Seq analyses of midgut and fat body tissues reveal the molecular mechanism underlying *Spodoptera litura* resistance to tomatine. *Frontiers in Physiology*, 10(1): 1–12.

Lichtenberg, E. (2002). Agriculture and the Environment. In *Handbook of Agricultural Economics*, 2(1): 1250–1296.

Lin, Q., Jin, F., Hu, Z., Chen, H., Yin, F., Li, Z., Dong, X., Zhang, D., Ren, S., & Feng, X. (2013). Transcriptome analysis of chlorantraniliprole resistance development in the diamondback moth *Plutella xylostella*. *PLoS ONE*, 8(8): 1–13.

Liu, M., Panda, S. K., & Luyten, W. (2020). Plant-based natural products for the discovery and development of novel anthelmintics against nematodes. *Biomolecules*, 10(3): 1-22.

Liu, Y., & Tabashnik, B. E. (1997). Inheritance of resistance to the *Bacillus thuringiensis* toxin cry1c in the diamondback moth. *Applied and Environmental Microbiology*, 63(6): 2218–2223.

Liu, Y., Wang, X., Luo, X., Wang, R., Zhai, B., Wang, P., Li, J., & Yang, X. (2023). Transcriptomics and proteomics of *Haemonchus contortus* in response to ivermectin treatment. *Animals*, 13(1): 1–21.

Liu, W., Tang, X., Qi, X., Fu, X., Ghimire, S., Ma, R., Li, S., Zhang, N., & Si, H. (2020). The ubiquitin conjugating enzyme: An important ubiquitin transfer platform in ubiquitin-proteasome system. *International Journal of Molecular Sciences*, 21(8): 1-16.

Lunagariya, M., Zala, M., Varma, H., Suthar, M., Patel, M., Patel, B., & Borad, P. (2020). Efficacy of poison baits against fall armyworm, *Spodoptera frugiperda* (J . E . Smith) infesting maize. *Journal of Entomology and Zoology Studies*, 8(4): 2251–2256.

Lushchak, V. I., Matviishyn, T. M., Husak, V. V., Storey, J. M., & Storey, K. B. (2018). Pesticide toxicity: a mechanistic approach. *EXCLI Journal*, 17(1): 1101–1136.

Maharani, Y., Puspitaningrum, D., Istifadah, N., Hidayat, S., & Ismail, A. (2021). Biology and life table of fall armyworm, *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) on maize and rice. *Serangga*, 26(4): 161–174.

Mathur, A. S., Das, S., & Sircar, S. (2007). Status of Agriculture in India : Trends and prospects. *Economic & Political Weekly*, 41(52): 5327–5336.

Merzendorfer, H., Shin, H., Chaudhari, S. S., Kumari, M., Specht, C. A., Butcher, S., Brown, S. J., Manak, J. R., Beeman, R. W., & Kramer, K. J. (2012). Genomic and proteomic studies on the effects of the insect growth regulator diflubenzuron in the model beetle species *Tribolium castaneum*. *Insect Biochemistry and Molecular Biology*, 42(4): 264–276.

Mladenović, M., Arsić, B. B., Stanković, N., Mihović, N., Ragno, R., Regan, A., & Micić, R. (2018). The targeted pesticides as acetylcholinesterase inhibitors: Comprehensive cross-organism molecular modelling studies performed to anticipate the pharmacology of harmfulness to humans in vitro. *Molecules*, 23(9): 1-37.

Mondal, D., Ghosh, A., Roy, D., Kumar, A., Shamurailatpam, D., Bera, S., Ghosh, R., Bandopadhyay, P., & Majumder, A. (2017). Yield loss assessment of rice (*Oryza Sativa L.*) due to different biotic stresses under system of rice intensification (SRI). *Journal of Entomology and Zoology Studies*, 5(4): 1974–1980.

Montezano, D. G., Specht, A., Sosa-Gomez, D. G., Roque-Specht, V. F., & Sousa-Silva, J. C. (2018). Host plants of *Spodoptera frugiperda* (Lepidoptera : Noctuidae) in the Americas. *African Entomology*, 26(2): 286–300.

Naganna, R., Jethva, D. M., Bhut, J. B., Wadaskar S, P., & Kachot, A. (2021). Present status of new invasive pest fall armyworm, *Spodoptera frugiperda* in India : A review. *Journal of Entomology and Zoology Studies*, 8(2): 150–156.

Nagamatsu, S., Nishito, Y., Yuasa, H., Yamamoto, N., Komori, T., Suzuki, T., & Kambe, T. (2022). Sophisticated expression responses of ZNT1 and MT in response to changes

inthe expression of ZIPs. *Scientific Reports*, 12(1): 1-13.

Nagaratna, W., Kalleshwaraswamy, C. M., Dhananjaya, B. C., & Prakash, N. B. (2022). Effect of silicon and plant growth regulators on the biology and fitness of fall armyworm, *Spodoptera frugiperda*, a recently invaded pest of maize in India. *Silicon*, 14(1): 783–793.

National Center for Biotechnology Information (2023). PubChem Compound Summary for CID 11650986, Emamectin benzoate. Retrieved 3 March, 2023 from <https://pubchem.ncbi.nlm.nih.gov/compound/Emamectin-benzoate>.

Nauen, R., Bass, C., Feyereisen, R., & Vontas, J. (2022). The role of cytochrome P450s in insect toxicology and resistance. *Annual Review of Entomology*, 67(1): 105–124.

Nishito, Y., & Kambe, T. (2019). Zinc transporter 1 (ZNT1) expression on the cell surface is elaborately controlled by cellular zinc levels. *Journal of Biological Chemistry*, 294(43): 15686-15697.

Padhee, A., & Prasanna, B. (2019). The emerging threat of fall armyworm in India. *Indian Farming*, 69(1): 51–54.

Paramasivam, M., Karthik, P., & Muralitharan, V. (2022). Dissipation, decontamination, dietary, and ecological risk assessment of chlorantraniliprole in chilli fields. *Toxicological and Environmental Chemistry*, 104(2): 293–306.

Parmar, V. R., & Patel, C. C. (2018). Morphometric variations between susceptible and resistant population of *Helicoverpa armigera* (Hubner) Hardwick in pigeonpea from the different locations of middle Gujarat. *International Journal of Current Microbiology and Applied Sciences*, 7(09): 2865–2875.

Patel P., Desai, C., & Usdadia, V. (2021). Correlation and regression of mango thrips (*Scirtothrips dorsalis* Hood) in high-density mango plantation under South Gujarat conditions. *International Research Journal of Chemistry*, 33(1): 1–7.

Perry, T., Batterham, P., & Daborn, P. J. (2011). The biology of insecticidal activity and resistance. *Insect Biochemistry and Molecular Biology*, 41(7): 411–422.

Pinstrup-andersen, P. (2009). Food security : definition and measurement. *Food Security*, 1(1): Bibliography

5–7.

Pinto, J. R. L., Torres, A. F., Truzzi, C. C., Vieira, N. F., Vacari, A. M., & De Bortoli, S. A. (2019). Artificial corn-based diet for rearing *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Journal of Insect Science*, 19(4): 1–8.

Raghunandan, B., Patel, N., Dave, H., & Mehta, D. (2019). Natural occurrence of nucleopolyhedrovirus infecting fall armyworm, *Spodoptera frugiperda* (J . E . Smith) (Lepidoptera : Noctuidae) in Gujarat, India. *Journal of Entomology and Zoology Studies*, 7(2): 1040–1043.

Rao, G. M. V. P. (2020). Indian scenario on the occurrence of a dreaded insect pest Pink bollworm, *Pectinophora gossypiella* on Bt cotton: a review. *Journal of Environment Biology*, 43(1): 11-19.

Rathburn, C. B. (1985). Insecticide formulations-types and uses: a review. *Journal of American Mosquito Control Association*, 1(1): 80–84.

Ribeiro, P., & Patocka, N. (2013). Neurotransmitter transporters in schistosomes: Structure, function and prospects for drug discovery. *Parasitology international*, 62(6): 629-638.

Ritchie, S. W., Lui, C. N., Sellmer, J. C., Kononowicz, H., Hodges, T. K., & Gelvin, S. B. (1993). *Agrobacterium tumefaciens*-mediated expression of gusA in maize tissues. *Transgenic Research*, 2(5): 252–265.

Saleem, M. A., Ahmad, M., Ahmad, M., Aslam, M., & Sayyed, A. H. (2008). Resistance to selected organochlorin, organophosphate, carbamate and pyrethroid, in *Spodoptera litura* (Lepidoptera : Noctuidae) from Pakistan. *Journal of Economic Entomology*, 101(5): 1665–1675.

Salman, M., Abbas, R. Z., Mehmood, K., Hussain, R., Shah, S., Faheem, M., & Martínez, J. L. (2022). Assessment of avermectins-induced toxicity in animals. *Pharmaceuticals*, 15(3): 1-14.

Scott, J. G. (1999). Cytochromes P450 and insecticide resistance. *Insect Biochemistry and Molecular Biology*, 29(9): 757–777.

- Sharanabasappa, Kalleshwaraswamy, C. M., Maruthi, M. S., & Pavithra, H. B. (2018). Biology of invasive fall armyworm *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) on maize. *Indian Journal of Entomology*, 80(3): 540–543.
- Sharma, H., & Kumar, D. (2020). Optimizing Laboratory Rearing Methods for management of pest *Spodoptera litura* Fabricius, 1775 (Lepidoptera: Nocutuidae). In *Insect Science And Experiment* (pp. 126–133). New Delhi: AikNik Publications.
- Sharma, H. C. (2014). Climate Change Effects on Insects : Implications for Crop Protection and Food Security. *Journal of Crop Improvement*, 28(2): 229–259.
- Shi, H., Pei, L., Gu, S., Zhu, S., Wang, Y., Zhang, Y., & Li, B. (2012). Glutathione S-transferase (GST) genes in the red flour beetle, *Tribolium castaneum*, and comparative analysis with five additional insects. *Genomics*, 100(5): 327-335.
- Singh, K., Raju, S. V. S., & Sharma, K. R. (2022). Field efficacy of novel insecticides emamectin benzoate and spinosad against fruit borer, *Helicoverpa armigera* (Hübner) on tomato. *Journal of Entomological Research*, 46(1): 106–110.
- Sisodiya, D., Raghunandan, B., Bhatt, N., Verma, H., Shewale, C., Timbadiya, B., & Borad, P. (2018). The fall armyworm, *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae); first report of new invasive pest in maize fields of Gujarat, India. *Journal of Entomology and Zoology Studies*, 6(5): 2089–2091.
- Soll, M. D., Carmichael, I. H., Swan, G. E., & Abrey, A. (1992). Treatment and control of sheep scab (*Psoroptes ovis*) with ivermectin under field conditions in South Africa. *The Veterinary Record*, 130(26): 572-574.
- Sparks, A. N. (1979). A Review of the Biology of the Fall Armyworm. *The Florida Entomologist*, 62(2): 82–87.
- Srikanth, J., Geetha, N., Singaravelu, B., Ramasubramanian, T., Mahesh, P., Saravanan, L., Salin, K. P., Chitra, N., & Muthukumar, M. (2018). First report of occurrence of fall armyworm *Spodoptera frugiperda* in sugarcane from Tamil Nadu , India. *Journal of Sugarcane Research*, 8(2): 195–202.

Stork, N. E. (2018). How many species of insects and other terrestrial arthropods are there on Earth? *Annual Review of Entomology*, 63(1): 31–45.

Subbireddy, K. B., Patel, H. P., Patel, N. B., & Bharpoda, T. M. (2018). Screening of okra cultivars and genotypes for their resistance to fruit borers in middle Gujarat. *Pest Management in Horticultural Ecosystems*, 24(1): 36–43.

Sun, Z., Xu, C., Chen, S., Shi, Q., Wang, H., Wang, R., Song, Y., & Zeng, R. (2019). Exposure to herbicides prime P450-mediated detoxification of *Helicoverpa armigera* against insecticide and fungal toxin. *Insects*, 10(1): 1–11.

Tambo, J. A., Day, R. K., Lamontagne-godwin, J., Silvestri, S., Beseh, P. K., Oppong-mensah, B., Phiri, N. A., Tambo, J. A., Day, R. K., Lamontagne-godwin, J., & Silvestri, S. (2020). Tackling fall armyworm (*Spodoptera frugiperda*) outbreak in Africa: an analysis of farmers' control actions. *International Journal of Pest Management*, 66(4): 298–310.

Thumar, R., Zala, M., Varma, H., Dhobi, C., Patel, B., & Patel, M. (2020). Evaluation of insecticides against fall armyworm, *Spodoptera frugiperda* (J. E. Smith) infesting maize. *International Journal of Chemical Studies*, 8(4): 100–104.

Tuersong, W., Zhou, C., Simin, W. U., Qin, P., Wang, C., Di, W., & Hu, M. (2022). Comparative Analysis on Transcriptomics of Ivermectin Resistant and Sensitive Strains of *Haemonchus Contortus*. *Parasites & Vectors*, 15(159): 1-14

Upadhyay, R. P., & Palanivel, C. (2011). Challenges in Achieving Food Security in India. *Iranian Journal of Public Health*, 40(4): 31–36.

Van der Zaal, B. J., Neuteboom, L. W., Pinas, J. E., Chardonnens, A. N., Schat, H., Verkleij, J. A., & Hooykaas, P. J. (1999). Overexpression of a novel *Arabidopsis* gene related to putative zinc-transporter genes from animals can lead to enhanced zinc resistance and accumulation. *Plant physiology*, 119(3): 1047-1056.

Varma, H. S., Suthar, M. D., Zala, M. B., Patel, M. B., Parmar, P. K., Thumar, R. K., Sisodiya, D. B., Patel, J. K. (2022). Screening of maize cultivars / genotypes for resistance against

- fall armyworm, *Spodoptera frugiperda* (J . E . Smith). *The Pharma Innovation Journal*, 11(8): 1468–1472.
- Verma, R. D., Patel, V. K., Vijay, T. M., & Tripathi, A. K. (2016). Eco friendly management tools for an invasive pest species maize fall armyworm (FAW) *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae). *Agriallis*, 4(6): 23-28.
- Walker, P. T. (1983). Crop losses: the need to quantify the effects of pests, diseases and weeds on agricultural production. *Agriculture, ecosystems & environment*, 9(2): 119-158.
- Wang, D., Zou, L., Jin, Q., Hou, J., Ge, G., & Yang, L. (2018). Human carboxylesterases: a comprehensive review. *Acta Pharmaceutica Sinica B*, 8(5): 699–712.
- Wang, H. H., Zhao, R., Gao, J., Zhang, L., Zhang, S., Liang, P., Gao, X. W., & Gu, S. H. (2022). Genetic architecture and insecticide resistance in Chinese populations of *Spodoptera frugiperda*. *Journal of Pest Science*, 1(1): 1–16.
- Wang, X., Lou, L., & Su, J. (2019). Prevalence and stability of insecticide resistances in field population of *Spodoptera litura* (Lepidoptera: Noctuidae)from Huizhou, Guangdong Province, China. *Journal of Asia-Pacific Entomology*, 22(3): 728–732.
- Wang, Z., Gerstein, M., & Snyder, M. (2010). RNA-Seq: a revolutionary tool for transcriptomics. *Nature Review Genetics*, 10(1): 57–63.
- Wei, D., He, W., Lang, N., Miao, Z., Xiao, L., Dou, W., & Wang, J. (2019). Recent research status of *Bactrocera dorsalis*: Insights from resistance mechanisms and population structure. *Archives of Insect Biochemistry and Physiology*, 102(3): 1-16.
- Wei, Y., Yan, R., Zhou, Q., Qiao, L., Zhu, G., & Chen, M. (2019). Monitoring and mechanisms of chlorantraniliprole resistance in *Chilo suppressalis* (Lepidoptera: Crambidae) in China. *Journal of Economic Entomology*, 112(3): 1348–1353.
- Wolstenholme, A. J. (2012). Glutamate-gated chloride channels. *Journal of Biological Chemistry*, 287(48): 40232-40238.
- William, C. M. (1967). Third-generation pesticides. *Scientific American*, 217(1): 13–17.

- Willoughby, L., Batterham, P., & Daborn, P. J. (2007). Piperonyl butoxide induces the expression of cytochrome P450 and glutathione S-transferase genes in *Drosophila melanogaster*. *Pest Management Science*, 63(8): 803-808.
- Xu, Z., Liu, Y., Wei, P., Feng, K., Niu, J., Shen, G., & He, L. (2017). High gamma-aminobutyric acid contents involved in abamectin resistance and predation, an interesting phenomenon in spider mites. *Frontiers in Physiology*, 8(216): 1-11.
- Yin, F., Lin, Q., Wang, X., Li, Z., Feng, X., & Shabbir, M. Z. (2021). The glutathione S-transferase (PxGST2L) may contribute to the detoxification metabolism of chlorantraniliprole in *Plutella xylostella*(L.). *Ecotoxicology*, 30(6): 1007–1016.
- Yin, Q., Qian, L., Song, P., Jian, T., & Han, Z. J. (2019). Molecular mechanisms conferring asymmetrical cross-resistance between tebufenozide and abamectin in *Plutella xylostella*. *Journal of Asia-Pacific Entomology*, 22(1): 189–193.
- Yu, S. J. (1991). Insecticide resistance in the fall armyworm, *Spodoptera frugiperda* (J. E. Smith). *Pesticide Biochemistry and Physiology*, 39(1): 84–91.
- Zalucki, M. P., Shabbir, A., Silva, R., Adamson, D., Shu-, L., Furlong, M. J (2012). Estimating the economic cost of one of the world's major insect pests, *Plutella xylostella* (Lepidoptera : Plutellidae): Just how long is a piece of string? *Journal of Economic Entomology*, 105(4): 1115–1129.
- Zhang, G., & Zhang, W. (2019). Protein – protein interaction network analysis of insecticide resistance molecular mechanism in *Drosophila melanogaster*. *Archives of Insect Biochemistry and Physiology*, 100(1): 1–24.
- Zhao, Q., Wang, Y., Kong, Y., Luo, D., Li, X., & Hao, P. (2011). Optimizing de novo transcriptome assembly from short-read RNA-Seq data: a comparative study. *BMC Bioinformatics*, 12(14): 1–12