

LIST OF TABLES

No.	Title	Page
Materials and Methods		
3.1	Proforma used to gather details of the subjects enrolled in the study	34
3.2	Details of controls and patients	35
3.3	Clinical details of oral cancer patients	36
Results		
4.1	Total sialyltransferase activity in serum	66
4.2	Pearson's Correlation for serum sialylation markers in oral cancer patients	69
4.3	Correlation between serum sialylation markers in patients with OPC	70
4.4	Multivariate analysis for association of serum markers with clinicopathological parameters	71
4.5	Comparison of enzyme activity between Early and Advanced stage of the disease	72
4.6	Comparison of the markers between malignant and adjacent normal tissue samples of oral cancer patients	78
4.7	Comparison of markers between precancerous and adjacent normal tissues in patients with OPC	79
4.8	Correlation between (i) α 2,6-SiT, TSA and sialidase, (ii) α 2,6-sialoproteins and TSA (iii) α 2,3-SiT, α 2,3-sialo-proteins and sialidase (iv) α 2,6-SiT and α 2,3-SiT activity	83
4.9	Comparison of serum fucoproteins levels in controls and patients	92
4.10	Multivariate analysis between serum fucosylation markers and clinicopathological parameters	94
4.11	Comparison of serum fucose, fucose/TP and fucosidase between PT and CR	95
4.12	Comparison of serum fucose, fucose/TP and fucosidase between PT and NR	96
4.13	Apparent molecular weights and their Rf values for unusual (extra) protein band	104
4.14	Comparison of SLe ^X band density between malignant/OPC tissues and adjacent normal tissues	105
4.15	Comparison of full-length (120 kD), truncated (97 kD) and (97:120 kD) ratio of E-cadherin between malignant/OPC and adjacent normal tissues	107
4.16	Statistical data of ROC curve analysis	109