B I B L I O G R A P H Y

BIBLIOGRAPHY

Ahmed, S. and Evans, H.J. 1959. Effects of cobalt on the growth of soybeans in the absence of supplied nitrogen. Biochem. Biophys. Res. Commun. 1 : 271-275.

Allen, M.M. and Smith, A.J. 1969. Nitrogen chlorosis in blue green algae. Nature. 234 : 231-232.

Allsop, A. 1963. Morphogenesis in Marsilea. J. Linnean Soc. London Bot. 58 : 417-427.

Annony mous. 1985. Azolla Notes Vol. 2, Los Banos, Philippines

Annonymous. 1986. Azolla Notes Vol. 3 "

Annonymous. 1987. Azolla Notes Vol. 4. "

Ashton, P.J. and Walmsley, R.D. 1976. The aquatic fern Azolla and its Anabaena symbiont. Endeavour 35 : 39-43.

Aziz, T. and Watanabe, I. 1983. Influence of nutrients on the growth and mineral composition of Azolla pinnata R.Br. (Bicol, Philippines). Bangladesh J. Bot. 12 : 166-170.

Becking, J.H. 1979. Environmental requirements of Azolla for use in tropical rice production, pp. 345-374; Nitrogen and Rice. Int. Rice Res. Inst., Los Banos, Philippines.

Becking, J.H. and Donze, M. 1981. Pigment distribution and nitrogen fixation in Anabaena azollae. Plant Soil 61 : 203-226.

Blumwald, E. and Tel-Or, E. 1982. Osmoregulation and cell composition in salt adaptation in Nostoc Muscorum. Arch. Microbiol. 132 : 168-172.

Bond, G. and Hewitt, E.J. 1962. Cobalt and the fixation of nitrogen by root nodules of Alnus and Casurina. Nature 195 : 94-95.

Bulen, W.A. 1956. The isolation and characterisation of glutamate dehydrogenase from corn leaves. Arch. Biochem. Biophys. 62 : 173-176.

Calvert, H.E., Pence, M.K. and Peters, G.A. 1985. Ultrastructural ontogeny of leaf cavity trichomes in Azolla implies a functional role in metabolite exchange. Protoplasma 129 : 10-27.

Calvert, H.E. and Peters, G.A. 1981. The Azolla-Anabaena relationship. IX. Morphological analysis of leaf cavity hair populations. New Phytol. 89 : 327-336.

Calvert, H.E. and Peters, G.A. 1982. The Azolla-Anabaena azollae symbioses. pp. 109-145. In: Goff, L. (ed) Algal symbioses: A continuum of Interaction Strategies. Cambridge Press, New York.

Dao, T.T. and Tran, Q.T. 1979. Use of Azolla in rice production in Vietnam. pp. 395-405. In: Nitrogen and Rice. Int. Rice Res. Inst., Los Banos, Philippines.

Devlin, R.M. and Witham, F.H. 1986. Plant Physiology. Fourth Edition. CBS Publishers and Distributors, Delhi, India.

Despekhov, B.A. 1979. Field Experimentation. Mir Publishers, Moscow.

Duckett, J.G., Toth, R. and Soni, S.L. 1975. An ultrastructural study on the Azolla, Anabaena azollae relationship. New Phytol. 75 : 111-118.

Dusek, W.A. and Bonde, E.K. 1965. Effects of gibberellic acid, indoleacetic acid and maletic hydrazide on Azolla mexicana. Phyton 22 : 51-54.

Dyer, A.F. 1985. Foreward. Proc. Roy. Soc. Edinburgh 86B: xi-xv.

Epstein, E. 1972. Mineral nutrition of plants : Principles and Perspectives. John Wiley and Sons, Inc. New York.

Fiori, H.F. and Ruschel, A.P. 1981. Nitrogen fixation by Azolla-Anabaena in culture. pp. 213-217. In: Vose, P.B. and Ruschel, A.P. (eds) Associative N_2 Fixation. CRC Press, Florida.

Fogg, G.E., Stewart, W.D.P., Fay, P. and Walsby, A.E. 1973. The blue green algae. Academic Press, New York.

*Ford, J.E. 1953. The microbiological assay of vitamin B_{12} The specificity of the requirement of Cohromonas malhamensis for cyanocobalamin. Brit. J. Nutr. 7: 299-306.

Gallon, J.R. 1980. Nitrogen fixation by photoautotrophs. pp. 197-238. In: Stewart, W.D.P. and Gallon, J.R. (eds) Nitrogen fixation. Academic Press, New York.

Gauch, G.H. 1972. Inorganic plant nutrition. Dowden, Hutchinson and Ross, Inc. Stroudsburg, Pa.

Gomez-P, L.D. 1985. Conservation of pteridophytes. Proc. Roy. Soc. Edinburgh 86B: 431-433.

Greenway, H. and Munns, R. 1980. Mechanism of salt tolerance in non-halophytes. Ann. Rev. Plant Physiol. 31 : 149-190.

Hartee, E.F. 1972. Determination of protein : A modification of the Lowry method that gives a linear photometric response. Anal. Biochem. 48 : 422-427.

Haselkorn, R. 1978. Heterocysts. Ann. Rev. Plant Physiol. 29 : 319-344.

Hewitt, E.J. and Smith, T.A. 1974. Plant Mineral Nutrition. The English Universities Press Ltd., London.

Hill, D.J. 1975. The pattern of development of Anabaena in the Azolla-Anabaena symbiosis. Planta 122 : 179-184.

Hill, D.J. 1977. The role of Anabaena in the Azolla-Anabaena symbiosis. New Phytol. 78 : 611-616.

Holst, R.W. and Yopp, J.H. 1979. Studies of the Azolla-Anabaena symbiosis using Azolla mexicana. I. Growth in nature and laboratory. Am. Fern. J. 69 : 17-25.

Imamul Huq, S.M. and Larher, F. 1983. Effect of NaCl salinity on the growth and nitrogen status of nodulated cowpea (Vigna sinensis L.) and mung bean (Phaseolus aureus L.). Z. Pflanzenphysiol. 112:79-87.

Imamul Huq, S.M. and Larher, F. 1984. Osmoregulation in higher plants : Effects of maintaining a constant Na:Ca ratio on the growth, ion balance and organic solute status of NaCl stressed cowpea (Vigna sinensis L.). Z. Pflanzenphysiol. 113 : 163-176.

Ito, A. and Fujiwara, A. 1967. Functions of calcium in the cell wall of rice leaves. Plant Cell Physiol. 8 : 409-422.

Ito, O. and Watanabe, I. 1985. Availability to rice plants of nitrogen fixed by Azolla. Soil Sci. Plant Nutr. 31 : 91-104.

Jackson, N.L. 1967. Soil Chemical Analysis. Printice Hall of India Private Limited, New Delhi, India.

Jensen, W.A. 1962. Botanical Histochemistry, Principles and Practice. W.H. Freeman and Company, San Francisco and London.

Johnson, G.V., Mayeux, P.A. and Evans, H.J. 1966. A cobalt requirement for symbiotic growth of Azolla filiculoides in the absence of combined nitrogen. Plant Physiol. 41 : 852-855.

Kanamori, T. and Matsumoto, H. 1972. Glutamine synthetase from rice plant roots. Arch. Bio. Biophys. 152 : 404-412.

Kannaiyan, S. 1979. Nitrogen fixation by Azolla for rice crop. Macco. Agri. Digest 4 : 28-33.

Kannaiyan, S. 1986. Studies on Azolla pinnata for rice crop. Res. J. Pl. Environ. 3 : 1-16.

Kannaiyan, S. and Rajeswari, N. 1983. Comparative effect of fertilizer nitrogen and Azolla biofertilizer on the tiller production of rice. Sci. Cult. 49 : 245-246.

Kannaiyan, S., Thangaraju, M. and Oblisami, G. 1981. Azolla manuring for rice. 22nd Ann. Microbiol. Conf. AMI. (Abst.), Lucknow. p. 35.

Kannaiyan, S. and Venkataramanan, S. 1985. Influence of nitrogen and phosphorus fertilizers on ammonia assimilating enzymes. Plant Soil 88 : 271-274.

Kaplan, D., Calvert, H.E. and Peters, G.A. 1986. The Azolla-Anabaena azollae relationship : XII. Nitrogenase activity and phycobiliproteins. Plant Physiol. 80: 884-890.

Kaplan, D. and Peters, G.A. 1981. The Azolla-Anabaena azollae relationship. X. $^{15}N_2$ Fixation and transport in main stem axes. New Phytol. 89 : 337-346.

Konar, R.N. and Kapoor, R.K. 1972. Anatomical studies on Azolla pinnata. Phytomorph. 22 : 211-223.

Konar, R.N. and Kapoor, R.K. 1974. Embryology of Azolla pinnata. Phytomorph. 24 : 228-261.

Liu Chung-Chu. 1984. Recent advances of Azolla research. pp. 45-54. In : Silver, W.S. and Schroder, E.C. (eds) Practical application of Azolla for rice production. Martinus Nijhoff/Dr W. Junk Publishers, Dordrecht, Boston, Lancaster.

Liu Zhong-Zhu. 1979a. Use of Azolla in rice production in China. pp. 375-391. In : Nitrogen rice. Int. Rice Res. Inst., Los Banos, Philippines.

*Liu Zhong-Zhu. 1979b. Utilisation of red Azolla in the production of paddy rice. Fujian Nongye Keji 1 : 25-32.

Lumpkin, T.A. 1985. Advances in Chinese research on Azolla. Proceedings of the Royal Society of Edinburg 86B : 161-167.

Lumpkin, T.A. and Plucknett, D.L. 1980. Azolla : Botany, physiology and use as a green manure. Econ. Bot. 34 : 111-154.

Lumpkin, T.A. and Plucknett, D.L. 1982. Azolla as a green manure : Use and management in crop production. Westview Press, Boulder, Colorada.

Malavolta, E., Acorsi, W.R., Ruschel, A.P., Krug, E.J., Nakayama, L.G. and Eimoyi, I. 1981. Mineral nutrition and N_2 fixation in Azolla. pp. 205-211. In : Vose, P.B. and Ruschel, A.P. (eds) Associative N_2 Fixation. Vol. II. CRC Press, Florida.

Mazia, D. 1954. The particulate organisation of the chromosome. Proc. Natl. Acad. Sci. U.S. 40 : 521-524.

Mian, M.H. and Stewart, W.D.P. 1984. A study on the availability of biologically fixed atmospheric dinitrogen by the Azolla-Anabaena complex to flooded rice crops. pp. 168-176. In : Silver, W.S. and Schroder, E.C. (eds) Practical application of Azolla for rice

production. Martinus Nijhoff/ Dr W. Junk Publishers, Dordrecht, Boston, Lancaster.

Mian, M.H. and Stewart, W.D.P. 1985. A ^{15}N tracer study to compare nitrogen supply by Azolla and ammonium sulphate to IR 8 rice plants grown under flooded conditions. Plant Soil 83 : 371-379.

Miller, R.W. and Sirois, J.C. 1983. Calcium and magnesium effect on symbiotic nitrogen fixation in the alfalfa (Medicago sativa) - Rhizobium melioti system. Physiol. Plant. 58 : 464-470.

Mohan Ram, H.Y. 1978. In vitro culture of aquatic flowering plants : Achievements and prospects. Tenth White, P.R. Memorial lecture during Indian Science Congress meeting held at Ahmedabad.

Moore, A.W. 1969. Azolla : biology and agronomic significance. Bot. Rev. 35 : 17-35.

Mothes, K. and Engelbrecht, L. 1961. Kinetin-induced directed transport of substances in excised leaves in the dark. Phytochem. 1 : 58-61.

Nagatani, H.H., Shimizu, M. and Valentine, R.C. 1971. The mechanism of ammonia assimilation in nitrogen fixing bacteria. Arch. Microbiol. 79 : 164-175.

Nason, A. and McElroy, W.D. 1963. Mode of action of the essential mineral elements. Vol. III. pp. 451-536. In : Steward, F.C. (ed) Plant Physiology. Academic New York.

Newton, J.W. 1976. Photoproduction of molecular hydrogen by a plant algal symbiotic system. Science 169: 559-560.

Nickell, L.G. 1958. Physiological studies with Azolla under aseptic conditions. I. Isolation and preliminary growth studies. Am. Fern J. 48 : 103-108.

Nickell, L.G. 1961. Physiological studies with Azolla under aseptic conditions. II. Nutritional studies and the effects of the chemicals on growth. Phyton 17:49-54.

Norris, J.R. and Jensen, H.L. 1957. The calcium requirements of Azotobactor. Nature 1980 : 1493-1494.

*Ogawa, R.E. and Carr, J.F. 1969. The influence of nitrogen on heterocyst production in blue green algae. Limnol. Oceanogr. 14 : 342-351.

*Olsen, G. 1972. On biological nitrogen fixation in nature, particularly in blue green algae. Compt. Rend. Trave. Carlsberg Lab. 37 : 269-283.

Oppenheim, J. and Marcus, L. 1970. Correlation of ultra-structure in Azatobactor vinelandii with nitrogen

source for growth. J. Bact. 101 : 286-291.

Padhya, M.A. 1987. In vitro physiological studies on Azolla pinnata R.Br. Paper presented at the 12th conference of Plant Tissue Culture Association (India), at JNU, New Delhi, March 1987.

Patel, P.M., Wallace, A. and Wellihan, E.F. 1975. Influence of salinity and N-P fertility levels on mineral content and growth of sorghum in sand culture. Agron. J. 67 : 622-625.

Peters, G.A. 1975. The Azolla-Anabaena azollae relationship. III. Studies on metabolic capabilities and a further characterisation of the symbiont. Arch. Microbiol. 103 : 113-122.

Peters, G.A. 1977. The Azolla-Anabaena azollae symbiosis. pp. 231-258. In : Hollaender, A. (ed) Genetic Engineering for Nitrogen Fixation. Plenum Press, New York.

Peters, G.A. 1984. Azolla-Anabaena symbiosis : Basic biology, use and prospects for the future. pp. 1-14. In : Silver, W.S. and Schroder, E.C. (eds) Practical application of Azolla for rice production. Martinus Nijhoff/Dr W. Junk Publishers, Dordrecht, Boston, Lancaster.

Peters, G.A. and Calvert, H.E. 1982. The Azolla symbiosis pp. 191-218. In : Subbarao, N.S. (ed) Advances in

Agricultural Microbiology. Oxford and IBH Publication Co., New Delhi.

Peters, G.A. and Ito, O. 1984. Determining N_2 fixation and Ninput in Azolla grown with and without combined nitrogen source: Keeping the acetylene reduction assay in the proper perspective. pp. 29-44. In: Silver, W.S. and Schroder, E.C. (eds) Practical application of Azolla for rice production. Martinus Nijhoff/Dr W. Junk Publishers, Dordrecht, Boston, Lancaster.

Peters, G.A., Ito, O., Tyagi, V.V.S. and Kaplan, D. 1981. Physiological studies on N_2-fixing Azolla. In: Lyons, J.M. (ed) Genetic engineering of symbiotic nitrogen and conservation of fixed nitrogen. Plenum Press, New York.

Peters, G.A. Kaplan, D., Meeks, J.E., Buzby, K.M. Marsh, B.H. and Corbin, J.L. 1985. Aspects of nitrogen and carbon interchange in the Azolla-Anabaena symbiosis. pp. 213-222. In: Ludden, P.W. and Burris, J.E. (eds) Nitrogen fixation and CO_2 metabolism, Elsevier, New York.

Peters, G.A. and Mayne, B.C. 1974a. The Azolla-Anabaena azollae relationship. I. Initial characterisation of the association Plant Physiol. 53 : 813-819.

Peters, G.A. and Mayne, B.C. 1974b. The Azolla-Anabaena

azollae relationship. II. Localisation of nitrogenase activity as assayed by acetylene reduction. Plant Physiol. 53: 820-824.

Peters, G.A. Mayne, B.C., Ray, T.B. and Jr. Toia, J.R. 1979. Physiology and biochemistry of the Azolla-Anabaena symbiosis. pp. 325-344. In: Nitrogen and Rice. Int. Rice Res. Inst., Los Banos, Laguna, Phillippines.

Peters, G.A., Jr. Toia, R.E., Evens, W.R., Crist, D.K. Mayne, B.C. and Poole, R.E. 1980. Characterisation and comparisons of five N_2 fixing Azolla-Anabaena associations. I. Optimization of growth conditions for biomass increase and N content in a controlled environment. Plant Cell environ. 3: 261-269.

Peters, G.A. Jr. Toia, R.E. and Lough, S.M. 1977. Azolla-Anabaena azollae relationship. V. $^{15}N_2$ fixation, acetylene reduction, and H_2 production. Plant Physiol. 59 : 1021-1025.

Pocock, S.A.J. and Vasanthy, G. 1986. EDS Analysis of pollen wall surfaces of Vernonia monosis CL. (Asteraceae) and pollensoil concentration of elements. Geophytol. 16 : 37-53.

Powrie, T. 1964. The effect of cobalt on the growth of young lucerene on silceous sand. Plant soil 21: 81-93.

Prisco, J.T. and Fernandes Vieira, G.H. 1976. Effect of NaCl salinity on nitrogenous compounds and proteases during germination of Vigna sinensis seeds. Plant Physiol. 36 : 317-320.

Rains, D.W. and Talley, S.N. 1979. Use of Azolla in North America. pp. 417-431. In: Nitrogen and Rice Int. Rice Res. Inst., Los Banos, Philippines.

Rajarathinam, K. and Padhya, M.A. 1986. Ammonification of Azolla pinnata nitrogen. J. Indian Bot. Soc. 65S :41.

Rajarathinam, K. and Padhya, M.A. 1987a. Rapid and sensitive method to estimate salinity tolerance of Azolla pinnata. Int. Rice Res . Newsl. 12 : 54.

Rajarathinam, K. and Padhya, M.A. 1987b. Preservation of Azolla pinnata germplasm. Int. Rice Res. Newsl. 12 : 59.

Rajarathinam, K. and Padhya, M.A. 1987c. Effect of sodium chloride on Azolla pinnata R.Br. Paper presented at the National Seminar on Some Applied Aspects of Physiology, Taxonomy and Ecology of flowering plants. Department of Botany, The M.S. University of Baroda, Baroda, India. Abstract pp. 57.

Ray, T.B., Peters, G.A., Jr. Toia, R.E. and Mayne, B.C. 1978. Azolla-Anabaena relationship. VII. Distribution

of ammonia assimilating enzymes, protein and chlorophyll between host and symbiont. Plant Physiol. 62 : 463-467.

Ray, T.E., Mayne, B.C., Jr. Toia, R.E. and Peters, G.A. 1979. Azolla-Anabaena relationship. VIII. Photosynthetic characterisation of the association and individual partners. Plant Physiol. 64 : 791-795.

Roychoudhury, P., Kaushik, B.D. and Venkataraman, G.S. 1985. Response of Tolypothrix ceylonica to sodium stress. Curr. Sci. 54 : 1161-1162.

Salisbury, F.B. and Ross, C.W. 1986. Plant Physiology. Third edition. CBS publishers and Distributors, Delhi, India.

Satapathy, K.B. and Singh, P.K. 1985. Use of Azolla-Anabaena complex for boosting rice production. pp. 283-289. In : Proceedings of the DAE symposium on newer approaches to biological applications. M.S. University of Baroda, India.

*Scott, W.E. and Fay, P. 1972. Phosphorylation and amination in heterocysts of Anabaena variabilis. Br. Phycol. J. 7 : 283-284.

Sharma, S.K. and Gupta, I.C. 1986. Saline environment and plant growth. Agro Botanical Publishers, Bikaner, India.

*Shi-Yi-Li. 1981. The availability of nitrogen of green manures in relation to their chemical composition. Acta. Pedologica Sinica 17 : 240-246.

Singh, A. and Srivastava, O.N. 1984. Biology of Azolla and its role in aquatic ecosystem. Indian Rev. Life Sci. 4 : 229-254.

Singh, P.K. 1977. Multiplication and utilisation of fern 'Azolla' containing nitrogen fixing algal symbiont, a green manure in rice cultivation. II. Rizo 26 : 125-137.

Singh, P.K. 1979a. Symbiotic algal N_2-fixation and crop productivity. In: Malik, C.P. (ed) Ann. Rev. Plant Sci. Vol. I. India.

Singh, P.K. 1979b. Use of Azolla in rice production in India. pp. 407-418. In : Nitrogen and Rice Int. Rice Res. Inst., Los Banos, Philippines.

Singh, P.K., Panigrahi, B.C. and Satpathy, K.B. 1981. Comparative efficiency of Azolla, blue-green algae and other organic manures in relation to N and P availability in a flooded rice soil. Plant Soil 62 : 35-44.

Singh, P.K., Patra, R.N. and Nayak, S.K. 1984. Sporocarp germination, cytology and mineral nutrition of Azolla

pp. 55-72. In: Silver, W.S. and Schroder, E.C. (eds) Practical application of Azolla for rice production. Martinus Nijhoff/Dr W. Junk Publishers, Dordrecht, Boston, Lancaster.

Singh, P.K., Satpathy, K.B., Misra, S.P., Nayak, S.K. and Petra, R.N. 1982. Application of Azolla in rice cultivation. pp. 823-854. In: National symposium on Biological Nitrogen fixation. Bhabha Atomic Research Centre, Trombay, Bombay.

Sodek, L. and DaSilva, W.J. 1977. Glutamate synthase : A possible role in nitrogen metabolism of the developing maize endosperm. Plant Physiol. 60 : 601-605.

Sree Rangasami, S.R. 1980. Azolla as a source of biomass for nitrogen. pp. 47-52. In : Azolla as a Biofertilizer. Tamil Nadu Agricultural University, Coimbatore, India.

Stewart, W.D.P. 1973. Nitrogen fixation by photosynthetic organism. Ann. Rev. Microbiol. 27 : 283-316.

Stewart, W.D.P., Fitzgerald, G.P. and Burris, R.H. 1968. Acetylene reduction by nitrogen fixing blue green algae. Arch. Microbiol. 62 : 336-348.

Subudhi, B.P.R. and Singh, P.K. 1979. Effect of macronutrients and pH on the growth, nitrogen fixation and soluble sugar content of water fern Azolla pinnata. Biol. Plant. 21 : 66-70.

Subudhi, B.P.R. and Watanabe, I. 1981. Differential phosphorus requirement of Azolla spp. and strains in phosphorus limited continuous culture. Soil Sci. Plant. Nutr. 27 : 237-247.

Sukumar, D. and Kannaiyan, S. 1987. Effect of sodium chloride on growth and nitrogen fixation of Azolla. J. Curr. Biosci. 4 : 71-76.

Talley, S.N., Talley, B.J. and Rains, D.W. 1977. Nitrogen fixation by Azolla in rice fields. pp. 259-281. In: Hollander, A. (ed) Genetic Engineering for nitrogen fixation, Plenum Press, New York.

Thomas, J. and David, K.A.V. 1972. Site of nitrogenase activity in the blue green alga Anabaena sp. L. 31. Nature New Biol. 238 : 219-221.

*Thuyet, T.Q. and Tuan, Q.T. 1973. Azolla : A green compost. In : Vietnamese studies 38, Agri. Problems. Agron. Data 4 : 119-127.

Tyagi, V.V.S., Mayne, B.C. and Peters, G.A. 1980. Purification and initial characterisation of phycobiliproteins from the endophytic cyanobacterium of Azolla. Arch. Microbiol. 128 : 41-44.

Tyagi, V.V.S., Ray, T.B., Mayne, B.C. and Peters, G.A. 1981. The Azolla-Anabaena azollae relationship. XI.

o Tran, Q.T. and Dao, T.T. 1973. Azolla : a green compost. In : Vietnamese Studies 38, Agric. Problems, Agron. Data 4 : 119-127

Phycobiliproteins in the action spectrum for nitrogenase-catalyzed acetylene reduction. Plant Physiol. 66 : 1479-1484.

Van Gorkom, H.J. 1971. Localisation of nitrogen fixation in Anabaena. Nature. 231-232.

Van Hove, C. 1987. Azolla News Letter. Vol. 3.

Venkataraman, G.S. 1972. Algal biofertilizers and rice cultivation. Today and Tomorrow's printers and Publishers, New Delhi, India.

Venkataraman, G.S. 1983. Algal Biotechnology. Prof. P. Maheswari Memorial lecture. pp. 1-4.

Venkataraman, G.S. and Rajyalakshmi, B. 1971. Tolerance of blue green algae to pesticides. Curr. Sci. 40 : 143.

Wahal, C.K., Bhattacharya, N.C. and Talpasayi, E.R.S. 1973. Ascorbic acid and heterocyst development in the blue green alga Anabaena ambigua. Physiol. Plant. 28 : 424-429.

Watanabe, I. 1977. Azolla utilization in rice culture. Intt. Newsl. 2:3.

Watanabe, I., Bai Ke-zhi, Berja, N.S., Espinas, C.R., Ito, O. and Subudhi, B.P.R. 1981. The Azolla-Anabaena complex and its use in rice culture. Int. Rice Res. Inst. Res. Paper Ser. No. 69.

Watenabe, I. and Berja, N.S. 1983. The growth of four species of Azolla as affected by temperature. Aquat. Bot. 15 : 175-185.

Watanabe, I., Berja, N.S. and Alimagno, V.B. 1977. Utilization of the Azolla-Anabaena complex as a nitrogen fertilizer for rice. Int. Rice Res. Inst. Res. Paper Ser. No.11.

Webster, G.C. and Varner, J.E. 1954. Mechanism of enzymatic synthesis of gamma-glutamyl cysteine. Federation Proc. 13 : 1049-1052.

Witham, F.H. and Miller, C.O. 1965. Biological properties of kinetin like substances occuring in Zea mays. Plant Physiol. 18 : 1007-1009.

Yatazawa, M., Tomomatsu, N., Hosoda, N. and Kunome, K. 1980. Nitrogen fixation in Azolla-Anabaena symbiosis as affected by mineral nutrition status. Soil Sci. Plant Nutr. 26 : 415-426.

Yeo, A.R. and Flowers, T.J. 1985. The absence of an effect of the Na/Ca ratio on sodium chloride uptake by rice (Oryza sativa L.). New Phytol. 99 : 81-90.

Yoshida, S., Forno, D.A., Cock, J.H., and Gomez, K.A. 1976. Laboratory manual for physiological studies of rice. International Rice Research Institute, Philippines.

Zimmerman, W.J. 1985. Biomass and pigment production in three isolates of Azolla. I. Response to water stress. Ann. Bot. 56 : 689-699.

---

* Original not referred.