

BIBLIOGRAPHY

- Abalain, J.H., Amet, Y., Daniel, J.Y. and Floch, H.H. 1984. Androgen regulation of secretions in the sebaceous-like uropygial gland of the male Japanese Quail (*Coturnix coturnix Japonica*). J. Endocrinol., 103 : 147-153.
- Abraham, S. and Chaikoff, I.L. 1959. Glycolytic pathways and lipogenesis in mammary glands J. Biol. Chem., 234 : 2246-2253.
- Abraham, S., Madsen, J. and Chaikoff, I.L. 1964. The influence of glucose on amino acid carbon incorporation into proteins, fatty acids and carbon dioxide by lactating rat mammary gland slices. J. Biol. Chem., 239 : 855-864.
- Adachi, K., Lewis, C, Jr. and Hershey, F.B. 1967. Enzymes of amino acid metabolism in normal human skin : II. Alanine and aspartate transaminases. J. Invest. Dermatol., 49 : 240-245.
- Adachi, K. and Yamasawa, S. 1967. Quantitative histochemistry of the primate skin. IV. α -glycerophosphate dehydrogenase. J. Invest. Dermatol., 47 : 107-109.

- Adler, B., Gimbrone, Jr, M.A., Schafer, A.I. and Handin, R.I. 1981. Prostacyclin and beta-adrenergic catecholamine inhibit arachidonate release and prostaglandin synthesis by vascular endothelium. Blood., 58 : 514-517.
- Agache, P. and Blanc, D. 1982. Current status in sebum knowledge. Int. J. Dermatol., 21 : 304-315.
- Ahmed, K. and Williams-Ashman, H.G. 1969. Studies on the microsomal sodium plus potassium ion stimulated adenosine triphosphatase system in rat ventral prostate. Biochem. J., 113 : 829-836.
- Akaishi, T., Kusuhara, S. and Ishida, K. 1974a. Histochemical observations of steroid dehydrogenases and related enzymes in the livers of laying and moulting hens. Poult. Sci., 53 : 1686-1689.
- Ali, H.A., Tingari, M.D. and Moniem, K.A. 1978. On the morphology of the accessory male glands and histochemistry of the ampulla ductus deferentis of the camel (*Camelus dromedarius*). J. Anat., 125 : 277-292.
- Allen, D.O. and Beck, R.R. 1972. Alterations in lipolysis, adenylate cyclase and adenosine 3', 5' - monophosphate levels in isolated fat cells following adrenalectomy. Endocrinol., 91 : 504-510.

- Allen, J.M. and Hunter, R.L. 1960. A histochemical study of enzymes in the epididymis of normal, castrated and hormone replaced castrated mice separated by zone electrophoresis in starch gels. J. Histochem. Cytochem., 8 : 50-57.
- Allen, J.M. and Slater, J.J. 1957a. Chemical and histochemical study of alkaline phosphatase and aliesterase in epididymis of normal and castrate mice. Anat. Rec., 129 : 255-274.
- Allred, J.B. and Roehrig, K.L. 1973. Inhibition of rat liver acetyl coenzyme A carboxylase by N⁶, O^{2'}- dibutyryl cyclic adenosine 3':5'- monophosphate in vitro. J. Biol. Chem., 248 : 4131-4133.
- Amanova, M.A. and Balbich, V.V. 1976. Histological and histochemical characteristics of kidneys in desert sparrows. Izv. Akad. Nauk. Turkm. SSR., 4 : 58-62.
- Ambadkar P.M. and Gangaramani, N.F. 1982b. Early effects of castration and hormone replacement on some aspects of hepatic carbohydrate metabolism. J. Anim. Morphol. Physiol., 29 : 183-188.
- Ambadkar, P.M. and Vyas, D.M. 1975. Effects of castration on lipid metabolism of the preputial glands of male rats. J. Anim. Morphol. Physiol., 22 : 184-190.

Ambadkar, P.M. and Vyas, D.M. 1979. Activities of certain dehydrogenases in the preputial gland of normal, castrated and adrenalectomized castrated rats.

J. Anim. Morphol. Physiol., 26 : 162-168.

Ambadkar, P.M. and Vyas, D.M. 1980. In vitro characterization of adrenergic receptors mediating extrusion of preformed sebum from preputial gland of rat.

Experientia., 36 : 307-308.

Ambadkar, P.M. and Vyas, D.M. 1981a. Innervation of the rat preputial gland. Acta. Anat., 110 : 98-102.

Ambadkar, P.M. and Vyas, D.M. 1981b. Some observations on activity of phosphomonoesterases of rat preputial gland (A sebaceous analogue). J. Anim. Morphol. Physiol., 28 : 210-215.

Ambadkar, P.M. and Vyas, D.M. 1982. Effects of isoproterenol on hydroxysteroid dehydrogenases of preputial gland of male rats. Fol. Histochem. Cytochem., 20 : 129-132.

Anakwe, O.O. and Moger, W.H. 1984a. Ontogeny of rodent testicular androgen production in response to isoproterenol and luteinizing hormone in vitro. Biol. Reprod., 30 : 1142-1152.

Anakwe, O.O. and Moger, W.H. 1984b. β -2-adrenergic stimulation of androgen production by cultured mouse testicular interstitial cells. Life. Sci., 35 : 2047-2048.

- Andersson, R.G.G. 1972. Cyclic AMP and calcium ions in mechanical and metabolic responses of smooth muscles : Influence of some hormones and drugs. Acta. Physiol. Scand. Suppl., 382 : 1-59.
- Andre, J. and Chassagne, M. 1977. Quantitative and qualitative changes of hair lipids in underfed rats : Role played by sexual steroids. Ann. Biol. Anim. Biochem. Biophys., 17 : 645-654.
- Anja, K., Harkonen, P. and Santti, R.S. 1977. Studies on the inhibition of testosterone action by cycloheximide : Evidence for a protein activator of glucose metabolism in the ventral prostate of the rat. J. St. Biochem., 8 : 259-267.
- Aono, T., Kurachi, K., Miyata, M., Nakasima, A., Koshiyama, K., Uozumi, T. and Matsumo, K. 1976. Influence of surgical stress under general anesthesia on serum gonadotropin levels in male and female patients. J. Clin. Endocr. Metab., 42 : 144-148.
- Aoshima, Y., Kochakina, C.D. and Jadrijevic, 1964. TPN and DPN-specific 3β -hydroxy and Δ^5 - 3β -hydroxysteroid dehydrogenases of liver and kidney. Endocrinol., 74 : 521-531.
- Archibald, A. and Shuster, S. 1967. The bioassay of androgen using the rat sebaceous gland. J. Endocrinol., 37 : 22.

Archibald, A. and Shuster, S. 1969. The bioassay of androgens and antiandrogens using sebum secretion in the rat.
Proc. R. Soc. Med., 62 : 881-888.

Argyris, T.S. 1956a. The distribution of succinic dehydrogenase and non-specific esterase in mouse skin throughout the hair growth cycle. Anat. Rec., 125 : 105-119.

Argyris, T.S. 1956b. Succinic dehydrogenase and esterase activities of mouse skin during regeneration and fetal development. Anat. Rec., 126 : 1-13.

Armstrong, D.T. and Hansel, W. 1958. Prolonged administration of epinephrine prevents the secretion of ICSH by pituitary or the action of ICSH on Leydig cells of testis. Int. J. Fertil., 3 : 296.

Ashemore, J. and Weber, G. 1959. The role of hepatic glucose-6-phosphatase in the regulation of carbohydrate metabolism. Vitamins and Hormones., 17 : 91.

Athavale, N.V. 1980. Studies on histophysiology of epidermal glands in reptiles. Ph.D. thesis submitted to the M.S. University of Baroda, Baroda, India.

Bachhawat, B.K., Robinson, W.C. and Coon, M.J. 1955. The enzymatic cleavage of β -hydroxy - β -methylglutaryl coenzyme A to acetoacetate and acetyl coenzyme A. J. Biol. Chem., 216 : 727-736.

- Baillie, A.H. 1966. Histochemical evidence suggesting steroid excretion in the nephron. J. Endocr., 34 : XVIII.
- Baillie, A.H., Calman, K.C., Ferguson, M.M. and Hart, D. Mck. 1966b. Histochemical distribution hydroxysteroid dehydrogenases in kidney and liver. Histochemie., 5 : 384-395.
- Baillie, A.H., Thomson, J. and Milne, J.A. 1966. The distribution of hydroxysteroid dehydrogenases in human sebaceous glands. Br. J. Dermatol., 78 : 451.
- Bain, G.O., Kowalewski, K.P. and MacGregor, J.W. 1956. Mixed tumor (Pleomorphic adenomas) of the salivary glands. Acta. Gast. Enter., 19 : 70.
- Baird, D.T., Horton, R., Longscope, C. and Tait, J.F. 1969. Steroid dynamics under steady - state conditions. Rec. Prog. Hor. Res., 25 : 611-656.
- Baker, W.W. and Newburgh, R.W. 1963. Intracellular distribution of isocitrate - NADP - oxidoreductase activity during development of chick embryo. Biochem. J., 89 : 510-515.
- Balakleevskii, A.I. and Vismont, F.I. 1979. Receptor substances of brain mitochondria sensitive to neurotransmitters. Fiziol. Zh. SSSR. IM. I. M. Sechenova., 65 : 365-371.
- Ballantyne, B. and Bunch, G.A. 1967. Esterase histochemistry of sebaceous glands. Dermatologica., 134 : 51-59.

Balough, K. 1966. Histochemical demonstration of
 3α -hydroxysteroid dehydrogenase activity.
J. Histochem. Cytochem., 14 : 77-83.

Barker, K.L. and Warren, J.C. 1966. Estrogen control of
carbohydrate metabolism in uterus : pathways of
glucose metabolism. Endocrinol., 78 : 1205-1212.

Barnes, R.F., Raskind, M., Gumbrecht, G. and Halter, J.B.
1982. The effect of age on the plasma catecholamine
response to mental stress in man. J. Clin. Endocr.
Met., 54 : 64-69.

Barrett, A.J. 1972. In : Lysosomes. A laboratory handbook,
J.T. Dingle, ed., North-Holland, Amsterdam, pp. 46-135.

Barrett, A.J. and Dingle, J.T. (ed). 1971. Tissue Proteinases.
Amsterdam : North-Holland Publishing.

Baxter, M. and Trotter, M.D. 1969. The effect of fatty materials
extracted from keratins on the growth of fungi, with
particular reference to the free fatty acid content.
Sabouraudia, 7 : 199-206.

Beaver, D.L. 1960. A re-evaluation of the rat preputial gland
as a "docrine" organ from the standpoint of its
morphology, histochemistry and physiology. J. Expt.
Zool., 143 : 153-173.

Beg, Z.H., Allmann, D.W. and Gibson, D.M. 1973. Modulation of
3-hydroxy- β methyl-glutaryl coenzyme A reductase
activity with cAMP and with protein fractions of rat
liver cytosol. Biochem. Biophys. Res. Comm., 54 :
1362-1369.

- Bell, M. 1971. A comparative study of sebaceous gland ultrastructure in subhuman primate II Macaques : Crystalline inclusions in the sebaceous cells of *Macaca mulatta*, *M. nemestrina*, *M. speciosa*, *M. fascicularis*. *J. Cell. Biol.*, 49 : 932-936.
- Berglund, L., Khoo, J.C., Jensen, D. and Steinberg, D. 1980. Resolution of hormone-sensitive triglyceride/diglyceride lipase from monoglyceride lipase of chicken adipose tissue. *J. Biol. Chem.*, 255 : 5420 - 5428.
- Berkenbosch, F., Vermes, I., Binnekade, R. and Tilders, F.J.H. 1981. Beta adrenergic stimulation induces an increase of plasma levels of immunoreactive α -MSH, β -endorphin, ACTH and corticosterone. *Life Sci.*, 29 : 2249-2256.
- Bhattacharya, B., Deadhikari, H. and Bhattacharya, S.P. 1986. Assessment of the action of oestriol on the sebaceous gland activity in mice. *Life. Sci. Advan.*, 5 : 54-56.
- Bhattacharya, S.P. and Chowdhury, M. 1978. The effect of androgen on the composition of lipid materials of the preen gland of pigeon. *Folia Biol. (Krakow.)*, 26 : 15-23.
- Bhujle, B.V. and Nadkarni, V.B. 1974. In : 'Abstracts, Indo-french seminar on embryology and comparative endocrinology of reptiles (with a session on avian endocrinology)' October 6-12th, Varanasi.

Bibby, J.S., Higgs, S.A., Kent, A.P., Flint, A.P.F., Mitchell, M.D., Anderson, A.B.M. and Turnbull, A.C. 1978.

Plasma steroid changes in the pre-term labour in association with salbutamol infusion. Br. J. Obstet. Gynecol., 85 : 425.

Bird, C.E., Choong, A., Knight, L. and Clark, A.F. 1974.

Kinetics of 5 α -androstane -3 α , 17 β -diol metabolism in normal men and women. J. Clin Endo. Metab., 38 : 372-375.

Birnbaum, J.E., Sapp, T.M. and Moore, J.B. 1976a. Effects of reserpine, epidermal growth factor and cyclic nucleotide modulators on epidermal mitosis. J. Invest. Dermatol., 66 : 313-318.

Birnbaum, J.E., Sapp, T.M. and Tolman, E.L. 1976b. Cyclic AMP-phosphodiesterase and epidermal mitosis. J. Invest. Dermatol., 67 : 235-239.

Baldon, P.T., Cooper, N.F., Cunliffe, W.J. and Wood, E.J. 1985. Protein content of comedones from patients with acne vulgaris. Acta. Dermatol. Venereol., 65 : 413-418.

Baldon, P.T. Wright, R.M., Wood, E.J. and Cunliffe, W.J. 1984. The protein content of open comedones in acne vulgaris. J. Invest. Dermatol., 82 : 545. (Abstract).

- Bliss, E., Frischat, A. and Samuels, L. 1972. Brain and testicular function. Life Sci., 11 : 231-238.
- Boecke, J. 1934. Innervationsstudien : der sympathische grundplexus and beziehunger zu den drusen. Ztsch. f. Mikr. Anat. Forsch., 35 : 551-506.
- Bokdawala, F.D. and George, J.C. 1967. A histochemical study of the red and white muscles of the carp, Cirrhina mrigala. J. Anim. Morphol. Physiol., 14 : 60-68.
- Bonelli, M., Alessi, E., Tomasini, C. and Piccinini, S. 1967. Le controle hormonal de la glande sebaece chez L'homme, In : XII congressus Internationalis Dermatologiae. (Eds. W. Jadassohn and Schirren C;G). Springer-Verlag, Berlin, PP. 1033-1035.
- Bonelli, M., Alessi, E., Tomasini, C. and Piccinini, S. 1970. Ulteriorers observaciones sobre el tratamiento del acne vulgar yel comportamiento de los lipidos de superficie. Semana. Medica., 136 : 1052-1063.
- Booth, W. D. and Jones, R, 1980. The extragonadal origin of 5 α -reduced androgens in the peripheral circulation of the adult male rabbit. Int. J. Androl., 3 : 692-702.
- Bora, P.S., Srivastava, L.M. and Bhatt, S.D. 1985. Islet cell damage and cardiac enzyme and isoenzyme changes in isoproterenol-treated rats. Ind. J.Exp. Biol., 23 : 310-314.

- Borghi, B. 1940. Further researches on the metabolism of skin's amino acids : Tryptophan. Riv. Biol., 30 : 261-264.
- Brachet, J. 1967. "Chemical Embryology". Interscience Publishers, Inc., New York.
- Brady, R.O. and Gurin, S. 1952. Biosynthesis of fatty acids by cell-free or water soluble enzyme systems. J. Biol. Chem., 199 : 421.
- Brandes, D., Bertini, F. and Smith, E.W. 1965. Role of lysosomes in cellular lytic processes. II. Cell death during holocrine secretion in sebaceous glands. Exp. Mol. Pathol., 4 : 245-265.
- Breuer, C.B. and Frank, F.D. 1964. Limited action of actinomycin D on protein synthesis in adrenalectomized rats. Biochem. Biophys. Res. Comm., 14 : 215-219.
- Bricker, L.A. and Levey, G.S. 1972. Autonomous cholesterol and fatty acid synthesis in hepatomas : Deletion of the adenosine 3', 5'-cyclic monophosphate control mechanism of normal liver. Biochem. Biophys. Res. Comm., 48 : 362-365
- Briggs, M. 1973. Lysosomal enzyme activation by steroid hormones in-vivo. J. Steroid. Biochem., 4 : 341-347.
- Bronson, F.H. and Caroom, D. 1971. Preputial gland of the male mouse. Attractant function J. Reprod. Fertil., 25 : 279-282.

- Brooks, D.E. 1976a. Control of glycolytic enzymes by androgens in the rat epididymis. J. Endocrinol., 71 : 355-365.
- Brooks, D.E. 1978. Androgenic regulation of metabolic pathways in the rat epididymis. Biol. Reprod., 18 : 629-638.
- Brooks, D.E. 1979. Influence of androgens on the weight of the male accessory reproductive organs and on the activities of mitochondrial enzymes in the epididymis of the rat. J. Endocrinol., 82 : 293-304.
- Brooks, R.B., Mattingly, D. Mills, I.H. and Prunty, F.T.G. 1960. Post pubertal adrenal virilism with biochemical disturbance of the congenital type of adrenal hyperplasia. Brit. Med. J., 1 : 1294-98.
- Brotherton, A.F.A. and Hoak, J.C. 1980. Role of Ca^{+2} ions and cyclic AMP in the regulation of PGI_2 release from the vascular endothelium. Circulation., 62 : 111-165.
- Brown, J., McLean, P. and Greenbaum, 1966. Influence of thyroxine and luteinizing hormone on some enzymes concerned with lipogenesis in adipose tissue, testis and adrenal gland. Biochem. J., 101 : 197-203.
- Bruns, F.H. and Bergmeyer, H. 1963. Fructose - 1, 6-diphosphate aldolase, pp. 724-731. In : "Methods of Enzymatic Analysis". Ed : Bergmeyer, H. 1963. Verlag Chemie. GMBH. Weinheim/Bergster, Acad. Press, New York, London.

- Buhler, H.V., DaPrada, M., Haefely, W. and Picotti, G.B. 1979. Plasma adrenaline, noradrenaline and dopamine in man and different animal species. J. Physiol., 276 : 311-320.
of SDH
- Buno, W. and Germino, N.I. 1958. Distribution in the organs of adult albino rats. Acta Anat., 33 : 161-174.
- Burstone, M.S. 1962. Enzyme histochemistry and its applications in the study of neoplasms. Academic Press, New York.
- Burt, A.M. 1966. The relative importance of glycolytic and pentose cycle metabolism during the development of chick spinal cord. Anat. Rec., 154 : 325.
- Burton, J.L., Cartlidge, M. and Shuster, S. 1973. Effect of L-dopa on the seborrhoea of Parkinsonism. Br. J. Dermatol., 88 : 475.
- Burton, J.L. and Shuster, S. 1973. Effect of L-dopa on seborrhea of Parkinsonism. Lancet., 2 : 19-20.
- Busse, W.W., Cheri, L. and Anderson, B.S. 1981. The granulocyte response to the phosphodiesterase inhibitor RO 20-1724 in asthma. J. All. Clin. Imm., 67 : 70-74.
- Butcher, R.W. and Sutherland, E.W. 1962. Adenosine 3',5'-phosphate in biological material. I. purification and properties of cyclic 3',5'-nucleotide phosphodiesterase and use of this enzyme to characterize adenosine 3',5'-phosphate in human urine. J. Biol. Chem., 237 : 1244-1250.

- Caceres, A. and Taleisnik, S. 1980. Inhibition of secretion of luteinizing hormone induced by electrochemical stimulation of the anterior cingulate cortex mediated by a β -adrenergic mechanism. J. Endocrin., 87 : 419-429.
- Caceres, A. and Taleisnik, S. 1982. Dissociation of the inhibitory and facilitatory effects of norepinephrine on the release of LH by premammillary lesions. Neuroendocrinol., 35 : 98-103.
- Cameron, E.H.D., Baillie, A.H., Grant, J.K., Milne, J.A. and Thomas, J. 1966. Transformation vitro of [3 H] testosterone by skin from men. J. Endocrinol., 35 : XIX.
- Campbell, R.M. and Scanes, C.G. 1985. Adrenergic control of lipogenesis and lipolysis in the chicken in vitro. Comp. Biochem. Physiol. C. Comp. Pharmacol. Toxicol., 82 : 137-142.
- Capuzzi, D.M., Rothman, V. and Margolis, S. 1974. The regulation of lipogenesis by cyclic nucleotides in intact hepatocytes prepared by a simplified technique. J. Biol. Chem., 249 : 1286-1294.
- Casper, R.F., Wilkinson, D. and Cotterell, M.A. 1984. Effect of increased cardiac output on luteal phase gonadal steroids : A hypothesis for runners amenorrhea. Fertil. Steril., 41 : 364-368.

- Cerutti, P. 1934. Fisiologia degli annessi cutanei, Gior. ital. dil dermat e sif., 75 : 112-39. Cited by Rothman, S. 1954. In "Physiology and biochemistry of the skin." The University of Chicago Press.
- Chaffee, R.R.J., Allen, J., Cassuto, Y. and Smith, R. E. 1964. Biochemistry of brown fat and liver in cold acclimatized hamsters. Am. J. Physiol., 207 : 1211.
- Chaffee, R.R.J., Pengelley, E.T., Allen, J.R. and Smith, R.E. 1966. Biochemistry of brown fat and liver of hibernating golden-mantled ground squirrels (*Citellus lateralis*). Can. J. Physiol. Pharmacol., 44 : 217.
- Chakraborty, J., Thomson, J. Macsween, M.P., Muir, A.V., Calman, K.C., Grant, J.K. and Milne, J.A. 1970. The in vitro metabolism of 7α , 3H - dehydroepiandrosterone by human skin. Br. J. Dermatol., 83 : 477-482.
- Chalet, M. and Catayee, G. 1979. Histochemical study of hormone-dependence of 5'-nucleotidase during development of the rat epididymis after birth. Bull. Assoc. Anat., 63 : 191-196.
- Chao, W.H. and Walkenbach, R.J. 1986. Effect of cyclic AMP on collagen production by corneal fibroblast. Curr. Eye Res., 5 : 177-182.

Charpenet, G., Tache, Y., Forest, M.G., Haour, F., Saez, J.M., Bernier, M., Ducharme, J.R. and Collu, R. 1981. Effects of chronic intermittent immobilization stress on rat testicular androgenic function. Endocrinol., 109 : 1254-1258.

Charpenet, G., Tache, Y., Bernier, M., Ducharme, J.R. and Collu, R. 1982. Stress induced testicular hyposensitivity to gonadotropins in rats. Role of the pituitary gland. Biol. Reprod., 27 : 616-623.

Cherian, K.M. 1967. A histophysiological and biochemical study of pigeon breast muscle under induced atrophy and of human dystrophic muscle. A Ph.D. thesis submitted to the M.S. University of Baroda, Baroda, India.

Chernysheva, G.V., Stodia, L.V., Amarantova, G.G. and Kuzmina, I.L. 1980. Effect of disseminated necrosis of the myocardium on ATPase activity, calcium transport and lipid peroxidation of mitochondrial and microsomal membranes of the heart. Byull. Eksp. Biol. Med., 89 : 563-565.

Chiu, H.I., Franks, D.J., Rowe, R. and Malamud, D. 1976. Cyclic AMP metabolism in mouse parotid glands : Properties of adenylate cyclase, protein kinase and phosphodiesterase. Biochem. Biophys. Acta., 451 : 29-40.

Chrousos, G.P., Peck, G.L., Gross, E.G., Cutler., G.B. Jr. and Loriaux, L. 1982. Adrenal function in women with idiopathic acne. J. Invest. Dermatol. 78 : 468-471.

Chung, L.W.K. and Chao, H. 1980. Neonatal imprinting and hepatic cytochrome P-450 : I. Comparison of testosterone hydroxylation in a reconstituted system between neonatally imprinted and non-imprinted rats. Mol. Pharmacol., 18 : 543-549.

Cicero, T.J., Bernard, J.D. and Newman, K. 1980. Effects of castration and chronic morphine administration on liver alcohol dehydrogenase and the metabolism of ethanol in the male sprague-Dawley rat. J. Pharmacol. Exp. Therap., 215 : 317-324.

Coffey, J.W. and Pletsch, Q. 1971. Association of an alkaline 5-nucleotidase with the lysosomes of rat liver. Fed. Proc., 30 : 1228. (Abs).

Collu, R., Gibb, W. and Ducharme, J.R. 1984. Role of catecholamines in the inhibitory effect of immobilization stress on testosterone secretion in rats. Biol. Reprod., 30 : 416-422.

Conney, A.H. 1967. Pharmacological implications of microsomal enzyme induction. Pharmacol. Rev., 19 : 317-366.

Conney, A.H., Jacobson, M., Schneidmen, K. and Kuntzman, R. 1965. Induction of liver microsomal cortisol 6β -hydroxylase by diphenylhydantoin or phenobarbital: An explanation for the increased excretion of 6β -hydroxycortisol in humans treated with these drugs. Life. Sci., 4 : 1091-1098.

- Conney, A.H., Jacobson, M., Levin, W., Schneidmen, K. and Kuntzman, R. 1966. Decreased central depressant effect of progesterone and other steroids in rats pretreated with drugs and insecticides. J. Pharmacol. Expt. Therap., 154 : 310-318.
- Conney, A.H. and Klutch, A. 1963. Increased activity of androgen hydroxylases in liver microsomes of rats pretreated with phenobarbital and other drugs. J. Biol. Chem., 238 : 1611-1617.
- Conney, A.H., Levin, W.M.S., Jacobson, M.S., Kuntzman, R. and Nutley, N.J. 1973. Effects of drugs and environmental chemicals on steroid metabolism. Clin. Pharmacol. Therap., 14 : 727-741.
- Cooke, B.A., Golding, M.A., Dix, C.J. and Hunter, M.G. 1982. Catecholamine stimulation of testosterone production via cyclic AMP in mouse Leydig cells in monolayer culture. Mol. Cell. Endocr., 27 : 221-232.
- Cope, G.H., Pratten, M.K. and Williams, M.A. 1976. Correlative morphological and biochemical study of the effects of isoprenaline on the organelle and membrane content of the rabbit parotid gland. Histochem. J., 8 : 403-418.
- Cooper, M.F., Hay, J.B., McGibbon, D. and Shuster, S. 1976. Androgen metabolism and sebaceous activity in clonal acne. J. Invest. Dermatol., 66 : 261.

Cormane, R.H. 1962. Comparative enzyme histochemical studies of the human skin (normal and abnormal). Dermatologica (Basel)., 124 : 359-366.

Correze, C., Salahedine, B., Tamayo, L. and Nunez, J. 1982. Effect of thyroid hormones and cyclic AMP on some lipogenic enzymes of the fat cell. Eur. J. Biochem.., 122 : 387-392.

Cunliffe, W.J., Burke, B., Levell, M.J., Cawood, M.C. and Siddall, J.K. 1986. Androgens in female acne. J. Invest. Dermatol., 87 : 184 (Abst).

Curtis, S.K. and Cowdén, R.R. 1980. Demonstration of sulphydryl and disulfide groups by a fluorescent maleimide procedure. Histochemie., 68 : 23-28.

Cutler, G.B.J., and Loriaux, D.L. 1980. Adrenarche and its relationship to the onset of puberty. Fed. Proc., 39 : 2384-2390.

Damber, J.E. and Janson, P.O. 1978. The effect of LH, adrenalin and noradrenalin on testicular blood flow and plasma testosterone concentrations in anaesthetized rats. Acta. Endocr., 88 : 390-396.

Dangelo, J.G. and Munger, B.L. 1964. The ultrastructure of the rat preputial gland. J. Ultrast. Res., 11 : 230-245.

Das, N.S., Chowdary, T.N. Sobhanadri, C. and Rao, K.V. 1978. The effect of topical isoprenaline on psoriatic skin. Brit. J. Dermatol., 99 : 197-200.

- Decker, R.H. 1971. Nature and regulation of energy metabolism in the epidermis. J. Invest. Dermatol., 57 : 351-363.
- De Duve, C. 1959a. Lysosomes, a new group of cytoplasmic particles. In : "Subcellular particles." (Ed., T. Hayashi). P. 128. Ronald Press, New York.
- De Duve, C. 1961. Lysosomes and chemotherapy, In : "Biological approaches to cancer chemotherapy". (Ed., R.J. Harris). pp. 101-112. Academic Press, New York.
- De Duve, C. 1963. The lysosome concept. In : Ciba foundation symposium on Lysosomes (de Reuck, A.V.S. and Cameron, M.P., eds), pp. 1-28. Boston : Little Brown.
- De Duve, C. and Wattiaux, R. 1966. Functions of lysosomes. Ann. Rev. Physiol., 28 : 435-492.
- De Duve, C., Wattiaux, R. and Baudhuin, P. 1962. Distribution of enzymes between subcellular fractions in animal tissues. Advanc. Enzymol., 24 : 291-358.
- De Graaf, H.J. 1943. De invloed van gestachtshormonen op de smeerklieren Ned. Tijdschr. Geneesk., 88 : 1450.
- Deimling, O.V. and Grobarth, C. 1972. Esterase. IV. The postnatal development of the unspecific carboxy -esterase of the mouse. Histochemie., 30 : 122-130.
- De Lean, A., Karloy, R., Normand, M. and Pesrosiers, M. 1984. Direct β -adrenergic stimulation of aldosterone secretion in cultured bovine adrenal subcapsular cells. Endocrinol., 115 : 485-492.

- De Perretti, E. and Forest, M. 1976. Unconjugated dehydroepiandrosterone plasma levels in normal subjects from birth to adolescence in human : the use of a sensitive radioimmunoassay. J. Clin. Endocrinol. Metab., 43 : 982-991.
- Derda, D.F. and Jungmann, R.A. 1979. Isoproterenol and cyclic AMP-mediated de novo synthesis of lactate dehydrogenase in rat C₆ glioma cells. Fed. Proc., 38 : 230.
- Derda, D.F., Miles, M.F., Schweißpe, J.S. and Jungmann, R.A. 1980. Cyclic AMP regulation of lactate dehydrogenase (EC 1.1.1.27) : Isoproterenol and N⁶, O²-dibutyryl cyclic AMP increase the levels of lactate dehydrogenase -5 isozyme and its messenger RNA in rat C₆ glioma cells. J. Biol. Chem., 255 : 11112-11121.
- Deschaux, P.D.A. and Guibert, C.J.D. 1981. Enzymatic changes in rat thymus after intraperitoneal injections of ACTH and cortisone. Thymus., 2 : 299-304.
- Dhalla, N.S., Yates, J.C., Sheu, L.L. and Singh, A. 1978. Functional and subcellular changes in the isolated rat heart perfused with oxidized isoproterenol. J. Mol. Cell. Cardiol., 10 : 31-42.
- Dhom, G. 1973. The prepubertal growth of the adrenal (adrenarche) Beitr. Pathol. Bd., 150 : 357-377.
- Dikshith, T.S.S., Datta, K.K., Kushwah, H.S. and Raizada, R.B. 1978. Histopathological and biochemical changes in guinea pigs after repeated dermal exposure to benzene hexachloride. Toxicol., 10 : 55-66.

- Djoseland, O., Gardeladze, J.O., Hoglo, S., Halse, J.I. and Haugen, H.N. 1980. Evidence for androgen dependent phosphodiesterase activity in rat seminal vesicles and epididymis. Int. J. Andrology., 3 : 363-366.
- Doeg, K.A., Polomski, L.L., Doeg, L.H. and Dubos, P.M. 1971. Androgen control of mitochondrial protein biosynthesis in male sex accessory tissue and liver of rats. Endocrinol., 89 : 338-346.
- Dotti, C. and Taleisnik, S. 1982. Inhibition of the release of LH and ovulation by activation of the noradrenergic system. Effect of interrupting the ascending pathways. Brain. Res., 249 : 281-290.
- Dorrington, J.H., Fritz, I.B. and Armstrong, D.T. 1976. Site at which FSH regulates estradiol - 17 β biosynthesis in sertoli cell preparations in culture. Mol. Cell. Endocrinol., 6 : 117-122.
- Downing, D.T. and Colton, S.W. 1980. Skin surface lipids of the horse. Lipids., 15 : 323-327.
- Downing, D.T. and Strauss, J.S. 1982. On the mechanism of sebaceous secretion. Arch. Dermatol. Res., 272 : 343-349.
- Drucker, W.D., Blumberg, J.M., Gandy, H.M., David, R.R., and Verde, A.L. 1972. Biological activity of dehydroepiandrosterone sulfate in man. J. Clin. Endo. Metab., 35 : 45-54.

Dryer, R.L. and Paulsryd, J.G. 1966. Effect of arousal on ATP levels in bats. Fed. Proc., 25 : 1293.

Dube, J.Y. Ngoc-Ha, N.T. and Tremblay, R.R. 1975. In vivo effects of steroid hormones on the testosterone 5 α -reductase in rat skin. Endocrinol., 97 : 211-214.

Dunn, A., Chenoweth, M. and Hemington, J.G. 1971. The relationship of adrenal glucocorticoids to transaminase activity and gluconeogenesis in the intact rat. Biochem. Biophys. Acta., 237 : 192-202.

Dunn, A., Chenoweth, M. and Schaeffer, L.D. 1969. Effect of adrenalectomy on glucose turnover, the Cori cycle and gluconeogenesis from alanine. Biochem. Biophys. Acta., 177 : 11-16.

Durant, S., Dominique, D. and Francoise, H.D. 1983. Potentiation by steroids of the β -adrenergic agent-induced stimulation of cyclic AMP in isolated mouse thymocytes. Biochem. Biophys. Acta., 762 : 315-324.

Ebling, F.J. 1955. Endocrine factors affecting cell replacement and cell loss in the epidermis and sebaceous glands of the female albino rat. J. Endocrinol., 12 : 38-49.

Ebling, F.J. 1963. Hormonal control of sebaceous glands in experimental animals In, "Advances in biology of skin. Vol. IV. The sebaceous glands." Eds. Montagna, W., Ellis, R.A., Silver, A.F. Pergamon Press Oxford, London, New York, Paris.

Ebling, F.J. 1973. The effects of cyproterone acetate and estradiol upon testosterone stimulated sebaceous activity in the rat. Acta Endocrinol., 72 : 361-365.

Ebling F.J. 1974. Hormonal control and methods of measuring sebaceous gland activity. J. Invest. Dermatol., 62 : 161-171.

Ebling, F.J. 1977. The sebaceous gland. pp. 55-92. In "Advances in modern toxicology. Vol. 4. Dermatotoxicology and pharmacology". ed. Francis N., Marzulli and Washington, London. Howard I. Maibach Hemisphere Publishing Corporation

Ebling, F.J., Ebling, E., McCaffery, V. and Skinner, J. 1971. The response of the sebaceous glands of hypophysectomized castrated male rats to 5-dihydroepiandrosterone and androsterone. J. Endocrinol., 51 : 181-190.

Ebling, F.J., Ebling, E., McCaffery, V. and Skinner, J. 1973. The responses of the sebaceous glands of the hypophysectomized-castrated male rat to 5α -androstane- 3β , 17β diol. J. Invest. Dermatol., 60 : 183-187.

Ebling, F.J., Ebling, E., Randall, V. and Skinner, J; 1975. The synergistic action of α -MSH and testosterone on the sebaceous, prostate, preputial, harderian and lachrymal glands, seminal vesicle and brown adipose tissue in the hypophysectomized-castrated rat. J. Endocrinol., 66 : 407-412.

Ebling, F.J., Ebling, E. and Skinner, J. 1969. The influence of pituitary hormones on the response of the sebaceous glands of the male rat to testosterone. J. Endocrinol., 45 : 245-246.

Ebling, F.J., Ebling, E., Skinner, J. and White, A. 1970. The response of the sebaceous glands of hypophysectomized-castrated male rats to adrenocorticotrophic hormone and to testosterone. J. Endocrinol., 48 : 73-81.

Ebling, F.J., Ebling, E., Skinner, J. and White, A. 1970a. The response of the sebaceous glands of hypophysectomized-castrated male rats to adrenocorticotropic hormone and to testosterone. J. Endocrinol., 48 : 73-81.

Ebling, F.J., Ebling, E. and Skinner, J. 1970b. The effects of thyrotrophic hormone and of thyroxine on the response of the sebaceous glands of the rat to testosterone. J. Endocrinol., 48 : 83-90.

Ebling, F.J., Randall, V.R. and Skinner, J. 1981. Local suppression of sebum secretion in rats by topical cyproterone acetate in ethanol. J. Invest. Dermatol., 77 : 458-463.

Ebling, F.J. and Skinner, K.J. 1967. The measurement^{of} sebum production in rats treated with testosterone and estradiol. Br. J. Dermatol., 79 : 386-392.

Edelman, J.C., Brendler, H., Zorgniotti, A.W. and Edelman, P.M. 1963. Effects of castration on mitochondria of rat ventral prostate. Endocrinol., 72 : 853-858.

Edmond, J. 1974. Ketone bodies as precursors of sterols and fatty acids in the developing rat. J. Biol. Chem., 249 : 72-80.

Eichberg, J., Shein, H.M., Schwartz, M. and Hauser, G. 1973. Stimulation of ^{32}P incorporation into phosphatidylinositol and phosphatidylglycerol by catecholamines and β -adrenergic receptor blocking agents in rat pineal organ cultures. J. Biol. Chem., 248 : 3615-3622.

Elks, M.L., Vincent, C.M. and Vaughan, M. 1983. Hormone-sensitive particulate cAMP-phosphodiesterase activity in 3T3-L1 adipocytes. Regulation of responsiveness by dexamethasone. J. Biol. Chem., 258 : 8582-8587.

Emanuel, S. 1936. Quantitative determination of the sebaceous glands' function, with particular mention of the method employed. Acta Derm. Venereol. (Stockh.), 17 : 444-456.

Engel, G., Lee, C. and Grayhack, J.T. 1980. Acid ribonuclease in rat prostate during castration induced involution. Biol. Reprod., 22 : 827-831.

Epstein, E.H., Jr. and Epstein, W.L. 1966. New cell formation in human sebaceous glands. J. Invest. Dermatol., 46 : 453-458.

Falls, H.B., Lewis, C. Jr., Murphy, J. and Schiff, T. 1960. Quantitative histochemistry of human skin. J. Histochem. Cytochem., 8 : 41-49.

Faredin, I., Kokai, K., Toth, I., Fazekas, A.C. and Julesz, M. 1970. The metabolism of $4C^{14}$ -dehydroepiandrosterone by human skin in vitro. Acta Med. Acad. Sci. Hung., 27 : 95-102.

Fazekas, A.G. and Lanthier, A. 1971. Metabolism of androgens by isolated human beard hair follicles. Steroids., 18 : 367-379.

Fazekas, A.G. and Sandor, T. 1973. The metabolism of dehydroepiandrosterone by human scalp hair follicles. J. Clin. Endocrinol. Metab., 36 : 582-586.

Fernandez, B.M. and Saggerson, E.D. 1978. Alterations in response of rat white adipocytes to insulin, noradrenaline, corticotropin and glucagon after adrenalectomy. Biochem. J., 174 : 111-118.

Findlay, G.H. 1955. The simple esterase of human skin. Brit. J. Dermalol., 67 : 83-91.

Fiske, C.H. and SubbaRow, Y. 1925. The colorimetric determination of phosphorus. J. Biol. Chem., 66 : 375-400.

Fleischmann, W. and Fleischmann, S.K. 1952-1953. J. Mt. Sinai Hosp., New York, 19 : 228 (cited by Riggs, T.R. 1970. In : "Biochemical actions of hormones." Chapt. 5. Litwak, G. (Ed), Acad. Press, New York.

Folch, J., Lees, M. and Stanley, G.H.S. 1957. A simple method for the isolation and purification of total lipids from animal tissues.. J. Biol. Chem., 226 : 497-509.

Forchielli, F., Brown-Grant, K. and Dorfman, R. I. 1958. Steroid Δ^4 -hydrogenases of rat liver. Proc. Soc. Expt. Biol. Med., 99 : 594-596.

- Foreman, M.I., Devitt, H. and Clanachan, I. 1984. Inhibition of dihydrotestosterone - mediated hamster sebaceous gland hypertrophy by progesterone. Brit. J. Dermatol., 110 : 185-186.
- Formisano, V. and Montagna, W. 1954. Succinic dehydrogenase activity in the skin of guinea pig. Anat Rec., 120 : 893.
- Franklin, R.B., Brandy, R.L. and Costello, L.C. 1982. Mitochondrial aspartate aminotransferase and the effect of testosterone on citrate production in rat ventral prostate. J. Urol., 127 : 798-802.
- Fransworth, W.E. 1968. A possible mechanism for regulation of rat prostate function by testosterone. Biochem. Biophys. Acta., 150 : 446-451.
- Fransworth, W.E. 1970a. Androgen regulation of prostatic membrane ATPase. Biol. Reprod., 3 : 218-222.
- Fransworth, W.E. 1972. The role of the steroid-sensitive cation-dependent ATPase in human prostatic tissue. J. Endocrinol., 54 : 375-385.
- Fredrickson, D.S. and Gordon, R.S. 1958. Transport of fatty acids. Physiol. Rev., 38 : 585-630.
- Freinkel, R.K. 1960. Metabolism of glucose -C¹⁴ by human skin in vitro. J. Invest. Dermatol., 34 : 37-42.
- Freinkel, R.K. 1963. The effect of age and sex on the metabolism of the preputial gland of the rat. pp. 125-134. In : "Advances in biology of skin. vol. IV. The sebaceous glands." Eds. Montagna, W., Ellis, R.A. and Silver, A.F. Pergamon Press, Oxford. London. New York. Paris.

Freinkel R.K. 1983. Carbohydrate metabolism of epidermis. In : Biochemistry and Physiology of the skin. Vol. 1.L.A. Goldsmith (Ed). Oxford University Press, New York. pp. 328-337.

Friedel, R.O., Johnson, J.R. and Schanberg, S.M. 1973. Effects of sympathomimetic drugs on incorporation in vivo of intracisternally injected ^{33}P into phospholipids of rat brain. J. Pharmacol. Exp. Ther., 184 : 583-589.

Frost, P., Giegel, J.L. Weinstein, G.D. and Gomez, E.C. 1973. Biodynamic studies of hamster flank organ growth : hormonal influences. J. Invest. Dermatol., 61 : 159-167.

Fukui, K. and Miura, Y. 1969. A histochemical study on 5-nucleotidase activity in the skin. Jap. J. Dermatol. Ser. B., 79 : 73-75.

Furman, R.H., Howard, R.P., Sheltar, M.R., Katey, E.C. and Imagawa, R. 1958. A comparisons of serum lipids, lipoproteins, urinary 17-ketosteroids and gonadotropins in eunuchs and control male subjects. Circulation , 17 : 1076-1085.

Gaben, C., Marie, A., Annie, Q., Aron, Y., Brigant, L., Jahchan, T., Pellow, J. and Swierczewski, E. 1984. Development under the control of insulin of lipogenic enzymes, lipoprotein lipase, isop roterenol and glucagon sensitivity in differentiating rat preadipocytes in primary culture. Biochem. Biophys. Acta., 805 : 252-260.

- Galant, S.P. and Alfred, S. 1981. Binding and functional characteristics of β -adrenergic receptors in intact neutrophil. J. Lab. Clin. Med., 98 : 227-237.
- Ganguly, P.K., Srivastava, L.M., Bora, P.S. and Gupta, M.P. 1980. Lactate dehydrogenase isozymes : Effects of isoproterenol induced myocardial ischemia. Ind. J. Exp. Biol., 18 : 1443-1445.
- Garcia-Sainz, J.A. and Fain, J.N. 1980. Effect of insulin, catecholamines and calcium ions on phospholipid metabolism in isolated white fat cells. Biochem. J., 186 : 781-789.
- Garren, L.D., Conney, A.H. and Tomkins, G.M. 1961. Stimulatory effect of phenobarbital on steroid metabolism. J. Clin. Invest., 40 : 1041.
- Geering, K., Girardet, M., Bron, C., Kraehenbuh, J.P. and Rossier, B.C. 1982. Hormonal regulation of ($\text{Na}^+ + \text{k}^+$)-ATPase biosynthesis in the toad bladder. J. Biol. Chem., 257 : 10338-10343.
- Geloso, J. and Basset, J. 1974. Role of adrenal glands in development of foetal kidney $\text{Na}^+ - \text{k}^+$ -ATPase. Pfluegers Arch. Eur. J. Physiol., 348 : 105-113.
- George, J.C. and Ambadkar, P.M. 1963. Histochemical demonstration of lipids and lipase activity in rat testis. J. Histochem. Cytochem., 11 : 420-425.
- Geumei, A. and Mahfouz, M. 1968. The presence of beta adrenergic receptors in the hepatic vasculature. Br. J. Pharmacol. Chemother., 32 : 466.

Gibson, D.M., Titchener, E.B. and Wakil, S.J. 1958. Studies on the mechanism of fatty acid synthesis. V. Bicarbonate requirements for the synthesis of long-chain fatty acids. Biochem. Biophys. Acta., 30 : 376.

Giegel, J.L., Stolfi, L.M., Weinstein, G.D. and Frost, P. 1971. Androgenic regulation of nucleic acid and protein synthesis in the hamster flank organ and other tissues. Endocrinol., 89 : 904-909.

Gielen, J.E. and Nebert, D.W. 1972. Aryl hydrocarbon hydroxylase induction in mammalian liver cell culture. III. Effects of various sera, hormones, biogenic amines and other endogenous compounds on the enzyme activity. J. Biol. Chem., 247 : 7591-7600.

Givens, J.R. 1978. Normal and abnormal androgen metabolism. Clin. Obstet. Gynecol. 21 : 115-123.

Goldberg, D.M. 1973. 5'-nucleotidase : Recent advances in cell biology, methodology and clinical significance. Digestion., 8 : 87-89.

Goncharov, N.P., Taranov, A.G., Antonichev, A.V., Gorlushkin, V.M., Aso, T., Cekan, S.K. and Diczfalusy, E. 1979. Effect of stress on the profile of plasma steroids in paboons (*Papio Hamadryas*). Acta Endocrinol., 90 : 372-384.

Goodfellow, A., Alghband - Zadeh, J., Carter, G., Cream, J.J., Holland, S., Scully J. and Wise P. 1984. Oral spironolactone improves acne vulgaris and reduces sebum excretion. Brit. J. Dermatol., 111 : 209.

Goodfriend, T.L. and Kaplan, N.O. 1964. Effects of hormone administration on lactate dehydrogenase. J. Biol. Chem., 239 : 130-135.

Goodfriend, T.L., Sokol, D.M. and Kaplan, N.O. 1966. Control of synthesis of lactic acid dehydrogenases. J. Mol. Cell. Cardiol., 15 : 18-31.

Goodridge, A.G. 1968a. Conversion of (U^{14} -C) glucose into carbon dioxide, glycogen, cholesterol and fatty acids in liver slice from embryonic and growing chick. Biochem. J., 108 : 655-661.

Goodridge, A.G. 1968b. Citrate-cleavage enzyme, "malic" enzyme and certain dehydrogenase in embryonic and growing chicks. Biochem. J., 108 : 663-666.

Goodridge, A.G. 1968c. The effect of starvation and starvation followed by feeding on enzyme activity and the metabolism of (U^{14} -C) glucose in liver from growing chicks. Biochem. J., 108 : 667-673.

Goodridge, A.G. 1975. Hormonal regulation of the activity of the fatty acid synthesizing system and of the malic enzyme concentration in liver cells. Fed. Proc., 34 : 117-123.

Goodridge, A.G. and Ball, E.G. 1966. Lipogenesis in the pigeon : In vitro studies. Am. J. Physiol., 211 : 803-808.

Gorbmann, A., Dickhoff, W.W., Vigna, S.R., Clark, N.B. and Ralph, C.L. 1982. "Comparative Endocrinology" Wiley-Interscience, New York, pp. 117-157.

- Gordon, A.L., Inchiosa, M.A. Jr. and Lehr, D. 1972. Isoproterenol-induced cardiomegaly : Assessment of myocardial protein content, actomyosin ATPase and heart rate. J. Mol. Cell. Cardiol., 4 : 543-557.
- Gray, G.D., Smith , E.R., Damassa, D.A., Ehrenkranz, J.R.L. and Davidson, J.M. 1978. Neuroendocrine mechanisms mediating the suppression of circulating testosterone levels associated with chronic stress in male rats. Neuroendocrinol 25 : 247-256.
- Greenway, C.V. and Lawson, A.E. 1968. Effect of adrenaline and propranolol in the superior mesenteric artery blood flow. Can. J. Physiol. Pharmacol., 46 : 90.
- Greenwood, R., Burke, B.M., Brummitt, L. and Cunliffe, W.J. 1983. Treatment of acne with cyproterone acetate and tetracycline. Brit. J. Dermatol., 109 : Suppl. 24 : 28.
- Grieve, S.J. and Williams, A.J. 1981. The isolation ^{and} characterization of cardiac mitochondrial fractions from isoprenaline-treated rats. J. Mol. Cell. Cardiol., 13 : 705-714.
- Griffin, A.C., Luck, J.M., Kulakoff, V. and Mills, M. 1954. Further observations on the endocrine regulation of blood amino acids. J. Biol. Chem., 209 : 387-393.
- Grigor, M.R., Dunckley, G.G. and Purves, H.D. 1970. The synthesis of the branched-chain fatty acids of rat skin surface lipid. Biochem. Biophys. Acta., 218 : 389-399.

Guerra, F., Rey, J.L., De, Vinas and Ortega, R. 1981. Influence of sodium and potassium on myocardial infarction of the rat. Arch. Inst. Cardiol. Mex., 51 : 3-12.

Gulbenkian, A., Myres, J. and Deborah, F. 1980. Hamster flank organ hydrolase and lipase activity. J. Invest. Dermatol. 75 : 289-292.

Gumenyuk, V.V., Makar, I.A. and Svinchuk, Pyruvate metabolism in sheep skin. Dokl. Acad. Nauk. Ukr. SSR. Ser. B. Geol. Khim. Biol. Nauki., OCII : 947-948.

Guraya, S.S. and Kaur, A.J. 1981. Effect of castration on some hydrolytic enzymes in the rat vas deferens: A histochemical study. Proc. Ind. Acad. Sci. Anim. Sci., 90 : 495-501.

Gurtoo, H.L., Parker, N.B. Beverly, P., Havens, M.B., Minowada, J. and Freedman, H.J. 1979. Induction, inhibition and some enzymological properties of aryl hydrocarbon hydroxylase in fresh mitogen-induced human lymphocytes. Canc. Res., 39 : 4620-4629.

Gustafson, A.B. and Kalkhoff, R.K. 1982. Influence of sex and obesity on plasma catecholamine response to isometric exercise. J. Clin. Endocrinol. Metab., 55 : 7038.

Gustafsson, J.A. and Ake, S. 1974. Irreversible androgenic programming at birth of microsomal and soluble rat liver enzymes active on 4-androstene- β , 17 dione and 5 α -androstane - 3 α , 17 β diol. J. Biol. Chem., 249 : 711-718.

- Hall, D.W.R., Van den Hoven, W.E., Noordzij - Kamermans, N.J.
and Jaitly, K.D. 1983. Hormonal control of hamster
ear sebaceous gland lipogenesis. Arch. Dermatol. Res.,
275 : 1-7.
- Halprin, K.M. and Fukui, K. 1968. Isoenzymes of the human
epidermis. Acta Dermatol., 98 : 299-309.
- Hamilton, J.B., Bunch, L.D. and Mestler, G.E. 1959. Urinary
17-hydroxycorticosteroids and 17-ketosteroids in
castrated vs. intact men : Supplementary comparisons in
feeble minded vs. mentally normal men. J. Clin. Endocr.,
19 : 535-547.
- Hamilton, J.B. and Mestler, G.E. 1963. Low values for sebum in
ennuchs and oophorectomized women. Proc. Soc. Exp.
Biol. Med., 112 : 374-378.
- Hamilton, J.B. and Montagna, W. 1950. The sebaceous glands of the
hamster. I-Morphological effects of androgens on
integumentary structures. Am. J. Anat., 86 : 191-234.
- Hamperl, H. 1931. Beitrage zur normalen und pathologischen
histologie menschlicher speicheldrusen. Zeit. fur.
Mikroskopisch. Anat. Forschung., 27 : 1.
- Handler, J.S., Preston, A.S. and Orloff, J. 1969. Effect of
adrenal steroid hormones on the response of the toad's
urinary bladder to vasopressin. J. Clin. Invest.,
48 : 823-833.

Hardonk, M.J. 1968. 5' nucleotidase. I. Distribution of 5' nucleotidase in tissues of rat and mouse.
Histochemie., 12 : 1-17.

Hardonk, M.J., and Koudstaal, J. 1968. 5'-nucleotidase. II. The significance of 5'-nucleotidase in the metabolism of nucleotides studied by histochemical and biochemical methods. Histochem., 12 : 18-28.

Harkonen, M., Hopsu-Havu, V.K. and Raij, K. 1974. Cyclic adenosine monophosphate, adenyl cyclase and cyclic nucleotide phosphodiesterase in psoriatic epidermis : With a comment on urinary cAMP. Acta. Dermat. Venereol., 54 : 13-18.

Harris, R.R. and Mackenzie, I.C. 1981. The effects of α -adrenergic and β -adrenergic agonists and cyclic AMP on epidermal metabolism. J. Invest. Dermalol., 77 : 337-340.

Harrison, J.A., Suter, P., Susan, S. and Jungmann, R.H. 1980. Isoproterenol-induced selective phosphorylative modification in vivo of rat C₆ gloima cell histones. Biochem. Biophys. Res. Comm., 96 : 1253-1260.

Harrison, R.G. and Brown, K.N. 1964. Suprarenal cortical degeneration following isoproterenol administration in the rat. Endocr., 75 : 173-178.

Hartz, P.H. 1946. Development of sebaceous glands from intralobular ducts of the parotid gland. Arch. Pathol., 41 : 651-654.

- Harville, Donald D. 1971. A new approach to the reduction of sebum secretion. Arch. Dermatol., 103 : 492-493.
- Hashimoto, K., Ogawa, K. and Lever, W.F. 1962. Histochemical studies on skin-SDH, MDH and LDH during embryonic development of skin of rat. J. Invest. Dermatol., 39 : 21.
- Haskin, D., Lasher, N. and Rothman, S. 1953. Some effects of ACTH, cortisone, progesterone and testosterone on sebaceous glands in the white rat. J. Invest. Dermatol., 20 : 207-211.
- Hassan, E.H. and El-Hawary, M.F.S. 1963. Studies of serum transaminases in xeroderma pigmentosum. J. Invest. Dermatol., 41 : 479-483.
- Hawkins, P.A. and Taylor, P.D. 1967. The metabolism of tritiated estradiol in the laying hen. Can. J. Biochem., 45 : 523-529.
- Hay, J.B. and Hodgins, M.B. 1973. The metabolism of androgens in human facial and axillary skin. J. Endocrinol., 59 : 475-486.
- Hay, J.B. and Hodgins, M.B. 1974. Metabolism of androgens by human skin in acne. Brit. J. Dermatol., 91 : 123-133.
- Hay, J.B. and Hodgins, M.B. 1978. Distribution of androgen metabolising enzymes in isolated tissues of human forehead and axillary skin. J. Endocrinol., 79 : 29-39.

- Hegyvary, C. 1977. Effect of aldosterone and methylprednisolone on cardiac NaK-ATPase. Experientia., 33 : 1280-1281.
- Hellmann, K. 1955. Cholinesterase and amine oxidase in the skin : a histochemical investigation. J. Physiol. (London), 129 : 454-463.
- Helminen, H.J., Ericsson, J.L.E. and Arborgh, B. 1972. Differentiating patterns of acid phosphatase and cathepsin D activities in the rat ventral prostate gland during castration-induced prostatic involution. Acta. Endocrinol., 69 : 747-761.
- Hershey, F.B. 1959 Hormone and enzyme mechanisms in sebaceous gland excretion. J. Invest. Dermatol., 32 : 11.
- Hettinger, D.R. and Horwitz, B.A. 1983. Kinetic characteristics of hamster (*Mesocricetus auratus*) brown fat (Sodium, Potassium) - ATPase: Effects of catecholamines. Comp. Biochem. Physiol. C. Comp. Pharmacol., 74 : 355-360.
- Hilf, R., McDonald, E., Sartini, J., Rector, W.D. and Richards, A.H. 1972. Response of uterine glucose-6-phosphate dehydrogenase isoenzymes to estrogens. Endocrinol., 91 : 280-286.
- Hilgar, A.G. and Hummel, D.J. (ed). 1964. Androgenic myogenic endocrine bioassay data. Cancer Chemotherapy National Service Center, N.I.H. Issue 1.
- Himms-Hagen, J. 1972. Effects of catecholamines on metabolism. Handbook. Exp. Pharmacol., 33 : 361-462.

Hiroshi, H. 1981. Effect of coenzyme Q-10 administration to isoproterenol-induced cardiomyopathy of rats. Kurume.
Med. J., 28 : 125-136.

Hiroshi, I., Sachiko, H. and Tamaoki, B. 1977. Prostate 3 α -HSDH : Its partial purification and properties.
J. St. Biochem., 8 : 41-46.

Hiroya, U., Muraki, T. and Kato, R. 1982. Involvement of α -adrenergic receptors in stimulation of phosphatidylinositol metabolism by catecholamines in mouse thyroids.
Biochem. Pharmacol., 31 : 2237-2242.

Hitchcock, M. 1973. Adenosine, 3',5' cyclic monophosphate phosphodiesterase in guinea pig lung-properties and effect of adrenergic drugs. Biochem. Pharmacol., 22 : 959-969.

Hodgins, M.B. 1971. In vitro metabolism of dehydroepiandrosterone and dehydroepiandrosterone sulphate in breast skin of women. Steroids., 18 : 11-23.

Hodgins, M.B., Hay, J.B. and Donnelly, J.B. 1982. Human skin androgen metabolism and preliminary evidence for its control by two forms of 17 β -hydroxysteroid oxidoreductase. J. Endocrin., 93 : 403-413.

Hodgson-Jones, I.S., Mackenna, R.M.B. and Wheatley, V.R. 1952. The study of human sebaceous activity. Acta Dermat. Venereol., 32 : Suppl., 29 : 155.

Hoelzl, W.D. Fand Knufermann, H.G. 1973. Plasmamembranen. Chemie, Biologie und pathologie, Berlin-Heidelberg-New York : Springer.

Holla, S.W.J., Hollman, E.P.M.J., Mier, P.D., Staak, W.J.B.M.V.D., Urselmann, E. and Wamderoff, J.A. 1972. Adenosine 3' : 5' cyclic monophosphate phosphodiesterase in skin. II: levels in atopic dermatitis. Brit. J. Dermatol., 86 : 147-149.

Hollifield, G. and Parson, W. 1961. Metabolic adaptations to a "Stuff and Starve" feeding programme. I. Studies of adipose tissue and liver glycogen in rats limited to a short daily feeding period. J. Clin. Invest., 41 : 245.

Holt, W.V. and Jones, R.C. 1973. The ultrastructure and histochemistry of the chin gland of the cuis, Galea musteloides. J. Anat., 114 : 221-233.

Holtz, A., Brennan, R.G., Battista, D. and Terner, C. 1981. Androgen control of an inhibitory modulator of phosphodiesterase in rat epididymis and prostate. Endocrinol., 108 : 1538-1544.

Hopkins, N.K. and Gorman, R.G. 1981. Regulation of endothelial cell cyclic nucleotide metabolism by prostaglandin. J. Clin. Invest., 67 : 540-546.

Horton, R., Endores, D. and Galmarini, M. 1984. Ideal conditions for hydrolysis of androstanediol 3 α C, 17 β -diol glucuronide in plasma. J. Clin. Endocrinol. Metab., 59 : 1027.

Howard, C.D. and Kitay, J.I. 1972. Effects of postpuberal orchidectomy on adrenal reductase activity and corticosterone secretion in rat. Proc. Soc. Exp. Biol. Med., 140 : 1-5.

Howard, C.F. and Lowenstein, J.M. 1965. The effect of glycerol-3-phosphate on fatty acid synthesis. J. Biol. Chem., 240 : 4170-4175.

Howard, P.J., Turner, D.A., McAteer, J.A. and Henry, D.P. 1985. -adrenergic stimulation of aldosterone production by rat adrenal capsular explants. Endocr., 117 : 1189-1194.

Hsia, S.L., Sawaya, M.E. and Voigt, W. 1983. Transformation of dehydroepiandrosterone into dihydrotestosterone by isolated cells from rat preputial gland. J. St. Biochem., 19 : 599-603.

Huang, X.Y. and McCann, S.M. 1983. Effect of β -adrenergic drugs on luteinizing hormone, FSH and growth hormone secretion in conscious, ovariectomized rats. Proc. Soc. Exp. Biol. Med., 174 : 244-248.

Huggins, C., Parsons, F.M. and Jensen, E.V. 1955. Promotion of growth of preputial glands by steroids and the pituitary growth hormone. Endocrinol., 57 : 25-32.

Hugh, E.V., Nemecek, R.A. and Hsia, S.L. 1969. Synthesis of lipids from acetate by human preputial and abdominal skin in vitro. J. Lipid Res., 10 : 507-514.

Hurley, H.J., Jr., Shelley, W.B. and Koelle, G.B. 1953.

The distribution of cholinesterases in human skin, with special reference to eccrine and apocrine sweat glands. J. Invest. Dermatol., 21 : 139-147.

Huseby, R.A. and Dominiquez, O.V. 1979. Hypophyseal stimulation and biosynthesis of androgen produced by hyperplastic adrenals of castrate BALB-C. mice. J. St. Biochem., 11 : 1401-1406.

Ignarro, C.J. and Colombo, C. 1973. Enzyme release from polymorphonuclear leukocytes : Regulation by autonomic drugs and cyclic nucleotides. Sci., 180 : 1181.

Ignarro, L.J., Krassikoff, N. and Slywka, J. 1973. Release of enzymes from a rat liver lysosome fraction : Inhibition, by catecholamines and cyclic 3', 5' adenosine monophosphate stimulation, by cholinergic agents and cyclic 3',5'-guanosine monophosphate. J. Pharmacol. Exp. Ther., 186 : 86-99.

Ignarro, L.J., Lint, T.F. and George, W.J. 1974. Hormonal control of lysosomal enzyme release from human neutrophils. Effects of autonomic agents on enzyme release, phagocytosis and cyclic nucleotide levels. J. Expt. Med., 139 : 1395-1414.

Iizuka, H., Adachi, K., Halprin, K.M. and Levine, V. 1978. Cyclic nucleotide phosphodiesterase in the unininvolved and involved skin of psoriasis. J. Invest. Dermatol., 70 : 246-249.

Im, J.C.M. and Hoopes, J.E. 1974. Enzymes of carbohydrate metabolism in normal human sebaceous glands. J. Invest. Dermatol., 62 : 153-160.

Irena, K.P. 1966. Hydrolytic enzymes in cells of the prostate gland and seminal vesicles of castrated white rats. Z. Mikrosk. Anat. Forsch., 75 : 389-399.

Isselbacher, K.J. and Axelrod, J. 1955. Enzymatic formation of corticosteroid glucuronides. J. Am. Chem. Soc., 77 : 1050.

Jafri, A.K. and Mustafa, S. 1976. Phosphatases and 5'-nucleotidase in the dark and white muscles of two fresh water catfishes : Clarias magur (Linn). and Heteropneustes fossils (Block). Ind. J. Exp. Biol., 14 : 292-294.

Jakubovic, A. and Cekan, Z. 1967. The effect of testosterone phenylpropionate on the incorporation of sodium formate - ^{14}C in vitro into various organs of the castrated rat. Acta. Endocrinol., 56 : 197-201.

Jarrett, A. 1955. The effects of stilbesterol on the surface sebum and upon acne vulgaris. Brit. J. Dermatol., 67 : 166-

Jarrett, A. and Sepearman, R.I.C. 1964. Histochemistry of the skin. Psoriasis, PP : 14-15. (English Universities Press, London).

Javery, M.H., Mason, M.M. and Rosenkrantz, H. 1963. A histochemical study of androgen-dependent succinic acid dehydrogenase in rat ventral prostate. Lab. Invest., 12 : 422-431.

Jean, D.V. and Brooker, G. 1974. Reversal of catecholamine refractoriness by inhibitors of RNA and protein synthesis. Sci., 186 : 1221-1223.

- Jefferson, L.S., Koehler, J.O. and Morgan, H.E. 1972. Effect of insulin on protein synthesis in skeletal muscle of an isolated perfused preparation of rat hemicorpus. Proc. Nat. Acad. Sci. USA., 69 : 816-820.
- Jennings, R.B. and Ganote, C.E. 1976. Mitochondrial structure and function in acute myocardial ischemic injury. Circ. Res., 38 : Suppl. I. 80-91.
- Jennings, R.B., Ganote, C.E. and Reimer, K.A. 1975. Ischemic tissue injury. Am. J. Pathol., 81 : 179-198.
- Jeremy, J.Y., Mkhailidis, D.P. and Dandona, P. 1985. Adrenergic modulation of vascular prostacyclin secretion. Eur. J. Pharmacol., 114 : 33-40.
- Johnsen, S.G. and Kirk, J.E. 1952. The number, distribution and size of the sebaceous glands in the dorsal region of the hand. Anat. Rec., 112 : 725-735.
- Johnson, D.A. and Sreebny, L.M. 1977. Biochemical changes in rat parotid gland lysosomal enzyme activities after isoprenaline or starvation. Arch. Oral. Biol., 22 : 291-297.
- Jorgensen, P.L. 1968. The effect of aldosterone and corticosterone on the $(\text{Na}^{++}-\text{K}^{+})$ - activated ATP hydrolysing enzyme system in kidneys of adrenalectomized rats. Acta. Physiol. Scand., 73 : 21A-22A.
- Judah, J.D. and Ahmed, K. 1964a. The biochemistry of sodium transport. Biol. Rev., 39 : 160-193.

Jungmann, R.A., Kelley, D.C., Miles, M.F. and Milkowski, 1983. cAMP regulation of lactate dehydrogenase : Isoproterenol and N⁶, O² - dibutyryl cyclic AMP increase the rate of transcription and change the stability of lactate dehydrogenase. A submit messenger RNA in rat C6 glioma cells. J. Biol. Chem., 258 : 5312 - 5318.

Jurenka, W. 1935. Fettsekret in der korperhant und Schilddruse. Ztschr f Zucht, Reihe Tierzucht in Zuchtungs Biol. 31 : 373-391, quoted by Rothman, S. 1954. In : Physiology and Biochemistry of the skin. The Uni. of Chicago Press p. 302-310.

Kako, K. 1965. Biochemical changes of the rat myocardium induced by isoproterenol. Can. J. Physiol. Pharmacol., 43 : 541-549.

Kadenbach, B., Goebell, H. and Klingenberg, M. 1964. Differential action of thyroid hormones on enzyme levels of the DPN and TPN specific isocitrate dehydrogenase. Biochem. Biophys. Res. Comm., 14 : 335.

Kar, A.B. and Ghosh, A. 1951. In pigeon, gonadotropins decrease after epinephrine. Proc. Natn. Inst. Sci. India., 17 : 227.

Kashiwagi, A., Huecksteadt T.P. and Foley, J.E. 1983. The regulation of glucose transport by cAMP-stimulators via. three different mechanisms in rat and human adipocytes. J. Biol. Chem., 285 : 13685.

Kaszynski, E. 1983. The stimulation of hair growth in the flank organs of female hamsters by subcutaneous testosterone propionate and its inhibition by topical cyproterone acetate : Dose response studies. Brit. J. Dermatol., 109 : 565-569.

Katz, J. and Rogenstad, R. 1966. The metabolism of tritiated glucose by rat adipose tissue. *J. Biol. Chem.*, 241 : 3600-3601.

Kawamura, M., Jensen, D.F., Wancewicz, E.V., Joy, L.L., Khoo, J.C. and Steinberg, D. 1981. Hormone-sensitive lipase in differentiated 3T3 - L₁ cells and its activation by cAMP-dependent protein kinase. *Proc. Nat. Acad. Sci. U.S.A.*, 78 : 732-736.

Kawamura, M., Nakamichi, N., Imagawa, N., Tanaka, Y., Tomita, C. and Matsuba, M. 1984. Effect of adrenaline on steroidogenesis in primary cultured bovine adrenocortical cells. *Jpn. J. Pharmacol.*, 36 : 35-42.

Keel B.A. and Abnay, T.D. 1982. Effects of estradiol administration in vivo on testosterone production in two populations of rat Leydig cells. *Biochem. Biophys. Res. Comm.*, 107 : 11340-11348.

Kealey, T., Lee, C.M. Laker, M.F. and Cassidy, D.M. 1986. The pattern of lipogenesis in isolated human sebaceous glands. *J. Invest. Dermatol.*, 87 : 1149. (Abstract).

Keizer, H.A., Poortman, J. and Bunnik, G.S.J. 1980. Influence of physical exercise on sex hormone metabolism. *J. Appl. Physiol.*, 48 : 765.

Kellogg, D.A., Glenner, G.G. 1960. Histochemical localization of human term placental 17 β - estradiol dehydrogenase reaction. *Nature*., 187 : 763.

Kennedy, E.P. 1953. Synthesis of phosphatides in isolated mitochondria. J. Biol. Chem., 201 : 399-412.

Kennedy, E.P. 1954. (Cited by Goodwin, T.W., 1960).

Kennedy, E.P. 1957a. Fed. Proc., 16 : 847. (Cited by Goodwin, T.W., 1960).

Kennedy, E.P. 1957b. Ann. Rev. Biochem., 26 : 119. (Cited by Goodwin, T.W., 1960).

Kernich, J.J. and Liu, D.K. 1980. Effect of aldosterone on RNA polymerase activity in rat kidney cortical and medullary mitochondria. Biochem. Pharmacol., 29 : 1575-1581.

Kessar, P. and Crompton, M. 1981. The alpha-adrenergic mediated activation of Ca^{+2} influx into cardiac mitochondria : A possible mechanism for the regulation of intramitochondrial free calcium. Biochem. J., 200 : 379-388.

Kevin, J.P., Juha, P.K. and Marver, D. 1981. Secondary effect of aldosterone on Na-K-ATPase activity in the rabbit cortical collecting tubule. J. Clin. Invest., 68 : 1514-1521.

Khoo, J.C., Berglund, L., Jensen, D. and Steinberg, D. 1980. Hormone-sensitive lipase of rat adipose tissue correlation of activity with a protein of molecular weight 84000. Biochem. Biophys. Acta., 619 : 440-444.

Kim, M.H. and Herrmann, W.C. 1968. In vitro metabolism of dehydroepiandrosterone sulfate in foreskin, abdominal skin and vaginal mucosa. J. Clin. Endocrinol., 28 : 187-191.

King, L.E., Florendo, N.T., Solomon, S.S. and Hashimoto, K. 1974.

Cyclic 3', 5'-nucleotide phosphodiesterase. I.

Histochemical localization in rat skin. J. Invest.

Dermatol., 62 : 485.

Kinouchi, T. and Horton, R. 1974. $\alpha\beta$ -androstane diol kinetics in man. J. Clin. Inv., 54 : 646-652.

Kirschner, M.B., Sinhamahapatra, S., Zucker, I.R., Loriaux, P.L. and Nieschlag, E. 1973. The production, origin and role of DHA and delta 5-androstanediol as androgen prehormones in hirsute women. J. Clin. Endocr. Metab., 37 : 183-189.

Kirsten, E., Kirsten, P., Leaf, A. and Sharp, G.W.G. ^{1968.} Increased activity of enzymes of the TCA cycle in response to aldosterone in the toad bladder. Pflugers. Arch., 300 : 213-225.

Kirsten, E., Kirsten, P. and Sharp, G.W.G. 1970. Effects of sodium transport stimulating substances on enzyme activities in the toad bladder. Pflugers. Arch., 316 : 26-33.

Kiss, Z. and Farkas, T. 1975. The effect of isoproterenol on the metabolism of phosphatidylinositol by rat heart in vitro. Biochem. Pharmacol., 24 : 999-1002.

Klain, G.J. and Weiser, P.C. 1973. Changes in hepatic fatty acid synthesis following glucagon injections in vivo. Biochem. Biophys. Res. Comm., 55 : 76-83.

Klaushofer, K. and Bock, P. 1974. Studies on 5'-nucleotidase histochemistry. II. Differences in 5'-nucleotidase activity in stratified squamous epithelia and skin appendages of mouse, rat and guinea pig. Histochem., 40 : 39-49.

Klein, W.L. and Boyer, P.D. 1972. Energization of active transport by Escherichia Coli. J. Biol. Chem., 247 : 7257-7265.

Kligman, A.M. 1974. An overview of acne. J. Invest. Dermatol., 62 : 268-287.

Kligman, A.M. and Shelley W.B. 1958. An investigation of the biology of the human sebaceous gland. J. Invest. Dermatol., 30 : 99-125.

Knox, W.E. and Greenguard, O. 1965. An introduction to enzyme physiology; Advances in Enzyme Regulation., 3 : 247-248. (Ed. Weber, G., New York, London, Pergaman Press).

Kochakian, C.D. 1964. Protein anabolic property of androgens. Alabama, J. Med. Sci., 1 : 24-37.

Kochakian, C.D. and Williams, B.R. 1973. The subcellular localization of the changes in ribonuclease and phosphatase activities of the mouse kidney produced by castration and testosterone. Steroids., 27 : 95-110.

Kornberg, A. and Pricer, W.E. 1951. DPN and TPN isocitrate dehydrogenases in yeast. J. Biol. Chem., 189 : 123-136.

Kornberg, A. and Pricer, W.R. 1952. Enzymatic synthesis of phosphorus containing lipids. J. Am. Chem. Soc., 74: 1617.

Kornberg, A. and Pricer, W.E. Jr. 1953. J. Biol. Chem. 204 : 329-345. (Cited by Goodwin, T.W., 1960).

Korsrud, G.O. and Baldwin, R.L. 1972. Estimations of rates of synthesis and degradation of several rat mammary gland enzymes from changes in enzyme activities. Can. J. Biochem., 50 : 386-391.

Kostyo, J.L. and Redmond, A.F. 1966. Role of protein synthesis in the inhibitory action of adrenal steroid hormones on amino acid transport by muscle. Endocrinol., 79 : 531-540.

Kotak, V.C. 1979. Certain histoenzymological endocrinological observations on the reproductive cycles of Indian feral blue rock pigeon columba livia (Gmelin) Ph.D. Thesis submitted to the M.S. University of Baroda, Baroda, India.

Kotak, V.C. and Padmanabhan, N. 1980. Observations on 17β , 3β and 3α -hydroxysteroid dehydrogenases in the uropygial gland of house sparrow (Passer Domesticus L) : A histochemical profile. Curr. Sci., 49 : 14-16.

Krall, A.R., Siegel, G.J., Gozansky, D.M. and Wagner, F.L. 1964. Adrenochrome inhibition of oxidative phosphorylation by rat brain mitochondria. Biochem. Pharmacol., 13 : 1519-1525.

Kreuz, L.E., Rose, R.M. and Jennings, J.R. 1972. Suppression of plasma testosterone levels on psychological stress. Arch. Gen. Psychiat., 26 : 479-482.

- Kristen, B.E. 1969. An effect of isoproterenol on rates of synthesis and secretion of testosterone. Am. J. Physiol., 217 : 1764-1770.
- Krolikowska, I. 1966. Hydrolytic enzymes in cells of the prostate gland and seminal vesicles of castrated white rats. Z. Mikrosk. Anat. Forsch., 75 : 389-399.
- Kun, E. and Abood, L.G. Colorimetric estimation of succinic dehydrogenase by triphenyl tetrazolic chloride. Science., 109 : 144-146.
- Kuninaka, T. 1981a. Synergism of cytochrome C, FMN and TDP : 2. Influences on mitochondrial functions of carbon tetrachloride-impaired heart of rats, and on respiratory inhibitors. J. Med. Soc. Toho. Univ., 27 : (516) : 580-593.
- Kuninaka, T. 1981b. Synergism of cytochrome C, FMN and TDP : 3. Influences on myocardial function in isoproterenol-impaired heart muscle of rats. J. Med. Soc. Toho. Univ., 27 (5/6) : 594-605.
- Kuntzman, R., Jacobson, M., Schneidmen, K. and Conney, A.H. 1964. Similarities between oxidative drug metabolizing enzymes and steroid hydroxylase in liver microsomes. J. Pharm. Exp. Therap., 146 : 280-285.
- Kuntzman, R., Welch, R. and Conney, A.H. 1966. Factors influencing steroid hydroxylase in liver microsomes. Adv. Enzy. Reg., 4 : 149-160.

Kutten, F., Mowszowicz, I., Schaison, G. and Mauvais-Jarvis, p. 1977. Androgen production and skin metabolism in hirsutism. J. Endocr., 75 : 82-93.

Kutsuna, F. 1972. Electron microscopic studies isoproterenol-induced myocardial lesion in rats. Jpn. Heart J., 13 : 168-175.

Kvetnansky, R., Weise, V.K. Thoa, W.B. and Kopin, I.J. 1979. Effects of chronic guanethidine treatment and adrenal medullectomy on plasma levels of catecholamine and corticosterone in forcibly immobilized rats. J. Pharm. Exp. Therap., 209 : 287-291.

Lakshmanan, M.R., Nepokroeff, C.M. and Porter, J.W. 1972. Control of the synthesis of fatty acid synthetaseⁱⁿ_A rat liver by insulin, glucagon adenosine 3':5' cyclic monophosphate. Proc. Natn. Acad. Sci. U.S.A., 69 : 3516-3519.

Lasher, N., Lorincz, A.L. and Rothman, S. 1954. Hormonal effects on sebaceous gland in the white rat. II. The effects of the pituitary-adrenal axis. J. Invest. Dermatol., 22 : 25-31.

Lasher, N., Lorincz, A.L. and Rothman, S. 1955. Hormonal effects on sebaceous glands in the white rat. III. Evidence for the presence of a pituitary sebaceous gland tropic factor. J. Invest. Dermatol., 24 : 499-505.

Lazarus, G.S., Hatcher, V.B. and Levine, N. 1975. Lysosomes and the skin. J. Invest. Dermatol., 65 : 259-271.

Lee, K.H., Thrall, T. and Kim, K. H. 1973. Hormonal regulation of acetyl coenzyme A carboxylase : Effect of insulin and epinephrine. Biochem. Biophys. Res. Comm., 54 : 1133-1140.

Lee, S.K. and Jungmann, R.A. 1981. Isoproterenol-induced selective phosphorylation in vivo of the 214,000 dalton subunits of rat C6 glioma cell RNA polymerase II. Biochem. Biophys. Res. Comm., 102 : 538-544.

Lee, T.P. and Reed, C.E. 1977. Effects of steroids in the regulation of the levels of cyclic AMP in human lymphocytes. Biochem. Biophys. Res. Comm., 78 : 998-1004.

Lehninger, A.L., Carofoli, E. and Rossi, C.S. 1967. Energy linked ion movements in mitochondrial systems. Adv. Enzymol., 29 : 259.

Lehninger, A.L. and Greville, G.D. 1953. The enzymic oxidation of d and L- β hydroxybutyrate. Biochem. Biophys. Acta., 12 : 188-202.

Leung, P.C.K., Arendash, G.W., Whitmoyer, D.I. Gorski, R.A. and Sawyer, C.H. 1982a. Differential effects of central adrenoceptor agonists on leuitinizing hormone release. Neuroendocr., 34 : 207-214.

Leung, P.C.K., Whitmoyer, D.I., Garland, K.E. and Sawyer, C.H. 1982b. β -adrenergic suppression of progesterone-induced leuitinizing hormone surge in ovariectomized, estrogen-primed rats. Proc. Soc. Exp. Biol. Med., 169 : 161-164.

- Levin, J., Lloyd, C.W., Lobotsky, J. and Friedrich, E.H. 1967. The effects of epinephrine on testosterone production. Acta. Endocr., 55 : 184-192.
- Levy, H.R. 1961. Fatty acid synthesis and glucose-6-phosphate dehydrogenase in rat mammary gland in Biosynthesis of lipids. 7. Ed. popjack, G. Proc. 5th Intern. Congress. Biochem., published in 1963, Pergamon Press, Oxford.
- Li, J.B. and Jefferson, L.S. 1977. Effect of isoproterenol on amino acid levels and protein turnover in skeletal muscle. Am. J. Physiol., 232 : E243-E249.
- Liao, S. 1977. Molecular actions of androgens. In "Biochemical actions of hormones". Ed : G. Litwack. Academic Press. London and New York. Vol. 4. pp. 351-406.
- Liao, S., Lin, A.H. and Tymoczko, J.L. 1971. Adenyl cyclase of cell nuclei isolated from rat ventral prostate. Biochem. Biophys. Acta., 230 : 535-538.
- Liang, T. and Liao, S. 1975. Very rapid effect of androgen on initiation of protein synthesis in prostate. Proc. Natn. Acad. Sci. U.S.A., 72 : 706-709.
- Liljeroot, B.S. and Hall, J.C. 1965. Oxidative phosphorylation in liver mitochondria from adrenalectomized rats and the response to hormones added in vitro. J. Biol. Chem., 240 : 1446-1452.
- Lindholm, J.S., McCormick, J.M., Colton, S.W. and Downing, D.T. 1981. Variation of skin surface lipid composition among mammals. Comp. Biochem. Physiol., 69B : 75-78.

Linhartova, A. 1974. Sebaceous glands in salivary gland tissue.

Arch. Pathol., 98 : 320-340.

Lipkin, G., Wheatley, V.R. and March, C. 1965. Studies on the lipids of dog skin. III. The in vivo incorporation of acetate, pyruvate and certain amino acids into the lipids of isolated perfused dog skin. J. Invest. Dermatol., 45 : 356-361.

Liu, D.K. and Kochakian, C.D. 1972. Partial purification and some properties of guinea pig kidney 17β -hydroxy C 19-steroid dehydrogenase. Steroids., 19 : 701-709.

Liu, D.K., Liew, C.C. and Gornall, A.G. 1972. Effects of aldosterone on mitochondrial enzyme (s) and cytochromes of rat tissues. Can. J. Biochem., 50 : 1219-1225.

Lockwood, D.H. and Williams-Ashman, H.G. 1971. Cholinergic stimulated alkaline phosphatase secretion and phospholipid synthesis in guinea pig seminal vesicles. J. Cell. Physiol., 77 : 7-16.

Loh, Y.P. and Jenks, B.G. 1981. Evidence for 2 different turnover pools of ACTH, α -melanocyte stimulating hormone and endorphin-related peptides released by the frog (*Xenopus laevis*) pituitary neurointermediate lobe. Endocrinol., 109 : 54-61.

Long, C.N.H., Katzin, B. and Fry, E.G. 1940. The adrenal cortex and carbohydrate metabolism. Endocrinol., 26 : 309-344.

Lookingbill, D.P., Egan, N., Demers, L.M., Horton, R. and Santen, R.J. 1984. Levels of androgens including plasma 3α -androstanediol in women with acne. J. Invest. Dermatol., 82 : 411 (Abst).

Lorenz, B.H. 1965. Pyruvate-2-C¹⁴ metabolism in skin. Can. J. Biochem., 43 : 1011-1016.

Lorincz, A.L. 1963. The effects of progesterone and a pituitary preparation with sebotrophic activity on sebaceous glands. pp. 188-199. In "Advances in biology of skin." Vol. IV. The sebaceous glands." Eds. Montagna, W., Ellis, R.A. and Silver, A.F. Pergamon Press, Oxford, London. New York. Paris.

Lowenstein, J.M. 1961. The pathway of hydrogen in biosynthesis. II. Extramitochondrial isocitrate dehydrogenase. J. Biol. Chem., 236 : 1217-1219.

Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. 1951. Protein measurement with the folin-phenol reagent. J. Biol. Chem., 193 : 265-276.

Lucas, A.M. 1968. Lipoid secretion in avian epidermis. Anat. Rec., 166 : 386-387.

Luck, J.M. and Morse, S.W. 1933. The effects of insulin and adrenaline on the amino-acid content of blood. Biochem. J., 27 : 1648-1654.

Lucky, A.W. 1987. Androgens and the skin. Another journey around the circle. Arch. Dermatol., 123 : 193-195.

Lucky, A.W., Rosenfield, R.L. and McGuire, J. 1986. Adrenal androgen hyperresponsiveness to adrenocorticotropin in women with acne and/or hirsutism : Adrenal enzyme defects and exaggerated adrenarch. J. Clin. Endocrinol. Metab., 62 : 840-848.

Lunaas, T., Baldwin, R.L. and Cupps, P.T. 1968. Levels of certain soluble dehydrogenases in the rat testis and epididymis. J. Reprod. Fertil., 17 : 177-178.

Lunderschmidt, C. and Plewig, G. 1977. Effects of cyproterone acetate and carboxylic acid derivatives on the sebaceous glands of the syrian hamster. Arch. Dermatol. Res., 258 : 185-191.

Lynen, F. 1961. Biosynthesis of saturated fatty acids. Fed. Proc., 20 : 941.

Machado, de Sousa, O. 1931. Sur la presence de glandes sebacees au niveau du gland chz1, homme. CR Soc. Biol., 108 : 894-897.

Maderson, P.F.A. 1967. The histology of the escutcheon scales of Gonatodes (Gekkonidac) with a comment on the squamate sloughing cycle. Copeia., 743-752.

Mahrle, G. and Orfanos C.E., 1975a. Ultrastructural localization and differentiation of membrane-bound ATP-utilizing enzymes including adenylyl cyclase in normal and psoriatic epidermis. Br. J. Dermatol., 93 : 495-507.

Mahrle, G. and Orfanos, C.E. 1976. Localization and activity of tissue bound cyclic nucleotide phosphodiesterase in normal and lack of changes in psoriatic human skin. Brit. J. Dermatol., 95 : 591.

Maickel, R.P., Stern, D.N., Takabatake, E. and Brodie, B.B. 1967.

The sympathetic nervous system as a homeostatic mechanism.

II. Effect of adrenocortical hormones on body temperature maintenance of cold-exposed adrenalectomized rats.

J. Pharm. Expt. Ther., 157 : 1111-116.

Mainwaring, W.I.P. 1977. The mechanism of action of androgens.

Springer-Verlag, Berlin.

Mainwaring, W.I.P. and Wilee, P.A. 1972. Further studies of the stimulation of protein synthesis in androgen-dependent tissues by testosterone. Biochem. J., 130 : 189-197.

Maiti, B. 1971. Influence of estrogen on the histo-physiology of the ~~uro~~opygial gland. Arch. histol. Jap., 33 : 371-380.

Makino, H. and Tetsuro, K. 1981. Characterization of insulin-sensitive phosphodiesterase in fat cells : Absence of incorporation of phosphorus $-^{32}P$ into the enzyme. Biomed. Res., 2 : 52-56.

Malaty, H.A. and Bourne, G.H. 1954. The distribution of 'simple' esterase in human tissues. Acta. Anat., 21 : 249-258.

Mallorga, P., Tallman, J.F. and Fishman, P.H. 1981. Differences in the β -adrenergic responsiveness between high and low passage rat glioma C6 cells. Biochem. Biophys. Acta., 678 : 221-229.

Mangan, F.R., Pegg, A.E. and Mainwaring, W.I.P. 1973. A reappraisal of effects of adenosine 3' : 5'-cyclic monophosphate on the function and morphology of the rat prostate gland. Biochem. J., 134 : 129-142.

Margaret, F., Dzurba, A. and Attila, Z. 1974. Effect of isoproterenol on the activity of Na^+ , K^+ -adenosine triphosphatase from dog hearts. Biochem. Pharmacol., 23 : 2887-2893.

Margolis, S. and Vaughan, M. 1962. α -glycerophosphate synthesis and breakdown in homogenates of adipose tissue. J. Biol. Chem., 237 : 44.

Marlene, H. and Green, R.D. 1977. Effects of isoproterenol on cyclic AMP and cyclic AMP-dependent protein kinase in developing chick myocardium. Biochem. Biophys. Acta., 500 : 1152-1161.

Marois, M. and Salesses, A. 1967. Contribution to histochemical studies on the preputial gland in rats. Cr. Ass. Anat., 138 : 854-859.

Marone, G., Lichtenstein, L.M. and Plaut, M. 1980. Hydrocortisone and human lymphocytes : Increases in cyclic adenosine 3' : 5'-monophosphate and potentiation of adenylate cyclase-activating agents. J. Pharm. Expt. Ther., 215 : 469-478.

Marsden, J.R., Laker, M.F., Ford, G.P. and Shuster, S. 1984. Effect of low dose cyproterone acetate on the response of acne to isotretinoin. Brit. J. Dermatol., 1110 : 697-702.

Martan, J. and Risley, P.L. 1963. Holocrine secretory cells of the rat epididymis. Anat. Rec., 146 : 173-189.

- Martin, D.B. and Vagelos, P.R. 1962. The mechanism of tricarboxylic acid cycle regulation of fatty acid synthesis. J. Biol. Chem., 237 : 1787.
- Marver, D. 1984. Influence of adrenalectomy and steroid replacement on heart citrate synthase levels. Am. J. Physiol., 246: E452-E457.
- Marynick, S.P., Chakmakjian, Z.H., McCaffree, D.L. and Herndon, J.H. Jr. 1983. Androgen excess in cystic acne. New Engl. J. Med., 308 : 981-986.
- Masaaki, I., Suzuki, M., Motoyoshi, K., Maruyama, T. and Sato, Y. 1984. New findings on the proteins of sebaceous glands. J. Invest. Dermatol., 82 : 381-385.
- Masahiro, K., Jensen, D.F., Wancewicz, E.V., Joy, L.L., Khoo, J.C. and Steinberg, D. 1981. Hormone-sensitive lipase in differentiated 3T3-L1 cells and its activation by cAMP-dependent protein kinase. Proc. Natn. Acad. Sci. U.S.A., 78 : 732-736.
- Matsui, H. and Schwartz, A. 1966. Purification and properties of a highly active ouabain sensitive Na, K-dependent adenosine triphosphatase from cardiac tissue. Biochem. Biophys. Acta., 128 : 380-390.
- Mauvais-Jarvis, P., Charransol, G. and Bobas-Masson, F. 1973. Simultaneous determination of urinary androstanediol and testosterone as an evaluation of human androgenicity J. Clin. End. Met., 36 : 452-459.

Mauvais-Jarvis, P., Floch, H.H. Jung, I., Robel, P. and Baulieu, E.E. 1968b. Studies on testosterone metabolism.

VI. Precursors of urinary androstanediols. Steroids., 11 : 207.

Mauvais-Jarvis, P., Kuttenn, F. and Baudot, N. 1974. Inhibition of testosterone conversion to dihydrotestosterone in men treated percutaneously by progesterone. J. Clin. Endo. Met., 38 : 142.

Mayorga, L.S. and Bertini, F. 1981. Acid hydrolases in the epididymis of normal, castrated, vasectomized, cryptorchid and cyptepididymal rats. Int. J. Androl., 4 : 208-219.

Maziere, J.C., Maziere, C., Gardette, J., Mora, L. and Polonovski, J. 1983. Effect of cyclic AMP on low density lipoprotein binding and internalization by cultured human fibroblast. Biochem. Biophys. Res. Comm., 112 : 795-800.

McGuire, J.S. Jr. and Tomkins, G.M. 1959. The effects of thyroxin 1959. The effects of thyroxin administration on the enzymic reduction of Δ^4 -3-ketosteroids. J. Biol. Chem., 234 : 791.

McNay, J.L. and Goldberg, L.I. 1966. Comparison of the effects of dopamine, isoproterenol, noradrenalin and bradykinin on canine renal and femoral blood flow. J. Pharm. Exp. Therap., 151 : 23.

Meikle, A.W., Klain, G.J. and Hannon, J.P. 1973. Inhibition of glucose oxidation and fatty acid synthesis in liver slices from fed, fasted and fasted-refed rats by glucagon, epinephrine and cyclic adenosine - 3',5' monophosphate.

Melancon, S.B., Tayco, J. and Nadler, H.L. 1972. The free amino acid pool of cultivated human skin fibroblasts. Proc. Soc. Exp. Biol. Med., 141 : 391-395.

Melczer, N and Deme, S. 1942. Beitrage Zur Tätigkeit der menschlichen Talgdrusen II. Rolle and Formveränderungen des Golgi Apparatus Wahrend der Talgproduktion. Arch. f. Dermat-u-Syph. 183 : 388-95. Cited by Rothman, 1954.

Mesquita, G.S. and Coimbra, A. 1981. The effect of sexual hormones on lipid and protein secretion of the rat preputial sebaceous gland. Arch. Dermatol. Res., 270 : 325-332.

Metcalf, W. and Gross, E. 1960. Influence of anabolic steroids on uptake of alpha-aminoisobutyric acid by levator ani muscle. Science., 132 : 41-42.

Meza Chavez, L. 1949. Sebaceous glands in normal and neoplastic parotid glands. Possible significance of sebaceous glands in respect to the origin of tumors of the salivary glands. Am. J. Pathol., 25 : 627-645.

Mezey, E., Reisine, T.D., Palkovits, M., Bronstein, M.J. and Ayelrod, J. 1983. Direct stimulation of β_2 -adrenergic receptors in rat anterior pituitary induces the release of ACTH in vivo. Proc. Natn. Acad. Sci. U.S.A., 80 : 6728-6731.

Michael, J.C. 1965. Distribution of dehydrogenases in the skin of Rhesus monkey (*Macaca mulatta*). J. Histochem. Cytochem., 13 : 668-676.

Michael J.C. and Hoopes, J.E. 1970. Quantitative histochemistry of nicotinamide adenine nucleotides in human skin.
J. Invest. Dermatol., 55 : 277-281.

Michael, J.C. and Hoopes, J.E. 1974. Enzymes of carbohydrate metabolism in normal human sebaceous glands. J. Invest. Dermatol., 62 : 153-160.

Michell, R.H. and Jones, L.M. 1974. Enhanced phosphatidylinositol labelling in rat parotid fragments exposed to α -adrenergic stimulation. Biochem. J., 138 : 47-52.

Mier, P.D. and Cotton, D.K.W. 1967. Enzymes of the glycolytic pathway in skin. VI. Aldolase. Br. J. Dermatol., 79 : 407-410.

Mier, P.D. and Urselmann, E. 1972. Adenosine 3' : 5' cyclic monophosphate phosphodiesterase in skin. I. Measurement and properties. Brit. J. Dermatol., 86 : 141-146.

Miescher, G. and Schonberg, A. 1944. Untersuchungen über die Funktion der Talgdrusen, Bull. Schweiz. Alcad. d. med. Wissensch., 11 : 101-114. Cited by Kligman and Shelley (1958).

Miles, M.F., Hung, P. and Jungman,, R.A. 1981. Cyclic AMP regulation of lactate dehydrogenase. J. Biol. Chem., 256 : 12545-12552.

Mills, I., Moreno, F.J. and Fain, J.N. 1984. Forskolin inhibition of glucose metabolism in rat adipocytes independent of cyclic AMP accumulation and lipolysis. Endocrinol., 115 : 1066-1069.

- Mills, T.M. and Spaziani, E. 1968. The influence of testosterome on penetration of α -aminoisobutyric acid α -deoxyglucose in male rat sex accessory tissues. Biochem. Biophys. Acta., 150 : 435-445.
- Milkovic, S., Garrison, M.M. and Bates, R.W. 1964. Study of the hormonal control of body and organ size in rats with mammatrophic tumors. Endocrinol., 75 : 670.
- Millward, D.J., Garlick, P.J., Dickson, O.N. and Waterlow, J.C. 1976a. The relative importance of muscle protein synthesis and breakdown in the regulation of muscle mass. Biochem. J., 156 : 185-188.
- Miraglia, T. and Santos, A.J.D. 1971. Histochemical data on the sebaceous glands in the lips of the marmoset (*Callithrix Jacchus*). Acta Anat., 78 : 295-305.
- Mishunina, T.M. and Mestechkina, A.Y. 1981. Carbon-14-labeled alanine incorporation into proteins and their contents in the tissue of intact and adrenalectomized rabbits after hydrocortisone and ACTH administration. Ukr. Biochem. Zh., 52 : 587-592.
- Mitova, M., Bednarik, B., Cerny, E., Foukal, T., Kratky, J. and Papousek, F. 1983. Influence of physical exertion on early isoproterenol-induced heart injury. Basic. Res. Cardiol., 78 : 131-139.

- Miyagawa, T. and Eguchi, Y. 1981. Acid DNase, acid phosphodiesterase and acid phosphatase of newborn rat, epidermis : Multiple forms and glycoprotein nature. Comp. Biochem. Physiol. C. Comp. Pharmacol., 69 : 39-44.
- Moger, W.H. 1980. In vitro inhibitory effect of estradiol on testosterone production. J. Steroid. Biochem., 12 : 61-66.
- Moger, W.H. and Anakwe, O.O. 1983. Effects of forskolin on androgen production by mouse interstitial cells in vitro: Interactions with luteinizing hormone and isoproterenol. Biol. Reprod., 29 : 932-937.
- Moger, W.H. and Murphy, P.R. 1983. β -adrenergic agonist induced androgen production during primary culture of mouse Leydig cells. Arch. Androl., 10 : 135-142.
- Moger, W.H., Murphy, P.R. and Casper, R.F. 1982. Catecholamine stimulation of androgen production by mouse interstitial cells in primary culture. J. Androl., 3 : 227-231.
- Moltz, L. and Schwartz, U. 1986. Gonadal and adrenal androgen secretion in hirsute females. J. Clin. Endocrinol. Metab., 15 : 229-245.
- Monier, D., Santhanam, K. and Wagle, S.R. 1972. Studies on the inhibition of amino acid incorporation into protein by isolated rat liver ribosomes by protein kinase. Biochem. Biophys. Res. Comm., 46 : 1881-1886.

- Montagna, W. 1955a. Histochemistry and cytochemistry of the human skin. IX. The distribution of non specific esterase. J. Biophys. Biochem. Cytol., 1 : 13-16.
- Montagna, W. 1963. Chapter 2. The sebaceous glands in man and Chapter 3. Comparative aspects sebaceous glands. In : Advances in biology of skin. Vol. 4. The sebaceous glands (eds.) Montagna, W., Ellis, R.A. and Silver, A.F. Pergamon Press.
- Montagna, W. 1970. Histology and cytochemistry of human skin. XXXV. The nipple and areola. Brit. J. Dermatol., 83 : 2-13.
- Montagna, W. and Ellis, R.A. 1958. Histology and Cytology of human skin. XVI. Distribution and concentration of carboxylic esterases. Ann. Histochem., 3 : 1-17.
- Montagna, W. and Ellis, R.A. 1960. The skin of primates. II. The skin of the slender loris. (Loris tardigradus). Am. J. Thys. Anthropol., 18 : 19-43.
- Montagna, W. and Formisano, R. 1955. Histology and histochemistry of human skin. VII. The distribution of SDH activity. Anat. Rec., 122 : 65-77.
- Montagna, W. and Yun, J. 1962. The skin of primates. The skin of the ring-tailed lemur (Lemur catta). Am. J. Phys. Anthropol., 20 : 95-118.
- Moer, P.D., Verhoeven, G. and Heyns, W. 1975. A comparative study of the androgen receptor apparatus in adult rodents. J. St. Biochem., 6 : 437-442.

- Morville, R., Pesquies, P.C. Guezenec, C.Y., Serrurier, B.D. and Guignard, M. 1979. Plasma variations in testicular and adrenal androgens during prolonged physical exercise in man. Ann. Endocr., 40 : 401-510.
- Mowszowicz, I., Melanitou, E. and Doukani, A. 1983. Androgen binding capacity and 5α -reductase activity in pubic skin fibroblasts from hirsute patients. J. Clin. Endocrinol. Metab., 56 : 1209-1213.
- Moynahan, E.J., Sethi, N.C. and Brookes, M. 1972. Histochemical observations on developing rat skin. J. Anat., III : 427-435.
- Mueller, G.C. and Rumney, G. 1957. Formation of 6 β -hydroxy and 6 - keto derivatives of estradiol-16 -C¹⁴ by mouse liver microsomes. J. Am. Chem. Soc., 79 : 1004-1005.
- Mukherjea, M. 1977. Studies on some unusual lipids of the preputial glands of rats and mice and their hormonal influence. Endocrinol., 69 : 136-142.
- Nasar, A.N. 1965. Histochemical study of lipids in human sebaceous glands. J. Histochem. Cytochem., 13 : 448-502.
- Neely, J.R., Whitmer, J.T. Rovetto, M.J. 1975. Effect of coronary blood flow on glycolytic flux and intracellular pH in isolated rat hearts. Circ. Res., 37 : 733-741.
- Nexmand, P.H. 1944. A case of seborrhea with comedons in conjunction with facial paralysis. Acta. Dermat. Venereol., 25 : 275.

Nicolaides, N. 1963. Human skin surface lipids origin, composition and possible function. In : "Advances in Biology of skin," Vol. IV, The sebaceous glands, pp. 167-187. Ed. by Montagna, W., Ellis, R.A. and Silver, A.F. Oxford : Pergamon Press.

Nicolaides, N. 1965. Skin lipids. II. lipid class composition of samples from various species and anatomic sites.
J. Am. Oil. Chem. Soc., 43 : 691-720.

Nicolaides, N. 1974. Skin lipids : Their biochemical uniqueness.
Sci., 186 : 19-26.

Nicolaides, N. and Wells, G.C. 1957. On the biogenesis of the free fatty acids in human skin surface fat. *J. Invest. Dermatol.*, 29 : 423-433.

Nikkari, T. and Valavaara, M. 1969. The production of sebum in young rats; effects of age, sex, hypophysectomy and treatment with somatotrophic hormone and sex hormones.
J. Endocrinol., 43 : 113-118.

Nirdlinger, E.L. and Bramante, P.O. 1974. Subcellular myocardial ionic shifts and mitochondrial alterations in the course of isoproterenol-induced cardiomyopathy in the rat.
J. Mol. Cell. Cardiol., 6 : 49-60.

Nizuma, K. 1979. Histochemistry in psoriasis : 5'-nucleotidase in psoriatic parakeratotic horny layer. *Arch. Dermatol. Res.*, 265 : 229-234.

- Novikoff, A.B. 1961. Lysosomes and related particles. In, Cell Biochemistry, Physiology, Morphology Vol. 2. (Eds. J. Brachet and Mirsky, A.E), pp : 423-488. New York : Academic Press.
- Novikoff, A.B. 1963. Lysosomes in the physiology and pathology of cells : Contributions of staining methods. In : Ciba foundation symposium on Lysosomes. (de Reuck, A.V.S. and Cameron, M.P., eds), pp. 36-71. Boston : Little Brown.
- Novikoff, A.B., Essner, E., Goldfischer, S. and Heus, M. 1962. Nucleosidephosphatase activities of cytomembranes. Symposium of International Society of Cell Biology., 1 : 149-192.
- Odedra, B.R. and Millward, D.J. 1982. Effect of corticosterone treatment on muscle protein turnover in adrenalectomized rats and diabetic rats maintained on insulin. Biochem. J., 204 : 663-672.
- Oertel, G.W. and Treiber, L. 1969. Metabolism and excretion of C₁₉ - and C₁₈ - steroids by human skin. Eur. J. Biochem., 7 : 234-238.
- Ogata, T. and Mori, M. 1964. Histochemical study of oxidative enzymes in vertebrate muscles. J. Histochem. Cytochem., 12 : 171-182.
- Ohlin, P. 1966. Effects of isoprenaline treatment on secretory responses and respiratory enzymes of the submaxillary gland of the rat. J. Oral. Therap. Pharmacol., 3 : 190-193.

- Orsulak, P.J. and Gawienowski, A.M. 1972. Olfactory preferenus for the rat preputial gland. Biol. Reprod., 6 : 219-223.
- Otorii, T., Takeda, K., Yum, K., Nakagawa, Y. and Imai, S. 1977. Effects of catecholamines on the myocardial redox potential. Jpn. J. Pharmacol., 27 : 553-562.
- Ozegovic, B. and Milkovic, S. 1972. Effects of adrenocorticotropic hormone, growth hormone, prolactin, adrenalectomy and corticoids upon the weight, protein and nucleic acid content of the female rat preputial glands. Endocrinol., 90 : 903-908.
- Pagano, V.T. and Inchiosa, M.A. Jr. 1977. Cardiomegaly produced by chronic beta-adrenergic stimulation in the rat : Comparison with alpha-adrenergic effects. Life Sci., 21 : 619-625.
- Pagano, V.T. and Inchiosa, M.A. Jr. 1979. Characterization of the decreased ATPase activity of rat cardiac actomyosin in isoproterenol-induced cardiac hypertrophy. Res. Comm. Chem. Pathol. Pharmacol., 23 : 37-48.
- Palay, S.L. (ed). 1958. The ontology of secretion in holocrine glands. In : "Frontiers in Cytology", Yale Univ. Press, New Haven Continent.
- Patel, M.S. 1975. Development and regulation of lipogenesis from ketone bodies in developing rat brain : utilization of acetoacetate in the cytosol. Fed. Proc. Fed. Am. Soc. Biol., 34 : 673.

Patel, M.S. Johnson, C.A., Rajan, R. and Owen, O.E. 1975. The metabolism of ketone bodies in developing human brain development of ketone-body-utilizing enzymes and ketone bodies as precursors for lipid synthesis. J. Neurochem., 25 : 905-908.

Patel, M.S. and Owen, O.E. 1976. Effect of hyperphenylalanæmia on lipid synthesis from ketone bodies by rat brain. Biochem. J., 154 : 319-325.

Patel, M.S. and Owen, O.E. 1977. Development and regulation of lipid synthesis from ketone bodies by rat brain. J. Neurochem., 28 : 101-104.

Patterson, D.C., Clark, A.F. and Bird, C.E. 1974. Testosterone- Δ^4 -reductase activity in rat liver : Hormonal control in vivo. J. Endocrinol., 63 : 181-189.

Pearse, A.G.E. 1968. Histochemistry Theoretical and Applied. Vol. I. 3rd edition, Churchill Livingstone Ltd. London.

Pearse, A.G.E. 1972. Histochemistry Theoretical and Applied. Vol. II. 3rd edition, Churchill Livingstone, Ediburge and London.

Pearson, B. and Grouse, F. 1959. Histochemical demonstration of 17β -hydroxysteroid dehydrogenase by use of tetrazolium salt. Proc. Soc. Exp. Biol. Med., 100 : 636-638.

Peczely, P. and Daniel, J.Y. 1979. Testicular-thyroid-adrenal reciprocal interactions in the male quail. Gen. Comp. Endocrinol., 39 : 164-173.

- Pelech, S.L., Pritchard, P.H. and Vance, D.E. 1981. cAMP analogues inhibit phosphatidylcholine biosynthesis in cultured rat hepatocytes. J. Biol. Chem., 256 : 8283.
- Pelouch, V., Prochazka, J. and Deyl, Z. 1973. Changes in contractile proteins of heart tissue under conditions of hypoxia. Cesk Fysiol., 22 : 51-57.
- Perkins, O.C. and Miller, A.M. 1926. Sebaceous glands in the human nipple. Am. J. Obst. Gynecol., 11 : 789-794.
- Peters, R.F. and White, A.M. 1976. The existence of a gluconeogenic pathway in rat skin. Biochem. J., 156 : 465-468.
- Philip, B. and Kurup, P.A. 1978. Adrenocortical suppression and lysosomal stability. Ind. J. Biochem. Biophys., 15 : 193-195.
- Pirkko, H. 1981. Androgenic control of glycolysis, the pentose cycle and pyruvate dehydrogenase in the rat ventral prostate. J. St. Biochem., 14 : 1075-1084.
- Pittman, R.C. and Steinberg, D. 1977. Activable cholesterol esterase and triacylglycerol lipase activities of rat adrenal and their relationship. Biochem. Biophys. Acta., 487 : 431-444.
- Plewig, G., Christophers, E. and Braun-Falco, O. 1971a. Cell transition in human sebaceous glands. Acta. Dermatol. Venereol., 51 : 423-428.
- Plewig, G., Christophers, E. and Braun-Falco, O. 1971b. Proliferative cells in the human sebaceous glands. Acta. Dermatol. Venereol., 51 : 413-422.

- Plewig, G. and Lunderschmidt, C. 1977. Hamster ear model for sebaceous glands. J. Invest. Dermatol., 68 : 171-176.
- Plotz, C.M., Knowlton, A.L. and Regan, C. 1952. The natural history of cushing's syndrome. Am. J. Med., 13 : 597-614.
- Pochi, P.E. and Strauss, J.S. 1969. Sebaceous gland response in man to administration of testosterone, Δ^4 -androstenedione and dehydroepiandrosterone. J. Invest. Dermatol., 52 : 32-36.
- Pochi, P.E. and Strauss, J.S. 1974. Endocrinologic control of the development and activity of the human sebaceous gland. J. Invest. Dermatol., 62 : 191-201.
- Pochi, P.E., Strauss, J.S. and Downing, D.T. 1977. Skin surface lipid composition, acne, pubertal development and urinary excretion of testosterone and 17-ketosteroids in children. J. Invest. Dermatol., 69 : 485-489.
- Pochi, P.E., Strauss, J.S. and Mescon, H. 1962. Sebum secretion and urinary fractional 17-ketosteroid and 17-hydroxycorticoid excretion in male castrates. J. Invest. Dermatol., 39 : 475-483.
- Pochi, P.E., Strauss, J.S. and Mescon, H. 1963. The role of adrenocortical steroids in the control of human sebaceous gland activity. J. Invest. Dermatol., 41 : 391-399.
- Potter, J.E.R., Prutkin, L. and Wheatley, V.R. 1979. Sebaceous gland differentiation : I. separation, morphology and lipogenesis of isolated cells from the mouse preputial gland tumor. J. Invest. Dermatol., 72 : 120-127.

Powell, J.A., Duell, E.A. and Voorhees, J.J. 1971. Beta-adrenergic stimulation of endogenous epidermal cyclic AMP formation.

Arch. Dermatol., 104 : 359-365.

Pugh, G.J.F. and Evans, M.D. 1970a. Keratinophilic fungi associated with birds isolated from feathers, nests and soil.

Trans. Brit. Mycol. Soc., 54 : 223-240.

Pugh, G.J.F. and Evans, M.D. 1970b. Keratinophilic fungi associated with physiological studies. Trans. Brit. Mycol. Soc., 54 : 241-250.

Raab, W.P. and Gmeiner, B.M. 1976. Influences of retionic acid and retinoid on skin metabolism : Investigations of oxygen consumption and enzymatic activities of human skin. Arch. Dermatol. Res., 256 : 247-254.

Rajalakshmi, M. and Prasad, M.R.N. 1976. Stimulation of nucleic acid and protein synthesis in the epididymis and accessory organs of the rat by testosterone. J. Endocrinol. 70 : 263-273.

Rall, T.W., Sutherland, E.W. and Berthert, J. 1957. The relationship of epinephrine and glucagon to liver phosphorylase.
IV. Effect of epinephrine and glucagon on the reactivation of phosphorylase in liver homogenates. J. Biol. Chem., 224 : 463-475.

Ramasastri, P., Downing, D.T., Pochi, P.E. and Strauss, J.S. 1970. Chemical composition of human skin surface lipids from birth to puberty. J. Invest. Dermatol., 54 : 139-144.

- Ramos, K., Combs, A.B. and Acosta, D. 1983. Cytotoxicity of isoproterenol to cultured heart cells: Effects of antioxidants on modifying membrane damage. Toxicol. Appl. Pharmacol., 70 : 317-323.
- Rannels, S.R., Rannels, D.E. Pegg, A.E. and Jefferson, L.S. 1978. Glucocorticoid effects on peptide-chain initiation in skeletal muscle and heart. Am. J. Physiol., 235 : E 134 - E 139.
- Razamakhnin, V.E., Sulaev, A.B., Urinyuk, V.M., Udalova, L.C. and Nemakova, N.N.S. 1979. Amino acid and lipid composition of the sebaceous gland secretion of the european beaver. Biol. Nauki (Mosc)., 0(2) : 12-14.
- Rees, A., Harvey, S. and Phillips, J.G. 1985. Adrenergic stimulation of adrenocortical secretion in immature fowl. Comp. Biochem. Physiol. C. Comp. Pharmacol. Toxicol., 81 : 387-390.
- Reingold, S.B. and Rosenfield, R.L. 1987. The relationship of mild hirsutism or acne in women to androgens. Arch. Dermatol., 123 : 209-212.
- Reis, J.L. 1951. The specificity of phosphomonoesterases in human tissues. Biochem. J., 48 : 548-551.
- Riggs, T.R. and Wegrzyn, S.W. 1966. Modification of body levels of α -aminoisobutyric acid in the rat by several androgenic steroids. Endocrinol., 78 : 137-140.
- Robinson, J.D., Bradley, R.M. and Brady, R.O. 1963. Biosynthesis of fatty acids. III. Utilization of substituted acyl coenzyme A derivatives as intermediates. J. Biol. Chem., 238 : 528.

- Robinovitch, M.R. 1973. Lysosomal enzymes in relation to the isoproterenol-induced secretory cycle in rat parotid gland. Expt. Cell. Res., 82 : 439-451.
- Robison, G.A. and Sutherland, E.W. 1972. Ann. N.Y. Acad. Sci., 185 : 5-90. cited by Mangan et al., 1973.
- Rommerts, F.F.G., Kruger-Sewnarian, B.Ch., Van, W.A., Grootegoed, J.A. and Van Der Molen, H.J. 1978. Secretion of proteins by sertoli cell-enriched cultures : Effects of follicle stimulating hormone, dibutyryl cAMP and testosterone and correlation with secretion of estradiol and androgen binding protein. Mol. Cell. Endocrinol., 10 : 39-55.
- Rose, F.L. 1970. Tortoise chin-gland fatty acid composition. Comp. Biochem. Physiol., 32 : 577-580.
- Rose, L.I. and Birnbaum, M.D. 1979. Therapy of adrenocortical hydroxylase deficiencies in acne vulgaris. Int. J. Dermatol. 18 : 386-389.
- Rose, L.I., Newmark, S.R., Strauss, J.S. and Pochi, P. 1976. Adrenocortical hydroxylase deficiencies in acne vulgaris. J. Invest. Dermatol., 66 : 324-326.
- Rosenfeld, M.G. and O' Malley, B.W. 1970. Steroid hormones : effects on adenyl cyclase activity and adenosine 3', 5'-monophosphate in target tissues. Science., 168 : 253-255.
- Ross, P.S., Vincent, C.M. and Vaughan, M. 1977. Regulation of cyclic nucleotide phosphodiesterase in cultured hepatoma cells by dexamethasone and N⁶, O²-dibutyryl adenosine 3':5' - monophosphate. J. Biol. Chem., 252 : 1448-1452.

- Rossiter, R.J., McMurray, W.C. and Strickland, K.P. 1957. Fed. Proc., 16 : 853. (Cited by Goodwin, T.W).
- Rossiter, R.J. and Strickland, K.P. 1950. The metabolism and function of phosphatides. In: "Lipid metabolism". K. Bloch (Ed). John Wiley & Sons.
- Rothman, S. 1954. In, "Physiology and biochemistry of the skin." Chicago, University of Chicago Press.
- Rothaman, S. and Herrmann, F. 1953. In : Discussion of Robin, M. and Kepecs (1953). The relationship between certain emotional state and the rate of secretion of sebum. J. Invest. Dermatol., 20 : 373-384. Cited by Rothman, 1954.
- Rousseau, G.G. 1977. Activity of protein kinase dependent on adenosine 3' : 5' monophosphate and of its thermostable protein inhibitor in rat hepatoma cells. Unlikely role in the permissive action of glucocorticoids. Eur. J. Biochem., 76 : 309-316.
- Rovkach, V.R. 1967. Aldolase activity in the skin and blood of psoriasis patients. Zdravookhr Beloruss., 13 : 53-55.
- Rudack, D., Bruce, D. and Holten, D. 1971. Regulation of rat liver glucose-6-phosphate dehydrogenase levels by adenosine 3', 5'-monophosphate. J. Biol. Chem., 246 : 7823-7824.
- Ruddle, F.H. 1966. Kidney esterases of the mouse (*Mus musculus*) : Electrophoretic analysis of inbred lines (57BL/6J, RF/J and SJL/J. J. Histochem. Cytochem., 14 : 25-32.
- Ruddle, F.H. and Harrington, L. 1967. Tissue specific esterase isozymes of the mouse (*Mus musculus*). J. Exp. Zool., 106 : 51-64.

- Salinukul, N. 1985. Studies on epidermal glands and specialized secretory units of avian integument. Ph.D. thesis submitted to the M.S. University of Baroda, Baroda, India.
- Samuels, L.T., Sweat, M.L., Levedahl, B.H., Pottner, M.M. and Helmreich, M.L. 1950. Metabolism of testosterone by livers of different species of animals. J. Biol. Chem., 183 : 231-239.
- Sanborn, B.M., Heindel, J.J. and Robison, G.A. 1980. The role of cyclic nucleotides in reproductive processes. Ann. Rev. Physiol., 42 : 37-57.
- Sanford, E.J., Paulson, D.F., Rohner, T.J. Jr., Drago, J.R., Santen, R.J. and Bardin, C.W. 1978. The effect of castration on adrenal testosterone secretion in men with prostatic carcinoma. J. Urol., 118 : 1019-1022.
- Sansone, G., Davidson, W., Cumming, B. and Reisner, R.M. 1971. Sebaceous gland lipogenesis induced by testosterone. J. Invest. Dermatol., 57 : 144-148.
- Sansone, B.G., Reisner, R.M. and Gaetano, B. 1972. A possible mechanism of action of estrogen at the cellular level in a model sebaceous gland. J. Invest. Dermatol., 59 : 299-304.
- Santen, R.J., Samojlik, E.L.D. and Badde, E. 1980. Secretion of androgen from dog adrenals after gonadectomy. Am. J. Physiol., 239 : E 109-E 112.

- Santos, D., Jose, A., Miraglia, T. and Costa, M.L.G. 1974. Histochemical data on the sebaceous glands in the lips of the marmoset (*Callithrix jacchus*). Acta Anat., 89 : 314-320.
- Santti, R.S. and Villee, C.A. 1971. Hormonal control of hexokinase in male sex accessory glands. Endocrinol., 89 : 1162-1170.
- Saroff, J. and Wexler, B.C. 1970. Isoproterenol-induced myocardial interaction in rats : Distribution of corticosterone. Circ. Res., 27 : 1101-1109.
- Sato, L., Noboru, M., Watanabe, S. and Takehiko, I. 1981. Histological pattern and histochemistry of the preputial gland in weasels (*Mustela sibirica coreana*). Jpn. J. Amin. Reprod., 27 : 36-39.
- Satsangi, P.N., Arya, R.K., Krishna, B. and Chandra, T. 1961. Amino-acid analysis of the human skin. Ind. J. Med. Res., 49 : 42-50.
- Savill, A. 1944. The hair and scalp. Baltimore Md., Williams and Wilkins Co.
- Sawaya, M.E., Voigt, W. and Hsia, S.L. 1984. Δ^5 - 3β -hydroxysteroid dehydrogenase Δ^{4-5} -isomerase activity and metabolism of dehydroepiandrosterone in rat preputial gland. J. Invest. Dermatol., 83 : 153-156.
- Schiavone, F.E., Rietschel, R.L. and Sgoutas, D. 1983. Elevated free testosterone in women with acne. Arch. Dermatol., 119 : 799-802.

- Schildknecht, H. and Koob, K. 1971. Myrmicacin, das erste
insekten-Herbizid. Ang. Chem., 83 : 110-120.
- Schmidtke, J., Wienker, T., Flugel, M. and Engel, W. 1976.
In vitro inhibition of cyclic AMP phosphodiesterase
by cortisol. Nature., 262 : 593-594.
- Schramm, M. 1967. Secretion of enzymes and macromolecules.
Ann. Rev. Biochem., 36 : 307-320.
- Schreyer, P., Zer, Y., Ariely, S., Zer, T. and Caspi, E. 1981.
Plasma steroids and human placental lactogen level
changes in late pregnancy in association with
intravenous ritodrine administration. Gynecol. Obstet.
Invest., 12 : 99.
- Schwartz, J.P. and Costa, E. 1980. Beta adrenergic receptor-
mediated regulation of cyclic nucleotide phosphodiesterase
in C6 glioma cells : Vinblastine blockade of isoproterenol
induction. J. Pharmacol. Exp. Ther., 212 : 569-572.
- Schwartz, J.P. and Passonneau, J.V. 1974. Cyclic AMP-mediated
induction of the cyclic AMP phosphodiesterase of C-6
glioma cells. Proc. Natn. Acad. Sci. U.S.A., 71 :
3844-3848.
- Senft, G., Schultz, G., Munske, K. and Hoffman, M. 1968. Effects
of glucocorticoids and insulin on 3', 5'-AMP-
phosphodiesterase activity in adrenalectomized rats.
Dermatologica., 41 : 330.

Serafini, P., Ablan, F. and Lobo, R.A. 1985. 5α -reductase activity in the genital skin of hirsute women.

J. Clin. Endocrinol. Metab., 60 : 349-355.

Serafini, P. and Lobo, R.A. 1985. Increased 5α -reductase activity in idiopathic hirsutism. Fertil. Steril., 43 : 74-78.

Serrati, B. 1938. Influenza del sistema nervoso sulle secrezione sebacea. Riv. dil. pat. nerv., 52 : 377-423.

Seth, S.D., Choudhury, S., Manchanda, S.C., Gupta, M.P. and Gupta, J.B. 1985. Alterations in isoproterenol-induced cardiac metabolic changes by perhexilline. Ind. J. Med. Res., 87 : 224-229.

Seth, S.D., Ganguly, P.K., Gupta, M.P. and Srivastava, L.M. 1980. Effect of oxyfedrine on myocardial glycolytic flux during ischemia in rats. Ind. J. Exp. Biol., 18 : 1009-1011.

Shaeffer, L.D., Chenoweth, M. and Dunn, A. 1969. Adrenal corticosteroid involvement in the control of liver glycogen phosphorylase activity. Biochem. Biophys. Acta., 192 : 292-303.

Shaw, C.R. and Koen, A.L. 1963. Hormone -induced esterase in mouse kidney. Sci., 140 : 70-71.

Sherins, R.J. and Bardin, C.W. 1971. Preputial gland growth and protein synthesis in the androgen-insensitive male pseudohermaphroditic rat. Endocrinol., 89 : 835-841.

- Shimizu, N., Kazuaki, M., Akiko, H., Moriyama, K. and Yoshihiro, K. 1985. Changes induced in the ciliary body by sympathomimetic ophthalmic solution : A study of (sodium, potassium) -ATPase activity induced by epinephrine and isoproterenol. Folia. Ophthalmol., Jap., 36 : 161-170.
- Shuster, S. and Thody, A.J. 1974. The control and measurement of sebum secretion. J. Invest. Dermatol., 62 : 172-190.
- Siess, E.A. and Weiland, O.H. 1980. Early kinetics of glucagon action in isolated hepatocytes at the mitochondrial level. Eur. J. Biochem., 110 : 203-210.
- Sigma Technical Bulletin No. 505, Sigma Chemical Co., 3500 De Kalb St., St. Louis 18, MO., U.S.A.
- Simoni, R.D. and Shallenberger, M.K. 1972. Coupling of energy to active transport of amino acid in *Escherichia coli*. Proc. Natn. Acad. Sci., U.S.A., 69 : 2663-2667.
- Simpson, N.B., Cunliffe, W.J. and Hodgins, M.B. 1983. The relationship between the in vitro activity of 3α -hydroxy steroid dehydrogenase Δ^{4-5} isomerase in human sebaceous glands and their secretory activity in vivo. J. Invest. Dermatol., 81 : 139-144.
- Singh, K. and Mathur, R.S. 1968. Enzyme changes in the gerbil testis produced by the administration of an alkylating agent 'Busulphan' (Myleran, 1,4 dimesethanesulphonoxbutane). Acta Anat., 71 : 472-480.

- Singhal, R.L., Parulekar, M.R., Vijayvargiya, R. and Robinson, G.A. 1971. Metabolic control mechanisms in mammalian systems. Involvement of adenosine 3' : 5'-cyclic monophosphate in androgen action. Biochem. J., 125 : 329-342.
- Singhal, R.L. and Valadares, J.R.E. 1968. Metabolic control mechanisms in mammalian systems. Hormonal regulation of phosphofructokinase in the rat prostate and seminal vesicles. Biochem. J., 110 : 703-711.
- Singhal, R.L., Wang, D. and Ling, G.M. 1968. Proc. Can. Fed. Biol. Soc., 11 : 146-147. Cited by Mangan et al., 1973.
- Sinowatz, E., Skolek-Winnisch, R., Lipp, W. and Meierhofer, B. 1977. Enzyme histochemistry of accessory sex glands in mature and castrated boars. Zuchthygiene (Berl.), 12 : 152-159.
- Sistare, F.D., Lichtenberg, L., Sugg, R.G., Mcfarland, S.A. and Carlos, V. 1982. Effects of isoproterenol treatment of isolated perfused rat hearts on myofibrillar phosphorylation and ATPase activity. J. Cyclic. Nucleot. Res., 7 : 85-94.
- Sizonenko, P.C. and Paunier, L. 1975. Hormonal changes in puberty. III. Correlation of plasma dehydroepiandrosterone, testosterone, FSH and LH with stages of puberty and bone age in normal boys and girls and in patients with Addison's disease or hypogonadism or premature or late adrenarche. J. Clin. Endocrinol. Metab., 41 : 894-904.

- Skou, J.C. 1965. Enzymatic basis for active transport of Na^+ and K^+ across cell membrane. Physiol. Rev., 45 : 596-617.
- Slaunwhite, W.R. Jr., Lockie, G.N., Back, N. and Sandburg, A.A. 1962. Inactivity in vivo of transcortin bound cortisol. Sci., 135 : 1062.
- Smith, E.L., Hill, R.L., Lehman, I.R., Lefkowitz, R.J., Handler, P. and White, A. 1985. 'Principles of Biochemistry - Mammalian Biochemistry.' pp. 504-506. International student edition. McGraw-Hill Book Company.
- Smith, O.K. and Long, C.N.H. 1967. Effect of cortisol on the plasma amino nitrogen of eviscerated adrenalectomized-diabetic rats. Endocrinol., 80 : 561-566.
- Smith, K.D., Rodriguez-Rigau, L.J., Teholakian, R.K. and Steinberger, E. 1979. The relation between plasma testosterone levels and the lengths of phases of the menstrual cycle. Fertil. Steril., 32 : 403-407.
- Snyder, F. and Malone, B. 1970. Enzymic interconversion of fatty alcohols and fatty acids. Biochem. Biophys. Res. Comm., 41 : 1382-1387.
- Sobel, B., Jequier, E., Sjoerdsma, A. and Lovenberg, W. 1966. Effect of catecholamines and adrenergic blocking agents on oxidative phosphorylation in rat heart mitochondria. Circ. Res., 19 : 1050-1061.

- Spiegelman, B.M. and Green, H. 1981. Cyclic-AMP-mediated control of lipogenic enzyme synthesis during adipose differentiation of 3T3 cells. Cell., 24 : 503-510.
- Starling, E.H., 1936. Human physiology, London, J. and A. Churchill Ltd. (7th edition).
- Steen, E., Woolf, N., Powell, T. and Rowles, P.M. 1979. The effect of a calcium antagonist (D-600) on isoprenaline-induced myocardial necrosis in the rat. Br. J. Exp. Pathol., 60 : 335-339.
- Steenbergen, C., Deleeuw, G. and Williamson, J.R. 1978. Analysis of control of glycolysis in ischemic hearts having heterogeneous zones of anoxia. J. Mol. Cell. Cardiol., 10 : 617-639.
- Steigleder, G.K. 1958. Histochemistry of planterhyperkeratoses. A contribution to the physiology of the skin surface. J. Invest. Dermatol., 31 : 29-34.
- Steinberger, E., Rodriguez-Rigau, L.J., Smith, K.D. and Held, B. 1981. The menstrual cycle and plasma testosterone levels in women with acne. J. Am. Acad. Dermatol., 4 : 54-58.
- Strauss, J.S. and Pochi, P.E. 1963. The hormonal control human sebaceous glands. In, "Advances in biology of skin. Vol. IV. The sebaceous glands." ed. by Montagna, W., Ellis, R.A. and Silver, A.F. Pergamon Press, Oxford, pp. 220-254.

- Strauss, J.S. and Pochi, P.E. 1964. Effect of cyclic progestin-estrogen therapy on sebum and acne in women. J. Am. Med. Assoc., 190 : 815-819.
- Strauss, J.S., Downing, D.T. and Ebling, F.J.L. 1983. Sebaceous glands. In "Biochemistry and Physiology of the skin (Ed. L.A. Goldsmith)", pp. 569-595. Oxford Uni. Press, New York.
- Strauss, J.S., Kligman, A.M. and Pochi, P.E. 1962. The effect of androgens and estrogens on human sebaceous glands. J. Invest. Dermatol., 39 : 139-155.
- Sugiyama, T., Sasada, H., Masaki, J. and Yamashita, K. 1981. Unusual fatty acids with specific odor from mature male goat. Agric. Biol. Chem., 45 : 2655-2658.
- Suzuki, S., Ozaki, N., Yoshida, J., Takamura, S., Yoshitaka, T. and Shigeharu, K. 1983. Brush border (magnesium, bicarbonate) - ATPase, supernatant carbonic anhydrase and other enzyme activities isolated from rat intestinal mucosa. Effect of adrenal-ectomy and aldosterone administration. J. St. Biochem., 19 : 1419-1434.
- Suzuki, S. 1981. Carbonic anhydrase, (magnesium, bicarbonate)-ATPase and (magnesium, sodium, potassium) ATPase in rat intestinal mucosa : Effects of adrenalectomy and aldosterone administration. J. St. Biochem., 14 : 449-456.
- Symons, A.M., Lewis, D.A. and Ancill, R.J. 1969. Stabilising action of anti-inflammatory steroids on lysosomes. Biochem. Pharmacol., 18 : 2581-2582.

- Taam, J., Seckelmann, M., Volkwein, U. and Ludwig, E. 1982. The effect of the antiandrogen 11α -hydroxy-progesterone on sebum production and cholesterol concentration of sebum. Br. J. Dermatol., 107 : 63-70.
- Tabachnick, J. and Perlish, J.S. 1967. Studies on the histochemistry of epidermis : III. Content and some characteristics of 5' nucleotidase, pyro-phosphatases and phosphomonoesterases of albino guinea pig and rat epidermis. J. Invest. Dermatol., 48 : 587-594.
- Takayasu, S. and Adachi, K. 1970. Hormonal control of metabolism in hamster costovertebral glands. J. Invest. Dermatol., 55 : 13-19.
- Takayasu, S. and Adachi, K. 1972. The in vivo and in vitro conversion of testosterone to 17β -hydroxy- 5α -androstan- 3β -one (dihydrotestosterone) by the sebaceous gland of hamsters. Endocrinol., 90 : 73-80.
- Takayasu, S. and Itami, S. 1981. Hormonal control of 5α -reductase in hamster sebaceous gland. I. Effect of castration Nishin. J. Dermatol., 43 : 1215-1217.
- Takeo, S., Fiegel, L., Beamish, R.E. and Dhalla, N.S. 1980. Effects of adrenochrome on rat heart sarcolemmal ATPase activities. Biochem. Pharmacol., 29 : 559-564.
- Takuma, T. and Kumegawa, M. 1977. Changes in enzyme activities of thymidine kinase and 5' nucleotidase for dTMP during hormonal regeneration of seminal vesicles of mice. J. Biochem. (Tokyo), 82 : 477-482.

- Takeo, S. and Takenaka, F. 1977. Effects of diltiazem on high-energy phosphate contents reduced by isoproterenol in rat myocardium. Arch. Int. Pharmacodyn. Ther., 228 : 205-212.
- Takeo, S. and Takenaka, F. 1978. Comparison of myocardial and adipose tissue lipase activity in the rat. Jpn. Heart J., 19 : 103-111.
- Tappel, A.L., 1968a. Lysosomes. In : Comprehensive biochemistry. (Florkin, M. and Stotz, E.H., eds), 23, pp . 77-98.
- Taylor, W.M. and Halperin, M.L. 1979. Stimulation of glucose transport in rat adipocytes by insulin, adenosine, nicotinic acid and hydrogen peroxide. Biochem. J., 178 : 381.
- Thies, W. and Galente, L.F. 1957. Zur histochemischen Darstellung der cholinesterasen im vegetativen Nervensystem der Haut. Hautarzt, 8 . 69-75. Cited by Montagna, W. 1963.
- Thody, A.J. and Shuster, S. 1970a. The effects of hypophysectomy and testosterone on the activity of the sebaceous glands of castrated rats. J. Endocrinol., 47 : 219-224.
- Thody, A.J. and Shuster, S. 1970b. The pituitary and sebaceous gland activity. J. Endocrinol., 48 : 139-140.
- Thody, A.J. and Shuster, S. 1971a. Effect of adrenalectomy and adrenocorticotropic hormone on sebum secretion in the rat. J. Endocrinol., 49 : 325-328.
- Thody A.J. and Shuster, S. 1971b. The effect of hypophysectomy on the response of the sebaceous gland to testosterone propionate. J. Endocrinol., 49 : 329-333.

- Thody, A.J. and Shuster, S. 1971c. Increased sebum secretion in adult female rats after neonatal treatment with testosterone propionate. J. Endocrinol., 49 : 677-681.
- Thody, A.J., and Shuster, S. 1972b. A study of the relationship between the thyroid gland and sebum secretion in the rat. J. Endocrinol., 54 : 239-244.
- Thody A.J. and Shuster, S. 1973a. The control of melanocyte-stimulating hormone secretion. J. Endocrinol., 58 : 25-51.
- Thody A.J. and Shuster, S. 1973b. A possible role of MSH in the mammals. Nature., 245 : 207-209.
- Thody A.J. and Shuster, S. 1975. Control of sebaceous gland function in the rat by α -MSH. J. Endocrinol., 64 : 503-510.
- Thomas, J.A., Lloyd, J.W., Smith, M.T. Michael, G.M. and Smith, C.G. 1973. Effect of dieldrin on the accumulation and biotransformation of radioactive testosterone by the mouse prostate gland.
- Thurman, R.G. and Scholz, R. 1973. Interaction of mixed-function oxidation with biosynthetic processes. 2. Inhibition of lipogenesis by aminopyrine in perfused rat liver. Eur. J. Biochem., 38 : 73-78.
- Tickner, A., Mier, P.D. and McCabe, M.P. 1961. Transaminases in skin diseases. Brit. J. Dermatol., 73 : 180.

- Tilders, F.J.H., Berkenbosch, F. and Smelik, P.G. 1982. Adrenergic mechanism involved in the control of pituitary - adrenal activity in the rat : A β -adrenergic stimulatory mechanism. Endocrinol., 110 : 114-120.
- Tilders, F.J.H., Post, M., Jackson, S., Lowry, P.J. and Smelik, P.G. 1981. Beta-adrenergic stimulation of the release of ACTH-related and lipoprotein-related peptides from the pars intermedia of the rat pituitary gland. Acta Endocrinol., 97 : 343-351.
- Timmer, J., Hadders, H.N., Hardonk, M.J. and Koudstaal, J. 1968. An experimental investigation into the development of callus and induced bone tumours in mice studied by histological and enzyme histochemical methods. Brit. J. Canc., 22 : 422-436.
- Toh, Y.C. 1981. Combined effects of neonatal thyroxine treatment and neonatal castration on sebum production in adult male rats. J. Endocrinol., 89 : 225-228.
- Tolone, G., Bonasera, L. and Sajeva, R. 1979. Hydrocortisone increases the responsiveness of mast cells to β -adrenergic agonists by an action distal to the β -adrenoreceptors. Brit. J. Exp. Pathol., 60 : 269-275.
- Tomkins, G.M. 1956. A mammalian 3α -hydroxysteroid dehydrogenase. J. Biol. Chem., 218 : 437-447.
- Tomkins, G.M. and Isselbacher, K.J. 1954. Enzymic reduction of cortisone. J. Am. Chem. Soc., 76 : 3100-3101.

Tomlish, C.E. and Eversole, L.R. 1972. The enzyme histochemistry of isoproterenol-induced salivary gland hyperplasia.

Oral Surg., 14 : 857-871.

Tosti, A. 1974. A comparison of the histodynamic of sebaceous glands and epithelium in man : A microanatomic and morphometric study. J. Invest. Dermatol., 62 : 1147-1152.

Tzur, R., Tal, E. and Shapiro, B. 1964. α -glycerophosphate as a regulatory factor in fatty acid esterification. Biochem. Biophys. Acta., 84 : 18-23.

Umbreit, W.W., Burris, R.H. and Stautfer, J.F. 1957. In, "Manometric techniques". Burges Publishing Co., Minneapolis.

Ureta, T., Radojkovic, J. and Hermann, N. 1970. Inhibition by catecholamines of the induction of rat liver glucokinase. J. Biol. Chem., 245 : 4819-4824.

Vallivullah, H.M., Aruldas, M.M. and Govindrajulu, P. 1985. Testicular lipogenic enzymes : Direct effects of dexamethasone in vivo. Biochem. Biophys. Res. Comm., 131 : 726-730.

VandeWiele, R. and Lieberman, S. 1960. The metabolism of dehydroepiandrosterone. In "Biological activities of steroids in relation to cancer" pp. 93-110. Ed. G. Pincus and E.P. Vollmer, New York, A. Inc.

VandeWiele, R.L., MacDonald, P.C., Gurpide, E. and Liberman, S. 1963. Studies on the secretion and interconversion of the androgens. Rec. Prog. Horm. Res., 19 : 275-310.

- Vaughan, M. and Steinberg, D. 1965. In "Handbook of Physiology. Adipose tissue. (eds : Renold, A.E. and Cahill, G.F., Jr. Am. Physiol. Soc., Washington, D.C.), Sect. 5, pp. 239-251.
- Velick, S.F. and English, J., Jr. 1945. The synthesis and configuration of d-14-methylpalmitic acid and its identity with the natural acid from wool fat. J. Biol. Chem., 160 : 473-480.
- Verhoeven, G. 1980. Effects of neurotransmitters and follicle stimulating hormone on the aromatization of androgens and the production of adenosine 3', 5' monophosphate by cultured testicular cells. J. St. Biochem., 12 : 315-322.
- Verhoeven, G., Diercky, P. and Moor, P.D. 1979. Stimulation effect of neurotransmitters on the aromatization of testosterone by sertoli cell-enriched cultures. Mol. Cell. Endocrinol., 13 : 241-253.
- Verhoeven, G., Heyns, W. and Moor, P.D. 1975. Testosterone receptors in the prostate and other tissues. Vitam. Horm., 33 : 261-281.
- Verhoeven, G., Heyns, W. and Moor, P.D. 1977. Interconversion between 17β -hydroxy- 5α -androstan-3-one (5α -dihydrotestosterone) and 5α - androstan- 3α , 17β diol. Tissue specificity and role of the microsomal NAD : 3α hydroxysteroid oxidoreductase. J. St. Biochem. 8 : 731-733.

Vermes, I., Berkenbosch, F., Tilders, F.J.H. and Smelik. 1981.

Hypothalamic deafferentation in the rat appears to discriminate between the anterior lobe and intermediate lobe responses to stress. Neurosci. Lett., 27 : 89-93.

Vermorken, A.J.M., Goos, C.M. A.A. and Cunliffe, W.J. 1986.

Is increased 5α -reductase activity a primary phenomenon in androgen dependent skin disorders ? J. Invest. Dermatol., 87 : 174 (Abstract).

Vida, J.A. 1969. Androgens and anabolic agents, Academic Press, New York, pp. 6.

Vina, V.R. and Williamson, D.H. 1981a. Effects of lactation on L-leucine metabolism in the rat. Biochem. J., 194 : 941-947.

Vincent, M. and Vaughan, M. 1972. An effect of dexamethasone on adenosine 3', 5'-monophosphate content and adenosine 3', 5'-monophosphate phosphodiesterase activity of cultured hepatoma cells. J. Clin. Inv., 51 : 2763-2767.

Vincent, M. and Vaughan, M. 1973. An effect of insulin on cyclic adenosine 3': 5' monophosphate phosphodiesterase activity in fat cells. J. Biol. Chem., 248 : 7164-7170.

Volpe, J.J. and Vagelos, P.R. 1976. Mechanisms and regulation of biosynthesis of saturated fatty acids. Physiol. Rev., 56 : 340-417.

Voigt, W., Fernandez, E.P. and Hsia, S.L. 1970. Transformation of testosterone into 17β -hydroxy- 5α -androstan-3-one by microsomal preparation of human skin. J. Biol. Chem., 245 : 5594-5597.

- Vyas, D.M. 1978. Studies on certain aspects of functional control of the preputial glands of male rats. Ph.D. Thesis submitted to the M.S. University of Baroda, Baroda, India.
- Weber, G., Banerjee, G. and Bronstein, S.B. 1961. Role of enzymes in homeostasis. III. Selective induction of increases of liver enzymes involved in carbohydrate metabolism. J. Biol. Chem., 236 : 3106.
- Wehler, E., Grobarth, C. and Deimling, O.V. 1972. Esterase VI. The influence of testosterone upon the unspecific carboxylesterase in the mouse kidney during postnatal development. Histochemie., 33 : 47-52.
- Weiner, J., Loud, A.V., Kimberg, D.V. and Spiro, D. 1968. A quantitative description of cortisone-induced alterations in the ultrastructure of rat liver parenchymal cells. J. Cell. Biol., 37 : 47-61.
- Weinshelbaum, E.I. and Wool, I.G. 1961. Effect of adrenalectomy and corticosteroid on distribution of radioactivity in protein of cell fractions from myocardial slices. Nature., 191 : 1401-1402.
- Weiss, D. and Gossrau, R. 1981. Acid hydrolases in the epididymal epithelium of rats after castration and cryptorchidism. Histochem., 71 : 361-404.
- Weiss, G.H., Rosen, O.M. and Rubin, C.S. 1980. Regulation of fatty acid synthetase concentration and lipolytic activity during adipocyte differentiation. 1980. J. Biol. Chem., 255 : 4751-4757.

- Weissmann, A., Bowden, J., Frank, B.L., Horwitz, S.N. and Frost, P. 1985. Antiandrogenic effects of topically applied spironolactone on the hamster flank organ. Arch. Dermatol., 121 : 57-62.
- Weissmann, G., Zurier, R.B., Spieler, P.J. and Goldstein. 1971. J. Exp. Med., 134 : 1495. Cited by Ignarro, L.J. 1975.
- Weng, J.T., Nakamara, Y. and Spitzer, J.J. 1973. Arterial concentration and cerebral removal of metabolites in fasting puppies. Am. J. Physiol., 225 : 967-971.
- Werb, Z. and Cohn, Z.A. 1972b. Plasma membrane synthesis in the macrophage following phagocytosis of polystyrene latex particles. J. Biol. Chem., 247 : 2439-2446.
- Wexler, B.C. and Kittinger, G.W. 1963. Myocardial necrosis in rats : Serum enzymes, adrenal steroids and histopathological alterations. Circ. Res., 13 : 159.
- Wheatley, V.R. 1974. Cutaneous lipogenesis. Major pathways of carbon flow and possible interrelationship between the epidermis and sebaceous glands. J. Inv. Dermatol., 62 : 245-256.
- Wheatley, V.R. and Brind, J.L. 1981. Sebaceous gland differentiation. 3. The uses and limitations of freshly isolated mouse preputial gland cells for the in vitro study of hormone and drug action. J. Invest. Dermatol., 76 : 293-296.

Wheatley, V.R., Chow, D.C. and Keenan, F.D. 1961. Studies of the lipids of dog skin. II. Observations of the lipid metabolism of perfused surviving dog skin. J. Invest. Dermatol., 36 : 237-239.

Wheatley, V.R., Hodgins, L.T., Coon, W.M., Kumarasiri, M., Berenzweig, H. and Feinstein, J.M. 1971. Cutaneous lipogenesis. Precursors utilized by guinea pig ear skin for lipid synthesis. J. Lipid. Res., 12 : 347-360.

Wheatley, V.R., Lipkin, G. and Woo, T.H. 1967. Lipogenesis from amino acids in perfused isolated dog skin. J. Lipid. Res., 8 : 84-89.

Wheatley, V.R., Mutukumara, K. and Brind J.L. 1973. Cutaneous lipogenesis : IV. Role of the pentose phosphate pathway during lipogenesis in guinea pig ear skin. J. Invest. Dermatol., 61 (6) : 357-365.

Wheatley, V.R., Potter, J.E.R. and Lew, R. 1979. Sebaceous gland differentiation : II. The isolation, separation and characterization of cells from the mouse preputial gland. J. Invest. Dermatol., 73 : 291-296.

Widnell, C.C. 1972. Localization of nucleotidase activities in the lysosome membrane. J. Cell. Biol., 55 : 280 A.

Wilfried, M. and Neurand, K. 1976. Hydrolytic enzymes in the sebaceous glands of the domestic cat. Histochem. J., 8 : 639-646.

Wilfried, M. and Neurand, K. 1977a. Oxidative enzymes in the sebaceous glands of the domestic cat. Histochem. J. 9 : 309-316.

Wilfried, M. and Neurand, K. 1977b. The distribution of enzymes in the epidermis of the domestic cat. Arch. Dermatol. Res., 260 : 29-38.

Wilfried, M. and Neurand, K. 1979a. Investigations on the structure and enzyme histochemistry of the skin glands of the European wild boar (*Sus scrofa L.*). Z. Säugetierkd., 44 : 96-110.

Wilfried, M. and Neurand, K. 1979b. Structure and enzyme histochemistry of the epidermis of the European boar (*Sus scrofa L.*). Z. Tierz. Zuechtungsbiol., 95 : 180-193.

Williams, R.B. Jr., Lane, J.D., Kuhn, C.M., Melosh, W., White, A.D. and Schanberg, S.M. 1982. Type A behaviour and elevated physiological and neuroendocrine responses to cognitive tasks. Sci., 218 : 483-485.

Williamson, D.H., Bates, M.W., Page, M.A. and Krebs, H. A. 1971. Activities of enzymes involved in acetoacetate utilization in adult mammalian tissues. Biochem. J. 121 : 41-48.

Wilson, A.C., Cahn, R.D. and Kaplan, N.O. 1963. Functions of two forms of lactate dehydrogenase in breast muscles of birds. Nature, 197 : 331-334.

Wilson, J.D. 1963. Studies on the regulation of cholesterol synthesis in the skin and preputial gland of the rat. In : "Advances in Biology of skin", Vol. IV. The sebaceous glands. Ed. by Montagna, W. Ellis, R.A. and Silver, A.F. Oxford : Pergamon Press.

- Wilson, M.J. and Villee, C.A. 1973. Preparation of rat prostate plasma membranes : Testosterone regulation of Na-K ATPase. J. Cell. Biol., 59 : 365a.
- Winegrad, A.I. and Renold, A.E. 1958. Studies on rat adipose tissue, in vitro. I. Effect of insulin on the metabolism of glucose, pyruvate and acetate. J. Biol. Chem., 233 : 267.
- Winkelmann, R. 1960. In "Nerve endings in normal and pathologic skin", Charles C. Thomas Publisher Springfield. Illinois, U.S.A.
- Wohlrab, W. 1966. Über die histotopographie der phosphomonoesterasen in psoriasisherd und dessen Umgebung. III. Mitteilung. Die 5'-nucleotidase. Arch. Klin. U. Exptl. Dermatol., 224 : 1.
- Wolf, M., Juan, R. and Wright, D.H. 1984. Sebaceous glands within the thymus : Report of three cases. Human Pathol., 15 : 341-343.
- Woodbury, L.P., Lorincz, A.L. and Ortega, P. 1965a. Study on pituitary sebotrophic activity. I. A new sensitive assay method for sebotrophic activity based on beta glucuronidase content of preputial glands. J. Invest. Dermatol., 45 : 362-363.
- Woodbury, L.P., Lorincz, A.L. and Ortega, P. 1965b. Study on pituitary sebotrophic activity. II. Further purification of a pituitary preparation with sebotrophic activity. J. Invest. Dermatol., 45 : 364-367.

- Yates, J.C. and Dhalla, N.S. 1975. Induction of necrosis and failure in the isolated perfused rat heart with oxidized isoproterenol. J. Mol. Cell. Cardiol., 7 : 807.
- Yavorskii, O.G. 1982. Role of lysosomes in the pathogenesis of myocardial damage by novodrin. Patol. Fiziol. Eksp. Ter., 0 (4) : 83-86.
- Yee, C.T. 1981. Combined effects of neonatal thyroxine treatment and neonatal castration on sebum production in adult male rats. J. Endocrinol., 89 : 225-228.
- Yeh, Y., Streuls, V.L. and Zee, P. 1977. Ketone bodies serve as important precursors of brain lipids in the developing rat. Lipids., 12 : 957-964.
- Yip, S.Y. and Frienkel, R.K. 1964. The direct effect of ACTH on the rat preputial gland. J. Invest. Dermatol., 43 : 389-393.
- Zaruba, F., Karasek, M.A. and Farber, E.M. 1967. Isolation and properties of a phosphodiesterase from newborn mouse skin. J. Invest. Dermatol., 49 : 537-543.
- Zaruba, F., Karsek, M.A. and Farber, E.M. 1969. Phosphodiesterase in psoriasis. Brit. J. Dermatol., 81 : 356-359.
- Zepp, E.A. and Thomas, J.A. 1976. Effects of isoproterenol and acetylcholine treatment in vitro on cyclic nucleotides in mouse sex accessory organs. Biochem. Pharmacol., 25 : 919-922.
- Zepp, E.A. and Thomas, J.A. 1978. Effects of androgens on isoproterenol induced increases in mouse accessory sex organ cyclic AMP in vitro. Biochem. Pharmacol., 27 : 465-468.

- Wool, I.G. and Weinshelbaum, E.I. 1959. Incorporation of C¹⁴-amino acids into protein of isolated diaphragms : role of the adrenal steroids. Am. J. Physiol., 197 : 1089-1092.
- Woolf, N., Davies, M.J. Shaw, M.J. and Trickey, R.J. 1976. Experiences with isoprenaline induced myocardial necrosis in the rat. J. Pathol., 120 : 65-73.
- Woolf, N., E. Steen., Rosen, D., Trickey, R., Long, P., Miller, A.L. and Rowles, P.M. 1977. The effect of antilipolytic agents on isoprenaline-induced myocardial necrosis in the rat. Br. J. Exp. Pathol., 58 : 438-443.
- Wrench, R., Hardy, J.A. and Spearman, R.I.C. 1980. Sebokeratocytes of avian epidermis with mammalian comparisons. In : The skin of Vertebrates. Spearman, R.I.C. and Riley, P.A. (Eds), Academic Press, pp. 47-56. New York and London.
- Yadav, R.N.S. and Singh, S.N. 1980a. Regulation of NAD-linked isocitrate dehydrogenase (EC 1.1.1.41) and NADP-linked isocitrate dehydrogenase (EC 1.1.1.42) by hydrocortisone in the brain and liver of male rats of various ages. Biochem. Biophys. Acta., 633 : 323-330.
- Yadav, R.N.S. and Singh, S.N. 1980b. Effect of adrenalectomy, hydrocortisone and actinomycin D on activity of NAD-linked and NADP-linked isocitrate dehydrogenase of liver of rats of various ages. Ind. J. Exp. Biol., 18 : 1260-1262.
- Yakobson, G.S., Panov, A.V. and Lyakhovich, V.V. 1971. Oxidative phosphorylation of mitochondria of rat liver in conditions of selective insufficiency of the hormones of the adrenal cortex. Probl. Endokrinol., 17 : 85-88.

Ziboh, V.A. and Hsia, S.L. 1969. Lipogenesis in rat skin :
A possible regulatory role of glycerol-3-phosphate.
Arch. Biochem. Biophys., 131 : 153-162.

Ziboh, V.A., Dreize, M.A. and Hsia, S.L. 1970. Inhibition of lipid synthesis and glucose-6-phosphate dehydrogenase in rat skin by dehydroepiandrosterone. J. Lipid. Res., 11 : 346-354.

Zurier, R.B., Weissmann, G., Hoffstein, S., Sandra, K. and Tai, H.H. 1974. Mechanisms of lysosomal enzyme release from human leukocytes. II. Effects of cAMP and cGMP, autonomic agonists and agents which affect microtubule function. J. Clin. Invest., 53 : 297-309.

ADDITIONUM

- Bullough, W.S., and Laurence, E.E. 1970. Chalone control of mitotic activity in sebaceous glands. Cell. Tissue. Kinet., 3 : 291-300.
- Vina, V.R. and Williamson, D.H. 1981b. Utilization of L-alanine and L-glutamine by lactating mammary gland of the rat : A role for L-alanine as a lipogenic precursor. Biochem. J., 196 : 757-762.