## LIST OF FIGURES

FIGURE	·
2.1	I.R. spectrum of PBR
2.2	I.R. spectrum of EPBR (E <sub>5</sub> )
2.3	FTIR spectrum of (a) PBR (b) EPBR (c) chlorohydrin
	derivative of PBR.
2.4	I.R. spectrum of chlorohydrin derivative of PBR.
2.5	<sup>1</sup> H NMR spectra of (a) PBR (b) EPBR (20 mol%)
2.6	<sup>1</sup> H NMR spectra of chlorohydrin derivative of PBR.
2.7	<sup>13</sup> C NMR spectra of (a) PBR (b) EPBR (20 mol%)
2.8	<sup>13</sup> C NMR spectra of EPBR with different epoxy content
2.9	<sup>13</sup> C NMR spectrum of chlorohydrin derivative of PBR.
2.10	TGA of PBR and EPBR (E <sub>1</sub> -E <sub>5</sub> )
2.11	DSC Thermograms of EPBR (E <sub>3</sub> , E <sub>4</sub> and E <sub>5</sub> ) and plot of Tg
	versus epoxy content.
2.12	DSC thermogram of chlorohydrin derivative of PBR
2.13	Plot of contact Angle (a) versus epoxy content
2.14	Plots of Myc versus concn. and ln r/c versus concn. for PBR

	and EPBR $(E_1-E_5)$ .
2.15	Plot of intrinsic viscosity versus epoxidation level (mol%) of
	PBR and EPBR samples.
3.1	Density changes of PVC/PBR blends.
3.2	Density changes of PVC/EPBR, (b <sub>1</sub> -b <sub>5</sub> ) blends.
3.3	Density changes of PVC/EPBR, (c <sub>1</sub> -c <sub>4</sub> ) blends.
3.4	Density changes of PVC/chlorohydrin (d <sub>1</sub> -d <sub>4</sub> ) blends.
3.5	Mixing torque-time curves of PVC and its blends with PBR
	in different concentrations.
3.6	Mixing torque time curves of PVC/EPBR (b <sub>1</sub> -b <sub>5</sub> ) blends.
3.7	Mixing torque time curves of PVC and its blends with EPBR
	in different concentrations.
3.8	Mixing torque time curves of PVC and its varying composi-
	tions of PVC/cholohydrin blends
3.9	Variation of torque maximum (5 min) and torque regime (8
	min) of PVC and its blends with different concentrations of
	various modifiers.
3.10a	Variations of Ta/s values of PVC and its blends with different
	concentrations of PBR.
3.10b	Variations of Ta/s values of PVC and its blends with EPBR
	of different epoxidation level.
3.11a	Variation of Ta/s values of PVC and its blends with different
	concentrations of EPBR (25 mol%).
3.11b	Variation of Ta/s values of PVC and its different concentra
	tions of chlorohydrin.
3.12	Experimental set up for thermal stability measurements of
	PVC blends by HCl evolution technique
3.13	Variation of pH in the dissolving medium with degradation
	time for PVC and its blends.
3.14	TGA thermograms of PVC and its blends with different

	·
	modifiers.
3.15	TGA thermograms of PVC and its blends with different
	concentrations of EPBR (25 mol%).
3.16	Broido analysis for PVC and its blends with different modi-
	fiers.
3.17	FTIR scan of PVC (P)
3.18	FTIR scan of PVC/PBR (90/10) blend (a <sub>3</sub> )
3.19	FTIR scan of PVC/EPBR (90/10) blend (c <sub>3</sub> )
3.20	FTIR scan of PVC/chlorohydrin (90/10) blend (d <sub>3</sub> ).
3.21	SEM micrographs of the Izod impact fractured surface of
	PVC(P) and its blends $a_3$ , $c_3$ , $d_3$ (X 1650).
3.22	SEM micrographs of the Izod impact fractured surface of
	PVC(P) and its blends $a_3$ , $c_3$ , $d_3$ (X 3300).
3.23	SEM micrographs of the Izod impact fractured surface of
	PVC blends $c_1, c_2, c_4 (X 1650)$ .
3.24	SEM micrographs of the Izod impact fractured surface of
	PVC blends $c_1$ , $c_2$ , $c_4$ (X 3300).
3.25	X-ray diffraction pattern of PVC and its blends.
3.26	Influence of different modifiers and their concentrations on
	tensile strength of PVC and its blends.
3.27	Influence of different modifiers and their concentrations on
	tensile modulus of PVC and its blends.
3.28	Influence of epoxidation level of EPBR on tensile strength of
	PVC blends.
3.29	Influence of epoxidation level of EPBR on tensile modulus of
	PVC blends.
3 30	Influence of various modifiers of different concentrations on

the flexural strength of PVC and its blends.

3.31

Influence of different modifiers and their concentrations on

	flexural modulus of PVC and its blends.
3.32	Influence of epoxidation level of EPBR on the flexural
	strength of PVC blends.
3.33	Influence of epoxidation level of EPBR on flexural modulus
	of PVC blends.
3.34	Influence of different modifiers and their concentrations on
	Izod impact strength of PVC and its blends.
3.35	Influence of epoxidation level of EPBR on Izod impact
	strength of PVC blends.
3.36	Dynamic mechanical behaviour (Tan & curves) of PVC and
	its blends with different modifiers.
3.37	Dynamic mechanical behaviour (Tan & curves) of PVC and
	PVC/EPBR blends.
3.38	Influence of different modifiers and their concentrations on
	Heat Deflection Temperature of PVC and its blends.
3.39	Influence of epoxidation level of EPBR on HDT of PVC
	blends.
3.40	Influence of different modifiers and their concentrations on
	Rockwell Hardness of PVC and its blends.
3.41	Influence of epoxidation level of EPBR on Rockwell Hard-
	ness of PVC blends.

•