

List of Figures

	Page
1.1. ϵ_{Nd} (T) versus initial $^{87}Sr/^{86}Sr$ for young (<200 Ma) carbonatites compared with the fields of MORB and OIBs.	4
1.2. $^{206}Pb/^{204}Pb$ - $^{207}Pb/^{204}Pb$ correlation diagram for carbonatites with ages less than 200 Ma from different continents compared with fields of MORB and OIBs.	5
1.3. Initial $^{87}Sr/^{86}Sr$ versus initial $^{206}Pb/^{207}Pb$ for carbonatites plotted with different mantle-source end-members	6
1.4. Map of India showing the approximate locations of carbonatite-alkaline complexes and the extent of Deccan and Rajmahal Traps.	8
1.5. Plot of minimum initial $^{87}Sr/^{86}Sr$ vs. age for Indian carbonatites.	13
2.1. Geological map of Amba Dongar Complex.	18
2.2. Geological map of Mundwara Complex.	23
2.3. Geological map of Sarnu-Dandali Complex.	26
2.4. Geological map of Sung Valley Complex.	29
2.5. Schematic cross section of an idealized carbonatite-alkaline complex showing estimated erosion levels from Indian complexes.	32
3.1. Reaction rates of pure carbonate minerals with phosphoric acid.	42
3.2. Calcite and dolomite contributions to CO_2 extracted at different steps in a step wise extraction procedure.	45
3.3. Plot of cumulative CO_2 yield vs. reaction time for different carbonate mixtures.	49
3.4. Plot of $\delta^{13}C$ vs. $\delta^{18}O$ of calcites, dolomites from Qaqarssuk carbonatites.	54
3.5. Schematic flow diagram of the complete argon gas extraction-purification system.	62
4.1. Step heating apparent age spectrum and isotope correlation diagrams of AD-16.	78
4.2. Step heating apparent age spectrum and isotope correlation	

diagrams of AD-45.	79
4.3. Step heating apparent age spectrum and isotope correlation diagrams of AD-46.	80
4.4. Step heating apparent age spectrum and isotope correlation diagrams of AD-47.	81
4.5. Plot of initial $^{87}\text{Sr}/^{86}\text{Sr}$ vs. Sr content of Amba Dongar samples.	86
4.6. Sr data from Amba Dongar alkaline rocks compared with binary mixing and AFC model curves taking Bagh sandstone as a contaminant.	87
4.7. Sr isotopic data from Amba Dongar alkaline rocks compared with binary mixing and AFC model curves taking Precambrian gneiss as a contaminant.	89
4.8. $^{87}\text{Sr}/^{86}\text{Sr}$ and Sr evolution curves for a carbonated silicate magma affected by simultaneous wall-rock assimilation, fractional crystallization of silicate rocks and separation of a carbonate magma.	93
4.9. Sr isotopic data from Amba Dongar alkaline rocks compared with AFCLI model curve taking Precambrian gneiss as an assimilant.	96
4.10. Sr isotopic data from Amba Dongar carbonatites compared with binary mixing and AFC model curves taking Bagh limestone as a contaminant.	98
4.11. Chondrite normalized REE plot for Amba Dongar samples.	101
4.12. Spidergram showing chondrite normalized trace element abundances in Amba Dongar samples.	102
4.13. Chondrite normalized REE diagram showing potential parent melts for Amba Dongar carbonate melt.	105
4.14. Plot of $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ showing different carbonatite and sedimentary carbonate fields.	107
4.15. Stable isotope data from Amba Dongar, Mundwara and Sarnu-Dandali plotted in a $\delta^{13}\text{C}$ vs. $\delta^{18}\text{O}$ diagram.	115
4.16. $\delta^{13}\text{C}$ vs. $\delta^{18}\text{O}$ of coexisting calcites and ankerites from ferrocarbonatites of Amba Dongar.	116
4.17. Oxygen isotopic evolution curves of a two component source ($\text{CO}_2 + \text{H}_2\text{O}$) from which calcite is crystallizing fractionally.	127
4.18. Covariation of O and C isotopic compositions of a two component source from which calcite is crystallizing fractionally.	127

4.19.	Plot of $\delta^{13}\text{C}$ vs. $\delta^{18}\text{O}$ showing evolution of a calcite generated by multicomponent Rayleigh fractionation model (Case-I).	128
4.20.	Plot of $\delta^{13}\text{C}$ vs. $\delta^{18}\text{O}$ showing evolution of a calcite generated by multicomponent Rayleigh fractionation model (Case-II).	130
4.21.	Observed stable isotope data from Amba Dongar, Mundwara, Sarnu-Dandali calcite carbonatite compared with multicomponent Rayleigh fractionation model curves.	133
4.22.	Evolution of carbon and oxygen isotopic compositions of calcite initial $\delta^{13}\text{C} = -6\text{‰}$ and $\delta^{18}\text{O} = 6\text{‰}$ which interacts with a $\text{H}_2\text{O}-\text{CO}_2$ fluid (initial $\delta^{13}\text{C} = -6\text{‰}$ and $\delta^{18}\text{O} = 6\text{‰}$) having $\text{CO}_2/\text{H}_2\text{O} = 0.001$.	138
4.23.	Evolution of $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ of the same calcite as in 4.22 at varying $\text{CO}_2/\text{H}_2\text{O}$ of the fluid.	139
4.24.	Comparison of $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ of altered calcite carbonatites from Amba Dongar with the fluid-rock model curves taking the fluid to be hydrothermal.	141
4.25.	Comparison of $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ of altered calcite carbonatites from Amba Dongar with the fluid-rock model curves taking the fluid to be meteoric.	142
4.26.	Comparison of $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ of altered calcite carbonatites from Amba Dongar with the fluid-rock model curves taking the fluid to be magmatic.	143
4.27.	Comparison of $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ of ferrocarbonatites and metasomatic rocks from Amba Dongar with the fluid-rock model curves taking the fluid to be hydrothermal.	144
4.28.	Comparison of $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ of ferrocarbonatites and metasomatic rocks from Amba Dongar with the fluid-rock model curves taking the fluid to be meteoric.	145
4.29.	Comparison of $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ of ferrocarbonatites and metasomatic rocks from Amba Dongar with the fluid-rock model curves taking the fluid to be magmatic.	145
4.30.	Comparison of $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ of altered calcite carbonatites from Mundwara with the fluid-rock model curves taking the fluid to be meteoric-hydrothermal.	146

4.31.	Comparison of $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ of altered calcite carbonatites, ferrocabonatites, metasomatic rocks from Samu-Dandali with the fluid-rock model curves taking the fluid to be meteoric-hydrothermal.	147
4.32.	Step heating apparent age spectrum and isotope correlation diagrams of SV-4.	156
4.33.	Step heating apparent age spectrum and isotope correlation diagrams of SV-7.	157
4.34.	Step heating apparent age spectrum and isotope correlation diagrams of SV-12.	158
4.35.	Rb-Sr conventional isochron diagram for Sung Valley Complex.	161
4.36.	Carbon and Oxygen isotopic compositions of calcites from calcite carbonatites and dolomite bearing calcite carbonatites of all the three complexes of Assam-Meghalaya Plateau.	164
4.37.	$\delta^{13}\text{C}$ vs. $\delta^{18}\text{O}$ of coexisting calcites and dolomites from dolomite bearing calcite carbonatites of Sung Valley Complex.	164