CONTENTS

| , | Page |
|----------------------------------|------|
| Chapter I : INTRODUCTION | 11. |
| Himalayas in General | 1 |
| The study area | 5 |
| Scope of the present work | 12 |
| Brief Geology | 14 |
| Chapter II : PREVIOUS WORK | 18 |
| Kumaon and Garhwal in general | 18 |
| Structure and stratigraphy | 20 |
| Granitic rocks | 28 |
| Western Kumaon | 33 |
| Chapter III : GEOLOGICAL SETTING | 40 |
| Regional Geology | 40 |
| Megascopic Characters | 42 |
| Pelites | 44 |
| Semipelitic schists | 45 |
| Phyllonites | 45 |
| Graphite schists | 46 |
| Psammites | 46 |
| Gneisses | 47 |
| Calc-silicate rocks | 48 |

| · · · · · | |
|---|-------------------------|
| Distribution and Field Characters | 49 |
| Western outcrops | 52 |
| Central outcrops | 64 |
| Eastern outcrops | 66 |
| Chapter IV : STRUCTURAL GEOLOGY | 70 |
| Outline of the structural pattern | 70 |
| Structural elements studied | 73 |
| Planar structures | 73 |
| (1) Bedding and Bedding foliation | 73 |
| (2) Axial plane cleavage | 74 |
| (3) Strain-slip cleavage | 74 |
| Linear structures | 75 |
| (1) Axes of minor folds | 75 |
| (2) Quartz rods | 7 5 [.] |
| (3) S-surface intersections | 75 |
| Structural elements related to various episodes | 76 |
| Minor structures related to load | 78 |
| Planar structures | 78 |
| (i) Bedding and Bedding schistosity(S) | 78 |

- ii -

.

.

`

| | structures related to the nal folding | 78 |
|--------|---|----|
| Planar | structures | 78 |
| (i) | Schistosity and gneissic foliation (S_1) | 78 |
| (11) | Axial planes of minor folds | 79 |
| Linear | structures | 80 |
| (i) | Axes of minor folds in quartzites (L ₁) | 80 |
| (ii) | Quartz rods (L ₁) | 80 |
| (iii) | Mineral orientation (L_1) | 80 |
| (iv) | Stripping or ribbons (L_1) | 80 |
| (v) | Striations (L ₁) | 80 |
| | structures related to the g of the Almora Nappe | 81 |
| Planar | structures | 81 |
| (i) | Axial planes of the herringbone type chevron folds (S ₂) | 81 |
| (ii) | Related strain-slip cleavage (s_2) | 81 |
| Linear | structures | 81 |
| (i) | Axes of the chevron folds and puckers (L_2) | 81 |
| (ii) | Axes of folded quartz veins(L_2) | 81 |
| (iii) | Intersection of ${ m S}_1$ by ${ m S}_2$ (L $_2$) | 81 |
| (iv) | Boudinage (L ₂) | 81 |
| | | |

| 4 | |
|--|------|
| Minor structures related to the open N-S synformal folding. | 82 |
| Planar structures | 82 |
| (i) Axial planes of the herringbone type folds (S ₃) | 82 |
| (ii) Related strain-slip cleavage (s_3) | 82 |
| Linear structures | 82 |
| (i) Faint puckering lineation (L_3) | 82 |
| (ii) Fold axes of minor folds in quartzites (L ₃) | 82 |
| Structural Analysis | 83 |
| Structural Synthesis | 92 |
| Deformation of structures | 92 |
| I. Deformation of early(load) structures | 93 |
| (i) by first folding (F ₁) | 93 |
| (ii) by second and third folding $(F_2 \& F_3)$ | 94 |
| II. Deformation of first structures(F_1) | - 94 |
| (i) by second folding (F_2) | 94 |
| (ii) by third folding (F_3) | 95 |
| III. Deformation of second structures(F_2) | 95 |
| (i) by third folding (F_3) | 95 |
| | |
| | |
| | |

| Fracture pattern | 96 | |
|------------------------------------|-----|--|
| (i) Nagoti-Mauna fault | 96 | |
| (ii) Jaurasi nala fault | 96 | |
| (iii) Daulagad nala fault | 97 | |
| (iv) Nana Kosi river fault | 97 | |
| Joints | 98 | |
| Chapter V : PETROGRAPHY | 99 | |
| Microscopic characters | 99 | |
| Pelitic and semipelitic schists | 100 | |
| Normal (uncrinkled) schists | 101 | |
| Crinkled pelitic schists | 105 | |
| Semipelitic schists | 111 | |
| Graphite schists | 115 | |
| Phyllonites | 116 | |
| Mylonitised quartz-tourmaline rock | 117 | |
| Psammitic rocks | 119 | |
| Calc-silicate rocks | 122 | |
| Gneisses (Migmatites) | 124 | |
| (i) Felspathic schists | 125 | |
| (ii) Streaky permeation gneisses | 128 | |
| (iii) Tourmaline gneiss | 130 | |

,

| (iv) Augen gneiss | 130 | |
|---|------|--|
| <pre>(v) Coarsegrained porphyroblastic gneiss</pre> | 133 | |
| Table of chemical analyses | 139 | |
| Chapter VI: METAMORPHISM | 147 | |
| Sequence of metamorphic events | 147 | |
| Metamorphic Event I | 149 | |
| Metamorphic Event II | 151 | |
| Progressive metamorphism | 151 | |
| Pelitic and semipelitic schists | 152 | |
| Graphite schists | 154 | |
| Psammitic rocks | 155 | |
| Calc-silicate rocks | 156 | |
| Metamorphic grade and facies | 156 | |
| Pressure and temperature conditions | 156 | |
| Pressure conditions | 156 | |
| Temperature · conditions | 158 | |
| Metamorphic Event III | 162 | |
| Retrogressive metamorphism | 162 | |
| Textural and mineralogical changes | 163 | |
| Causes of retrogressive metamorphism | 164 | |
| Date of retrogressive metamorphism | ~165 | |
| | | |
| | | |
| | | |

- vi -

| Chapter VIII : SUMMARY AND CONCLUSIONS | 200 |
|--|-------|
| Outline of the geological history | 200 |
| Migmatisation | 204 |
| Concluding remarks | 205 |
| ACKNOWLEDGEMENTS | 207 |
| REFERENCES | 208 、 |

•

- viii -

.

•

.

LIST OF FIGURES

.

,

| 1. | Géological map. | Ŷ | | | |
|----|-----------------------|--------|----|-----|--------|
| 2. | Structural map. | Š | At | the | back |
| 3. | Trend of axial planes | Q X | of | the | thesis |
| 4. | Trend of lineations | Č. | | | |

Before page

,

-

| 5. | Location map | 2 ` |
|----|---|-----|
| 6. | Drainage pattern in Majkhali area | 10 |
| 7. | The section across Central Himalaya (Captain Richard Strachey) | 21 |
| 8. | Diagramatic section across the Kashmir Himalaya showing the broad tectonic features (D.N.Wadia) | 25 |
| 9. | Tectonic section across the Garhwal Himalaya (J.B. Auden) | 25 |

| 10. | Section showing the crystalline thrust masses in the Kumaon Lower Himalayas Almora, Baijnath and Askot (A. Gansser) | 28 |
|------|---|------------------------|
| 11. | Tectonic section from Munsiari to Kali valley near Tanakpur (K.S.Valdiya) | 29 |
| 12. | Section between Bhowali and Someshwar (S.S. Merh) | 29 |
| 13. | Diagram showing the position of Western outcrops, Central outcrops and Eastern outcrops | 52 |
| 14. | Figure showing the exposures to the north of Upat in Western outcrops | 53 |
| 15. | Figure showing the exposures to the south of Upat in Western outcrops | 56 |
| 16. | Figure showing exposures around Majkhali in Western outcrops | 58 |
| 17. | Figur'e showing exposures to the north of the road in Central outcrops | 65 |
| 18. | Figure showing exposures in Eastern outcrops | 67 |
| 19. | | the back the thesis |
| 20. | Stereogram showing the effect of F_3 on S_1 | 93 |
| 21 . | Stereogram showing interference of F_1, F_2 F_3 in the eastern part of the area (Subarea 9 and 10) | 95 |
| | | |
| , | | |
| | | |
| | , | |

, – ix –

| 22. | Stereogram showing the effect of F_3 on L_1 | 96 |
|-------|--|-----|
| 23. | Stereogram showing the effect of ${\rm F}_3$ on ${\rm L}_2$ | 96 |
| 24. | Figure showing different stages of replacement by microcline | 136 |
| 25. | Figure showing different stages of development of S ₁ from S | 154 |
| , 26. | Variation diagram based on chemical composition vs distance | 183 |
| 27. | Von Wolff's Q-L-M diagram | 184 |
| 28. | Diagram based on variation in alkalies in Majkhali migmatites (Marmo) | 187 |
| 29. | Diagram for synkinematic migmatites of Majkhali area (Marmo) | 187 |

٠

,

1

.

LIST OF PLATES

.

| 1. | Photograph showing terraced fields | 12 |
|----|--|----|
| 2. | Augen gneiss showing augens of felspar | 54 |
| 3. | Quartzites from Upat nala showing mullion structure | 57 |
| 4. | Quartzites showing recumbent fold | 57 |
| 5. | Jointsin quartzites | 60 |
| 6. | Quartz vein folded on F2 | 61 |
| 7. | Schists showing chevron folding | 61 |

| | • | |
|------|--|-----|
| 8. | Felspar porphyroblasts showing . orientation | 63 |
| 9. | Quartz veins showing pinch and swell structure | 66 |
| 10. | Gneiss showing orientation of felspars | 69 |
| 11. | Lineation due to stripping in quartzites | 86 |
| 12A. | Textural characters of uncrinkled schists | 103 |
| В. | Textural characters of uncrinkled schists | 103 |
| 13. | Garnet showing helicoid trails of quartz inclusions | 105 |
| 14A. | Textural characters of crinkled schists | 106 |
| В. | Textural characters of crinkled schists | 106 |
| 15. | Biotite porphyroblast across the schistosity | 108 |
| 16. | Microfolds of the drag type in schists | 108 |
| 17. | Static garnet in crinkled pelites | 110 |
| 18. | Alternate bands of pelitic and siliceous layers | 112 |
| 19. | Textural characters of phyllonitic rocks | 117 |
| 20. | Granulated texture in psammites | 120 |
| 21. | Tesselate texture in psammites | 121 |
| 22. | Texture in calc-silicate rocks | 123 |

- xi -

| 23. | Development of myrmekitic texture at the junction of microcline with plagioclase | | | | | |
|------|--|---------|-----|--------------|-------------|-----|
| 24. | ACF | Diagram | for | pelites and | semipelites | 157 |
| 25A. | ACF | Diagram | for | migmatites | | 157 |
| В. | AKF | Diagram | for | migmatites | | 157 |
| 26A. | ACF | Diagram | for | psammites | | 157 |
| В. | ACF | Diagram | for | calc-silicat | e rocks | 157 |
| 27. | ACF | Diagram | for | phyllonitic | rock | 167 |

,

,

,

1

.

1

۰.