

## ACKNOWLEDGEMENT

It is with deep reverence that I wish to thank Dr.Sukh Dev, Ph.D., D.Sc., F.N.A., for having initiated me to this field of chemistry and without his kind help this work would not have completed. It has been my privilege to work under his guidance. His scientific approach to any problem meets no failure, discipline knows no side tracks and shortcuts. Encouragement and inspiration have no ends. I must also not forget his forbearance of my lapses.

I also wish to express my gratitude to Dr.H.P.S.Chawla, Jt.Director, for his fruitful suggestions and encouragement.

I am also grateful to Dr.H.A.Patel and Dr. A.N.Misra for extending their unconditional help in all respects.

I am, indeed, thankful to Drs. S.N.Bannore, A.K.Mathur, V.K.Singh, C.S.Sharma, S.K.Dubey, K.Muralidhar, O.Koul and Shri Vinod Kalkotwar for their co-operation and inspiration.

I am also thankful to Shri Prakash and Dr. Mesram of UCIL for their practical help and supplying needed samples.

I also thank Shri K.T.Neurgaonkar and his staff for analytical help. I owe to Shri V.K.Kulkarni for the benefit of his experience in GC.

I am also thankful to Shri V.D.Joshi and other members of technical and administration staff for their kind co-operation.

I am grateful to my hostel colleagues who made my stay at MRC a comfortable one.

I also wish to thank Shri Manohar Karkare for typing the thesis meticulously.

September, 1988.  
Baroda.

SATENDRA SINGH