## ACKNOWLEDGMENTS

I am deeply indebted to Professor Suresh Sethma, Pro-Vice Chancellor, M.S. University of Baroda, formerly Head and Professor of Chemistry, Department of Chemistry, M.S. University of Baroda, for suggesting the problem and for his valuable guidance during the course of this work. His sincere interest and enthusiasm were a constant source of encouragement throughout the work.

Thanks are due to Dr. Sukh Dev, Director, Malti-Chem Research Centre, Nandesari and Mr. R.B. Scott of Parke Devis and co., Ann Arbor, Michigan, U.S.A., for N.M.R. Spectra.

Thanks are also due to Dr. K.N.Trivedi, Reader in Organic Chemistry and Shri R.R.Shah of the Chemistry Department, M.S. University, Baroda and Dr. Somshekhar of Sarabhai Research Centre, Baroda, for I.R. Spectra.

The author is also indebted to Dr. S.S.Lele, Reader in Analytical Chemistry and Shri S.S.Madhava Rao of this Department for the mixro-analysis of the compounds.

Thanks are also due to Dr. K.N.Trivedi, Reader in Organic Chemistry, Dr.P.K.Bhattacharya, Reader in Inorganic Chemistry and Shri Y.G.Gaekwad for helpful discussions in the interpretation of spectral data.

I thank Government of Gujarat, for the award of a research scholarship.

Finally, I thank all my fellow-workers and members of the staff for their kind co-operation and timely help.

J. H. Pardanani)