

ACKNOWLEDGEMENT

I wish to express my deepest gratitude and appreciation to Dr. Sukh Dev, D.Sc., F.N.A., who introduced me to terpene chemistry and whose brilliant and never-ending flow of ideas and encouragement are, in a large part, responsible for the present work described in this Thesis. I shall always cherish the memories of my association with him.

I express my grateful and sincere thanks to Dr. H.P.S. Chawla (Jt. Director, MRC) for stimulating discussions, practical suggestions and constant help, which were immensely useful for executing the work at good pace. I must also not forget his kind forbearance of my lapses.


I also express my sincere thanks to Dr. A.V. Misra and Dr. V.D. Patil and my colleagues in MRC for their kind cooperation and constant help.

I take this opportunity to thank Dr.(Miss.) J.M. Joshi for her kind help and moral support during the course of my Ph.D work, and especially for the preparation of this Thesis.

The analytical staff of MRC and our glass blower all helped me a lot and I owe them special thanks. I also thank all MRC staff for their help and cooperation, in one way or other, which made my stay here an enjoyable and comfortable one.

Last but not the least, I wish to thank my wife and family members for fully cooperating with me and extending all helps during the course of this work.

Financial assistance from Malti-Chem Research Centre in the form of Junior Research Fellowship is gratefully acknowledged.



(MAYANK SHASTRI)

November 1985

Malti-Chem Research Centre
Nandesari 391340
Baroda.