
Literature cited

- Achard, F., Eva, H. D., Stibig, H.-J., Mayaux, P., Gallego, J., Richards, T., & Malingreau, J.-P. (2002). Determination of Deforestation Rates of the World's Humid Tropical Forests. *Science*, 297(5583), 999–1002. <https://doi.org/10.1126/science.1070656>
- Adam, E., & Mutanga, O. (2009). Spectral discrimination of papyrus vegetation (*Cyperus papyrus* L.) in swamp wetlands using field spectrometry. *ISPRS Journal of Photogrammetry and Remote Sensing*, 64(6), 612–620. <https://doi.org/10.1016/j.isprsjprs.2009.04.004>
- Adam, E., Mutanga, O., & Rugege, D. (2010). Multispectral and hyperspectral remote sensing for identification and mapping of wetland vegetation: A review. *Wetlands Ecology and Management*, 18, 281–296.
- Adão, T., Hruška, J., Pádua, L., Bessa, J., Peres, E., Morais, R., & Sousa, J. J. (2017). Hyperspectral Imaging: A Review on UAV-Based Sensors, Data Processing and Applications for Agriculture and Forestry. *Remote Sensing*, 9(11), Article 11. <https://doi.org/10.3390/rs9111110>
- Addo-Fordjour, P., Obeng, S., Anning, A. K., & Addo, M. G. (2009). *Floristic composition, structure and natural regeneration in a moist semi-deciduous forest following anthropogenic disturbances and plant invasion*.
- Adelabu, S., Mutanga, O., & Adam, E. (2015). Testing the reliability and stability of the internal accuracy assessment of random forest for classifying tree defoliation levels using different validation methods. *Geocarto International*, 30(7), 810–821. <https://doi.org/10.1080/10106049.2014.997303>
- Aguirre-Gutiérrez, J., Malhi, Y., Lewis, S. L., Fauset, S., Adu-Bredu, S., Affum-Baffoe, K., Baker, T. R., Gvozdevaite, A., Hubau, W., Moore, S., Peprah, T., Ziemińska, K., Phillips, O. L., & Oliveras, I. (2020). Long-term droughts may drive drier tropical forests towards increased functional, taxonomic and phylogenetic homogeneity. *Nature Communications*, 11(1), Article 1. <https://doi.org/10.1038/s41467-020-16973-4>

-
- Ahmad, S., Pandey, A. C., Kumar, A., & Lele, N. V. (2021). Potential of hyperspectral AVIRIS-NG data for vegetation characterization, species spectral separability, and mapping. *Applied Geomatics*, 13(3), 361–372.
- Albert, C. H., Grassein, F., Schurr, F. M., Vieilledent, G., & Violle, C. (2011). When and how should intraspecific variability be considered in trait-based plant ecology? *Perspectives in Plant Ecology, Evolution and Systematics*, 13(3), 217–225. <https://doi.org/10.1016/j.ppees.2011.04.003>
- Al-Doski, J., Mansorl, S. B., & Shafri, H. Z. M. (2013). Image classification in remote sensing. *Department of Civil Engineering, Faculty of Engineering, University Putra, Malaysia*, 3(10). <https://www.academia.edu/download/32212644/7807-9870-1-PB.pdf>
- Alonzo, M., Bookhagen, B., & Roberts, D. A. (2014). Urban tree species mapping using hyperspectral and lidar data fusion. *Remote Sensing of Environment*, 148, 70–83. <https://doi.org/10.1016/j.rse.2014.03.018>
- Aneece, I. P., Epstein, H., & Lerda, M. (2017). Correlating species and spectral diversities using hyperspectral remote sensing in early-successional fields. *Ecology and Evolution*, 7(10), 3475–3488. <https://doi.org/10.1002/ece3.2876>
- Asner, G. P., & Martin, R. E. (2008). Spectral and chemical analysis of tropical forests: Scaling from leaf to canopy levels. *Remote Sensing of Environment*, 112(10), 3958–3970. <https://doi.org/10.1016/j.rse.2008.07.003>
- Asner, G. P., & Martin, R. E. (2009). Airborne spectranomics: Mapping canopy chemical and taxonomic diversity in tropical forests. *Frontiers in Ecology and the Environment*, 7(5), 269–276. <https://doi.org/10.1890/070152>
- Asner, G. P., & Martin, R. E. (2011). Canopy phylogenetic, chemical and spectral assembly in a lowland Amazonian forest. *New Phytologist*, 189(4), 999–1012. <https://doi.org/10.1111/j.1469-8137.2010.03549.x>
- Asner, G. P., & Martin, R. E. (2015). Spectroscopic Remote Sensing of Non-Structural Carbohydrates in Forest Canopies. *Remote Sensing*, 7(4), Article 4. <https://doi.org/10.3390/rs70403526>
- Asner, G. P., & Martin, R. E. (2016). Spectranomics: Emerging science and conservation opportunities at the interface of biodiversity and remote sensing. In *Global Ecology and Conservation* (Vol. 8). Elsevier B.V. <https://doi.org/10.1016/j.gecco.2016.09.010>

-
-
- Avolio, M. L., Forrester, E. J., Chang, C. C., La Pierre, K. J., Burghardt, K. T., & Smith, M. D. (2019). Demystifying dominant species. *New Phytologist*, 223(3), 1106–1126. <https://doi.org/10.1111/nph.15789>
- Ba, A., Laslier, M., Dufour, S., & Hubert-Moy, L. (2020). Riparian trees genera identification based on leaf-on/leaf-off airborne laser scanner data and machine learning classifiers in northern France. *International Journal of Remote Sensing*, 41(5), 1645–1667. <https://doi.org/10.1080/01431161.2019.1674457>
- Babst, F., Poulter, B., Trouet, V., Tan, K., Neuwirth, B., Wilson, R., Carrer, M., Grabner, M., Tegel, W., Levanic, T., Panayotov, M., Urbinati, C., Bouriaud, O., Ciais, P., & Frank, D. (2013). Site- and species-specific responses of forest growth to climate across the European continent. *Global Ecology and Biogeography*, 22(6), 706–717. <https://doi.org/10.1111/geb.12023>
- Baccini, A., Walker, W., Carvalho, L., Farina, M., Sulla-Menashe, D., & Houghton, R. A. (2017). Tropical forests are a net carbon source based on aboveground measurements of gain and loss. *Science*, 358(6360), 230–234. <https://doi.org/10.1126/science.aam5962>
- Baldeck, C. A., & Asner, G. P. (2013). Estimating Vegetation Beta Diversity from Airborne Imaging Spectroscopy and Unsupervised Clustering. *Remote Sensing*, 5(5), Article 5. <https://doi.org/10.3390/rs5052057>
- Baldeck, C. A., Asner, G. P., Martin, R. E., Anderson, C. B., Knapp, D. E., Kellner, J. R., & Wright, S. J. (2015). Operational Tree Species Mapping in a Diverse Tropical Forest with Airborne Imaging Spectroscopy. *PLOS ONE*, 10(7), e0118403. <https://doi.org/10.1371/journal.pone.0118403>
- Balderas Torres, A. (2014). Potential for integrating community-based monitoring into REDD+. *Forests*, 5(8), 1815–1833.
- Ballanti, L., Blesius, L., Hines, E., & Kruse, B. (2016). Tree Species Classification Using Hyperspectral Imagery: A Comparison of Two Classifiers. *Remote Sensing*, 8(6), Article 6. <https://doi.org/10.3390/rs8060445>
- Bawa, K., Rose, J., Ganeshaiah, K. N., Barve, N., Kiran, M. C., & Umashaanker, R. (2002). Assessing Biodiversity from Space: An Example from the Western Ghats, India. *Conservation Ecology*, 6(2). <https://www.jstor.org/stable/26271886>
- Berman, M., Kiiveri, H., Lagerstrom, R., Ernst, A., Dunne, R., & Huntington, J. F. (2004). ICE: A statistical approach to identifying endmembers in hyperspectral
-

-
- images. *IEEE Transactions on Geoscience and Remote Sensing*, 42(10), Article 10. <https://doi.org/10.1109/TGRS.2004.835299>
- Bhat, D. M., Naik, M. B., Patagar, S. G., Hegde, G. T., Kanade, Y. G., Hegde, G. N., Shastri, C. M., Shetti, D. M., & Furtado, R. M. (2000). Forest dynamics in tropical rain forests of Uttara Kannada district in Western Ghats, India. *Current Science*, 975–985.
- Bhattacharya, B. K., Green, R. O., Rao, S., Saxena, M., Sharma, S., Ajay Kumar, K., Srinivasulu, P., Sharma, S., Dhar, D., Bandyopadhyay, S., Bhatwadekar, S., & Kumar, R. (2019). An Overview of AVIRIS-NG Airborne Hyperspectral Science Campaign Over India. *Current Science*, 116(7), Article 7. <https://doi.org/10.18520/cs/v116/i7/1082-1088>
- Bioucas-Dias, J. M., Plaza, A., Camps-Valls, G., Scheunders, P., Nasrabadi, N., & Chanussot, J. (2013). Hyperspectral Remote Sensing Data Analysis and Future Challenges. *IEEE Geoscience and Remote Sensing Magazine*, 1(2), 6–36. <https://doi.org/10.1109/MGRS.2013.2244672>
- Bolnick, D. I., Amarasekare, P., Araújo, M. S., Bürger, R., Levine, J. M., Novak, M., Rudolf, V. H. W., Schreiber, S. J., Urban, M. C., & Vasseur, D. A. (2011). Why intraspecific trait variation matters in community ecology. *Trends in Ecology & Evolution*, 26(4), 183–192. <https://doi.org/10.1016/j.tree.2011.01.009>
- Bonan, G. B. (2008). Forests and Climate Change: Forcings, Feedbacks, and the Climate Benefits of Forests. *Science*. <https://doi.org/10.1126/science.1155121>
- Bradley, A. P. (1997). The use of the area under the ROC curve in the evaluation of machine learning algorithms. *Pattern Recognition*, 30(7), Article 7. [https://doi.org/10.1016/S0031-3203\(96\)00142-2](https://doi.org/10.1016/S0031-3203(96)00142-2)
- Bray, J. R., & Curtis, J. T. (1957). An Ordination of the Upland Forest Communities of Southern Wisconsin. *Ecological Monographs*, 27(4), 326–349. <https://doi.org/10.2307/1942268>
- Breiman, L. (2001). Random Forests. *Machine Learning*, 45(1), Article 1. <https://doi.org/10.1023/A:1010933404324>
- Brodrick, P. G., Davies, A. B., & Asner, G. P. (2019). Uncovering Ecological Patterns with Convolutional Neural Networks. *Trends in Ecology & Evolution*, 34(8), 734–745. <https://doi.org/10.1016/j.tree.2019.03.006>
- Brondízio, E. S., Díaz, S., Settele, J., Ngo, H. T., Guèze, M., Aumeeruddy-Thomas, Y., & Jaureguiberry, J. (2019). Chapter 1: Introduction to and rationale of the global
-

-
-
- assessment. *Global Assessment Report of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services*. Bonn, Germany: IPBES. <https://doi.org/10.5281/Zenodo.3831853>.
- Brose, U., Martinez, N. D., & Williams, R. J. (2003). Estimating Species Richness: Sensitivity to Sample Coverage and Insensitivity to Spatial Patterns. *Ecology*, 84(9), 2364–2377. <https://www.jstor.org/stable/3450141>
- Bustamante, M. M., Roitman, I., Aide, T. M., Alencar, A., Anderson, L. O., Aragão, L., Asner, G. P., Barlow, J., Berenguer, E., & Chambers, J. (2016). Toward an integrated monitoring framework to assess the effects of tropical forest degradation and recovery on carbon stocks and biodiversity. *Global Change Biology*, 22(1), 92–109.
- Cao, J., Liu, K., Liu, L., Zhu, Y., Li, J., & He, Z. (2018). Identifying Mangrove Species Using Field Close-Range Snapshot Hyperspectral Imaging and Machine-Learning Techniques. *Remote Sensing*, 10(12), Article 12. <https://doi.org/10.3390/rs10122047>
- Carvalho, M. C., Gomide, L. R., Santos, R. M. dos, Scolforo, J. R. S., Carvalho, L. M. T. de, & Mello, J. M. de. (2017). Modeling ecological niche of tree species in Brazilian tropical area. *Cerne*, 23, 229–240.
- Cayuela, L., Benayas, J. M. R., Justel, A., & Salas-Rey, J. (2006). Modelling tree diversity in a highly fragmented tropical montane landscape. *Global Ecology and Biogeography*, 15(6), 602–613. <https://doi.org/10.1111/j.1466-8238.2006.00255.x>
- Cazzolla Gatti, R., Vaglio Laurin, G., & Valentini, R. (2017). Tree species diversity of three Ghanaian reserves. *iForest - Biogeosciences and Forestry*, 10(2), 362. <https://doi.org/10.3832/ifor2056-010>
- Chadwick, K. D., Brodrick, P., Grant, K., Goulden, T., Henderson, A., Falco, N., Wainwright, H., Williams, K., Bill, M., Breckheimer, I., Brodie, E., Steltzer, H., Williams, C., Blonder, B., Chen, J., Dafflon, B., Damerow, J., Hancher, M., Khurram, A., & Maher, K. (2020). Integrating airborne remote sensing and field campaigns for ecology and Earth system science. *Methods in Ecology and Evolution*, 11. <https://doi.org/10.1111/2041-210x.13463>
- Champion, S. H. G., & Seth, S. K. (1968). *A Revised Survey of the Forest Types of India*. Manager of Publications.
-

-
-
- Chao, A., Chazdon, R. L., Colwell, R. K., & Shen, T.-J. (2005). A new statistical approach for assessing similarity of species composition with incidence and abundance data. *Ecology Letters*, 8(2), 148–159. <https://doi.org/10.1111/j.1461-0248.2004.00707.x>
- Chaurasia, A. N., Parmar, R. M., Dave, M. G., Mehta, N., Kallaje, R., Sahu, A., Murthy, I. K., Singh, C. P., & Krishnayya, N. S. R. (2021). Syncing phenology phase and canopy spectral reflectance of common tree species of four forest covers in India. *CURRENT SCIENCE*, 120(3), Article 3.
- Chaurasia, Dave, M. G., Parmar, R. M., Bhattacharya, B., Marpu, P. R., Singh, A., & Krishnayya, N. S. R. (2020). Inferring Species Diversity and Variability over Climatic Gradient with Spectral Diversity Metrics. *Remote Sensing*, 12(13), Article 13. <https://doi.org/10.3390/rs12132130>
- Chawla, N. V., Bowyer, K. W., Hall, L. O., & Kegelmeyer, W. P. (2002). SMOTE: Synthetic Minority Over-sampling Technique. *Journal of Artificial Intelligence Research*, 16, 321–357. <https://doi.org/10.1613/jair.953>
- Chazdon, R. L., Norden, N., Colwell, R. K., & Chao, A. (2022). Monitoring recovery of tree diversity during tropical forest restoration: Lessons from long-term trajectories of natural regeneration. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 378(1867), 20210069. <https://doi.org/10.1098/rstb.2021.0069>
- Chiarucci, A., Enright, N. J., Perry, G. L. W., Miller, B. P., & Lamont, B. B. (2003). Performance of nonparametric species richness estimators in a high diversity plant community. *Diversity and Distributions*, 9(4), 283–295. <https://doi.org/10.1046/j.1472-4642.2003.00027.x>
- Chiarucci, A., Maccherini, S., & De Dominicis, V. (2001). Evaluation and monitoring of the flora in a nature reserve by estimation methods. *Biological Conservation*, 101(3), 305–314.
- Chraibi, E., Arnold, H., Luque, S., Deacon, A., Magurran, A. E., & Féret, J.-B. (2021). A Remote Sensing Approach to Understanding Patterns of Secondary Succession in Tropical Forest. *Remote Sensing*, 13(11), Article 11. <https://doi.org/10.3390/rs13112148>
- Christian, B., & Krishnayya, N. S. R. (2009). Classification of tropical trees growing in a sanctuary using Hyperion (EO-1) and SAM algorithm. *Current Science*, 96(12), Article 12. <https://www.jstor.org/stable/24104888>
-

-
- Clark, Piper, S. C., Keeling, C. D., & Clark, D. B. (2003). Tropical rain forest tree growth and atmospheric carbon dynamics linked to interannual temperature variation during 1984–2000. *Proceedings of the National Academy of Sciences*, 100(10), 5852–5857. <https://doi.org/10.1073/pnas.0935903100>
- Clark, Roberts, D. A., & Clark, D. B. (2005). Hyperspectral discrimination of tropical rain forest tree species at leaf to crown scales. *Remote Sensing of Environment*, 96(3), Article 3. <https://doi.org/10.1016/j.rse.2005.03.009>
- Cochrane, M. A. (2000). Using vegetation reflectance variability for species level classification of hyperspectral data. *International Journal of Remote Sensing*, 21(10), Article 10. <https://doi.org/10.1080/01431160050021303>
- Collings, S., Caccetta, P., Campbell, N., & Wu, X. (2010). Techniques for BRDF correction of hyperspectral mosaics. *IEEE Transactions on Geoscience and Remote Sensing*, 48(10), Article 10.
- Congalton, R. G., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data: Principles and Practices, Third Edition*. CRC Press.
- Corlett, R. T. (2014). Tropical Forests. In *Encyclopedia of Life Sciences*. John Wiley & Sons, Ltd. <https://doi.org/10.1002/9780470015902.a0003179.pub2>
- Cornwell, W. K., Schwilk, D. W., & Ackerly, D. D. (2006). A Trait-Based Test for Habitat Filtering: Convex Hull Volume. *Ecology*, 87(6), Article 6. [https://doi.org/10.1890/0012-9658\(2006\)87\[1465:ATTFHF\]2.0.CO;2](https://doi.org/10.1890/0012-9658(2006)87[1465:ATTFHF]2.0.CO;2)
- Cortes, C., & Vapnik, V. (1995). Support-vector networks. *Machine Learning*, 20(3), Article 3. <https://doi.org/10.1007/BF00994018>
- Dahlin, K. M. (2016). Spectral diversity area relationships for assessing biodiversity in a wildland–agriculture matrix. *Ecological Applications*, 26(8), Article 8. <https://doi.org/10.1002/eap.1390>
- Dahlin, K. M., Asner, G. P., & Field, C. B. (2013). Environmental and community controls on plant canopy chemistry in a Mediterranean-type ecosystem. *Proceedings of the National Academy of Sciences*, 110(17), Article 17. <https://doi.org/10.1073/pnas.1215513110>
- Dalponte, M., Bruzzone, L., & Gianelle, D. (2012). Tree species classification in the Southern Alps based on the fusion of very high geometrical resolution multispectral/hyperspectral images and LiDAR data. *Remote Sensing of Environment*, 123, 258–270. <https://doi.org/10.1016/j.rse.2012.03.013>

-
-
- Dalponte, M., Ørka, H. O., Ene, L. T., Gobakken, T., & Næsset, E. (2014). Tree crown delineation and tree species classification in boreal forests using hyperspectral and ALS data. *Remote Sensing of Environment*, 140, 306–317. <https://doi.org/10.1016/j.rse.2013.09.006>
- Dee, D. P., Uppala, S. M., Simmons, A. J., Berrisford, P., Poli, P., Kobayashi, S., Andrae, U., Balmaseda, M. A., Balsamo, G., Bauer, P., Bechtold, P., Beljaars, A. C. M., van de Berg, L., Bidlot, J., Bormann, N., Delsol, C., Dragani, R., Fuentes, M., Geer, A. J., ... Vitart, F. (2011). The ERA-Interim reanalysis: Configuration and performance of the data assimilation system. *Quarterly Journal of the Royal Meteorological Society*, 137(656), Article 656. <https://doi.org/10.1002/qj.828>
- DeLeo, J. M. (1993). Receiver operating characteristic laboratory (ROCLAB): Software for developing decision strategies that account for uncertainty. 1993 (2nd) *International Symposium on Uncertainty Modeling and Analysis*, 318–325. <https://doi.org/10.1109/ISUMA.1993.366750>
- Díaz, S., & Malhi, Y. (2022). Biodiversity: Concepts, Patterns, Trends, and Perspectives. *Annual Review of Environment and Resources*, 47(1), 31–63. <https://doi.org/10.1146/annurev-environ-120120-054300>
- Díaz, S., Settele, J., Brondízio, E. S., Ngo, H. T., Agard, J., Arneth, A., Balvanera, P., Brauman, K. A., Butchart, S. H. M., Chan, K. M. A., Garibaldi, L. A., Ichii, K., Liu, J., Subramanian, S. M., Midgley, G. F., Miloslavich, P., Molnár, Z., Obura, D., Pfaff, A., ... Zayas, C. N. (2019). Pervasive human-driven decline of life on Earth points to the need for transformative change. *Science*, 366(6471), eaax3100. <https://doi.org/10.1126/science.aax3100>
- FAO. (2020). *Global Forest Resources Assessment 2020: Main Report*. Rome.
- Fassnacht, F. E., Latifi, H., Stereńczak, K., Modzelewska, A., Lefsky, M., Waser, L. T., Straub, C., & Ghosh, A. (2016). Review of studies on tree species classification from remotely sensed data. *Remote Sensing of Environment*, 186, 64–87. <https://doi.org/10.1016/j.rse.2016.08.013>
- Fassnacht, F. E., Neumann, C., Förster, M., Buddenbaum, H., Ghosh, A., Clasen, A., Joshi, P. K., & Koch, B. (2014). Comparison of Feature Reduction Algorithms for Classifying Tree Species With Hyperspectral Data on Three Central European Test Sites. *IEEE Journal of Selected Topics in Applied Earth*

-
-
- Observations and Remote Sensing*, 7(6), 2547–2561.
<https://doi.org/10.1109/JSTARS.2014.2329390>
- Fawcett, T. (2006). An introduction to ROC analysis. *Pattern Recognition Letters*, 27(8), Article 8. <https://doi.org/10.1016/j.patrec.2005.10.010>
- Féret, J.-B., & Asner, G. P. (2014). Mapping tropical forest canopy diversity using high-fidelity imaging spectroscopy. *Ecological Applications*, 24(6), Article 6. <https://doi.org/10.1890/13-1824.1>
- Ferreira, M. P., Almeida, D. R. A. de, Papa, D. de A., Minervino, J. B. S., Veras, H. F. P., Formighieri, A., Santos, C. A. N., Ferreira, M. A. D., Figueiredo, E. O., & Ferreira, E. J. L. (2020). Individual tree detection and species classification of Amazonian palms using UAV images and deep learning. *Forest Ecology and Management*, 475, 118397. <https://doi.org/10.1016/j.foreco.2020.118397>
- Ferreira, Zortea, M., Zanotta, D. C., Shimabukuro, Y. E., & de Souza Filho, C. R. (2016). Mapping tree species in tropical seasonal semi-deciduous forests with hyperspectral and multispectral data. *Remote Sensing of Environment*, 179, 66–78. <https://doi.org/10.1016/j.rse.2016.03.021>
- Foody, G. M. (2003). Remote sensing of tropical forest environments: Towards the monitoring of environmental resources for sustainable development. *International Journal of Remote Sensing*, 24(20), 4035–4046. <https://doi.org/10.1080/0143116031000103853>
- Foody, G. M., & Cutler, M. E. J. (2003). Tree biodiversity in protected and logged Bornean tropical rain forests and its measurement by satellite remote sensing. *Journal of Biogeography*, 30(7), 1053–1066. <https://doi.org/10.1046/j.1365-2699.2003.00887.x>
- Friedman, J. H. (2001). Greedy Function Approximation: A Gradient Boosting Machine. *The Annals of Statistics*, 29(5), Article 5. <https://www.jstor.org/stable/2699986>
- Fry, B. P. (2011). Community forest monitoring in REDD+: The ‘M’ in MRV? *Environmental Science & Policy*, 14(2), 181–187.
- FSI. (2021). *Welcome To Forest Survey of India*. <https://fsi.nic.in/forest-report-2021-details>
- Funk, C., Peterson, P., Landsfeld, M., Pedreros, D., Verdin, J., Shukla, S., Husak, G., Rowland, J., Harrison, L., Hoell, A., & Michaelsen, J. (2015). The climate hazards infrared precipitation with stations—A new environmental record for
-

-
-
- monitoring extremes. *Scientific Data*, 2(1), Article 1. <https://doi.org/10.1038/sdata.2015.66>
- Ge, J., & Xie, Z. (2017). Geographical and climatic gradients of evergreen versus deciduous broad-leaved tree species in subtropical China: Implications for the definition of the mixed forest. *Ecology and Evolution*, 7(11), 3636–3644. <https://doi.org/10.1002/ece3.2967>
- Genuer, R., Poggi, J.-M., & Tuleau-Malot, C. (2010). Variable selection using random forests. *Pattern Recognition Letters*, 31(14), Article 14. <https://doi.org/10.1016/j.patrec.2010.03.014>
- George, M., Gupta, G., & Singh, J. (1988). Forest soil vegetation survey report on Mudumalai Forest Division, Tamilnadu. *For Soil–Vegetation Surv South Reg Coimbatore India*.
- Gholizadeh, H., Gamon, J. A., Zygielbaum, A. I., Wang, R., Schweiger, A. K., & Cavender-Bares, J. (2018). Remote sensing of biodiversity: Soil correction and data dimension reduction methods improve assessment of α -diversity (species richness) in prairie ecosystems. *Remote Sensing of Environment*, 206, 240–253. <https://doi.org/10.1016/j.rse.2017.12.014>
- Ghosh, A., Fassnacht, F. E., Joshi, P. K., & Koch, B. (2014). A framework for mapping tree species combining hyperspectral and LiDAR data: Role of selected classifiers and sensor across three spatial scales. *International Journal of Applied Earth Observation and Geoinformation*, 26, 49–63. <https://doi.org/10.1016/j.jag.2013.05.017>
- Gillespie, T. W. (2005). Predicting Woody-Plant Species Richness in Tropical Dry Forests: A Case Study from South Florida, Usa. *Ecological Applications*, 15(1), 27–37. <https://doi.org/10.1890/03-5304>
- Gillespie, T. W., Foody, G. M., Rocchini, D., Giorgi, A. P., & Saatchi, S. (2008). Measuring and modelling biodiversity from space. *Progress in Physical Geography: Earth and Environment*, 32(2), 203–221. <https://doi.org/10.1177/0309133308093606>
- Grabska, E., Frantz, D., & Ostapowicz, K. (2020). Evaluation of machine learning algorithms for forest stand species mapping using Sentinel-2 imagery and environmental data in the Polish Carpathians. *Remote Sensing of Environment*, 251, 112103. <https://doi.org/10.1016/j.rse.2020.112103>
-

-
-
- Graves, S. J., Asner, G. P., Martin, R. E., Anderson, C. B., Colgan, M. S., Kalantari, L., & Bohlman, S. A. (2016). Tree species abundance predictions in a tropical agricultural landscape with a supervised classification model and imbalanced data. *Remote Sensing*, 8(2), 161.
- Green, A. A., Berman, M., Switzer, P., & Craig, M. D. (1988). A transformation for ordering multispectral data in terms of image quality with implications for noise removal. *IEEE Transactions on Geoscience and Remote Sensing*, 26(1), Article 1. <https://doi.org/10.1109/36.3001>
- Hanley, J. A., & McNeil, B. J. (1982). The meaning and use of the area under a receiver operating characteristic (ROC) curve. *Radiology*, 143(1), Article 1. <https://doi.org/10.1148/radiology.143.1.7063747>
- Hati, J. P., Samanta, S., Chaube, N. R., Misra, A., Giri, S., Pramanick, N., Gupta, K., Majumdar, S. D., Chanda, A., & Mukhopadhyay, A. (2021). Mangrove classification using airborne hyperspectral AVIRIS-NG and comparing with other spaceborne hyperspectral and multispectral data. *The Egyptian Journal of Remote Sensing and Space Science*, 24(2), 273–281.
- Hendry, A. P. (2017). *Eco-evolutionary dynamics*. Princeton university press.
- Hernández-Stefanoni, J. L., Gallardo-Cruz, J. A., Meave, J. A., Rocchini, D., Bello-Pineda, J., & López-Martínez, J. O. (2012). Modeling α - and β -diversity in a tropical forest from remotely sensed and spatial data. *International Journal of Applied Earth Observation and Geoinformation*, 19, 359–368.
- Hijmans, R. J., Etten, J. van, Sumner, M., Cheng, J., Baston, D., Bevan, A., Bivand, R., Busetto, L., Canty, M., Fasoli, B., Forrest, D., Ghosh, A., Golicher, D., Gray, J., Greenberg, J. A., Hiemstra, P., Hingee, K., Ilich, A., Geosciences, I. for M. A., ... Wueest, R. (2023). *raster: Geographic Data Analysis and Modeling* (3.6-14) [Computer software]. <https://CRAN.R-project.org/package=raster>
- Hosonuma, N., Herold, M., De Sy, V., De Fries, R. S., Brockhaus, M., Verchot, L., Angelsen, A., & Romijn, E. (2012). An assessment of deforestation and forest degradation drivers in developing countries. *Environmental Research Letters*, 7(4), 044009.
- Hubbell, S. P. (2015). Estimating the global number of tropical tree species, and Fisher's paradox. *Proceedings of the National Academy of Sciences*, 112(24), 7343–7344. <https://doi.org/10.1073/pnas.1507730112>
-

-
- Hvitfeldt, E. (2022). *themis: Extra Recipes Steps for Dealing with Unbalanced Data* (1.0.0) [Computer software]. <https://CRAN.R-project.org/package=themis>
- Hycza, T., Stereńczak, K., & Bałazy, R. (2018). Potential use of hyperspectral data to classify forest tree species. *New Zealand Journal of Forestry Science*, 48, 1–13.
- Jänicke, C., Okujeni, A., Cooper, S., Clark, M., Hostert, P., & van der Linden, S. (2020). Brightness gradient-corrected hyperspectral image mosaics for fractional vegetation cover mapping in northern California. *Remote Sensing Letters*, 11(1), Article 1. <https://doi.org/10.1080/2150704X.2019.1670518>
- JARVIS, A. (2008). Hole-field seamless SRTM data, International Centre for Tropical Agriculture (CIAT). <Http://Srtm.Csi.Cgiar.Org>. <https://ci.nii.ac.jp/naid/10027883137/>
- Jayakumar, R., & Nair, K. K. N. (2013). Species diversity and tree regeneration patterns in tropical forests of the Western Ghats, India. *International Scholarly Research Notices*, 2013.
- Jensen, J. R. (2009). *Remote Sensing of the Environment: An Earth Resource Perspective*. Pearson Education India.
- Jetz, W., Cavender-Bares, J., Pavlick, R., Schimel, D., Davis, F. W., Asner, G. P., Guralnick, R., Kattge, J., Latimer, A. M., Moorcroft, P., Schaepman, M. E., Schildhauer, M. P., Schneider, F. D., Schrod, F., Stahl, U., & Ustin, S. L. (2016). Monitoring plant functional diversity from space. *Nature Plants*, 2(3), Article 3. <https://doi.org/10.1038/nplants.2016.24>
- Jha, C. S., Rakesh, Singhal, J., Reddy, C. S., Rajashekar, G., Maity, S., Patnaik, C., Das, A., Misra, A., Singh, C. P., Mohapatra, J., Krishnayya, N. S. R., Kiran, S., Townsend, P., & Martinez, M. H. (2019). Characterization of species diversity and forest health using AVIRIS-NG hyperspectral remote sensing data. *Current Science*, 116(7), 1124–1135. <https://www.jstor.org/stable/27138004>
- Jones, T. G., Coops, N. C., & Sharma, T. (2010). Assessing the utility of airborne hyperspectral and LiDAR data for species distribution mapping in the coastal Pacific Northwest, Canada. *Remote Sensing of Environment*, 114(12), 2841–2852. <https://doi.org/10.1016/j.rse.2010.07.002>
- Joseph, S., Anitha, K., Srivastava, V. K., Reddy, C. S., Thomas, A. P., & Murthy, M. S. R. (2012). Rainfall and Elevation Influence the Local-Scale Distribution of Tree Community in the Southern Region of Western Ghats Biodiversity Hotspot

-
-
- (India). *International Journal of Forestry Research*, 2012, e576502. <https://doi.org/10.1155/2012/576502>
- Jr, F. F. S., & Ellis, J. M. (2020). *Remote Sensing: Principles, Interpretation, and Applications, Fourth Edition*. Waveland Press.
- Kacholi, D. S., Whitbread, A. M., & Worbes, M. (2015). Diversity, abundance, and structure of tree communities in the Uluguru forests in the Morogoro region, Tanzania. *Journal of Forestry Research*, 26(3), 557–569. <https://doi.org/10.1007/s11676-015-0078-0>
- Kapos, V. (2017). Seeing the forest through the trees. *Science*, 355(6323), 347–349. <https://doi.org/10.1126/science.aal5120>
- Karatzoglou, A., Smola, A., Hornik, K., & Zeileis, A. (2004). Kernlab-an S4 package for kernel methods in R. *Journal of Statistical Software*, 11, 1–20.
- Kent, M. (2011). *Vegetation Description and Data Analysis: A Practical Approach*. John Wiley & Sons.
- Kindt, R. (2023). *BiodiversityR: Package for Community Ecology and Suitability Analysis* (2.15-1) [Computer software]. <https://cran.r-project.org/web/packages/BiodiversityR/index.html>
- Kindt, R., & Coe, R. (2005). *Tree diversity analysis: A manual and software for common statistical methods for ecological and biodiversity studies*. World Agroforestry Centre.
- Kishore, B. S. P. C., Kumar, A., Saikia, P., Lele, N., Pandey, A. C., Srivastava, P., Bhattacharya, B. K., & Khan, M. L. (2020). Major forests and plant species discrimination in Mudumalai forest region using airborne hyperspectral sensing. *Journal of Asia-Pacific Biodiversity*, 13(4), 637–651. <https://doi.org/10.1016/j.japb.2020.07.001>
- Knapp, A. K., Ciais, P., & Smith, M. D. (2017). Reconciling inconsistencies in precipitation–productivity relationships: Implications for climate change. *New Phytologist*, 214(1), 41–47. <https://doi.org/10.1111/nph.14381>
- Kodandapani, N., Cochrane, M. A., & Sukumar, R. (2008). A comparative analysis of spatial, temporal, and ecological characteristics of forest fires in seasonally dry tropical ecosystems in the Western Ghats, India. *Forest Ecology and Management*, 256(4), Article 4. <https://doi.org/10.1016/j.foreco.2008.05.006>
- Kuhn, M., cre, Wing, J., Weston, S., Williams, A., Keefer, C., Engelhardt, A., Cooper, T., Mayer, Z., Kenkel, B., R Core Team, Benesty, M., Lescarbeau, R., Ziem,
-

-
-
- A., Scrucca, L., Tang, Y., Candan, C., & Hunt, T. (2022). *caret: Classification and Regression Training* (6.0-93) [Computer software]. <https://CRAN.R-project.org/package=caret>
- Kumar, L., Schmidt, K., Dury, S., & Skidmore, A. (2001). Imaging spectrometry and vegetation science. *Imaging Spectrometry: Basic Principles and Prospective Applications*, 111–155.
- Kumar, V., Desai, B. S., & Ajeesh, R. (2013). *Ecology of Rare and Endangered Plant Species of Dang Forest, Gujarat*. LAP LAMBERT Academic Publishing.
- La Rosa, L. E. C., Sothe, C., Feitosa, R. Q., de Almeida, C. M., Schimalski, M. B., & Oliveira, D. A. B. (2021). Multi-task fully convolutional network for tree species mapping in dense forests using small training hyperspectral data. *ISPRS Journal of Photogrammetry and Remote Sensing*, 179, 35–49.
- Landgrebe, D. A. (2003). *Signal Theory Methods in Multispectral Remote Sensing*. John Wiley & Sons.
- Landsberg, J., & Waring, R. (2014). *Forests in our changing world: New principles for conservation and management*. Island Press Washington, DC, USA.
- Laurance, W. F., Oliveira, A. A., Laurance, S. G., Condit, R., Nascimento, H. E., Sanchez-Thorin, A. C., Lovejoy, T. E., Andrade, A., D'Angelo, S., & Ribeiro, J. E. (2004). Pervasive alteration of tree communities in undisturbed Amazonian forests. *Nature*, 428(6979), Article 6979.
- Leigh Jr., E. G., Davidar, P., Dick, C. W., Terborgh, J., Puyravaud, J.-P., ter Steege, H., & Wright, S. J. (2004). Why Do Some Tropical Forests Have So Many Species of Trees? *Biotropica*, 36(4), 447–473. <https://doi.org/10.1111/j.1744-7429.2004.tb00342.x>
- Lengyel, S., Kobler, A., Kutnar, L., Framstad, E., Henry, P.-Y., Babij, V., Gruber, B., Schmeller, D., & Henle, K. (2008). A review and a framework for the integration of biodiversity monitoring at the habitat level. *Biodiversity and Conservation*, 17(14), 3341–3356. <https://doi.org/10.1007/s10531-008-9359-7>
- Liao, W. (2012). *Feature extraction and classification for hyperspectral remote sensing images*. Ghent University.
- Liaw, A., & Wiener, M. (2002). Classification and regression by randomForest. *R News*, 2(3), 18–22.
- Lillesand, T., Kiefer, R. W., & Chipman, J. (2015). *Remote sensing and image interpretation*. John Wiley & Sons.
-

-
-
- Marconi, S., Weinstein, B. G., Zou, S., Bohlman, S. A., Zare, A., Singh, A., Stewart, D., Harmon, I., Steinkraus, A., & White, E. P. (2022). Continental-scale hyperspectral tree species classification in the United States National Ecological Observatory Network. *Remote Sensing of Environment*, 282, 113264. <https://doi.org/10.1016/j.rse.2022.113264>
- Marion, D. A., Sun, G., Caldwell, P. V., Miniati, C. F., Ouyang, Y., Amatya, D. M., Clinton, B. D., Conrads, P. A., Laird, S. G., Dai, Z., Clingenpeel, J. A., Liu, Y., Jr., Roehl, E. A., Myers, J. A. M., & Trettin, C. (2014). Managing forest water quantity and quality under climate change. In: *Climate Change Adaptation and Mitigation Management options A Guide for Natural Resource Managers in Southern Forest Ecosystems* CRC Press - Taylor and Francis (Pp 249 - 306), 2014, 249–306. <https://www.fs.usda.gov/research/treesearch/45792>
- Martin, M. E., Newman, S. D., Aber, J. D., & Congalton, R. G. (1998). Determining Forest Species Composition Using High Spectral Resolution Remote Sensing Data. *Remote Sensing of Environment*, 65(3), Article 3. [https://doi.org/10.1016/S0034-4257\(98\)00035-2](https://doi.org/10.1016/S0034-4257(98)00035-2)
- Maschler, J., Atzberger, C., & Immitzer, M. (2018). Individual Tree Crown Segmentation and Classification of 13 Tree Species Using Airborne Hyperspectral Data. *Remote Sensing*, 10(8), Article 8. <https://doi.org/10.3390/rs10081218>
- Maxwell, A. E., Warner, T. A., & Fang, F. (2018). Implementation of machine-learning classification in remote sensing: An applied review. *International Journal of Remote Sensing*, 39(9), 2784–2817. <https://doi.org/10.1080/01431161.2018.1433343>
- Mäyrä, J., Keski-Saari, S., Kivinen, S., Tanhuanpää, T., Hurskainen, P., Kullberg, P., Poikolainen, L., Viinikka, A., Tuominen, S., Kumpula, T., & Vihervaara, P. (2021). Tree species classification from airborne hyperspectral and LiDAR data using 3D convolutional neural networks. *Remote Sensing of Environment*, 256, 112322. <https://doi.org/10.1016/j.rse.2021.112322>
- McKinney, M. L., & Lockwood, J. L. (1999). Biotic homogenization: A few winners replacing many losers in the next mass extinction. *Trends in Ecology & Evolution*, 14(11), 450–453. [https://doi.org/10.1016/S0169-5347\(99\)01679-1](https://doi.org/10.1016/S0169-5347(99)01679-1)
- Melgani, F., & Bruzzone, L. (2004). Classification of hyperspectral remote sensing images with support vector machines. *IEEE Transactions on Geoscience and*
-

-
- Remote Sensing*, 42(8), 1778–1790.
<https://doi.org/10.1109/TGRS.2004.831865>
- Modzelewska, A., Fassnacht, F. E., & Stereńczak, K. (2020). Tree species identification within an extensive forest area with diverse management regimes using airborne hyperspectral data. *International Journal of Applied Earth Observation and Geoinformation*, 84, 101960. <https://doi.org/10.1016/j.jag.2019.101960>
- Moisen, G. G., Freeman, E. A., Blackard, J. A., Frescino, T. S., Zimmermann, N. E., & Edwards Jr, T. C. (2006). Predicting tree species presence and basal area in Utah: A comparison of stochastic gradient boosting, generalized additive models, and tree-based methods. *Ecological Modelling*, 199(2), 176–187.
- Moore, J. W. (2017). The Capitalocene, Part I: On the nature and origins of our ecological crisis. *The Journal of Peasant Studies*, 44(3), 594–630. <https://doi.org/10.1080/03066150.2016.1235036>
- Mountrakis, G., Im, J., & Ogole, C. (2011). Support vector machines in remote sensing: A review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 66(3), 247–259. <https://doi.org/10.1016/j.isprsjprs.2010.11.001>
- Mureriwa, N., Adam, E., Sahu, A., & Tesfamichael, S. (2016). Examining the Spectral Separability of *Prosopis glandulosa* from Co-Existent Species Using Field Spectral Measurement and Guided Regularized Random Forest. *Remote Sensing*, 8(2), Article 2. <https://doi.org/10.3390/rs8020144>
- Musinsky, J., Tabor, K., Cano, C. A., Ledezma, J. C., Mendoza, E., Rasolohery, A., & Sajudin, E. R. (2018). Conservation impacts of a near real-time forest monitoring and alert system for the tropics. *Remote Sensing in Ecology and Conservation*, 4(3), 189–196.
- Nagendra, H. (2001). Using remote sensing to assess biodiversity. *International Journal of Remote Sensing*, 22(12), Article 12.
- Navalgund, R. R., Jayaraman, V., & Roy, P. S. (2007). Remote sensing applications: An overview. *Current Science*, 1747–1766.
- Nirmal Kumar, J. I., Soni, H. B., & Kumar, R. N. (2005). Assessment of anthropogenic interventions in? Shoolpaneshwar Wildlife Sanctuary, Gujarat, India. *International Journal of Nature And*, 1–25.
- Oksanen, J. (2018). Vegan: Community ecology package. [Http://Vegan.r-Forge.r-Project.Org/](http://Vegan.r-Forge.r-Project.Org/).
-

-
- Oldeland, J., Große-Stoltenberg, A., Naftal, L., & Strohbach, B. J. (2017). The Potential of UAV Derived Image Features for Discriminating Savannah Tree Species. In R. Díaz-Delgado, R. Lucas, & C. Hurford (Eds.), *The Roles of Remote Sensing in Nature Conservation: A Practical Guide and Case Studies* (pp. 183–201). Springer International Publishing. https://doi.org/10.1007/978-3-319-64332-8_10
- Oldeland, J., Wesuls, D., Rocchini, D., Schmidt, M., & Jürgens, N. (2010). Does using species abundance data improve estimates of species diversity from remotely sensed spectral heterogeneity? *Ecological Indicators*, 10(2), 390–396. <https://doi.org/10.1016/j.ecolind.2009.07.012>
- Olden, J. D., LeRoy Poff, N., Douglas, M. R., Douglas, M. E., & Fausch, K. D. (2004). Ecological and evolutionary consequences of biotic homogenization. *Trends in Ecology & Evolution*, 19(1), 18–24. <https://doi.org/10.1016/j.tree.2003.09.010>
- Palmer, M. W., Earls, P. G., Hoagland, B. W., White, P. S., & Wohlgemuth, T. (2002). Quantitative tools for perfecting species lists. *Environmetrics*, 13(2), 121–137. <https://doi.org/10.1002/env.516>
- Palmer, M. W., Wohlgemuth, T., Earls, P., Arévalo, J. R., & Thompson, S. D. (1999). Opportunities for long-term ecological research at the Tallgrass Prairie Preserve, Oklahoma. *Proceedings of the ILTER Regional Workshop: Cooperation in Long Term Ecological Research in Central and Eastern Europe, Budapest, Hungary*, 22.
- Palomino, J., Muellerklein, O. C., & Kelly, M. (2017). A review of the emergent ecosystem of collaborative geospatial tools for addressing environmental challenges. *Computers, Environment and Urban Systems*, 65, 79–92.
- Palumbi, S. R. (2001). Humans as the World's Greatest Evolutionary Force. *Science*, 293(5536), 1786–1790. <https://doi.org/10.1126/science.293.5536.1786>
- Pan, Y., Birdsey, R. A., Fang, J., Houghton, R., Kauppi, P. E., Kurz, W. A., Phillips, O. L., Shvidenko, A., Lewis, S. L., Canadell, J. G., Ciais, P., Jackson, R. B., Pacala, S. W., McGuire, A. D., Piao, S., Rautiainen, A., Sitch, S., & Hayes, D. (2011). A Large and Persistent Carbon Sink in the World's Forests. *Science*, 333(6045), 988–993. <https://doi.org/10.1126/science.1201609>
- Parmar, R. M., Chaurasia, A. N., Dave, M. G., Goroshi, S., & Krishnayya, N. S. R. (2022). Importance of AVIRIS-NG data in assessing the assemblage of guilds

-
-
- of tropical trees over a contrasting climate. *Advances in Space Research*.
<https://doi.org/10.1016/j.asr.2022.09.032>
- Paz-Kagan, T., & Asner, G. P. (2017). Drivers of woody canopy water content responses to drought in a Mediterranean-type ecosystem. *Ecological Applications*, 27(7), 2220–2233.
- Paz-Kagan, T., Caras, T., Herrmann, I., Shachak, M., & Karnieli, A. (2017). Multiscale mapping of species diversity under changed land use using imaging spectroscopy. *Ecological Applications*, 27(5), 1466–1484.
<https://doi.org/10.1002/eap.1540>
- Paz-Kagan, T., Chang, J. G., Shoshany, M., Sternberg, M., & Karnieli, A. (2021). Assessment of plant species distribution and diversity along a climatic gradient from Mediterranean woodlands to semi-arid shrublands. *GIScience & Remote Sensing*, 58(6), 929–953. <https://doi.org/10.1080/15481603.2021.1953770>
- Peerbhay, K. Y., Mutanga, O., & Ismail, R. (2013). Commercial tree species discrimination using airborne AISA Eagle hyperspectral imagery and partial least squares discriminant analysis (PLS-DA) in KwaZulu–Natal, South Africa. *ISPRS Journal of Photogrammetry and Remote Sensing*, 79, 19–28.
<https://doi.org/10.1016/j.isprsjprs.2013.01.013>
- Pennington, P. T., Cronk, Q. C. B., Richardson, J. A., Woodward, F. I., Lomas, M. R., & Kelly, C. K. (2004). Global climate and the distribution of plant biomes. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, 359(1450), 1465–1476. <https://doi.org/10.1098/rstb.2004.1525>
- Piri Sahragard, H., Ajorlo, M., & Karami, P. (2018). Modeling habitat suitability of range plant species using random forest method in arid mountainous rangelands. *Journal of Mountain Science*, 15(10), 2159–2171.
<https://doi.org/10.1007/s11629-018-4898-1>
- Poorter, L., Castilho, C. V., Schiatti, J., Oliveira, R. S., & Costa, F. R. C. (2018). Can traits predict individual growth performance? A test in a hyperdiverse tropical forest. *New Phytologist*, 219(1), 109–121. <https://doi.org/10.1111/nph.15206>
- Poorter, L., Wright, S. J., Paz, H., Ackerly, D. D., Condit, R., Ibarra-Manríquez, G., Harms, K. E., Licona, J. C., Martínez-Ramos, M., Mazer, S. J., Muller-Landau, H. C., Peña-Claros, M., Webb, C. O., & Wright, I. J. (2008). Are Functional Traits Good Predictors of Demographic Rates? Evidence from Five Neotropical Forests. *Ecology*, 89(7), 1908–1920. <https://doi.org/10.1890/07-0207.1>
-

-
-
- Pradeepkumar, G. (1993). *Vegetational & Ecological Studies of Shoolpaneshwar Wildlife Sanctuary*. Ph D thesis, The MS University of Baroda, Vadodara.
- Pratihast, A. K., DeVries, B., Avitabile, V., De Bruin, S., Herold, M., & Bergsma, A. (2016). Design and implementation of an interactive web-based near real-time forest monitoring system. *PloS One*, 11(3), e0150935.
- Priyadarshini, K. N., Sivashankari, V., Shekhar, S., & Balasubramani, K. (2019). Comparison and Evaluation of Dimensionality Reduction Techniques for Hyperspectral Data Analysis. *Proceedings*, 24(1), Article 1. <https://doi.org/10.3390/IECG2019-06209>
- Probst, P., Bischl, B., & Boulesteix, A.-L. (2018). Tunability: Importance of hyperparameters of machine learning algorithms. *arXiv Preprint arXiv:1802.09596*.
- Pu, R. (2009). Broadleaf species recognition with in situ hyperspectral data. *International Journal of Remote Sensing*, 30(11), 2759–2779. <https://doi.org/10.1080/01431160802555820>
- Purvis, A., Molnár, Z., Obura, D., Ichii, K., Willis, K., Chettri, N., Dulloo, M., Hendry, A., Gabrielyan, B., & Gutt, J. (2019). *Status and Trends-Nature*.
- R Core Team. (2021). *R Core Team (2021). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. URL <https://www.R-project.org/>. [Computer software]*.
- Raczko, E., & Zagajewski, B. (2017). Comparison of support vector machine, random forest and neural network classifiers for tree species classification on airborne hyperspectral APEX images. *European Journal of Remote Sensing*, 50(1), 144–154. <https://doi.org/10.1080/22797254.2017.1299557>
- Randin, C. F., Ashcroft, M. B., Bolliger, J., Cavender-Bares, J., Coops, N. C., Dullinger, S., Dirnböck, T., Eckert, S., Ellis, E., Fernández, N., Giuliani, G., Guisan, A., Jetz, W., Joost, S., Karger, D., Lembrechts, J., Lenoir, J., Luoto, M., Morin, X., ... Payne, D. (2020). Monitoring biodiversity in the Anthropocene using remote sensing in species distribution models. *Remote Sensing of Environment*, 239, 111626. <https://doi.org/10.1016/j.rse.2019.111626>
- Reddy, C. S., Jha, C. S., Diwakar, P. G., & Dadhwal, V. K. (2015). Nationwide classification of forest types of India using remote sensing and GIS. *Environmental Monitoring and Assessment*, 187(12), 777. <https://doi.org/10.1007/s10661-015-4990-8>
-

-
-
- Richter, R., Reu, B., Wirth, C., Doktor, D., & Vohland, M. (2016). The use of airborne hyperspectral data for tree species classification in a species-rich Central European forest area. *International Journal of Applied Earth Observation and Geoinformation*, 52, 464–474. <https://doi.org/10.1016/j.jag.2016.07.018>
- Ricklefs, R. E. (2008). Disintegration of the Ecological Community. *The American Naturalist*, 172(6), 741–750. <https://doi.org/10.1086/593002>
- Rocchini, D., Balkenhol, N., Carter, G. A., Foody, G. M., Gillespie, T. W., He, K. S., Kark, S., Levin, N., Lucas, K., Luoto, M., Nagendra, H., Oldeland, J., Ricotta, C., Southworth, J., & Neteler, M. (2010). Remotely sensed spectral heterogeneity as a proxy of species diversity: Recent advances and open challenges. *Ecological Informatics*, 5(5), 318–329. <https://doi.org/10.1016/j.ecoinf.2010.06.001>
- Rocchini, D., Boyd, D. S., Féret, J.-B., Foody, G. M., He, K. S., Lausch, A., Nagendra, H., Wegmann, M., & Pettorelli, N. (2016). Satellite remote sensing to monitor species diversity: Potential and pitfalls. *Remote Sensing in Ecology and Conservation*, 2(1), 25–36. <https://doi.org/10.1002/rse2.9>
- Rocchini, D., Chiarucci, A., & Loiselle, S. A. (2004). Testing the spectral variation hypothesis by using satellite multispectral images. *Acta Oecologica*, 26(2), 117–120. <https://doi.org/10.1016/j.actao.2004.03.008>
- Rocchini, D., Hortal, J., Lengyel, S., Lobo, J. M., Jiménez-Valverde, A., Ricotta, C., Bacaro, G., & Chiarucci, A. (2011). Accounting for uncertainty when mapping species distributions: The need for maps of ignorance. *Progress in Physical Geography: Earth and Environment*, 35(2), 211–226. <https://doi.org/10.1177/0309133311399491>
- Rocchini, D., Marcantonio, M., & Ricotta, C. (2017). Measuring Rao's Q diversity index from remote sensing: An open source solution. *Ecological Indicators*, 72, 234–238. <https://doi.org/10.1016/j.ecolind.2016.07.039>
- Rosén, E., Jansson, E., & Brundin, M. (2014). Implementation of a fast and efficient concave hull algorithm. *Uppsala Univ*, 7.
- Roy, A., & Roy, P. S. (2015). Biodiversity information in India: Status and future scope. *Biodiversity in Tropical Ecosystems; Springer: Berlin, Germany*, 9–13.
- Sabnis, S. D., & Amin, J. C. (1992). Eco-environmental studies of Sardar Sarovar environs. *MS University, Baroda*, 388.
-

-
-
- Saha, N. (2021). Tropical forest and sustainability: An overview. *Life on Land, Encyclopedia of the UN Sustainable Development Goals*. Springer, Switzerland, 1070–1078.
- Sanchez-Azofeifa, A., Antonio Guzmán, J., Campos, C. A., Castro, S., Garcia-Millan, V., Nightingale, J., & Rankine, C. (2017). Twenty-first century remote sensing technologies are revolutionizing the study of tropical forests. *Biotropica*, 49(5), 604–619.
- Schepaschenko, D., See, L., Lesiv, M., Bastin, J.-F., Mollicone, D., Tsendbazar, N.-E., Bastin, L., McCallum, I., Laso Bayas, J. C., Baklanov, A., Perger, C., Dürauer, M., & Fritz, S. (2019). Recent Advances in Forest Observation with Visual Interpretation of Very High-Resolution Imagery. *Surveys in Geophysics*, 40(4), 839–862. <https://doi.org/10.1007/s10712-019-09533-z>
- Schmidt, K. S., & Skidmore, A. K. (2003). Spectral discrimination of vegetation types in a coastal wetland. *Remote Sensing of Environment*, 85(1), Article 1. [https://doi.org/10.1016/S0034-4257\(02\)00196-7](https://doi.org/10.1016/S0034-4257(02)00196-7)
- Schonlau, M., & Zou, R. Y. (2020). The random forest algorithm for statistical learning. *The Stata Journal*, 20(1), 3–29. <https://doi.org/10.1177/1536867X20909688>
- Schweiger, A. K., Cavender-Bares, J., Townsend, P. A., Hobbie, S. E., Madritch, M. D., Wang, R., Tilman, D., & Gamon, J. A. (2018). Plant spectral diversity integrates functional and phylogenetic components of biodiversity and predicts ecosystem function. *Nature Ecology & Evolution*, 2(6), Article 6. <https://doi.org/10.1038/s41559-018-0551-1>
- Scornet, E., Biau, G., & Vert, J.-P. (2015). Consistency of random forests. *The Annals of Statistics*, 43(4), Article 4. <https://doi.org/10.1214/15-AOS1321>
- Sen, U. K., Bhakat, R., & Kumar, U. (2021). Journal of Forest and Environmental Science. *Journal of Forest and Environmental Science*, 37, 169–192. <https://doi.org/10.7747/JFES.2021.37.3.169>
- Sharma, B. D., Shetty, B. V., Vivekananthan, K., & Rathakrishnan, N. C. (1979). Flora of Mudumalai Wildlife Sanctuary, Tamil Nadu. *Journal*.
- Shen, X., & Cao, L. (2017). Tree-Species Classification in Subtropical Forests Using Airborne Hyperspectral and LiDAR Data. *Remote Sensing*, 9(11), Article 11. <https://doi.org/10.3390/rs9111180>
- Siefert, A., Violle, C., Chalmandrier, L., Albert, C. H., Taudiere, A., Fajardo, A., Aarssen, L. W., Baraloto, C., Carlucci, M. B., Cianciaruso, M. V., de L. Dantas,

-
- V., de Bello, F., Duarte, L. D. S., Fonseca, C. R., Freschet, G. T., Gaucherand, S., Gross, N., Hikosaka, K., Jackson, B., ... Wardle, D. A. (2015). A global meta-analysis of the relative extent of intraspecific trait variation in plant communities. *Ecology Letters*, 18(12), 1406–1419. <https://doi.org/10.1111/ele.12508>
- Singh, H. S., Raval, B. R., Patel, B. H., Tatu, K., Patel, D., Vyas, R., & Patel, B. H. (2000). Biodiversity study on Vansda National Park. *A Comprehensive Ecological and Socio-Economic Study. Gandhinagar. GEER Foundation, India.*
- Singh, J. S., & Kushwaha, S. P. S. (2008). Forest biodiversity and its conservation in India. *International Forestry Review*, 10(2), 292–304.
- Skov, F., & Lawesson, J. E. (2000). Estimation of plant species richness from systematically placed plots in a managed forest ecosystem. *Nordic Journal of Botany*, 20(4), 477–483. <https://doi.org/10.1111/j.1756-1051.2000.tb01592.x>
- Soenen, S. A., Peddle, D. R., & Coburn, C. A. (2005). SCS+C: A modified Sun-canopy-sensor topographic correction in forested terrain. *IEEE Transactions on Geoscience and Remote Sensing*, 43(9), Article 9. <https://doi.org/10.1109/TGRS.2005.852480>
- Southwood, T. R. E., & Henderson, P. A. (2009). *Ecological Methods*. John Wiley & Sons.
- Sukumar, R., Suresh, H. S., Dattaraja, H. S., John, R., & Joshi, N. V. (2004). *Mudumalai forest dynamics plot, India*. Tropical forest diversity and dynamism: Findings from a large-scale plot
- Sukumar, R., Suresh, H. S., Dattaraja, H. S., Srinidhi, S., & Nath, C. (2005). The dynamics of a tropical dry forest in India: Climate, fire, elephants and the evolution of life-history strategies. *Biotic Interactions in the Tropics: Their Role in the Maintenance of Species Diversity*, 510–529.
- Sun, C., Cao, S., & Sanchez-Azofeifa, G. A. (2019). Mapping tropical dry forest age using airborne waveform LiDAR and hyperspectral metrics. *International Journal of Applied Earth Observation and Geoinformation*, 83, 101908. <https://doi.org/10.1016/j.jag.2019.101908>
- Suresh, H. S. (2006). Revised flora of Mudumalai wildlife sanctuary, Tamilnadu, India. *Journal of Economic and Taxonomic Botany*, 30(1), Article 1.
-

-
-
- Suresh, H. S., Dattaraja, H. S., & Sukumar, R. (1996). Tree flora of Mudumalai Sanctuary, Tamil Nadu, Southern India. *Indian Forester*, 122, 507–519.
- Suresh, H. S., Dattaraja, H. S., & Sukumar, R. (2010). Relationship between annual rainfall and tree mortality in a tropical dry forest: Results of a 19-year study at Mudumalai, southern India. *Forest Ecology and Management*, 259(4), Article 4. <https://doi.org/10.1016/j.foreco.2009.09.025>
- Tabor, K., & Connell, L. (2019). Applications of Forest Monitoring Tools for Development Projects. *Bank Information Center*.
- Tabor, K., & Hewson, J. (2018). The evolution of remote sensing applications vital to effective biodiversity conservation and sustainable development. *Satellite Remote Sensing for Conservation Action: Case Studies from Aquatic and Terrestrial Ecosystems*. Cambridge University Press, Cambridge, UK. <https://doi.org/10.1017/9781108631129.010>, 274–300.
- ter Steege, H., Pitman, N. C. A., Sabatier, D., Baraloto, C., Salomão, R. P., Guevara, J. E., Phillips, O. L., Castilho, C. V., Magnusson, W. E., Molino, J.-F., Monteagudo, A., Núñez Vargas, P., Montero, J. C., Feldpausch, T. R., Coronado, E. N. H., Killeen, T. J., Mostacedo, B., Vasquez, R., Assis, R. L., ... Silman, M. R. (2013). Hyperdominance in the Amazonian Tree Flora. *Science*, 342(6156), 1243092. <https://doi.org/10.1126/science.1243092>
- Thenkabail, P. S., Anece, I., Teluguntla, P., & Oliphant, A. (2021). Hyperspectral narrowband data propel gigantic leap in the earth remote sensing. *Photogrammetric Engineering & Remote Sensing*, 87(7), 461–467.
- Thenkabail, P. S., Enclona, E. A., Ashton, M. S., & Van Der Meer, B. (2004). Accuracy assessments of hyperspectral waveband performance for vegetation analysis applications. *Remote Sensing of Environment*, 91(3–4), Article 3–4.
- Thenkabail, P. S., & Lyon, J. G. (2016). *Hyperspectral remote sensing of vegetation*. CRC press.
- Thompson, D. R., Gao, B.-C., Green, R. O., Roberts, D. A., Dennison, P. E., & Lundeen, S. R. (2015). Atmospheric correction for global mapping spectroscopy: ATREM advances for the HypIRI preparatory campaign. *Remote Sensing of Environment*, 167, 64–77. <https://doi.org/10.1016/j.rse.2015.02.010>
- Tian, L., Wu, X., Tao, Y., Li, M., Qian, C., Liao, L., & Fu, W. (2023). Review of Remote Sensing-Based Methods for Forest Aboveground Biomass Estimation:

-
-
- Progress, Challenges, and Prospects. *Forests*, 14(6), Article 6. <https://doi.org/10.3390/f14061086>
- Tripathi, S. K. (2015). Biodiversity in India: An introduction. *Biodiversity in Tropical Ecosystems (Tripathi SK Eds.)*. Today and Tomorrows Printers and Publishers, New Delhi.
- Turner, W., Spector, S., Gardiner, N., Fladeland, M., Sterling, E., & Steininger, M. (2003). Remote sensing for biodiversity science and conservation. *Trends in Ecology & Evolution*, 18(6), 306–314. [https://doi.org/10.1016/S0169-5347\(03\)00070-3](https://doi.org/10.1016/S0169-5347(03)00070-3)
- Ugland, K. I., Gray, J. S., & Ellingsen, K. E. (2003). The species–accumulation curve and estimation of species richness. *Journal of Animal Ecology*, 72(5), 888–897. <https://doi.org/10.1046/j.1365-2656.2003.00748.x>
- United Nations. (2019). Targets of the UN Strategic Plan for Forests 2030. *United Nations, Department of Economics and Social Affairs: New York, NY, USA*. <https://www.un.org/esa/forests/>
- Ustin, S. L., & Gamon, J. A. (2010). Remote sensing of plant functional types. *New Phytologist*, 186(4), 795–816. <https://doi.org/10.1111/j.1469-8137.2010.03284.x>
- Vaglio Laurin, G., Chan, J. C.-W., Chen, Q., Lindsell, J. A., Coomes, D. A., Guerriero, L., Frate, F. D., Miglietta, F., & Valentini, R. (2014). Biodiversity Mapping in a Tropical West African Forest with Airborne Hyperspectral Data. *PLoS ONE*, 9(6), e97910. <https://doi.org/10.1371/journal.pone.0097910>
- Vaglio Laurin, G., Puletti, N., Hawthorne, W., Liesenberg, V., Corona, P., Papale, D., Chen, Q., & Valentini, R. (2016). Discrimination of tropical forest types, dominant species, and mapping of functional guilds by hyperspectral and simulated multispectral Sentinel-2 data. *Remote Sensing of Environment*, 176, 163–176. <https://doi.org/10.1016/j.rse.2016.01.017>
- Vaiphasa, C., Ongsomwang, S., Vaiphasa, T., & Skidmore, A. K. (2005). Tropical mangrove species discrimination using hyperspectral data: A laboratory study. *Estuarine, Coastal and Shelf Science*, 65(1–2), 371–379.
- van Aardt, J., & Wynne, R. (2001). Spectral Separability among Six Southern Tree Species. *Photogrammetric Engineering and Remote Sensing*, 67, 1367–1375.
-

-
-
- Verma, S., & Jayakumar, S. (2015). Post-fire regeneration dynamics of tree species in a tropical dry deciduous forest, Western Ghats, India. *Forest Ecology and Management*, 341, 75–82. <https://doi.org/10.1016/j.foreco.2015.01.005>
- Vyas, R. (2004). Herpetofauna of Vansda National Park, Gujarat. *Zoos' Print Journal*, 19(6), 1512–1514.
- Wagner, F. H., Ferreira, M. P., Sanchez, A., Hirye, M. C. M., Zortea, M., Gloor, E., Phillips, O. L., de Souza Filho, C. R., Shimabukuro, Y. E., & Aragão, L. E. O. C. (2018). Individual tree crown delineation in a highly diverse tropical forest using very high resolution satellite images. *ISPRS Journal of Photogrammetry and Remote Sensing*, 145, 362–377. <https://doi.org/10.1016/j.isprsjprs.2018.09.013>
- Wang, & Gamon. (2019). Remote sensing of terrestrial plant biodiversity. *Remote Sensing of Environment*, 231, 111218. <https://doi.org/10.1016/j.rse.2019.111218>
- Wang, R., Gamon, J. A., Schweiger, A. K., Cavender-Bares, J., Townsend, P. A., Zygielbaum, A. I., & Kothari, S. (2018). Influence of species richness, evenness, and composition on optical diversity: A simulation study. *Remote Sensing of Environment*, 211, 218–228. <https://doi.org/10.1016/j.rse.2018.04.010>
- Wang, Townsend, P. A., Schweiger, A. K., Couture, J. J., Singh, A., Hobbie, S. E., & Cavender-Bares, J. (2019). Mapping foliar functional traits and their uncertainties across three years in a grassland experiment. *Remote Sensing of Environment*, 221, 405–416. <https://doi.org/10.1016/j.rse.2018.11.016>
- Wanner, W., Li, X., & Strahler, A. H. (1995). On the derivation of kernels for kernel-driven models of bidirectional reflectance. *Journal of Geophysical Research: Atmospheres*, 100(D10), Article D10. <https://doi.org/10.1029/95JD02371>
- Waske, B., Benediktsson, J. A., & Sveinsson, J. R. (2012). 18 Random Forest Classification of Remote Sensing Data. *Signal and Image Processing for Remote Sensing*, 365.
- Whittaker, R. H. (1965). Dominance and Diversity in Land Plant Communities. *Science*, 147(3655), 250–260. <https://doi.org/10.1126/science.147.3655.250>
- Willis, K. (2017). *State of the world's plants 2017*. Royal Botanic Gardens Kew.
- Willis, K. J. (2018). State of the world's fungi 2018. Report. *State of the World's Fungi 2018. Report*.
-

-
-
- Wright, T. M., Andrade, B., Godoy, F., Hewson, J., Mendoza, E., Pinedo, J., & Tabor, K. (2018). Harnessing multiple technologies to combat deforestation—a case study in the alto mayo protected forest in San Martin, Peru. *Parks*, 24, 79.
- Wu, N., Crusiol, L. G. T., Liu, G., Wuyun, D., & Han, G. (2023). Comparing Machine Learning Algorithms for Pixel/Object-Based Classifications of Semi-Arid Grassland in Northern China Using Multisource Medium Resolution Imageries. *Remote Sensing*, 15(3), Article 3. <https://doi.org/10.3390/rs15030750>
- Xi, Y., Ren, C., Tian, Q., Ren, Y., Dong, X., & Zhang, Z. (2021). Exploitation of Time Series Sentinel-2 Data and Different Machine Learning Algorithms for Detailed Tree Species Classification. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 14, 7589–7603. <https://doi.org/10.1109/JSTARS.2021.3098817>
- Yang, G., Huang, K., Sun, W., Meng, X., Mao, D., & Ge, Y. (2022). Enhanced mangrove vegetation index based on hyperspectral images for mapping mangrove. *ISPRS Journal of Photogrammetry and Remote Sensing*, 189, 236–254. <https://doi.org/10.1016/j.isprsjprs.2022.05.003>
- Yel, S. G., & Tunc Gormus, E. (2023). Exploiting hyperspectral and multispectral images in the detection of tree species: A review. *Frontiers in Remote Sensing*, 4. <https://www.frontiersin.org/articles/10.3389/frsen.2023.1136289>
- Zhang, J., Rivard, B., Sánchez-Azofeifa, A., & Castro-Esau, K. (2006). Intra- and inter-class spectral variability of tropical tree species at La Selva, Costa Rica: Implications for species identification using HYDICE imagery. *Remote Sensing of Environment*, 105(2), 129–141. <https://doi.org/10.1016/j.rse.2006.06.010>
- Zhang, T., Niinemets, Ü., Sheffield, J., & Lichstein, J. W. (2018). Shifts in tree functional composition amplify the response of forest biomass to climate. *Nature*, 556(7699), Article 7699. <https://doi.org/10.1038/nature26152>
- Zhang, & Xie, Z. (2012). Combining object-based texture measures with a neural network for vegetation mapping in the Everglades from hyperspectral imagery. *Remote Sensing of Environment*, 124, 310–320. <https://doi.org/10.1016/j.rse.2012.05.015>