## BIBLIOGRAPHY

## **BIBLIOGRAPHY**

- Ankleshwar-Panoli-Bharuch Industrial Directory 2003-04, GIDC, Govt. of Gujarat.
- APHA, 1960 Standard methods for examination of water and waste water (14<sup>th</sup> Ed.), New York.
- a) Bilgramy, KS Dattamunshi JS, (1985) Ecology of River Ganges. Impact of human activities and conservation of aquatic biota. M.A.B. Final Tech Report pp: 91.
  - Bilgramy, KS and Siddiqui, TM (1980) Effect of industrial pollutants on the phytoplankton composition of river Ganges at Baravani. J. Indian. Bot. Soc, **59**: 9-10.
  - Barodawala, SF, Patel PK and Patel CD. (1992) The possible causes of variation in the water quality of Mahi River, Gujarat, India. J. Geo. Soc. India, **39**: 467-473.
  - Bharati, SG. (1990) Effect of effluents from the industrial belt on river Kali around Dandeli (North Karnakata District), Karnataka. Indian J. Environ. Hlth. **32** (2): 167-171.
  - Bharti, SG and Krishnamurty, SR. (1992) Effect of effluents from the industrial belt on river Kali around Dandeli (North Karnakata District), Karnataka. Indian J. Environ. Hlth: (32) 2: 167-171.

77

- Blackburn, RD, Sutton, DL and Taylor, TM (1971) Biological control of aquatic weeds. ACSE, J. Irrig Draio. Div, 97-421
- Blum, JJ. (1957) An ecological study of algae of saline River, Michigan, J. Hydrobiol. 9: 361-408.
- Bolton, P. (1993) Environmental changes downstream of Sardar Sarovar dam, HR Report EX 2750.
- Bonny Pilo, Desai, AK, Naik YM, Mankodi PC and Vachhrajani, KD, (1994) EIA Studies on inland and marine fisheries relevant to the command area of SSP. Report submitted to NPG-SSNNL, Govt. of Gujarat, The M. S. University of Baroda, Vadodara.
- Chacko, PI. (1949) Some observations on River Adyar with special reference to it's hydro biological conditions, Indian. Geogr. J, 24(3): 35-49.
- Chackrabarty, RD, Roy, P and Singh, SB (1959) A quantitative study of the plankton and the physicochemical conditions of the river Yamuna at Allahabad, in 1954-55. Indian. J. Fishries, **6(1)**: 186-203.
- Chattopadhyay, SN, Routh, T., Sharma, VP and Arora, PK (1984) A short term study on pollution status of river Ganga in Kanpur Region, Indian .J. Environ. Hlth, 26(3): 244-257.

- Chauhan, M. (2004) Impact of Weir on aquatic ecology of river mouth of Tapi, M. Phil. Thesis, South Gujarat University Surat.
- CICFRI (1993) Studies on fish conservation in Narmada Sardar Sarovar and its downstream. Report submitted to NPG-SSNNL. Govt. of Gujarat.
- COF (2003) Gujarat Fisheries Statistics, Commissioner of Fisheries, Govt. of Gujarat.
- COF (2004) Gujarat Fisheries Statistics, Commissioner of Fisheries, Govt. of Gujarat.
- Dana, RS (1974) Water Hyacinth research in Louisiana, Natchitoches, Louisiana.
- Death, RG and Winterborn, MJ. (1995) Diversity patterns in stream benthic invertebrate communities: The influence of habitat stability. Ecology. **76**: 1446-1460.
- Ganpati, SV and Chacko PI (1951) An investigation of the river Godavari and the effect of paper mill pollution at Rajamundary. Porc. Indo. Pacif. Fish. Coun, **3(2&3)**: 70-74.
- Gautam, AK, Singh HR and Sati, OP (1989) Seasonal variation of certain oxidation - reduction characteristics of the river Bhagirathi, India, Proc. Indian. Nat. Sci. Acad. 855: 111-114.

- Gautam, AK. (1989) On chemical parameters and role of sewage pollutant in river Bhagirathi at Utterkashi (Garhwal, Himalaya). Him. J. Env. zool. **3:**262-264.
- Gautam, AK. (1994) Metals in waters of river Bhagirathi. J. Env. Poll. 1: 69-76.
- Jemson, J. and Rana, BC (1996) Seed germination and seedling growth of certain plants in the industrially polluted Khari river water. Geobios, **22(1)**: 39-41.
- Joshi, BD and Bisht, RCS. (1993) Seasonal variation in the physico-chemical characteristics of sewage drain at Jawalapur, Hardwar. Him. J .Env. zool, **7**: 76-82.
- Khatavkar, SD and Trivedi, RK (1992) Water quality parameters of river Panchganga near Kohl and Ichalkarangi Mahashtra. J. Exotoxicol. Environ. Monit. 2(1): 113-118.
- Krishnamurthy, K. (1970) On the ratio of the nutrients on the off shore and estuarine water of Portonovo. The Ocean Joint Oceanography Assembly Tokyo. 13-25.
- Kulshreshtha, SK. (1991) The study of pollution in river Kshipra: zooplankton in relation to water quality. Int. J. Eco. Env, **15**: 27-36.
- Lakshminarayan, JS (1965) The study of phytoplankton of river Ganga Varanasi, Part I Hydrobiologia, **25**: 119-137

- Manoj, E. (1993) Study on algal flora of polluted habitats of South Gujarat. Ph. D Thesis, South Gujarat University Surat.
- Manoj, E. (1997) Physico-chemical evaluation of lentic habitat created by weir cause way in Tapi river Surat. Asian. J. Microbial. Biotech and. Env. Sci; 1(1-2):121-125
- Misra, OP (1991) Wetland and aquatic flora of Narmada Valley (MP). J. Econ. Taxonomy Bot. 15(3): 501 507.
- Naik, LP. (1989) Impact of sewage effluents on the zooplankton profile of River Narmada Mandla Rangrej ghat III National Conference on Narmada Valley.
- Nanda A., (2003) Studies on the impact of pollution on the invertebrate diversity of Mahi river. Ph. D. Thesis. The Maharaja Sayajirao University of Baroda, Vadodara.
- Nanda, A., Vachhrajani, KD. And Mankodi PC, (2005) Crustacean community structure of Mahi receiving industrial effluent. Poll. Res. 24(1): 243-246.
- Nautiyal P. (1984) Studies on the riverine ecology of torrential waters in upland of Garhwal region. Seasonal fluctuations in Diatoms Density. Uttarpradesh J. Zool. 571-674.

1

- Oshore, MKW, Tackyx MLM and Daro MH, (1997) The effect of rainfall and tidal rhythm on the community structure and abundance of the zooplankton of the Gazi Bay, Kenya. Hydrobiologia. **356:** 117-126.
- Pahwa, DV and Mehrotra, SN (1966) Observation of fluctuations in the on abundance of plankton in relation to certain hydrobiological conditions of river Ganga. Proc. Nat. Acad. Sci, 36: 157-189.
- Palria, S. and Rana, BC (1985) Ecological study of the river polluted by dyeing and textile factories waste. Comp. Physiol. & Ecol. 10: 235-237.
- Physiological and physico- chemical evaluation of river Ayad Udaipur. Phykos, **27**: 211-217.
- Palharia, JP and Malviya, S. (1986) Pollution of river Narmada at Hoshangabad in Madhya Pradesh and suggested measures to control. In Ecology and Pollution of Indian rivers, (Trivedi, R. K. Ed.), Academic Press, New Delhi.
- Pandya, A. (2001) Toxicological evaluation of industrial effluent water; Study of reproductive system in laboratory model. Ph. D Thesis. The Maharaja Sayajirao University of Baroda, Vadodara.

- Patel CD and Patel PK (1992) Chemical and Biological evalluation of pollution in river Sabarmati at Ahmedabad, Gujarat.
- Patnaik, KC and Misra, PM. (1990) Seasonal variations in the physico-chemical properties of Rushikula estuary and its effects on the occurrence of *Chanos* fry. J. Ind. Fisheries. Assoc. 20: 69 – 71.
- Perkins, MA and Pedersen, ER (1986) The use of benthic invertebrate data for valuating of urban runoff. Hydrobiologia, **139**: 12-13.
- Prasad BN and Saxena, M (1980) Ecological study of blue green algae in river Gomati, Indian. J. Environ. Hlth, 22(2): 151-168.
- Quasim, SZ and Siddiqui, QA (1960) Preliminary observation on the river Kali caused by the effluents of industrial wastes. Curr. Sci. 29: 310-311.
- Ragothaman, G. and Reddy YR. (1982) Hydrobiology of river Tapi Estuary, Surat. Indian. J. Mar. Sci. **11:** 256-258
- Ragothaman, G. (1995) Study on hydrobiology of river Tapi in Jalgaon in Maharashtra with reference to plankton. Pollution. Research. **14(2):** 181-194.

- Ragothaman, G. (1981) Seasonal changes in physicochemical factors of Daman, Surat. Seminar on Estuaries, NIO, Goa.
- Ragothaman, G. (1986) Study of physico chemical parameters of Tapı Estuary; Marine biology and mariculture, (V. Krıshanamurty. Ed.) 1-14.
- Raina, V, Shah, AR and Ahmed SR (1984) Pollution studies
  on river Jhelum I: An assessment of water quality.
  Indian. J. Environ. Hlth, 26: 197-201.
- Rana BC and Palhariya JP (1985) Assessment, evaluation of and abatement studies pollution river Bandi. Rajasthan.
  (In Ecology of Pollution of Indian Rivers Ed by R. K. Trivedi,) 345-360.
- Rao, KS (1990) Biological monitoring of water quality inChambal and Khan rivers of Central India. Geobiol,16:78-82.
- Rathod N, Vachhrajani, KD and Mankodi PC. (2005) Preliminary studies on foraminiferans of the Mahi estuary. GujaraScience Congress .March 2005Vallabhvidyanagar, Gujarat.
- Ray, PR and David, A. (1966) Study on pollution of river Daha (North Bihar), by sugar and distillery wastes. Environ. Hlth, 8: 6-35.

- Ray, P., Singh, SB. and Sehgal, KL (1966) Proc. Nat. Acad. Sci., India section B, **36:** 235.
- Riazuddin, M. (1988) Study on pollution of Hindoon river and Kali nadi, India: (R. K. Trivedi Ed. Ecology and pollution of rivers).
- Sabnis, SD and Amin, JV. (1992) Eco-environmental studies of Sardar Sarovar environs. The Maharaja Sayajirao University of Baroda, Vadodara.
- Sankaran, V (1993) Algae indicator of riverine pollution by paper mill wastes in Tamilnadu, India. Pollution and biomonitoring of Indian rivers. **22:** 213-218.
- Sarkar, SK (1986) Evaluation of impact of the toxicity of two nitrogenous compounds on fresh water invertebrates exposed to temperature. J. Environ. Biol. 7: 183-188.
- Saxena, KL and Kulkarni, V. (1986) On Rotifer fauna of two sewage channels of Gwalior, India. Limnologca. 17: 139-148.
- Saxena, KL, Chakraborty, RN, Khan, AQ, Chtopadhyay, SN, Chandra, H (1966) Pollution study on river Ganga near Kanpur. Environ. Hlth. 8: 270-285.
- Sharma, (1981) Water quality of the sewage drain entering Yamuna at Agra. Indian. J. Environ. Hlth. 23(2): 118-122.

- Sharma, CB and Ghosh, NC (1987) Pollution of river Ganga by Municipal wastes: A case study from Patna. J. Geol. Soc. India, **30:** 369-385
- Sharma, AH (1995) Environmental impact assessment along effluent channel from Baroda to Jambusar and its confluence with Mahi Estuary at Gulf of Cambay with reference to heavy metals. Ph. D, Thesis. The M. S. University of Baroda, Vadodara. India.
- Shivkumar AA, Lakesmanaswami and Juliet, RG, (1990) Him. J. Env. Zool., 4: 135.
- Shukla, U (1989) Impact of effluents from gelatin industry on zooplankton density in Narmada. Indian. J. Environ. Hlth. **31:** 218.
- Shyamsunder, (1988) Monitoring of the water quality in a stretch of river Jhelum, Kashmir. (Ecology and Pollution of Indian rivers. Ed. R. K. Trivedi) 131-161.
- Singh, HR (1985) Comparative study of certain ecological aspects of river Brahamputra and Digali Beel in Assam. Proc. Nat. Sci. Acad. **55(13):** 21-30.
- Thamil Chelvan, P. (1989) Effects of Ankleshwar industrial effluent on fisheries of Narmada river at Vatva, Bharuch district, Gujarat.

~

- Tiwari, D and Kumar DH. (1985) Algal dynamics in relation to some factors causing eutrophication in Advances in Applied Physiology (Eds. A. C. Shukla and S. N. Pandey) 251-261.
- Venkateshwarlu, V. (1986) Ecological studies of rivers of Andhra Pradesh. Proc. Indian. Sci. Acad. 96: 495-508
- Venkateshwarlu, V. and Jayanti, TV (1968) Hydro-biological studies on river Sabarmati to evaluate water quality. Hydrobiologia. 443 – 448.
- Wallingford, HR. 1995; Environmental Assessment of changes downstream of Sardar Sarovar Dam. HR Report EX 3070.
- Zafar AR (1964) On the ecology of certain ponds of Hyderabad, Indian. Hydrobiol, 23:179-195.