

CONTENTS



CHAPTER 1 **INTRODUCTION**

1.1	Methods of Preparation of Aminoalcohols.	2
1.2	2-amino-1-butanol.	15
1.3	Resolution of Aminoalcohols.	23
1.3.1	Resolution of ($\pm$)-2-amino-1-butanol.	23
1.3.2	(<i>R</i>)-(-) or (<i>S</i>)-(+)-2-amino-1-butanol as a resolving agent.	24
1.4	Racemisation of (<i>R</i>)-(-)-2-amino-1-butanol.	25
1.5	Reactions of 2-amino-1-butanol.	26
1.6	Uses of Aminoalcohols.	31
1.7	Toxicological Information on Alkanolamines.	34
1.8	The Present Work.	35
1.9	References.	36

CHAPTER II **SYNTHESIS OF CHIRAL SECONDARY ALKANOLAMINES**

2.1	Introduction.	46
2.2	Results and Discussion.	54
2.3	Experimental.	62
2.3.1	Chiral Imines from (<i>R</i>) & (<i>S</i>) 2-amino-1-butanol.	62
2.3.2	N-benzyl derivatives of (<i>R</i>) & (<i>S</i>) 2-amino-1-butanol.	69
2.4	References.	76



3.1	Introduction.	78
3.2	Results and Discussion.	90
3.3	Experimental.	104
3.3.1	Sulfonamides from (<i>R</i>) & (<i>S</i>) 2-amino-1-butanol.	104
3.3.2	(<i>R</i>) & (<i>S</i>) N-benzyloxycarbonyl -2-amino-1-butanol.	107
3.3.3	1,3-oxazolidines.	109
3.4	References.	134

CHAPTER IV

**PART I FORMATION OF (R)-N-[2-(1-HYDROXYBUTYL)]
ISOINDOLIN-1-ONE.**

4.1.1	Introduction.	137
4.1.2	Results and Discussion.	144
4.1.3	Experimental : (<i>R</i>)-N-[2-(1-hydroxybutyl)] isoindolin-1-one.	146
4.1.4	References.	153



PART II FORMATION OF A NOVEL CHIRAL RING SYSTEM.

4.2.1	Introduction.	154
4.2.2	Results and Discussion.	160
4.2.3	Experimental.	163
4.2.3.1	2-(1-hydroxybutyl) phthalimides.	163
4.2.3.2	3-hydroxy-2-(1-hydroxybutyl) isoindolin-1-ones.	165
4.2.3.3	Formation of the Chiral ten membered Fused Ring System.	167
4.2.4	References.	176

SUMMARY