

REFERENCES

- Albanis, T. A., Hela, D , and Papakostas, G. and Goutner, V. 1996. Concentration and bioaccumulation of organochlorine pesticide residues in herons and their prey in wetlands of Thermaikos Gulf, Macedonia, Greece. *Science of the Total Environment.* 182(1-3): 11-19
- Ali, S. 1949. Bird friend and foes of the cultivator. *Indian Farming* 10: 385-387.
- Ali, S. and Ripley, S. D. 1983. *Handbook of the birds of India and Pakistan* (Compact ed.). Oxford University Press, Bombay. India
- Altieri, M. A. 1994. *Biodiversity and pest management in agriculture* Wetview Press, Boulder. CO. pp. 433.
- Ambrose, R. E , Henny, C J Hunter, R E. and Crawford, J. A 1988 Organochlorine in Alaskan Peregrine Falcon egg and their current impact on productivity. In "Peregrine Falcon populations: their management and recovery. (Eds). Cade, T. J., Enderson, J H., Thelander, C. G and White, C. M. The peregrine fund, Inc Boise, Idaho pp. 949
- Anderson, D W. and Gress, F 1983. Status of a northern population of California Brown Pelicans *Condor* 85: 79-88.
- Anderson, D. W. and Hickey, J. J. 1976. Dynamics of storage of organochlorine pollutants in Herring Gulls. *Environmental Pollution* 10 183-200.
- Anonymous 1986. Agroclimatology of Anand and Rainfall analysis of middle Gujarat. All India Co-ordinated Research Project on Agroclimatology, Subcentre. Gujarat Agricultural University, Anand.

- Anonymous 1994 Manual on IPM in the Rice Directorate of plant protection and quarantine storage, India, Faridabad.
- Ash, J. S and Taylor, A. 1964. Further trials on the effects of gamma BHC seed dressing on breeding pheasants. Game Res. Assoc. Ann. Rep. 4: 14-20.
- Avian Effects Dialouge Group 1994. Assessing pesticide impacts on birds. Final report of AEDG, 1988-93.
- Avrahami, M. and Steele, R. T. 1972. Hexachlorobenzene. II. Residues in laying pullets fed HCB in their diet and the effects on egg production, egg hatchability, and on chickens. N. Z. J. Agric. Res. 15: 482-488.
- Banasch, U., Goossen, P. J., Riez, A. E., Casler, C. and Barradas, R. D. 1992. Organochlorine contaminants in migrant and resident prey of Peregrine Falcons, *Falco peregrinus*, in Panama, Venezuela and Mexico. Canadian Field-Naturalist 106: 493-498.
- Benard, R. E 1963. Studies on the effects of DDT on birds. Publ. Mus. Michigan State University. Biol. Ser 2: 155-192.
- Berger, D. D. , Sindelar, C. R., Jr., and Gamble, K. E. 1969. The status of breeding peregrines in the eastern United States. In "Peregrine Falcon populations: their biology and decline" (Ed) Hickey, J. J.. University of Wisconsin press, Madison.
- Blus, L. J. 1982. Further interpretation of the relation of organochlorine residues in Brown Pelican eggs to reproductive success. Environ. Pollut. 28A. 15-33.
- Blus, L. J., Cromartie, E, McNease, L. and Joanen, T. 1979. Brown Pelican: population status, reproductive success, and organochlorine residues in Louisiana, 1971-1976. Bull. Environ. Contam. Toxicol. 22: 128-135.

- Blus, L. J., Henny, C. J. and Grove, R. A. 1989. Rise and fall of endrin usage in Washington State fruit orchards: effects on wildlife. *Environmental Pollution* 60: 331-349
- Blus, L. J., Henny, C. J., Kaiser, T. E. and Grove, R. A. 1983. Effects on wildlife from use of endrin in Washington State orchards. *Trans. North Am. Wildl. And Nat. Resour. Conf.* 48:159-174.
- Blus, L. J., Henny, C. J., Lenhart, D. J. and Kaiser, T. E. 1984. Effects of heptachlor and lindane-treated seed on Canada Geese. *J. Wildl. Manage.* 48: 1097-1111.
- Blus, L. J., Needey, B. S. Jr., Belsle, A. A. and Prouty, R. M. 1974. Organochlorine residues in Brown Pelican eggs: relation to reproductive success. *Environ. Pollut.* 7:81-91.
- Blus, L. J., Wiemeyer, S. N. and Henny, C. J. 1995. Organochlorine Pesticides. In "Handbook of ecotoxicology" (Eds.) Hoffman, D. J., Rattner, B. A , Burton, G. A. Jr. and Cairns, J. Jr. Lewis Publisher, Boca Ratan.
- Borad, C. K. Mukherjee, A. and Parasharya, B. M. 2000. Conservation avian biodiversity in paddy (*Oryza sativa*) crop agroecosystem Indian J. Agric. Sci 70(6): 378-381
- Borg, K., Wanntorp, H , Frene, K. and Hanko, E. 1969. Alkyl mercury poisoning in terrestrial Swedish wildlife. *Vitrevy* 6(4):301-379
- Braune, B. M, Malone, B. J., Burgess, N M., Elliot, J E , Garrity, N., Hawkings, J Marshall, H , Marshall W K , Rodrigue, J., Wakeford, B Wayland, M. Weseloh, D. V. and Whitehead, P. E. 1999. Chemical residues in waterfowl and gamebirds harvested in Canada, 1987-75 Technical Report series No. 326. Canadian Wildlife Service.

- Burgat-Sacaze, V., Rico, A G. and Petit, C. 1990. Effects des pesticides sur la reproduction des oiseaux. Annles de l' Association Nationale de la protection des plantes 2(1/1): 187:204.
- Burns, E. C. and Chapin, J. B. 1969. Arthropods in the diet of Cattle Egret, *Bubulcus ibis* in South Louisiana Journal of Economic Entomology 62 : 736-738.
- Castillo, L , Thybaud, E., Caquet, T. and Ramade, F. 1994 Organochlorine contaminants in Common Tern (*Sterna hirundo*) eggs and young from rever rhine area (France) Bull Environ. Contam. Toxicol 53. 759-764
- Chattopadhyay, S. N. 1974 Study of some psychological correlates of adoption of improved practices. Ph.D. thesis, IARI, New Delhi, India.
- Cooke, A. S. 1973. Shell thinning in avian eggs by environmental pollutants. Environ. Pollut. 4:85-152.
- Cramp, S., Conder, P. J. and Ash, J. S. 1964. The risk of bird life from chlorinated hydrocarbon pesticides. Royal Soc. Prot. Birds Rept. 1962 July 1963, pp.24.
- Cromartie, E., Reichel, W. L , Locke, L. N., Belisle, A. A, Kaiser, T. E., Lamont, T G., Mulhern, B. M., Prouty, R. M. and Swineford, D. M. 1975. Residues of organochlorine pesticides and polychlorinated biphenyls and autopsy data for Bald Eagles, 1971- 1972. Pesticides Monitoring Journal 9: 11- 14.
- Cruz, I. D., Mougin, C., Grolleau, G. 1997. Chlorinated hydrocarbons in eggs of grey heron (*Ardea cinerea* L.) in France (Lac de Grandlieu). Chemosphere 35(5): 1003-1009
- Custer T. W., Erwin, R. M. and Stafford, C. 1983. Organochlorine residues in Common Tern eggs from nine Atlantic Coast colonies 1980. Colonial Waterbirds 6: 197-204.

- Custer, T. W. and Heinz, G. H. 1980. Reproductive success and nest attentiveness of Mallard ducks fed Aroclor 1254. Environ. Pollut. 21:313-318.
- Custer, T. W. and Mitchell C. A. 1987. Organochlorine contaminations and reproductive success of Black Skimmers in south Texas 1984. Journal of Field Ornithology 58: 480-489.
- Custer, T. W., Sparks, D. W., Sobiech, S. A., Hines, R. K. and Melancon, M. J. 1996. Organochlorine accumulation by sentinel Mallards at the Winston-Thomas sewage treatment plant, Bloomington, Indiana. Arch. Environ. Contam. Toxicol. 30: 163-169.
- Cuter, T. W., Hensler, G. L. and Kaiser, T. E. 1984. Clutch size, reproductive success and Black-crowned Night Herons. Auk 100: 699-710.
- Daniels, R. J. R 1994. A landscape approach to conservation of birds. Journal of Bioscience 19(4): 503-509.
- Derr, S. K. and Zabik, M. J. 1972. Biological active compounds in aquatic environment: the uptake and distribution of (1,1-dichloro -2,2-bis(p-chlorophenyl) ethylene) DDE by *Chironomus tentanus* Fabricius (Diptera:Chironomidae) Transactions American Fisheries Society 2: 323-329.
- DeWeese, L. R., McEwen, L. R., Hensler, G. L. and Petersen, B. E. 1986. Organochlorine contaminanats in passeriformes and avian prey of the Peregrin Falcon in Western United State. Environ. Toxic. And Chemistry 5: 675-693.
- DeWitt, J. B. 1955. Effects of chlorinated hydrocarbon insecticides upon quail and pheasants. J. Agric. Food Chem. 3 (8): 672-676.

- Dharmakumarsinhji, R. S. 1977. Blackthroated weaverbird *Ploceus benghalensis* (Linn.) breeding near Bhavnagar (Saurashtra). J. Bombay Nat Hist. Soc. 79:357
- Dhindsa, M. S., and Toor, H. S. 1990. Feeding ecology of three sympatric species of Indian Weaverbirds, in an intensive cultivated area In: "Granivorous birds in agricultural landscape" (Eds) Pinowski, J. and Summer-smith, J. D., PNW-Polish Scientific Publishers.
- Diamond, A. W. and Filion, F. L. (Eds.). 1987. *The value of birds* International Council for Bird Preservation, Cambridge, UK. Technical Publication 6, 267 pp.
- Douben, P. E. T 1998 Pollution Risk Assessment and management. John Wiley & Sons. New York, USA.
- Eades, J. F. 1966. Pesticide residues in the Irish environments. Nature 210 (5036). 650.
- Edwards, C A 1976. *Persistent pesticides in the environment*. 2nd ed. CRC Press, Cleveland, Ohio, pp 170.
- Enderson, J H., Craig, G. R., Burnham, W. A. and Berger, D. D 1982. Eggshell thinning and organochlorine residue in Rocky Mountain Peregrines, *Falco peregrinus* and their prey Canadian Field-Naturalist 96: 255-264.
- Fitzner, R. E , Blus, L. J., Henny, C. J. and Carline, D. W. 1988. Organochlorine residues in Great Blue Herons from the North Western United States. Colonial Waterbirds 11(2): 293-300.
- Fletcher, M. R. 1972. Effects of hexachlorobenzene on Japanese Quail. Proc. West. Assoc. State Game Fish Comm. 52: 374-383.
- Flickinger, E. L and King, K. A. 1972. Some affects of aldrin-treated rice on Gulf coast. Wildlife. J Wildl. Manage. 36: 706-727.

- Fogarty, M. and Hetrick, W. M. 1973. Summer foods of Cattle Egrets in North Central Florida. *Auk* **90**: 268-280.
- Fox, G. A. 1976. Eggshell quality: its ecological and physiological significance in a DDE contaminated Common Tern population. *The Wilson Bull.* **88**: 459-477.
- Fox, G., Younge, K. S. and Sealy, S. G. 1981. Breeding performance, pollutant burden and eggshell thinning in Common Loons (*Gavia immer*) nestling on a boreal forest lake. *Ornis Scand.* **11**: 243-248.
- Fyfe, R. W., Banasch, U., Benavides, V., Hilgert de Benavides, N. Luscombe, A. and Sanchez, J. 1990. Organochlorine residues in potential prey of Peregrin Falcons, *Falco peregrinus*, in Latin America. *Canadian Field-Naturalist* **104**: 284-292.
- Fyfe, R. W., Rosebrough, R. W. and Walker, W. II. 1976. Pollutant effects on the reproduction of the prairie Falcons and Merlins of the Canadian prairies. *Canadian Field-Naturalist* **90**:346-355.
- Gebauer, M. B. and Weseloh, D. V. 1993. Accumulation of organic contaminants in sentinel Mallards utilizing confined disposal facilities at Hamilton Harbour, Lake Ontario, Canada. *Arch. Environ. Contam. Toxicol.* **25**: 234-243.
- Gress, F., Risebrough, R. W., Anderson, D. W., Kiff, L. F. and Jehl, J. R. 1973. Reproductive failures of Double-crested Cormorants in southern California and Baja California. *Wilson Bull.* **85**: 197-208.
- Grimmett, R., Inskip, C. and Inskip, T. 1998. *Birds of Indian Subcontinent*. Oxford University Press, New Delhi.
- Gromnridge, B. (Ed.). 1993. *The 1994 IUCN red list of threatened animals*. IUCN, Gland, Switzerland and Cambridge, U. K. pp. lvi + 286.

- Hall, R. J., Haseltine, S. D. and Geissler, P. H. 1989. Monitoring contaminant exposure relative concentrations of organochlorine in three tissues of American Black Ducks. *Environ. Monit. Assess.* **13**: 11-19.
- Hancock, J. and Khushlan, J. 1984. *The Herons Handbook*. Croom Helm, London
- Haseltine, S. D , Finley, M T. and Cromartie, E. 1980. Reproduction and residue accumulation in Black Ducks fed toxaphene. *Arch. Environ Contam. Toxicol.* **9**: 461-471.
- Hassell, M. P. 1985. Insect natural enemies as regulating factors. *J. Anim Ecol.* **54**:323-324.
- Hayes, W. J. Jr. 1991. Dosage and other factors influencing toxicity. In "*Handbook of pesticide toxicology 2nd edition*" (Eds) Hayes, W J Jr and Laws, E R Jr., Academic Press, San Diego.
- Heath, R G , Spann, J W and Kreitzer, J. F. 1969 Marked DDE impairment of Mallard reproduction in controlled studies. *Nature* **224**: 47-48
- Hebert, C E , Haffner, G D , Weis, I. M , Lazar, R. and Montour, L. 1990. Organochlorine contaminants in duck populations of Walpole Island J Great Lakes Res. **16**: 21-26.
- Hector, D. P 1985. The diet of Apolomado Falcon (*Falcoferoralis*) in eastern Maxico. *Condor* **87**: 336-342.
- Heinz, G. H., and Johnson, R. W. 1981. Diagnostic brain residues of dieldrin: some new insights, In: "*Avian and mammalian wildlife toxicology*" (Eds.) Lamb, D. W. and Kenaga, E. E., Second Conf. Am Soc. Testing and Materials. Spec. Tech. Publ. 757.

- Heinz, G. H., Haseltine, S. D., Reichel, W. L. and Hensler, G. L. 1983. Relationships of environmental contaminations to reproductive success in Red-breasted Mergansers from Lake Michigan. Environ. Pollut. (seriesA)32: 211-232.
- Henny, C. J. and Blus, L. J. 1986. Rediotelemetry locates wintering grounds of DDE- contaminated Black-crowned Night-herons. Wildl. Soc. Bull. 14: 236-241.
- Henny, C. J. and Herron, G. B. 1989. DDE, Selenium, mercury, and White-faced Ibis reproduction at Carson Lake, Nevada. J. Wildl. Manage. 53 (4): 1032-1045.
- Henny, C. J. and Meeker D. L. 1981. An evalution of blood plasma for monitoring DDE in birds of prey. Environ. Pollut. 25A: 291-304.
- Henny, C. J., Blus, L. J. and Hulse, C. S. 1985. Trends and effects of organochlorine residues on Oregon and Nevada weding birds 1979-83. Col. Waterbirds. 8: 117-128.
- Henny, C. J., Blus, L. J. and Poutry, R. M. 1982a. Organochlorine residues and shell thinning in Oregon seabird eggs. Murrelet 63:15-21.
- Henny, C. J., Blus, L. J. and Stafford, C. J. 1983. Effects of heptachlor on American Kestrels in Columbia basin, Oregon. J. Wildlife Management 47:1080-1087.
- Henny, C. J., Blus, L. J., Thompson, S. P. and Wilson, U. W. 1989. Environmental contaminants, human disturbance and nesting of Double-crested Cormorants in Northwestern Washington. Col. Waterbird 12(2): 198-206.
- Henny, C. J., Ward, F. P., Riddle K. E. and Prouty, R. M. 1982b. Migratory Peregrine Falcons, *Falco peregrinus*, accumulate pesticides in Letin America during winter. Canadian Field-Naturalist 96: 333-338.

- Heubeck, E. K 1967. A survey of the parasites of the Cattle Egret (*Bubulcus ibis*) in Florida. M. S. thesis, Gainesville, University of Florida.
- Hickey, J. J. and Anderson, D. W. 1968. Chlorinated hydrocarbons and eggshell changes in raptorial and fish-eating birds. Science **162**: 271-273
- Hickey, J. J. and Hunt, L. B. 1960. Initial songbird mortality following a Dutch elm disease control program. J. Wildl. Manage **24**: 259-265.
- Hill, E F., Heath, R. G. Spann, J. W. and Willians, J. D. 1975. Lethal dietary toxicities of environmental pollutants to birds U. S Dept. Interior Fish and Wildl. Ser., Spec. Sci. Rep. Wildlife 191.
- Holmes, R T. 1990 Ecological and evolutionary impacts of birds predation on forest insects: An overview. Stud. Avian Biol. **13**: 6-13.
- Holt, G., Frolio, A. and Northeim, G. 1979. Mercury DDE and PCB in the avifauna in Norway, 1965-76. Acta Veterinaria Scandinaviaca Supp. **70**. 1-28
- Hudson, R H , Tucker, R K and Haegele, M. A 1984. "Handbook of toxicology of pesticides to wildlife" 2nd ed. U. S. Dept. Interior, Fish and Wildl. Ser Resour. Publ No 153.
- Ikeda, S. 1956 On the food habits of the Indian Cattle Egret *Bubulcus ibis coromandus* (Boddaert). Japanese Journal of Applied Zoology **21** 83-86
- Jenni, D. A 1969 A study of the ecology of four species of herons during the breeding season at Lake Alce Alachua Caunty, Florida Ecological Monograph **39** : 245-270.
- Jenni, D. A. 1973. Regional variation in the food of nestling Cattle Egrets. Auk **90** 821-826.

- Jha, P. N. and Singh, K. N 1970. A test to measure farmer' s knowledge about high yielding variety programme Inter discipline, 7(1): 65-78.
- Joy, R. M. 1982. Chlorinated hydrocarbon insecticides. In "Pesticides and neurotoxicological disease" (Eds.) Ecbichon D. and Joy, R. M. CRC press, Boca, Raton.
- Kadry, I. 1942. The economic importance of the Ruffbacked Egret (Ardea ibis L.) To Egyptian agriculture. Zoological Society of Egypt Bulletin 4: 20-26.
- Kaphalia, B S., Husain, M. M, Seth, T. D., Kumar, A. and Murti, R. K. 1981. Organochlorine pesticides residues in some Indian wild birds. Pesticide monitoring Journal, 15(1): 9-13.
- King, K. A. and Kryniotsky, A. J. 1986. Population trends, reproductive success and organochlorine chemical contaminants in waterbirds nesting in Galveston Bay, Texas. Archives of Environmental Contamination and Toxicology 15: 367-376.
- King, K. A., Flickinger, E. L and Hildebrand, H. H. 1978. Shell thinning and pesticide residues in Texas aquatic bird eggs. 1970. Pesticides Monitoring Journal 12: 16-21.
- Korat, D. M. and Mehta, K. G. 1996. Management of insect pests for high production of rice. Intensive Agriculture 33(7 &8): 12-15.
- Krebs, J. R., Wilson, J. D., Bradbury, R. B. and Siriwardena, G. M. 1999 Commentary: The second silent spring?. Nature 400: 611-612
- Lewis, J C , Drewein, R. C., Kuyt, E. and Sanchez, C Jr 1992 Contaminants in habitat, tissues and eggs of Whooping Cranes Proc North Am Crane Workshop. 6: 159-165.

- Lindberg, P., Odjso, T. and Reutergarch, L. 1985. Residue levels of polychlorobiphenyls, DDT and mercury in bird species commonly preyed by the Peregrin Falcons (*Falco peregrinus* Tunst.) in Sweden. Archives of Environ. Contam. And Toxicol 14: 203-212.
- Longcore, J. R., Samson, F. B. and Whittendale, T. W. Jr. 1971. DDE thins eggshells and lowers reproductive success of captive Black Ducks. Bull. Environ. Contam. Toxicol. 6: 485-490.
- Lundholm, E. 1987. Thinning of eggshells in birds by DDE: mode of action on eggshell gland. Comp. Biochem. Physiol. 88c: 1-22.
- Martin, N., Cabrera, L., Villa, M. and Iglesias, B..1967. La garza ganadera el ave mayor importancia para la economia agricola de pais. Museo Felipe Poey. Trabajas de Divulgacion. 42: 1-4.
- Mateos, A. and Lazaro, E. 1986. Contribution al estudio de la alimentacion de la garcilla bueyera (*Bubulcus ibis ibis* L) en extremadura. Alytes 4: 49-68
- McKilligan, N. G. 1984. The food and feeding ecology of the cattle Egret, *Ardeola ibis*, when nesting in South East Queensland. Australian Wildlife Research 11: 133-144.
- McLane, M. A R. and Holl, L. C. 1972. DDE thins Screech Owl eggshells Bull. Environ. Contam. Toxicol. 8: 65-68.
- Mehrle, P M., Finley, M. T., Ludke, J. L., Mayer, F. L. and Kaiser, T E 1979: Bone development in Black ducks as affected by dietary toxaphene Pestic Biochem. Physiol 10. 168-173.

- Mineau, P. and Keith, J. A. 1993. Pesticides and wildlife: a short guide to detecting and reducing impact. In: " Proceeding of symposium on impact of pesticide use on health of developing countries". (Eds.) Forget, G., Goodman, T and Devilliers, A. International Development Research Centre, Ottawa, Canada.
- Moore, N. W. 1966. A pesticide monitoring system with special reference to the selection of indicator species. *J. Applied Ecology* **3**: 261-269.
- Morrison, M. L., Shanley, E. Jr. and Slack, R. D. 1977. The food of nestling Olivaceous Cormorants. *Southwestern Nat.* **22**: 321-326.
- Mukherjee, A. K. 1971. Food -habits of water birds of the sunderban, 24-paraganas district, West Bengal, India-III. *Journal of Bombay natural History Society* **68** (3): 691-716.
- Mulla, M. S., Giancarlo, M. and Arata, A. A. 1979. Impact of biological and chemical mosquito control agent on non-target biota in aquatic ecosystem. *Residue Reviews* **7**: 121-132.
- NCAER 1967. *Pesticides in Indian Agriculture*. National Council of Applied Economic Research, New Delhi, India.
- Nebeker, A. V., Griff, G. S. and Schuytema, 1994. Toxicity and estimated water criteria values in Mallard duckling exposed to pentachlorophenol. *Arch. Environ. Contam. Toxicol.* **26**: 33-36.
- Nebeker, A. V., Griffis, W. L., Stutzman, T. W., Schuytema, G. S., Carey, L. A. and Scherer, S. M. 1992. Effects of aqueous and dietary exposure of dieldrin on survival, growth and bioconcentration in Mallard ducklings. *Environ. Toxicol. Chem.* **11**: 687-699.
- Newton, I. 1979. Population ecology of raptors Berkhamstead, England. T and A. D. Poyser, Calton

- Nisbet I. C. T. and Reynolds 1984. Organochlorine residues in Common Terns and associated estuarine organism, Massachusetts, USA 1971-81 Mar. Environ Res 11: 33-66.
- Nisbet, I C. T. 1980. Status and trends of Roseate Tern *Sterna dougallii* in North America and the Caribbean. Unpublished report to U S. Fish and Wildlife Service, Office of Endangered Species, Massachusetts, Aubudon Society, Lincoln, Mass.
- Nisbet, I C. T. 1982. Eggshell characteristics and organochlorine residues in Common Terns: variation with egg sequence. Colonial Waterbirds 5. 139-193.
- Nosek, J. A and Faber, R A 1982 Polychlorinated biphenyls and organochlorine insecticides in great blue heron eggs from the Upper Mississippi River In "Contaminants in the Upper Mississippi River Proceedings of the 15th Annual Meeting of the Mississippi River Research Consortium" (Eds) Wiener, J G , Anderson, R V and McConville, D. R., Butterworth Publishers, Boston. pp.241-259.
- O'Connor, R J and Shrub, M 1986 Farming and Birds Cambridge University Press, Cambridge, England, pp 290.
- O'Connor, T G. 1993 The diets of nestling Cattle Egrets in the Transvaal Ostrich 64: 44-45.
- Oberholser, H C. 1974. In "The bird life of Texas" Kinacaid, E. B Jr. (ed.). Austin Texas, USA. University of Texas Press
- Ohlendorf, H. M., Klaas, E. E. and Kaiser, T. E 1978 Environmental pollutants and eggshell thinning in the Black-crowned Night Heron. Pp. 63-82. In "Wading Birds" Sprunt, A IV, Ogden, J. C. and Winckler, S. Eds.) Research Report No. 7, New York, USA: National Abudon Society, Tavernier Florida pp.1-11.

- Ohlendorf, H. M., Schaffner, F. C., Custer, T. W. and Stafford, C. J. 1985
Reproduction and organochlorine contaminants in terns at San Diego
Bay. Col. Waterbirds 8(1): 42-53.
- Ohlendorf, H. M., Swineford, D. M. and Locke, L. N. 1981. Organochlorine
residues and mortality of herons. Pesticides Monitoring J 14: 125-135.
- Otvos, I. S 1979. The effect of insectivorous birds activities in forest
ecosystem. an evaluation. 341-374 pp. In: Role of Insectivorous Birds
in Forest Ecosystem. Academic Press, London.
- Parashara, U. A. 1989. Role of avian predators in *Heliothis armigera*
Hubner management and breeding biology of the Bank Myna
Acridotheres ginginianus L. M. Sc. Thesis, Gujarat Agricultural
University, S. K. Nagar, Gujarat, India.
- Parasharya, B. M., Mathew K. L. and Sukhadia, A. G. 1996. Relevance of
agricultural ecosystem to birds and their conservation. In: "Pan-Asian
Ornithological Congress and XII Birdlife Asian Conference held during
9-16 November 1996 at Coimbatore, India
- Pareek, U. and Trivedi, G. 1965. Factor analysis of socioeconomic status
of farmers in India. Rural Sociology 30: 311-321.
- Patel, A. D. 1996a. Food habit, food preferences and morphometrics of
Blackthroated weavernird *Ploceus benghalensis* Linnaeus. M. Sc.
Thesis submitted to Gujarat Agricultural University, S. K. Nagar, India
pp 95 + xviii.
- Patel, A. R. 1997. Food production and ninth plan. Kurukshtetra 45(6 &7).
77 -79

- Patel, J. R. 1991. Role of avian predators, other bioagents and cutting management in control of lucerne (*Medicago sativa* L.) pests and breeding biology of the Brahmini Myna *Sturnus pagodarum* G., M. Sc. Thesis, Gujarat Agricultural University, S. K Nagar, Gujarat, India.
- Patel, T. V. 1996b. Food habits and nesting ecology of cattle egret (*Bubulcus ibis*). M. Sc. Thesis, Gujarat Agricultural University, S. K Nagar, Gujarat, India.
- Peakall, D. B, Cade, T. J , White, C M and Haugh, J. R 1975 Organochlorine residues in Alaskan Peregrines. Pesticide Monitoring J. 8: 255-260.
- Pearce, P. A , Peakall, D. B. and Reynolds, L. M. 1979. Shell thinning and residues of organochlorines and mercury in seabird eggs, eastern Canada, 1970-76. Pesticides Monitoring Journal 13:61-68
- Porter, R. D. and Wiemeyer S N. 1972. DDE at low dietary levels kill captive American Kestrels. Bull. Environ. Contam. Toxicol. 8:193-199
- Richards, O W and Davies, R G. 1977. *IMM,s General Text Book of Entomology*. Tenth Edition, A Halsted Press Book. John Willey & Sons, New York
- Risebrough, R W. 1986. Pesticide trade and third world countries: implications for the protection of birds and other wildlife. Study report. International Council for Bird preservation (in press)
- Robinson, J. and Roberts, M. 1968. Accumulation, distribution and elimination of organochlorine pesticides by vertebrates. Soc Chem Ind. Monogr. 29: 106-119
- Rudd, R. L. 1964. "Pesticides and living landscape" University of Wisconsin Press Madison. pp 320.

- Schaefer, E. W. Jr., Bowles, W. A. Jr. and Hurlbut, J. 1983. The acute oral toxicity, repellency and hazard potential of 998 chemicals one or more species of wild and domestic birds. *Arch. Environ. Contam. Toxicol.* 12: 355-382.
- Schmitt, C. J., Zajicek, J. L. and Ribick, M. A. 1985. National pesticide monitoring program: residues of organochlorine chemicals in freshwater fish, 1980-81. *Arch. Environ. Contam. Toxicol.* 14: 225-260.
- Seigfried, W. R. 1971. The food of Cattle Egret. *Journal of Applied Ecology* 8. 447-468.
- Siegfried, W. R. 1966. On the food of nestling Cattle Egrets. *Ostrich* 37 (4): 219-220.
- Singhal, V. 1999. *Indian Agriculture*. Indian Economic Data Research Centre, New Delhi, India.
- Smith, A. G. 1991. Chlorinated hydrocarbon insecticides. In 'Hand Book of Pesticide Toxicology' (Eds.) Hayes, W. J. Jr. and Laur, E. R. Jr. vol. 2. Academic Press, San Diego.
- Sodhi, N. S. and Khera, S. 1984. Food, food requirement during growth and feeding behaviour of nestling *Bubulcus ibis coromandus* (Boddaert). *Pavo* 22: 21-29.
- Spann, J. W., Heath, R.C., Kreitzer, J. F. and Locke, L. N. 1972. Ethyl mercury p-toluene sulfonanilide: lethal and reproductive effects on pheasants. *Science* 175(4019): 328-331.
- Stickel, L. E., Weiemeyer, S. N , and Blus, L. J. 1973b. Pesticide residues in wildbirds: adustment for loss of moisture and lipid. *Bull. Environ Conta. Toxicol* 9:193-196.

- Stickel, W. H. Stickel, L. F. and Cnn, F. B. 1970. DDE and DDD residues correlated with mortality of experimental birds. In "Pesticides symposia, inter-American conference on toxicology and occupational medicine" (Ed.) Deichmenn, W. P. D. Helios and Associates, Inc., Miami.
- Stickel, W. H., Galyen, J. A., Dryland, R. A. and Huges, D. L 1973a. In "Toxicity and persistence of mirex in birds in pesticides and the environment: A continuing controversy" (Ed) Deichmann, W. B. Intercontinental Medical Book Corp., New York. pp 437-467.
- Stickel, W. H., Reichel, W. L. and Hughes, D. L. 1979a. Endrin in birds. lethal residues and secondary poisoning. In: "Toxicology and occupational medicine" (Ed.) Deichmann, W. B., Elsevier, North Holland.
- Stickel, W H., Stickel, L F., Dryland, R. A. and Hughes, D. L 1984. DDE in birds' lethal residues and loss rates. Arch. Envirn Contam. Toxicol 13 1-6.
- Stickel, W H , Stickel, L F , McArthur, R. D. and Hughes, D L. 1979b Chlordane in birds. a study of lethal residues and loss rates. In "Toxicology and occupational medicine" (Ed) Deichmann, W. B., Elsevier, North Holland.
- Sugumaran, R , Sandhya, G , Tao, K. S., Jadhav, R N. and Kimothi, M M. 1994. Potential of satellite data in delineation of wastelands and correlation with ground information. J. Indian Soc. Remote Sensing 22 (2): 113-118.
- Supe, S. V. 1969. Factors related to different degree of rationality in decision making among farmers Ph D. Thesis, IARI, New Delhi.
- Sweetman, H L. 1958. *The Principles of Biological Control* Wm. C Brown Co. Dubugue Iowa

- Switzer, B., Lewin, V. and Wolfe, F. H. 1973. DDE and reproductive success in some Alberta Common Terns. *Can. J. Zool.* **51**. 1081-1086.
- Switzer, B., Lewin, V. and Wolfe, F. H. 1973. Shellthickness, DDE levels in eggs and reproductive success Common Terns (*Sterna hirundos*) in Alberta. *Can. J. Zool.* **49**: 69-73.
- Telfair, R.C. II, Frentress, C. D. and Davis, B. G. 1982. Food of fledgling Olivaceous Cormorants (*Phalacrocorax olivaceous*) in east central Texas. *Bull. Texas Ornithol.* **15**:16-18.
- Texas Colonial Waterbird Society. 1982. "An atlas and census of Texas waterbird colonies". Caesar Kleberg Wildlife Research Institute, Kingville. 357 pp.
- Thompson, C. F., Lanyon, S. M. and Thompson, K. M. 1982. The influence of foraging benefits on association of Cattle Egrets (*Bubulcus ibis*) with cattle. *Oecologia* **52**: 167-170.
- Turner, J. C., Solly, S. R. B., Mot -krinjen, J. C. M. and Shanks, V. 1978. Organochlorine, fluorine and heavy metal levels in some birds from New Zealand. *Estuaries*. N. Z. J. Sci. **21**(1):99-102.
- Turtle, E. E. Taylor, A., Wright, E. N., Thearle, R. J. P., Egan, H., Evans, W. H. and Soutar, N. M. 1963. The effects on birds of certain chlorinated insecticides used as seed dressing. *J. Sci. Food Agric.* **14**: 567-577.
- U. S. D. I. Fish and Wildlife Studies. 1963. A review of fish and wildlife service investigations during the calendar year. USDI Fish and Wildlife Service circulation. **199**(1964):129.
- U.S. Environmental Protection Agency. 1978. *Federal Register* **43**(132): 29696-29741.
- Vandermeer, J. and Perfecto 1995. *Breakfast of biodiversity: the truth about rainforest destruction*. Food First Books. Oakland. pp. 185.

- Vyas 1998. *Pesticide industries: today and tomorrow*. Pesticide Manufactures and Formulators Association of Gujarat, Ahmedabad, India.
- Vyas, R. 1996. Amphibian Fauna of Gujarat State: updatedd distribution. Zoo's Print 11 (5): 12-13.
- Walker, C H. 1983 Pesticides and birds: mechanisms of selective toxicity Agric. Ecosys Environ. 9: 211-226.
- Walsberg, G 1983. Avian ecological energetic. In "Avian Biology" (Eds) King J. R and Parkes, K. C Academic Press, New York, pp. 161-220
- White, D. H., Mitchell, C.A. and Swineford, D M. 1984. Reproductive success of Black Skimmers in Texas relative to environmental pollutants. Journal of Field Ornithology 55: 18-30.
- Wiemeyer, S. N. and Porter, R. D. 1970. DDE thins eggshells of captive American kestrels, Nature 227: 737-738.
- Wiemeyer, S. N , Bunk, C. M. and Kryniitsky, A. J 1988. Organochlorine pesticides, polychlorinated biphenyls and mercury in Osprey eggs 1970-79 and their relationships to shell thinning and productivity. Arch Environ Contam Toxicol 17:767-787
- Wiemeyer, S N , Bunk, C. M and Stafford, C. J. 1993. Environmental contaminats in bald eagle eggs 1980-84, and further interpretations of relationships to productivity and shell thickness. Arch. Environ. Contam. Toxicol 24 213-227.
- Wilson, E O. 1992. *The Diversity of Life*. The penguin Press, London, UK.
- Young, H. 1968. A Consideration of insecticide effect on hypothetical avian population. Ecology 49(5): 991-994.