

R  
E  
F  
E  
R  
E  
N  
C  
E  
S

- - - - -

Agersborg H.P.K. & W.D. Hatfield : 1929.

The biology of a sewage treatment plant. A preliminary survey. Decatur Illinois. Sewage Works J 1, 411-424.

Allen L.A. : 1940.

The bacterial flora of aerated sewage and of activated sludge. Proc. Soc. Agri. Bact. - cited by Van Gils. 1964.

Allen L.A. : 1944.

The bacteriology of activated sludge. J. Hyg., 43, 424-431.

Allen M.B. : 1955.

Photosynthetic nitrogen fixation by blue-green algae. Transactions of the Conference on the use of solar energy. The Scientific basis., Tucson, Arizona., 4, 27-37.

American Public Health Association : 1955.

Standard methods for the examination of water and waste water, 10th Ed.

Amramy A : 1960.

Stabilization ponds in Israel. Tavruah (Israel), 23, 8-9.

Anderson R.E. : 1964.

Isolation, and generic identification of the bacteria from activated sludge, with studies of floc formation. Ph.D. thesis, University of Wisconsin, - Cited by T.B.S. Prakasam Ph.D. Thesis.

Arden E. and W.T. Lockett : 1936.

Laboratory tests for ascertaining the conditions of activated sludge. J. Inst. Sew. Purif. Pt. I. 212-215.

Atkins, W.R.G. and G.T. Harris : 1924.

Seasonal changes in the water and helioplankton of fresh-water ponds. The Sci. Proceed. Royal Dublin Soc. 18(N.S.) 1-21.

- Baines S, H.A.Hawkes, C.H. Hewitt and S.H.Jenkins : 1953.  
Protozoa as indicators in activated sludge treatment.  
Sewage Ind. Wastes, 25, 1023-1033.
- Barker, A.N. : 1946.  
The ecology and function of protozoa in sewage purification. Ann. Appl. Biol. 33, 314-325.
- Barker A.N. : 1949.  
Some microbial aspects of sewage purification. J. Inst. Sew. Purif. Pt. I, 7-22.
- Barritt N.W. : 1940.  
The ecology of activated sludge in relation to its properties and the isolation of specific soluble substances from the purified effluent. Ann. Appl. Biol. 27, 151-156.
- Beardsley C.W. : 1949.  
Suppression of Sewer Slimes. Sewage Works J. 21, 1-10.
- Benfield P : 1955.  
Methods in Enzymology. Edited by Colowick and Koplan.  
Vol. I., Academic Press, N.Y.
- Bergmeyer, H.V. : 1963.  
Methods of enzymatic analysis. Academic Press, N.Y. 808-811.
- Biltz, W. & O.Krohnke : 1904.  
Cited by H.Heukelekian 1941.
- Bogan R.H., O.E. Alberton, & J.C. Plunze : 1960.  
Use of algae in removing phosphorus from sewage. Jour. San-Engg. Div., Proc. ASCE. 86, SAS. 1-20.
- Bollen W.B. : 1951.  
The nature of organic pollutants in relation to stream B.O.D. Water and Sewage Works. 98, 277-281.

Breed R.S., E.G.D. Murrey, & N.R. Smith : 1957.

Bergey's Manual of Determinative Bacteriology. The  
Williams and Wilkins Co., Baltimore. 7th Ed. 1994 pages

Buck T.C. & C.E. Keefer : 1959.

Studies of Zoogloeal forming organisms found in activated  
sludge. Sew. Ind. Wastes 31 : 1267-1274.

Burdon K.L. : 1946.

Fatty material in Bacteria and Fungi revealed by  
staining dried fixed slide preparations. J. Bact. 52,  
665-678.

Bush A.F., J.D. Isherwood and S. Rodgi : 1961.

Dissolved solids removal by algae : J. San. Engg. Div.  
Proc. ASCE, 87, SA3, 39-57.

Buswell A.M. and H.L. Long : 1923.

Microbiology and theory of activated sludge. J. Am. W.W.  
As. 10, 309-321.

Butterfield C.T. : 1935.

Studies of Sewage purification. A Zoogloea forming  
bacterium isolated from activated sludge. U.S. Reports,  
50, 671-684.

Butterfield C.T. & E. Wattie : 1941.

Studies of Sewage Purification XV. Effective bacteria  
in purification by Trickling Filters. Sewage Works.  
J. 13, 639-658.

Butterfield, C.T., W.C. Purdy and Theriault : 1931.

Experimental studies of natural purification in  
Polluted Waters. IV. The inference of the plankton on  
the biochemical oxidation of organic matter. P.H. Reports  
46, 393-426.

Butterfield C.T., C.C. Ruchhoft, & P.D. McNamee : 1937.

Studies on Sewage Purification. VI. Biochemical Oxidation  
by Sludge developed by pure cultures of bacteria  
isolated from activated sludge. Sewage Works, J. 9, 173-178.

Calaway W.T., W.R. Carrol, & S.K. Long : 1952.

Heterotrophic bacteria encountered in intermittent  
sand filtration of sewage. Sewage Ind. Wastes. 24, 642-653.

Caldwell D.H. : 1946.

Sewage Oxidation Ponds : performance, operation and  
design. Sewage Works J. 18, 433-458.

Calvert, H.T. : 1932.

Report of the Water Pollution Research Board for the  
year ending 30th June 1932, p.45-51.

Caspers H. & L. Karve : 1966 (a)

Trophic and Saprobital also stoffwechsel - dynamischer  
Komplex. Gesichtspunkte für die Definition der Saprobial-  
stufen. Arch. & Hydrobie. 61, 453-470.

Caspers H. & L. Karve : 1966 (b).

Proposals for a saprobiological classification of  
waters. EHO/EBL/66-80.

Cavel L. : 1931.

On the adsorption of colloidal material on activated  
sludge. Rev. Hyg. Med. Prev. 53, 129.

Clark H.W. : 1930.

Past and present developments in sewage disposal and  
purification. Sewage Works J. 2, 561-573.

Clifton C.E. & Logan W.A. : 1938.

Oxidative assimilation of lactic acid by Escherichia  
Coli. Proc. Soc. Exp. Biol. & Med. 38, 619-624.

Cooly C.E. & R.P. Jennings : 1960.

Study of the Performance of a Sewage Stabilization Pond  
at Farm Villa, Virginia. Waste Stabilization Lagoons:  
Proc. Symp. at Kansas City, August 1-5.

Crabtree K. and E.McCoy : 1967.

Zoogloea ramigera - Itzigsohn, identification and  
description Inter. J. System. Bact. 17, 1-10.

Crabtree K, E.McCoy, W.C. Boyle, & G.A. Rohlich : 1965.

Isolation, identification and metabolic role of the  
Sudanophilic granules of Zoogloea ramigera. Appl.  
Microbiol. 13, 218-226.

Crabtree K., E. McCoy, W.C. Boyle, & G.A. Rohlich : 1966.

A mechanism of floc formation of Zoogloea ramigera.  
J. Water Poll. Cont. Fed. 38, 1968-1980.

Curds C.R. : 1963.

Studies on the ecology of ciliated protozoa in activated  
sludge and their role in sewage purification. Thesis  
Ph.D., 222 pages, London University.

Curds C.R. : 1966.

An ecological study of the ciliated protozoa in activated  
sludge. OIKOS, 15, 282-289.

Cutler D.W. and D.V. Bal : 1926.

The influence of protozoa on the process of N fixation  
by Azootobacter chroococcum. Ann. Appl. Biol. 13, 516-534.

Dawes, E.A. and D.W. Ribbons : 1962.

The endogenous metabolism of microorganisms. Ann. Rev.  
Microbiol. 16, 241-264.

De. P.K. : 1939.

Nitrogen Fixation by Blue-Green Algae Proc. Ray. Soc.,  
B Seris, 127, 121-139.

De Ley J : 1960.

Comparative Carbohydrate metabolism and localization of enzymes in Pseudomonas and related microorganisms Appl. Bact. 23, 400-410.

Delwiche C.C. : 1956.

Biological transformations of Nitrogen compounds. Ind. Engg. Chem. 48, 1421-1427.

Dias F.F. : 1964.

Studies on the bacterial flora of sewage. Ph.D. Thesis. Indian Institute of Science, Bangalore, India.

Dias F.F. & J.V. Bhat : 1964.

Microbiol Ecology of activated sludge. I. Dominant Bacteria. Appl. Microbiol. 12, 412-417.

Dienert F : 1935.

Clarification of sewage by bacteria. Compt. Rend. Acad. Sci. : 200, 1253-1260.

Doudoroff M. & R.Y. Stainer : 1959.

Role of poly- $\beta$ -hydroxy butyric acid in the assimilation of organic carbon by bacteria. Nature (London), 183, 1440-1442.

Dudman W.F : 1959.

Comparison of slime from tomato banana strains of Pseudomonas solanacearum. Nature (London), 184, 1969.

Dugan P.R. & Lundgren D.G. : 1960. Isolation.

Isolation of the floc-forming organism Zoogloea ramigera and its culture in complex synthetic media. Appl. Microbiol. 8, 357-361.

Eckenfelder W.W. (Jr.) : 1956.

Studies on the oxidation kinetic of Biological sludges. Sewage Ind. Wastes. 28, 983-994.

Eckenfelder W.W. (Jr.) and D.J.O'Connor : 1961.

In Biological Waste Treatment. Pergamon Press, N.Y. 299 pages

Ecker R.E. & W.R. Lockhart : 1961.

Relationships between initial nutrient concentration and total growth. J. Bact. 82, 80-101.

Edwards G.P. : 1935.

A Review of activated sludge theory. Sewage Works. J, 7, 17-22.

El-Baroudi H.M. and S.K. Moawad : 1967.

Rate of BOD reduction by oxidation Ponds. Part I. J. Water Poll. Cont. Fed. 39, 1626-1646.

Elsden S.R. & J.L. Peel : 1958.

Metabolism of Carbohydrate and related compounds. Ann. Rev. Microbiol 12, 145-201.

Engelbrecht R.S. & R.E. McKinney : 1959.

Activated sludge cultures developed on pure organic compounds. Sewage Ind. wastes 29, 1350-1362.

Falk L.L. & Rodulfs W : 1947.

Factors affecting the direct oxygen utilization method. Sewage Works J. 19, 1000-1013.

Feldman A.E. : 1955.

Fungi from trickling filters. Sew. Ind. wastes, 27, 1243-1251.

Fitzgerald G.P. and G.A. Rohlich : 1958.

An evaluation of stabilization pond literature. Sewage Ind. waste 30, 1213-1224.

Flugge C : 1886.

Cited by M.M. Varma and G.W. Reid, 1964.

Flugge C. : 1896.

Die Mikroorganismen Vol. I. Leipzig. 596, 67 - Cited by C.T. Butterfield (1935).

Fogg G.E. : 1952.

The Production of extracellular nitrogenous substances by blue-green alga. Proc. Roy. Soc. B. Series 139, 372-397.

Fogg G.E. : 1953.

The Metabolism of algae. Methuen's Monograph on Biological subjects, London 149 pages.

Fogg G.E. : 1958.

Cited by Fogg. 1960 "Extracellular Products of algae" in " Proc. Symposium on Algology. Indian Council of Medical Research.

Fogg G.E. :1960.

The extracellular products of algae. Proc. Symposium on Algology. Indian Council of Medical Research, New Delhi, India.

Fogg G.E. & Westlake D.F. : 1955.

The importance of extracellular products of algae in fresh water. Internat. Ass. Theor. & Appl. Limnology. 12, 219-235.

Frankel R.J. : 1964.

Water quality management : an engineering economic model for domestic waste disposal. University of California, Dissertation - cited by Gloyna E.F. (1967).

Fred E.B. & S.A. Waksman : 1928.

Laboratory Manual of Microbiology McGraw-Hill Book Co., Inc. N.Y., 145 pages.

Friedman H.A. & P.R.Dugan : 1968.

Identification of Zoogloea species and the relationship to zoogloea matrix and floc formation. Appl. Microbiol. 95, 1903-1909.

Fritsch F.E. & A.Rich : 1913.

Studies on the occurrence and reproduction of British Fresh Water algae in nature. 3. A four years' observation of a fresh water pond. BAnn. Biol. Lacus. 6, 33-115.

Fainey P.L. & T.H. Lord : 1961.

Microbiology of Water and sewage. Prentice-Hall Inc. N.Y.  
430 pages.

Galarneault T.P. and E.Leifson : 1956.

Taxonomy of Lopomonas, New Genera, Can. J.Microbiol.2,102.

Gale E.F. : 1943.

Factors Influencing the Enzymatic Activities of Bacteria-  
Cited by Placak and Ruchhoft (1947).

Ganapati S.V., P.M.Amin and D.J.Parikh : 1967.

Studies on zoogloea colonies from stored raw sewage.  
Water and Sewage Works. 389-392.

Ganapati S.V., I.P.S.Prasada Rao, S.H.Godbole, V.Kothandaraman  
& T.Koshy : 1965.

The ecology of solar sewage drying beds in the Pirana  
sewage farm at Ahmedabad. Hydrobiologia 26,242-271.

Gann J.D., R.E.Collier & C.H.Lawrence : 1968.

Aerobic bacteriology of waste stabilization ponds.J.Water  
Poll. Cont. Fed. 40, 185-191.

Gaudy A.F. (Jr.) : 1962.

Studies on induction and repression in activated sludge  
systems. Appl. Microbiol. 10, 264-271.

Gaudy A.F. (Jr.), E.T.Gaudy, & K.Komolrit : 1963.

Multi component substrate utilization by Natural populations  
and a pure culture of E. Coli. Appl.Microbiol.11,157-162.

Gaudy A.F.(Jr.), K.Komolrit, & M.N.Bhatla : 1963.

Sequential substrate removal in heterogenous populations.  
J.Water. Poll. Cont. Fed. 35, 903-922.

Gerloff G.C., G.P.Fitzgerald and F.Skoog : 1950.

The isolation, purification and nutrient solution requirement  
of blue-green algae. In the Culture of Algae:A Symposium,  
The Charls F.Kettering Foundation. Yellow Spring, Ohio.

Gloyna E.F. : 1965.

Waste stabilization concepts and experiences. WHO/Wastes Disposal. Rev. 66.1

Gotaas H.B. & W.J. Oswald : 1955.

Utilization of solar energy for water reclamation. In Transactions of the conference on the use of solar energy. The Scientific Basis. Tucson. Arizona. Chapter 9.

Gotaas, H.B., W.J. Oswald, H.E. Ludwig and Lynch V.: 1951.

Algal Symbiosis in Oxidation Ponds. Second Progress Reports. University of California, Institute of Engg. Res. Bulletin Research No.44, December.

Greathouse G.A., C.J. Wessel, & H.G. Shirk : 1951.

Microbial deterioration of manufactured materials. Ann. Rev. Microbiol. 5, 333-358.

Gummert F., M.E. Meffert, & H. Strattman : 1953.

Non-sterile large scale culture of Chlorella in Greenhouse and open air. In Algal Culture from Laboratory to Pilot Plant, Edited by J.S. Burlew. Carnegie Institution of Washington Publication 600, Chapter 11, 166-176, Washington, D.C.

Guex-Holzer S. & J. Tomsick : 1956.

The isolation and chemical nature of capsular and cell-wall Haptens in a bacillus species. J. Gen. Microbiol. (Brit.) 14, 14-18.

Hardin G : 1943.

Flocculation of bacteria by protozoa. Nature (London), 151, 642

Harrison M. & H. Heukelekian : 1958.

Slime infestation. Literature review. Sewage Ind. Wastes. 30, 1278-1302.

Hartman L. : 1963.

Ciliates as indicators in the activated sludge process. Environ. Health. 5, 31-40.

Hawkes H.A. : 1960.

Ecology of activated sludge and bacteria beds. In Waste Treatment. Proc. Symposium Treatment of Waste Waters. 2nd Newcastle. Tyne, Permagon Press, London. 52-98.

Hawkes H.A. : 1963.

The Ecology of Waste Water Treatment. Permagon Press. Oxford. 203 pages.

Helmers E.N., J.D.Frame, A.E.Greenberg and C.N.Sawyer :1951.

Nutritional requirements in the biological stabilization of industrial wastes. II. Treatment with domestic sewage. Sewage Ind. Wastes. 23, 884-890.

Heukelekian H. : 1941.

Mechanical flocculation and bioflocculation of sewage. Sewage Works J. 13, 506-522.

Heukelekian H., and E.S.Crosby : 1953.

Protective coatings and slime growths - Sewage. Ind.Wastes. 25, 869-874.

Heukelekian, H., and M.Gurbaxani : 1949.

Effect of certain physical and chemical agents on the bacteria and protozoa of activated sludge. Sewage Works. J. 21, 811-817.

Heukelekian H. and M.L.Littman : 1939.

Carbon and Nitrogen transformations in the purification of sewage by activated sludge process II. Morphological and biochemical studies of Zoogloea organisms. Sewage Works J. 11, 752-763.

Heukelekian H, and H.B.Schulhoff : 1938.

Studies on the clarification of activated sludge process IV. Preliminary notes on the clarifying organisms in activated sludge. Sewage Works J. 10, 43-52.

Heukelekian, H., H.E. Offord and R.Manganelli : 1951.

Factors affecting the quantity of sludge production in the activated study process. Sew. Ind. Wastes 23, 945-950.

Hotchkiss M : 1924.

Studies on the biology of sewage disposal. A survey of the bacterial flora of sewage treatment plant. J. Bact. 9, 437-454.

Hunter J.V. and H.Heukelekian : 1965.

The composition of domestic sewage fractions. Water Poll. Cont. Fed. 37, 1142-1163.

Imhoff K. and G.M.Fair : 1956.

Sewage treatment. John Wiley & Sons Inc. N.Y. 2nd Edition.

James A : 1964.

The bacteriology of trickling filters. Appl. Bact. 27, 197-204.

Jaswicz L. & N.Porges : 1956.

Biochemical oxidation of dairy wastes. VI. Isolation and study of sludge microorganisms. Sewage Ind. Wastes. 28, 1130-1140

Jayangoudar I.S.: 1967.

Hydriological studies on the Ajwa reservoir and Nimeta Water Works at Baroda and Ecology and Seasonal Succession of algae in the oxidation ponds of Ahmedabad. Ph.D. Thesis, M.S. University of Baroda, Baroda. India, 431 pages.

Jenkins S.H. : 1942.

The role of protozoa in the activated sludge process. Nature (London), 150, 607.

Johnson J.W.H. : 1941.

A contribution to the Biology of Sewage Disposal. Jour.Econ. Biol. 9, 105-124.

Jones A.S. and W.O. Travis : 1926.

On the elimination of suspended solids and colloidal matter from sewage. Proc. Inst. Civil Engg. 164, 68-72.

Juni E. & G.A. Heym : 1964.

Pathways for biosynthesis of a bacterial capsular polysaccharide. IV. Capsular resynthesis by decapsulated resting cell suspensions. J.Bacteriol. 87, 461-466.

Kalekar H.M : 1955.

Uridine diphospho galactose : Metabolism, enzymology, and biology. Adv. Enzymology. 20, 111-134.

Katz. W.J. & G.A. Rohlich : 1956.

A study of the equilibria and Kinetics of adsorption by activated sludge. In Biological Treatment of Sewage and Industrial Wastes, Vol. I. p.66-87.

Keller P. : 1960.

The bacteriology of Jucksuckie Crocodile river. Hydrobiologia 14, 205-254.

Keshavan K.V.C. Behn and W.F. Ames : 1964.

Kinetics of aerobic removal of organic wastes. J. San.Engg. Divi.ASCE. SA. 1. 99-126.

Klein L : 1957.

Aspects of River Pollution. Butterworth Scientific Publications : London.

Kolkwitz R : 1926.

The biology of activated sludge. Cited by C.R.Curds.1966.

Kolkwitz R. M.Marsson : 1909.

Cited by G.C. Whipple, G.M.Fair & M.C.Whipple (1948)

Komolrit K. and A.F.Gaudy (Jr.) : 1964.

Substrate interaction during shock loadings to biological treatment processes. Proc. Ind. Waste Conf. 19th, Purdue University.

Krebs H.A. : 1953.

Some aspects of the energy transformation in living matter. Brit. Med. Bull. 9, 97-104.

Krishnamoorthi, K.P. : 1965.

Dephids in Oxidation Ponds at Nagpur. Symposium on Crustacea-held under the Marine Biol. Ass. India, On 12-15 Jan.

Krishnamoorthi K.P. & H. Bick : 1966 (a)

Laboratory Studies on the succession of ciliates during the decomposition of peptone in relation to certain environmental factors. WHO/EBL/66.83 - Pages 10.

Krishnamoorthi K.P. & H. Bick : 1966(b).

Laboratory studies on the succession of ciliates during the decomposition of peptone in relation to certain environmental factors. Part II. WHO/EBL/66-84 Pages 12.

Krogh A : 1931.

Dissolved substances as food of aquatic organisms. Biol. Rev. 6, 412-442.

Lackey J.B. & D.B. Smith : 1956.

Factors influencing developing of biological flocs. In Biological Treatment of Sewage and Industrial Wastes. Vol. I, 108-115. Ed. Brother Joseph McCabe & W.W. Eckenfelder (Jr.) Reinhold Publication Corp. N.Y.

Lefevre M. & H. Jakob : 1949.

Sur quelques propriétés des substances actives tues des cultures d'Algues d'eau douce. C.R. Acad. Sc. Paris. 229, 234-236

Lemoigne M : 1927.

Etudes sur l'autolyse microbienne. Origine de l'acid B-hydroxybutrique forme par autolyse. Ann. Inst. Pasteur. 41, 148-165.

Lewin R.A. : 1956.

Green algae extracellular poly-saccharides. Can. Jour. Microbiol. 2, 7-12.

Lloyd L.I. : 1945.

Animal life in sewage Purification Processes - J. Inst.  
Sew. Purif. Part II 119-139.

Lowry O.H., N.J. Rosenbrough, A.L. Farr and R.J. Rendall : 1951.

Protein measurement with the Folin-phenol reagent. J.  
Biol. Chem., 193, 265-271.

Lucas C.E. : 1947.

The ecological effects of external metabolites. Biol. Rev.,  
22, 270-295.

Ludwig H.F., Oswald W.J., Gotaas H.B., & V. Lynch : 1951.

Algae symbiosis in oxidation ponds. I. Growth characteristics  
of Euglena gracilis cultured in sewage. Sewage Ind. Wastes.  
23, 1337-1355.

Ludzack F.J., and Ettinger M.B. : 1957.

Biological oxidation of hexadecanol under laboratory  
condition. J. Am. Water Works Assoc. 49, 849-858.

Mackenzie E.F.W. : 1938.

Miscellaneous investigations. In Report Bact. chem. Biol.  
Examination of London Waters. 33, 48.

Malina J.F. (Jr.) & Y.A. Yousef : 1964.

The fate of coliform organisms in stabilization Ponds. J.  
Water Poll. Cont. Fed. 36, 1432-1442.

Marais J.P., D.L. Dewit & G.V. Quicke : 1966.

A Critical examination of Nelson-somogyi method for the  
determination of reducing sugars. Analyt. Biochem. 15, 373-381.

MacDonald R.P. & R.O. Lefave : 1962.

Serum lipase determination with an olive oil substrate  
using a three hour incubation period. Clinical chemistry, 8,  
509-519.

McGauhey P.H. : 1960.

Reclamation of water from industrial wastes. In waste Treatment. Proc. of second symposium on the treatment of wastes. Edited by P.C.G. Isaacs. 429-442.

McKinney R.E. : 1956(a).

The use of biological waste treatment systems for the stabilization of industrial wastes. Proceedings 11th Indust. Waste. Conference on May 15, 16 and 17 by Purdue University.

McKinney R.E. : 1956 (b).

Biological flocculation. In Biological Treatment of Sewage and Industrial Wastes. Vol. I, 88-100., Edited by McCabe and W.W.Eckenfelder, Reinhold Publ. Corp. N.Y.

McKinney R.E. : 1957.

Aerobic Processes. Appl. Microbiol. 5, 167-174.

McKinney R.E. : 1960.

Biological oxidation of organic matter. Proceed. 3rd Conf. Biological waste Treatment, Manhattan College, New York- Cited by M.M.Verma and G.W.Reid (1964).

McKinney R.E. : 1962.

Microbiology for sanitary engineers. McGraw Hill Book Co., p.24.

McKinney, R.E. and A.Gran. : 1956.

Protozoa and activated sludge. Sewage Ind. Wastes 28, 1219-1224.

McKinney R.E. and M.P.Horwood, 1952.

Fundamental approach to the activated sludge process. III A proposed theory of floc formation. Sewage Ind. Wastes 24, 117-123.

McKinney R.E. and J.T.Pfeffer : 1965.

Effect of biological waste treatment on water quality. Am. J. Publ. Hlth. 55, 772-782.

11  
McKinney R.E. and R.C.Weichlein : 1953.

Isolation of floc producing bacteria of activated sludge.  
Appl. Microbiol. 1, 259-261.

McKinney R.E., H.Tomlinson, and R.Wilcox : 1956.

Metabolism of aromatic compounds by activated sludge. Sewage  
Ind. Waste, 28, 2547-557.

McNamee P.D. : 1936.

Oxidation of sewage by activated sludge. Sewage Works.  
J. 8, 562-568.

McNicholos J. & H.B. Tench : 1959.

A review of recent activated sludge research at Manchester.  
J. Inst. Sew. Purif. 425-435.

MeikleJohn J. : 1932.

The effect of Colpidium on ammonia production by soil bacteria.  
Ann Appl. Biol. 19, 584-608.

Mills E.V. : 1931.

The determination of organic carbon in sewage. J. Soc. Chem.  
Ind. 50, 375 T.

Mills E.V. : 1932.

The ultimate analysis of sewage. J.Soc. Chem. Ind.51,205 T.

Ministry of Housing and Local Government : 1956.

Methods of chemical analysis as applied to sewage and sewage  
effluents. H.M. Stationary office, London.

Mohanrao G.J. & R.E.McKinney : 1962.

A study of biochemical characteristics of quaternary carbon  
compounds. Internal. J. Air. Water Poll. Control. 6, 153-168.

Monod J. : 1942.

Researches sur la croissance de cultures bacteriennes. Pub.  
Herman & CH. Paris, p.211.

Natural resources (Technical)Committee : 1954.

The use of Town's waste in Agriculture.H.M.Stationery Office,  
London.

- Neel J.K., J.H.Dermott, & C.A.Monday (Jr.) : 1961.  
Experimental lagooning of raw sewage at Fayette, Missouri.  
J. Water Poll. Cont. Fed. 33, 603-641.
- Neel J.K., & G.J. Hopkins : 1956.  
Experimental lagooning of raw sewage. Sewage Ind. wastes.  
28, 1326-1356.
- Nickerson W.J. : 1956 :  
Transformations of Carbon compounds by microorganisms.  
Ind. Engg. Chem. 48, 1411-1420.
- Noland L.E. and H.E. Finley : 1931.  
Studies on the taxonomy of the genus Vorticella. Trans.  
Am. Micros. Soc., 50, 81-123.
- O'Brien J.E. : 1959.  
Activated Sludge studies by the Warburg respirometer  
metabolic balance - Sanitalk 7, 5-cited by Van Gils(1964).
- Oswald W.J. : 1960.  
Proc. 3rd Conference on Biological Waste Treatment, Manhattan  
College - Cited by Eckenfelder & O'Connor (1961).
- Oswald W.J., and H.B. Gotaas : 1957.  
Photosynthesis in sewage treatment Trans. ASCE., 122, 73-105.
- Oswald, W.J., C.G. Golueke, and H.K. Gee : 1961.  
Increasing high-rate Pond loading by phase isolation. Second  
Annual Progress Report, Sanitary Engineering Research  
Laboratory, College of Engineering and School of Public  
Health, University of California, Berkeley. 57 pages.
- Oswald W.J., H.B. Gotaas., C.G. Golucke, and W.R. Kellen : 1957.  
Algae in Waste Treatment. Sewage Ind. Wastes. 29, 437-441.
- Oswald W.J., H.B. Gotaas, H.F. Ludwig, and V. Lynch : 1953(a)  
Algae Symbiosis in Oxidation ponds. Part II. Growth  
characteristics of Chlorella pyrenoidosa cultured in sewage.  
Sewage Ind. Wastes, 25., 26-37.

- Oswald W.J., H.B. Gotaas, H.E. Ludwig & V.Lynch : 1953(b)  
Algae symbiosis in oxidation ponds. P.III. Photosynthetic oxygenation. Sewage Ind. Wastes. 25, 692-705.
- Palmer C.M. : 1956.  
Photosynthesis in the Algae. Discussion, Ind. & Engg. Chem. 48, 1456-1457.
- Pankhurst E.S. : 1959.  
The biological oxidation of spent gas liquor. J. Appl. Bact. 22, 202-215.
- Parabrahman M., A.N. Khan, and J.S.S. Laxminarayana : 1965.  
Crustacean Fauna in the Oxidation pond at Nagpur. Symposium on Crustacea-held under the Marine Biol.Ass. India, on 12-15 January.
- Pardee A.B. : 1962.  
The synthesis of enzymes. In "Bacteria" Vol. III. Chapter XII, 577-630. Edited by I.C.Gunzalus and R.Y.Stainer.
- Parker C.D. : 1962.  
Microbial aspects of Lagoon treatment. J.Water Poll. Cont. Fed. 33, 603-641.
- Parker C.D., H.L. John, and W.S.Taylor : 1950.  
Purification of sewage in lagoons. Sewage Ind. Wastes.22, 760-775.
- Pasveer A:1959.  
A contribution to the development in activated sludge treatment. J. Inst. Sew. Purif. 436-465.
- Phelps E.B. : 1938.  
Biochemistry in Sewage treatment Chapter 14. In Modern Sewage Disposal.
- Pillai S.C. : 1941.  
The function of protozoa in the activated sludge process. Current Sc. (India), 10, 84-85.

Pillai S.C. and V.Subrahmanian : 1942.

Role of protozoa in the aerobic purification of sewage.  
Nature (London) 150, 525.

Pillai S.C. and V.Subrahmanian : 1943.

Protozoa in relation to bulking of activated sludge.  
Science and culture (Calcutta), 8, 376-378.

Pillai S.C. and V.Subrahmanian : 1944.

Role of protozoa in the aerobic purification of sewage.  
Nature(London), 154, 179-180.

Pillai S.C. and V.Subrahmanian : 1945.

Protozoa in relation to sewage purification. Science  
culture (Calcutta) 11, 75-77.

Pillai S.C., R.Rajagopalan and B.R.Seschachar : 1947.

On the occurrence of protozoa in land filtered sewage  
effluent. Current Sc. (India), 16, 254-256.

Pillai S.C., G.J.Mohanrao, A.V.S.Prabhakara rao, C.A.Sastri,  
and P.V.R.Subrahmanian. 1960.

Natural Purification of flowing sewage. Current Sc.(India),  
29, 461-465.

Pillai S.C., T.K.Wadhawani, M.I.Gurubaxani, and V.Subrahmanian: 1947.

Relative efficiency of bacteria and protozoa in flocculation  
and oxidation of organic matter suspended in water. Current  
Sc. (India), 16, 340-341.

Placak O.R. and C.C.Ruchhoft : 1947.

Studies of sewage purification. XVII. The Utilization of  
organic substrates by activated sludge. U.S.Pub.Health Rept.  
62, 697-716.

Porges N., L.Jasewicz and S.R.Hoover : 1953.

A microbiological process report. Aerobic treatment of  
dairy wastes. Appl. Microbiol. 1, 262-270.

Poynter S.F.B., & G.C. Mead : 1964.

Volatile Organic liquids and slime production. Appl.Bact.  
27, 182-195.

Prakasam T.B.S. : 1966.

Enumeration, characterisation and adaptation of aerobic  
heterotrophic bacterial populations of activated sludges.  
Ph.D. Thesis. Cornell University, Ithaca, N.Y.

Pratt R., Daniels T.C., & Eiler J.J. : 1944.

Chlorellin, an antibacterial substance from Chlorella.  
Science 99, 351-352.

Purdy W.C. : 1938.

Chapter XV Limnological Aspects of Sewage Disposal in  
Modern Sewage Disposal. Ed.Langdon Pearse, 171-179.

Purdy W.C. & C.T. Butterfield : 1918.

The Effect of Plankton Animals upon Bacterial Death Rates.  
Am. J. Publ. Health, Cited by W.C.Purdy (1938).

Reid G.W. : 1958.

Sewage slimes Proc. 13th Ind. Wastes Conference. May 5,6,  
and 7. Purdue University.

Renn C.E. : 1956.

Biophysical processes in slime film and floc formation. In  
Biological Treatment of Sewage and Industrial Wastes.Vol.I,  
p. 116-120. Edited by J.McCabe and W.W.Eckenfelder, Rein-  
hold Publ. Corp., N.Y.

Report : 1956.

The Bacteriological Examination of Water Supplies, 3rd  
Ed. 4 MSO, London.

Reynoldson T.B. : 1942.

Vorticella as an indicator organism for activated sludge.  
Nature, (London) 149, 608-609.

Rich, L.G. : 1955.

Respiration studies on the organic nitrogen preferences of Zoogloea ramigera. Appl. Microbiol. 3, 20-25.

Richards F.A. with Thomson : 1952.

The estimation and characterisation of plankton populations by pigment analysis II. A spectro-photometric method for the estimation of plant pigments. Jour. Mar. Res. 11, 156-172.

Rickert D.A. and J.V.Hunter : 1967.

Rapid fractionation and material balance of solids fractions in waste water and waste water effluent. Water Poll. Cont. Fed. 39, 1475-1486.

Rouf M.A. and J.L. Stokes : 1962.

Isolation and identification of the sudanophilic granules of Sphaerotilus natans. Jour. Bact. 83, 343-347.

Ruchhoft C.C., J.F.Kachmar, and W.A.Moore : 1940.

Studies of sewage purification XI. The removal of glucose from substrates by activated sludge. U.S.Publ.Hlth., Reports, 55, 393-423.

Ruchhoft C.C., J.F.Kachmar and O.R.Placak : 1940.

Studies of sewage purification XII. Metabolism of glucose by activated sludge, U.S.A. Publ.Hlth. Reports, 55, 582-601.

Rudolf W. and A.W.Gehm : 1939.

Colloids in Sewage Treatments. I. Occurrence and Roles. Sewage Works. J. 11, 727-732.

Russel J.J.: 1944.

Cited from practical physiological chemistry by P.B. Hawk, B.L. Oscr, and W.H.Summers. 13th edition, 1954. p.565. McGraw-Hill Book Co., Inc. N.Y.

Silva D.C. and G.F.Papenfuss : 1953.

Report on a systematic study of algae of sewage oxidation ponds. California State Water Poll. Contr. Pub. No.7.

Simpson J.R. : 1960.

Some aspects of the biochemistry of aerobic organic waste treatment. Proc. 2nd Symposium on the treatment of waste waters. Edited by P.C.G. Isaac., Pergamon Press, London. 477 pages.

Sladeczek V : 1961.

Zur biologischen gliederung der höheren Saprobietatsstufen. Arch. f. Hydrobiol. 58, 103-121.

Sladeczek V : 1966.

Ecological and physiological trends concerning the biological monitoring of water pollution. WHO/EBL/66.79.

Society of American Bacteriologists : 1957.

Manual of Microbiological methods. McGraw-Hill Book Co., N.Y., 315 pages.

Sorrels J.H. and P.J.A. Zeller : 1953.

Sewage Purification by Rock Filters. - Removal of oxygen demand of soluble organic material. Sewage Ind.Wastes. 25, 779-786.

Spoehr H.A., J.H. C.Smith, H.H. Strain, H.W. Milner and G.J. Hardin : 1949.

Catty acid antibacterials from plants. Carnegie Institution, Washington. Publication 585.

Stainer R.Y. : 1947.

Simultaneous adaptation. A new technique for the study of metabolic pathways. J. Bact. 54, 339-348.

Stark, W.H., J. Stadler and E. McCoy : 1938.

Some Factors affecting the Bacterial Population of Fresh Water Lakes. J.Bact. 36, 653-Cited by H.Heukelekian, 1941.

- Stum - Zoolinger E., P.L. Busch & W. Stumm : 1964.  
Kinetics of aerobic removal of organic matter. J. San.  
Eng. ASCE, 107-119.
- Sugden B. & L. Lloyd : 1950.  
The clearing action of turbid waters by means of the  
ciliate Carchesium. J. Inst. Sew. Purif. 16-23.
- Suwannakaran V. & Gloyna E.F. : 1963.  
Temperature effects on waste stabilization pond treatment.  
In Proc. Symposium on Waste treatment by oxidation Pond.  
CPHERI, Nagpur. October 29-30.
- Symons J.M., R.E. McKinney, R.M. Smith, and E.J. Donovan (Jr.): 1961.  
Degradation of Nitrogen containing organic compounds by  
activated sludge. Inst. J. Air. Water Poll., 4, 115-138.
- Taylor R., : 1930.  
Some biological notes on sewage disposal processes. The  
Surveyor. 78, 32-38.
- Taylor E.W. : 1958.  
The Examination of Waters and Water Supplies. Published  
by J & A Churchill, London. 7th Ed., 493 pages.
- Taylor E.W. : 1963-64.  
Volatile liquids and slime production. "Results of the  
Bactl., Chemical and Biol. Examinations of the London  
Waters." 41, 32.
- Tenney M.W. & W. Stumm : 1965.  
Chemical flocculation of micro-organisms in Biological  
Waste treatment. Water Poll. Cont. Fed. 37, 1370-1378.
- Tenny M.W., G.W. Quitter & M.E. Fiore : 1966.  
Bioflocculation of Microorganisms. Abstract. Paper  
presented at the 39th Conference W.P.C.F., Kansas City,  
Kansas, September.

Theriault E.J. and P.D.McNamee : 1936.

Adsorption by activated sludge. Ind. Engg. Chem. 28, 79-84.

Tiegs, E. : 1938.

Sewage fungus and the condition of water. Vom. Wasser  
13, p.78 - cited by Harrison M.E. and H.Heukelekian (1958).

Towne W.W., A.F.Bartsch and W.H.Davis : 1957.

Raw Sewage stabilization Ponds in the Dakotas. Sewage  
Ind. Wastes. 29, 377-396.

Unz R.P. and N.C.Dondero : 1964.

Zoogloea spp isolates. Bactl. Proc. p.37.

Unz R.P. and N.C. Dondero : 1967.

The predominant bacteria in natural zoogloea colonies.  
Isolation and identification. Can. J.Microbiol.13,  
1671-1682.

U.S.D.H.E. & W. : 1957.

Sewage Stabilization Ponds in the Dakotas 2 Vol. A Joint  
Report with the North and South Dakota Depts. of Health  
U.S. Dept. of Health, Education and Welfare.

Van Gils : 1964.

Bacteriology of activated sludge. Doctorate thesis IGTNO.  
Report No.32. Research Institute for Public Health  
Engineering. The Hague.Holland.

Van R.Marais : 1963.

A rational theory for the design of sewage stabilization  
ponds in tropical and sub-tropical areas. In symposium  
on Hygiene and Sanitation in relation to Housing CCTA/W.H.O.  
Niamay, 1961, London, Commission for Technical Co-Operation  
in Africa South of Sahara. (Publication 84).

Van Zuilen. L.R.D. (1964).

In Bacteriology of activated sludge by Van Gils (1964)..

Varma M.M. and G.W.Reid : 1964.

Comparison of respiration and metabolism of biological  
slimes using radio-phosphorus. Water Poll. Cont. Fed.  
36, 176-200.

Veatch N.T. : 1938.

Chapter XVI. The Use of Sewage Effluents in Agriculture.  
In Modern Sewage Disposal. Ed.Langdon Pearse.p.180-190.

Viswanathan C.V. & S.C.Pillai : 1959(a)

Fatty matter in Sewage Effluents. Indian Institute of  
Science, Golden Jubilee Research Volume. p.119-129.

Viswanathan C.V. and S.C.Pillai: 1959(b).

Rapid Removal of Fatty Constituents of Sewage by  
Activated Sludge. Naturwisson 9, 324-325.

Viswanathan C.V., Meera Bai and S.C.Pillai : 1962.

Fatty matter in aerobic and anaerobic sewage sludges.  
J. Water Poll.Cont. Fed. 34, 189-194.

Wachs A.M., I.M. Rebhun, I.A. Meron, Y.Kott, and J.B.Sless:1961.

Study of Sewage Stabilization Ponds in Israel.1.Oxidation  
Ponds at Herzlia, Harfa, Technion Sanitary Engg.  
Laboratories. 25 pages.

Watanabe A. : 1951.

Production in Cultural Solution of Some Amino-acids by the  
Atmospheric Nitrogen Fixing Blue-Green Algae  
Arch.Biochem.Biophy.34, 50-55.

Water Pollution Research : 1957.

Annual Report, H.M.S.O. London.

Water Pollution Research : 1959.

Annual Report, H.M.S.O. London.

Watkins, J.H. : 1925.

Bacterial decomposition of sugars and acids on a  
trickling filter. Cited by C.C.Ruchhoft,J.F.Kachmar  
& O.R.Placak(1940).

Watson J.M. : 1945.

Mechanism of Bacterial flocculation caused by Protozoa  
Nature, (London), 153, 271-272.

Wattie E : 1943.

Cultural characteristics of Zoogloea forming bacteria  
isolated from activated sludge and trickling filters.  
Sewage Works J. 15, 476-479.

Whipple C.G., G.M.Fair and M.C. Whipple : 1948.

The Microscopy of Drinking Water. 4th Ed. John Willey  
and Sons. Inc., N.Y., 582 pages.

Whitehead H.C. & F.R. O'Shaughnessy : 1936.

Improving the Efficiency of Activated Sludge. Surveyor.89.  
407-418.

Williamson D.H. and J.F.Wilkinson : 1958.

The Isolation and estimation of poly-B-hydroxy butyrate  
inclusion of Bacillus species. Gen Microbiol.

Winogradsky H : 1935.

cf. Bergey's Manual of Determinative Bacteriology. 7th  
Ed. p.71.

Winogradsky H. : 1937.

Contribution 'a l'etude de la microflore nitrificatrice  
des bones activees de Paris - Cited by Dr.H.W.Van  
Gils (1964)

Wuhrman K. : 1956.

1-4 Factors affecting efficiency and solids production  
in the activated sludge process. In Biological Treatment  
of Sewage and Industrial Wastes. Ed. J. McCabe & W.W.  
Eckenfelder. (Jr.), Vol. I, 49-65.

Wuhrmann K : 1960.

Effect of oxygen tension on biochemical reactions in  
sewage purification plants. Preprints. 3rd Biol.Waste  
Conference at Manhattan. Paper No.3.

Zobell C.E. & D.Q.Anderson : 1936.

Observations on Multiplications of Bacteria in Different  
Volumes of Stored Sea Water and the Influence of  
Oxygen Tension and Solid Surfaces. Biol. Bull. 71, 324.

---