

Bibliography

Bibliography

- Adarisini, V. B. P., Viji, G., & Gnanamanickam, S. S. (1999). *Mating type distribution, fertility and pathogenicity of rice isolates of Magnaporthe grisea in four rice growing regions of India*. 52(1), 28–34.
- Annegowda, D. C., Krishnareddy Prasannakumar, M., Basavarajegowda Mahesh, H., Bangera Siddabasappa, C., Devanna, P., Nagaraj Banakar, S., Basavegowda Manojkumar, H., & Rajendra Prasad, S. (2022). Rice Blast Disease in India: Present Status and Future Challenges. In M. Huang (Ed.), *Integrative Advances in Rice Research*. IntechOpen. <https://doi.org/10.5772/intechopen.98847>
- Asuke, S., Tanaka, M., Hyon, G.-S., Inoue, Y., Vy, T. T. P., Niwamoto, D., Nakayashiki, H., & Tosa, Y. (2020). Evolution of an *Eleusine*-Specific Subgroup of *Pyricularia oryzae* Through a Gain of an Avirulence Gene. *Molecular Plant-Microbe Interactions*, 33(2), 153–165. <https://doi.org/10.1094/MPMI-03-19-0083-R>
- Au, T. K., S H Chick, W., & Leung, P. C. (2000). Initial kinetics of the inactivation of calmodulin by the fungal toxin ophiobolin A. *The International Journal of Biochemistry & Cell Biology*, 32(11–12), 1173–1182. [https://doi.org/10.1016/s1357-2725\(00\)00058-3](https://doi.org/10.1016/s1357-2725(00)00058-3)
- Audenaert, K., Vanheule, A., Höfte, M., & Haesaert, G. (2013). Deoxynivalenol: A major player in the multifaceted response of *Fusarium* to its environment. *Toxins*, 6(1), 1–19. <https://doi.org/10.3390/toxins6010001>
- Austin Bourke, P. M. (1964). Emergence of Potato Blight, 1843–46. *Nature*, 203(4947), 805–808. <https://doi.org/10.1038/203805a0>
- Avelino, J., Cristancho, M., Georgiou, S., Imbach, P., Aguilar, L., Bornemann, G., Läderach, P., Anzueto, F., Hruska, A. J., & Morales, C. (2015). The coffee rust crises in Colombia and Central America (2008–2013): Impacts, plausible causes and proposed solutions. *Food Security*, 7(2), 303–321. <https://doi.org/10.1007/s12571-015-0446-9>
- Aver'yanov, A. A., Lapikova, V. P., & Lebrun, M.-H. (2007). Tenuazonic acid, toxin of rice blast fungus, induces disease resistance and reactive oxygen production in plants. *Russian Journal of Plant Physiology*, 54(6), 749–754. <https://doi.org/10.1134/S1021443707060052>
- Bao, J., Chen, M., Zhong, Z., Tang, W., Lin, L., Zhang, X., Jiang, H., Zhang, D., Miao, C., Tang, H., Zhang, J., Lu, G., Ming, R., Norvienyeku, J., Wang, B., & Wang, Z. (2017). PacBio Sequencing Reveals Transposable Elements as a Key Contributor to Genomic Plasticity and Virulence Variation in *Magnaporthe oryzae*. *Molecular Plant*, 10(11), 1465–1468. <https://doi.org/10.1016/j.molp.2017.08.008>
- Białas, A., Zess, E. K., De La Concepcion, J. C., Franceschetti, M., Pennington, H. G., Yoshida, K., Upson, J. L., Chanclud, E., Wu, C. H., Langner, T., Maqbool, A., Varden, F. A., Derevnina, L., Belhaj, K., Fujisaki, K., Saitoh, H., Terauchi, R., Banfield, M. J., & Kamoun, S. (2018). Lessons in effector and NLR biology of plant-microbe systems. *Molecular Plant-Microbe Interactions*, 31(1), 34–45. <https://doi.org/10.1094/MPMI-08-17-0196-FI>
- Blin, K., Shaw, S., Kloosterman, A. M., Charlop-Powers, Z., Van Wezel, G. P., Medema, M. H., & Weber, T. (2021). antiSMASH 6.0: Improving cluster detection and comparison capabilities. *Nucleic Acids Research*, 49(W1), W29–W35. <https://doi.org/10.1093/nar/gkab335>
- Blin, K., Shaw, S., Steinke, K., Villebro, R., Ziemert, N., Lee, S. Y., Medema, M. H., & Weber, T. (2019). antiSMASH 5.0: Updates to the secondary metabolite genome mining pipeline. *Nucleic Acids Research*, 47(W1), W81–W87. <https://doi.org/10.1093/nar/gkz310>
- Böhnert, H. U., Fudal, I., Dioh, W., Tharreau, D., Nottoghem, J. L., & Lebrun, M. H. (2004). A putative polyketide synthase/peptide synthetase from *Magnaporthe grisea* signals pathogen attack to resistant rice. *Plant Cell*, 16(9), 2499–2513. <https://doi.org/10.1105/tpc.104.022715>
- Bok, J. W., & Keller, N. P. (2004). LaeA, a Regulator of Secondary Metabolism in *Aspergillus* spp. *Eukaryotic Cell*, 3(2), 527–535. <https://doi.org/10.1128/EC.3.2.527-535.2004>
- Bolger, A. M., Lohse, M., & Usadel, B. (2014). Trimmomatic: A flexible trimmer for Illumina sequence data. *Bioinformatics (Oxford, England)*, 30(15), 2114–2120. <https://doi.org/10.1093/bioinformatics/btu170>
- Brown, D. W., Lee, S.-H., Kim, L.-H., Ryu, J.-G., Lee, S., Seo, Y., Kim, Y. H., Busman, M., Yun, S.-H., Proctor, R. H., & Lee, T. (2015). Identification of a 12-Gene Fusaric Acid Biosynthetic Gene Cluster in *Fusarium* Species Through Comparative and Functional Genomics. *Molecular Plant-Microbe Interactions*, 28(3), 319–332. <https://doi.org/10.1094/MPMI-09-14-0264-R>
- Capella-Gutiérrez, S., Silla-Martínez, J. M., & Gabaldón, T. (2009a). trimAl: A tool for automated alignment trimming in large-scale phylogenetic analyses. *Bioinformatics*, 25(15), 1972–1973. <https://doi.org/10.1093/bioinformatics/btp348>

- Capella-Gutiérrez, S., Silla-Martínez, J. M., & Gabaldón, T. (2009b). trimAl: A tool for automated alignment trimming in large-scale phylogenetic analyses. *BIOINFORMATICS APPLICATIONS NOTE*, 25(15), 1972–1973. <https://doi.org/10.1093/bioinformatics/btp348>
- Cesari, S., Thilliez, G., Ribot, C., Chalvon, V., Michel, C., Jauneau, A., Rivas, S., Alaux, L., Kanzaki, H., Okuyama, Y., Morel, J. B., Fournier, E., Tharreau, D., Terauchi, R., & Kroj, T. (2013). The rice resistance protein pair RGA4/RGA5 recognizes the *Magnaporthe oryzae* effectors AVR-Pia and AVR1-CO39 by direct binding. *Plant Cell*, 25(4), 1463–1481. <https://doi.org/10.1105/tpc.112.107201>
- Chen, S., & Qiang, S. (2017). Recent advances in tenuazonic acid as a potential herbicide. *Pesticide Biochemistry and Physiology*, 143, 252–257. <https://doi.org/10.1016/j.pestbp.2017.01.003>
- Chen, S., Songkumarn, P., Venu, R. C., Gowda, M., Bellizzi, M., Hu, J., Liu, W., Ebbola, D., Meyers, B., Mitchell, T., & Wang, G.-L. (2013). Identification and Characterization of In planta-Expressed Secreted Effector Proteins from *Magnaporthe oryzae* That Induce Cell Death in Rice. *Molecular Plant-Microbe Interactions*, 26(2), 191–202. <https://doi.org/10.1094/MPMI-05-12-0117-R>
- Chernomor, O., Von Haeseler, A., & Minh, B. Q. (2016). Terrace Aware Data Structure for Phylogenomic Inference from Supermatrices. *Systematic Biology*, 65(6), 997–1008. <https://doi.org/10.1093/SYSBIO/SYW037>
- Chiapello, H., Mallet, L., Guérin, C., Aguileta, G., Amselem, J., Kroj, T., Ortega-Abboud, E., Lebrun, M.-H., Henrissat, B., Gendrault, A., Rodolphe, F., Tharreau, D., & Fournier, E. (2015). Deciphering Genome Content and Evolutionary Relationships of Isolates from the Fungus *Magnaporthe oryzae* Attacking Different Host Plants. *Genome Biology and Evolution*, 7(10), 2896–2912. <https://doi.org/10.1093/gbe/evv187>
- Chisholm, S. T., Coaker, G., Day, B., & Staskawicz, B. J. (2006). Host-Microbe Interactions: Shaping the Evolution of the Plant Immune Response. *Cell*, 124(4), 803–814. <https://doi.org/10.1016/j.cell.2006.02.008>
- Chuma, I., Isobe, C., Hotta, Y., Ibaragi, K., Futamata, N., Kusaba, M., Yoshida, K., Terauchi, R., Fujita, Y., Nakayashiki, H., Valent, B., & Tosa, Y. (2011). Multiple translocation of the AVR-Pita effector gene among chromosomes of the rice blast fungus *Magnaporthe oryzae* and related species. *PLoS Pathogens*, 7(7), e1002147. <https://doi.org/10.1371/journal.ppat.1002147>
- Chumley, F. G., & Valent, B. (1990). Genetic Analysis of Melanin-Deficient, Nonpathogenic Mutants of *Magnaporthe grisea*. *Molecular Plant-Microbe Interactions*, 3(3), 135. <https://doi.org/10.1094/MPMI-3-135>
- Collemare, J., Billard, A., Böhnert, H. U., & Lebrun, M.-H. (2008). Biosynthesis of secondary metabolites in the rice blast fungus *Magnaporthe grisea*: The role of hybrid PKS-NRPS in pathogenicity. *Mycological Research*, 112(2), 207–215. <https://doi.org/10.1016/j.mycres.2007.08.003>
- Collemare, J., O’Connell, R., & Lebrun, M. H. (2019). Nonproteinaceous effectors: The terra incognita of plant–fungal interactions. *New Phytologist*, 223(2), 590–596. <https://doi.org/10.1111/nph.15785>
- Collemare, J., Pianfetti, M., Houille, A.-E., Morin, D., Camborde, L., Gagey, M.-J., Barbisan, C., Fudal, I., Lebrun, M.-H., & Böhnert, H. U. (2008). *Magnaporthe grisea* avirulence gene *ACE1* belongs to an infection-specific gene cluster involved in secondary metabolism. *New Phytologist*, 179(1), 196–208. <https://doi.org/10.1111/j.1469-8137.2008.02459.x>
- Collemare, J., & Seidl, M. F. (2019). Chromatin-dependent regulation of secondary metabolite biosynthesis in fungi: Is the picture complete? *FEMS Microbiology Reviews*. <https://doi.org/10.1093/femsre/fuz018>
- Cosgrove, D. J. (2001). Wall structure and wall loosening. A look backwards and forwards. *Plant Physiology*, 125(1), 131–134. <https://doi.org/10.1104/pp.125.1.131>
- Couch, B. C. (2005). Origins of Host-Specific Populations of the Blast Pathogen *Magnaporthe oryzae* in Crop Domestication With Subsequent Expansion of Pandemic Clones on Rice and Weeds of Rice. *Genetics*, 170(2), 613–630. <https://doi.org/10.1534/genetics.105.041780>
- Couch, B. C., & Kohn, L. M. (2002). A multilocus gene genealogy concordant with host preference indicates segregation of a new species, *Magnaporthe oryzae*, from *M. grisea*. *Mycologia*, 94(4), 683–693. <https://doi.org/10.1080/15572536.2003.11833196>
- Crouch, J. A., & Tomaso-Peterson, M. (2012). Anthracnose disease of centipedegrass turf caused by *Colletotrichum eremochloae*, a new fungal species closely related to *Colletotrichum sublineola*. *Mycologia*, 104(5), 1085–1096. <https://doi.org/10.3852/11-317>
- Dallery, J.-F., Lapalu, N., Zampounis, A., Pigné, S., Luyten, I., Amselem, J., Wittenberg, A. H. J., Zhou, S., de Queiroz, M. V., Robin, G. P., Auger, A., Hainaut, M., Henrissat, B., Kim, K.-T., Lee, Y.-H., Lespinet, O., Schwartz, D. C., Thon, M. R., & O’Connell, R. J. (2017). Gapless genome assembly of *Colletotrichum higginsianum* reveals chromosome structure and association of transposable elements with secondary metabolite gene clusters. *BMC Genomics*, 18(1), 667. <https://doi.org/10.1186/s12864-017-4083-x>

- De Guillen, K., Ortiz-Vallejo, D., Gracy, J., Fournier, E., Kroj, T., & Padilla, A. (2015). Structure Analysis Uncovers a Highly Diverse but Structurally Conserved Effector Family in Phytopathogenic Fungi. *PLOS Pathogens*, 11(10), e1005228. <https://doi.org/10.1371/journal.ppat.1005228>
- De Jong, J. C., McCormack, B. J., Smirnov, N., & Talbot, N. J. (1997). Glycerol generates turgor in rice blast. *Nature*, 389(6648), 244–244. <https://doi.org/10.1038/38418>
- Dean, R. a, Talbot, N. J., Ebbole, D. J., Farman, M. L., Mitchell, T. K., Orbach, M. J., Thon, M., Kulkarni, R., Xu, J.-R., Pan, H., Read, N. D., Lee, Y.-H., Carbone, I., Brown, D., Oh, Y. Y., Donofrio, N., Jeong, J. S., Soanes, D. M., Djonovic, S., ... Birren, B. W. (2005). The genome sequence of the rice blast fungus *Magnaporthe grisea*. *Nature*, 434(7036), 980–986. <https://doi.org/10.1038/nature03449>
- Dean, R., Van Kan, J. A. L., Pretorius, Z. A., Hammond-Kosack, K. E., Di Pietro, A., Spanu, P. D., Rudd, J. J., Dickman, M., Kahmann, R., Ellis, J., & Foster, G. D. (2012). The Top 10 fungal pathogens in molecular plant pathology. *Molecular Plant Pathology*, 13(4), 414–430. <https://doi.org/10.1111/j.1364-3703.2011.00783.x>
- Deng, Y., Zhai, K., Xie, Z., Yang, D., Zhu, X., Liu, J., Wang, X., Qin, P., Yang, Y., Zhang, G., Li, Q., Zhang, J., Wu, S., Milazzo, J., Mao, B., Wang, E., Xie, H., Tharreau, D., & He, Z. (2017). Epigenetic regulation of antagonistic receptors confers rice blast resistance with yield balance. *Science*, 355(6328), 962–965. <https://doi.org/10.1126/science.aai8898>
- Ditengou, F. A., Müller, A., Rosenkranz, M., Felten, J., Lasok, H., van Doorn, M. M., Legué, V., Palme, K., Schnitzler, J.-P., & Polle, A. (2015). Volatile signalling by sesquiterpenes from ectomycorrhizal fungi reprogrammes root architecture. *Nature Communications*, 6, 6279. <https://doi.org/10.1038/ncomms7279>
- Dobinson, K. F., Harris, R. E., & Hamer, J. E. (1993). Grasshopper, a long terminal repeat (LTR) retroelement in the phytopathogenic fungus *Magnaporthe grisea*. *Molecular Plant-Microbe Interactions: MPMI*, 6(1), 114–126. <https://doi.org/10.1094/mpmi-6-114>
- Domazakis, E., Lin, X., Aguilera-Galvez, C., Wouters, D., Bijsterbosch, G., Wolters, P. J., & Vleeshouwers, V. G. A. A. (2017). Effectoromics-Based Identification of Cell Surface Receptors in Potato. In L. Shan & P. He (Eds.), *Plant Pattern Recognition Receptors* (Vol. 1578, pp. 337–353). Springer New York. https://doi.org/10.1007/978-1-4939-6859-6_29
- Dong, Y., Li, Y., Zhao, M., Jing, M., Liu, X., Liu, M., Guo, X., Zhang, X., Chen, Y., Liu, Y. Y., Liu, Y. Y., Ye, W., Zhang, H., Wang, Y., Zheng, X., Wang, P., & Zhang, Z. (2015). Global Genome and Transcriptome Analyses of *Magnaporthe oryzae* Epidemic Isolate 98-06 Uncover Novel Effectors and Pathogenicity-Related Genes, Revealing Gene Gain and Loss Dynamics in Genome Evolution. *PLoS Pathogens*, 11(4), 1–30. <https://doi.org/10.1371/journal.ppat.1004801>
- Durairaj, P., Hur, J.-S., & Yun, H. (2016). Versatile biocatalysis of fungal cytochrome P450 monooxygenases. *Microbial Cell Factories*, 15(1), 125. <https://doi.org/10.1186/s12934-016-0523-6>
- Ebbole, D. J. (2007). *Magnaporthe* as a model for understanding host-pathogen interactions. *Annual Review of Phytopathology*, 45, 437–456. <https://doi.org/10.1146/annurev.phyto.45.062806.094346>
- Egan, M. J., Wang, Z.-Y., Jones, M. A., Smirnov, N., & Talbot, N. J. (2007). Generation of reactive oxygen species by fungal NADPH oxidases is required for rice blast disease. *Proceedings of the National Academy of Sciences*, 104(28), 11772–11777. <https://doi.org/10.1073/pnas.0700574104>
- Ekwamu, A. (1991). Influence of head blast infection on seed germination and yield components of finger millet (*Eleusine coracana* L. Gaertn). *Tropical Pest Management*, 37(2), 122–123. <https://doi.org/10.1080/09670879109371556>
- Emms, D. M., & Kelly, S. (2015). OrthoFinder: Solving fundamental biases in whole genome comparisons dramatically improves orthogroup inference accuracy. *Genome Biology*, 16(1), 157. <https://doi.org/10.1186/s13059-015-0721-2>
- Emms, D. M., & Kelly, S. (2019). OrthoFinder: Phylogenetic orthology inference for comparative genomics. *Genome Biology*, 20(1), 238. <https://doi.org/10.1186/s13059-019-1832-y>
- Farman, M. L., & Kim, Y. S. (2005). Telomere hypervariability in *Magnaporthe oryzae*. *Molecular Plant Pathology*, 6(3), 287–298. <https://doi.org/10.1111/J.1364-3703.2005.00285.X>
- Farman, M. L., Tosa, Y., Nitta, N., & Leong, S. A. (1996). MAGGY, a retrotransposon in the genome of the rice blast fungus *Magnaporthe grisea*. *Molecular & General Genetics: MGG*, 251(6), 665–674. <https://doi.org/10.1007/BF02174115>
- Fernandes, M., Keller, N. P., & Adams, T. H. (1998). Sequence-specific binding by *Aspergillus nidulans* AflR, a C₆ zinc cluster protein regulating mycotoxin biosynthesis. *Molecular Microbiology*, 28(6), 1355–1365. <https://doi.org/10.1046/j.1365-2958.1998.00907.x>
- Fernandez, J., & Orth, K. (2018). Rise of a Cereal Killer: The Biology of *Magnaporthe oryzae* Biotrophic Growth. *Trends in Microbiology*, 26(7), 582–597. <https://doi.org/10.1016/j.tim.2017.12.007>

-
- Fisher, M. C., Henk, D. A., Briggs, C. J., Brownstein, J. S., Madoff, L. C., McCraw, S. L., & Gurr, S. J. (2012). Emerging fungal threats to animal, plant and ecosystem health. *Nature*, 484(7393), 186–194. <https://doi.org/10.1038/nature10947>
- Franceschetti, M., Maqbool, A., Jiménez-Dalmaroni, M. J., Pennington, H. G., Kamoun, S., & Banfield, M. J. (2017). Effectors of Filamentous Plant Pathogens: Commonalities amid Diversity. *Microbiology and Molecular Biology Reviews : MMBR*, 81(2). <https://doi.org/10.1128/MMBR.00066-16>
- Frantzeskakis, L., Di Pietro, A., Rep, M., Schirawski, J., Wu, C., & Panstruga, R. (2020). Rapid evolution in plant–microbe interactions – a molecular genomics perspective. *New Phytologist*, 225(3), 1134–1142. <https://doi.org/10.1111/nph.15966>
- Fudal, I., Collemare, J., Böhnert, H. U., Melayah, D., & Lebrun, M.-H. (2007). Expression of Magnaporthe grisea Avirulence Gene ACE1 Is Connected to the Initiation of Appressorium-Mediated Penetration. *Eukaryotic Cell*, 6(3), 546–554. <https://doi.org/10.1128/EC.00330-05>
- Gardiner, D. M., Jarvis, R. S., & Howlett, B. J. (2005). The ABC transporter gene in the sirodesmin biosynthetic gene cluster of Leptosphaeria maculans is not essential for sirodesmin production but facilitates self-protection. *Fungal Genetics and Biology: FG & B*, 42(3), 257–263. <https://doi.org/10.1016/j.fgb.2004.12.001>
- Gel, B., & Serra, E. (2017). karyoploteR: an R/Bioconductor package to plot customizable genomes displaying arbitrary data. *Bioinformatics*, 33(19), 3088–3090. <https://doi.org/10.1093/BIOINFORMATICS/BTX346>
- Gilchrist, C. L. M., & Chooi, Y. H. (2021). clinker & clustermap.js: Automatic generation of gene cluster comparison figures. *Bioinformatics*, 37(16), 2473–2475. <https://doi.org/10.1093/BIOINFORMATICS/BTAB007>
- Giraldo, M. C., & Valent, B. (2013). Filamentous plant pathogen effectors in action. *Nature Reviews Microbiology*, 11(11), 800–814. <https://doi.org/10.1038/nrmicro3119>
- Giraud, T., Gladieux, P., & Gavrillets, S. (2010). Linking the emergence of fungal plant diseases with ecological speciation. *Trends in Ecology & Evolution*, 25(7), 387–395. <https://doi.org/10.1016/J.TREE.2010.03.006>
- Gladieux, P., Condon, B., Ravel, S., Soanes, D., Maciel, J. L. N., Nhani, A., Chen, L., Terauchi, R., Lebrun, M., Tharreau, D., Mitchell, T., Pedley, K. F., Valent, B., Talbot, N. J., Farman, M., & Fournier, E. (2018). Gene Flow between Divergent Cereal- and Grass-Specific Lineages of the Rice Blast Fungus Magnaporthe oryzae. *mBio*, 9(1), 1–19. <https://doi.org/10.1128/mBio.01219-17>
- Gladieux, P., Ravel, S., Rieux, A., Cros-Arteil, S., Adreit, H., Milazzo, J., Thierry, M., Fournier, E., Terauchi, R., & Tharreau, D. (2018). Coexistence of Multiple Endemic and Pandemic Lineages of the Rice Blast Pathogen. *mBio*, 9(2). <https://doi.org/10.1128/mBio.01806-17>
- Gladieux, P., Ropars, J., Badouin, H., Branca, A., Aguileta, G., De Vienne, D. M., Rodríguez De La Vega, R. C., Branco, S., & Giraud, T. (2014). Fungal evolutionary genomics provides insight into the mechanisms of adaptive divergence in eukaryotes. *Molecular Ecology*, 23(4), 753–773. <https://doi.org/10.1111/mec.12631>
- Göhre, V., & Robatzek, S. (2008). Breaking the Barriers: Microbial Effector Molecules Subvert Plant Immunity. *Annual Review of Phytopathology*, 46(1), 189–215. <https://doi.org/10.1146/annurev.phyto.46.120407.110050>
- Gómez Luciano, L. B., Tsai, I. J., Chuma, I., Tosa, Y., Chen, Y. H., Li, J. Y., Li, M. Y., Lu, M. Y. J., Nakayashiki, H., & Li, W. H. (2019). Blast Fungal Genomes Show Frequent Chromosomal Changes, Gene Gains and Losses, and Effector Gene Turnover. *Molecular Biology and Evolution*, 36(6), 1148–1161. <https://doi.org/10.1093/molbev/msz045>
- Gowda, M., Shirke, M. D., Mahesh, H. B., Chandarana, P., Rajamani, A., & Chattoo, B. B. (2015). Genome analysis of rice-blast fungus Magnaporthe oryzae field isolates from southern India. *Genomics Data*, 5, 284–291. <https://doi.org/10.1016/j.gdata.2015.06.018>
- Grigoriev, I. V., Nikitin, R., Haridas, S., Kuo, A., Ohm, R., Otillar, R., Riley, R., Salamov, A., Zhao, X., Korzeniewski, F., Smirnova, T., Nordberg, H., Dubchak, I., & Shabalov, I. (2014). MycoCosm portal: Gearing up for 1000 fungal genomes. *Nucleic Acids Research*, 42(D1), D699–D704. <https://doi.org/10.1093/NAR/GKT1183>
- Guindon, S., Dufayard, J. F., Lefort, V., Anisimova, M., Hordijk, W., & Gascuel, O. (2010). New Algorithms and Methods to Estimate Maximum-Likelihood Phylogenies: Assessing the Performance of PhyML 3.0. *Systematic Biology*, 59(3), 307–321. <https://doi.org/10.1093/SYSBIO/SYQ010>
- Hamer, J., & Talbot, N. (1998). Infection-related development in the rice blast fungus Magnaporthe grisea. *Current Opinion in Microbiology*, 1(6), 693–697. [http://dx.doi.org/10.1016/S1369-5274\(98\)80117-3](http://dx.doi.org/10.1016/S1369-5274(98)80117-3)
- Han, J., Wang, X., Wang, F., Zhao, Z., Li, G., Zhu, X., Su, J., & Chen, L. (2021). The Fungal Effector Avr-Pita Suppresses Innate Immunity by Increasing COX Activity in Rice Mitochondria. *Rice*, 14(1), 12. <https://doi.org/10.1186/s12284-021-00453-4>
-

-
- Hancock, J. M., & Bishop, M. J. (2004). HMMer. In *Dictionary of Bioinformatics and Computational Biology* (Issue June). John Wiley & Sons, Ltd. <https://doi.org/10.1002/9780471650126.dob0323.pub2>
- Harris, L. J., Balcerzak, M., Johnston, A., Schneiderman, D., & Ouellet, T. (2016). Host-preferential *Fusarium graminearum* gene expression during infection of wheat, barley, and maize. *Fungal Biology*, 120(1), 111–123. <https://doi.org/10.1016/j.funbio.2015.10.010>
- Hoang, D. T., Chernomor, O., Von Haeseler, A., Minh, B. Q., & Vinh, L. S. (2018). UFBoot2: Improving the Ultrafast Bootstrap Approximation. *Molecular Biology and Evolution*, 35(2), 518–522. <https://doi.org/10.1093/MOLBEV/MSX281>
- Hu, Z.-J., Huang, Y.-Y., Lin, X.-Y., Feng, H., Zhou, S.-X., Xie, Y., Liu, X.-X., Liu, C., Zhao, R.-M., Zhao, W.-S., Feng, C.-H., Pu, M., Ji, Y.-P., Hu, X.-H., Li, G.-B., Zhao, J.-H., Zhao, Z.-X., Wang, H., Zhang, J.-W., ... Wang, W.-M. (2022). Loss and Natural Variations of Blast Fungal Avirulence Genes Breakdown Rice Resistance Genes in the Sichuan Basin of China. *Frontiers in Plant Science*, 13, 788876. <https://doi.org/10.3389/fpls.2022.788876>
- Huang, P., Cao, H., Li, Y., Zhu, S., Wang, J., Wang, Q., Liu, X., Lin, F. C., & Lu, J. (2022). Melanin Promotes Spore Production in the Rice Blast Fungus *Magnaporthe oryzae*. *Frontiers in Microbiology*, 13, 843838. <https://doi.org/10.3389/FMICB.2022.843838/FULL>
- Igarashi, S., Utimada, C., Igarashi, L., Kazuma, A., & Lopes, R. (1986). Occurrence of *Pycularia* sp. In wheat (*Triticum aestivum* L.) in the state of Paraná, Brazil. *Fitopatologia Brasileira*, 11, 351–352.
- Inoue, Y., Vy, T. T. P., Yoshida, K., Asano, H., Mitsuoka, C., Asuke, S., Anh, V. L., Cumagun, C. J. R., Chuma, I., Terauchi, R., Kato, K., Mitchell, T., Valent, B., Farman, M., & Tosa, Y. (2017). Evolution of the wheat blast fungus through functional losses in a host specificity determinant. *Science (New York, N.Y.)*, 357(6346), 80–83. <https://doi.org/10.1126/science.aam9654>
- Islam, M. T., Croll, D., Gladieux, P., Soanes, D. M., Persoons, A., Bhattacharjee, P., Hossain, Md. S., Gupta, D. R., Rahman, Md. M., Mahboob, M. G., Cook, N., Salam, M. U., Surovy, M. Z., Sancho, V. B., Maciel, J. L. N., Nhani Júnior, A., Castroagudín, V. L., Reges, J. T. D. A., Ceresini, P. C., ... Kamoun, S. (2016). Emergence of wheat blast in Bangladesh was caused by a South American lineage of *Magnaporthe oryzae*. *BMC Biology*, 14(1), 84. <https://doi.org/10.1186/s12915-016-0309-7>
- Izumi, Y., Ohtani, K., Miyamoto, Y., Masunaka, A., Fukumoto, T., Gomi, K., Tada, Y., Ichimura, K., Peever, T. L., & Akimitsu, K. (2012). A Polyketide Synthase Gene, *ACRTS2*, Is Responsible for Biosynthesis of Host-Selective ACR-Toxin in the Rough Lemon Pathotype of *Alternaria alternata*. *Molecular Plant-Microbe Interactions*, 25(11), 1419–1429. <https://doi.org/10.1094/MPMI-06-12-0155-R>
- Jacob, S., Grötsch, T., Foster, A. J., Schöffler, A., Rieger, P. H., Sandjo, L. P., Liermann, J. C., Opatz, T., & Thines, E. (2017). Unravelling the biosynthesis of pyriculol in the rice blast fungus *magnaporthe oryzae*. *Microbiology (United Kingdom)*, 163(4), 541–553. <https://doi.org/10.1099/mic.0.000396>
- Jeon, J., Lee, G. W., Kim, K. T., Park, S. Y., Kim, S., Kwon, S., Huh, A., Chung, H., Lee, D. Y., Kim, C. Y., & Lee, Y. H. (2020). Transcriptome profiling of the rice blast fungus *magnaporthe oryzae* and its host *oryza sativa* during infection. *Molecular Plant-Microbe Interactions*, 33(2), 141–144. <https://doi.org/10.1094/MPMI-07-19-0207-A>
- Jia, Y., McAdams, S. A., Bryan, G. T., Hershey, H. P., & Valent, B. (2000). Direct interaction of resistance gene and avirulence gene products confers rice blast resistance. *The EMBO Journal*, 19(15), 4004–4014. <https://doi.org/10.1093/emboj/19.15.4004>
- Jones, J. D. G., & Dangl, J. L. (2006). *The plant immune system*. 444(November), 323–329. <https://doi.org/10.1038/nature05286>
- Jonge, R. de, Bolton, M., Kombrink, A., Berg, G. V. D. van den, Yadeta, K. A., & Thomma, B. (2013). Extensive chromosomal reshuffling drives evolution of virulence in an asexual pathogen. *Genome Research*. <https://doi.org/10.1101/GR.152660.112>
- Kachroo, P., Leong, S. A., & Chattoo, B. B. (1994). Pot2, an inverted repeat transposon from the rice blast fungus *Magnaporthe grisea*. *MGG Molecular & General Genetics*, 245(3), 339–348. <https://doi.org/10.1007/BF00290114>
- Kachroo, P., Leong, S. A., & Chattoo, B. B. (1995). Mg-SINE: A short interspersed nuclear element from the rice blast fungus, *Magnaporthe grisea*. *Proceedings of the National Academy of Sciences of the United States of America*, 92(24), 11125–11129. <https://doi.org/10.1073/pnas.92.24.11125>
- Käll, L., Krogh, A., & Sonnhammer, E. L. L. (2004). A Combined Transmembrane Topology and Signal Peptide Prediction Method. *Journal of Molecular Biology*, 338(5), 1027–1036. <https://doi.org/10.1016/j.jmb.2004.03.016>
- Kalyaanamoorthy, S., Minh, B. Q., Wong, T. K. F., Von Haeseler, A., & Jermin, L. S. (2017). ModelFinder: Fast model selection for accurate phylogenetic estimates. *Nature Methods* 2017 14:6, 14(6), 587–589. <https://doi.org/10.1038/nmeth.4285>
-

-
- Kanamori, M., Kato, H., Yasuda, N., Koizumi, S., Peever, T. L., Kamakura, T., Teraoka, T., & Arie, T. (2007). Novel mating type-dependent transcripts at the mating type locus in *Magnaporthe oryzae*. *Gene*, 403(1–2), 6–17. <https://doi.org/10.1016/j.gene.2007.06.015>
- Kang, S. (2001). Organization and distribution pattern of MGLR-3, a novel retrotransposon in the rice blast fungus *Magnaporthe grisea*. *Fungal Genetics and Biology: FG & B*, 32(1), 11–19. <https://doi.org/10.1006/fgbi.2000.1246>
- Kang Seogchan, Sweigard, J. A., & Valent, B. (1995). The PWL host specificity gene family in the blast fungus *Magnaporthe grisea*. *Molecular Plant-Microbe Interactions*, 8(6), 939–948. <https://doi.org/10.1094/mpmi-8-0939>
- Kankanala, P., Czymmek, K., & Valent, B. (2007). Roles for Rice Membrane Dynamics and Plasmodesmata during Biotrophic Invasion by the Blast Fungus. *The Plant Cell Online*, 19(2), 706–724. <https://doi.org/10.1105/tpc.106.046300>
- Kanzaki, H., Yoshida, K., Saitoh, H., Fujisaki, K., Hirabuchi, A., Alaux, L., & Fournier, E. (2012). *Arms race co-evolution of Magnaporthe oryzae AVR-Pik and rice Pik genes driven by their physical interactions*. 894–907. <https://doi.org/10.1111/j.1365-313X.2012.05110.x>
- Katoh, K., Misawa, K., Kuma, K. I., & Miyata, T. (2002). MAFFT: a novel method for rapid multiple sequence alignment based on fast Fourier transform. *Nucleic Acids Research*, 30(14), 3059–3066. <https://doi.org/10.1093/NAR/GKF436>
- Kautsar, S. A., Blin, K., Shaw, S., Navarro-Muñoz, J. C., Terlouw, B. R., van der Hooft, J. J. J., van Santen, J. A., Tracanna, V., Suarez Duran, H. G., Pascal Andreu, V., Selem-Mojica, N., Alanjary, M., Robinson, S. L., Lund, G., Epstein, S. C., Sisto, A. C., Charkoudian, L. K., Collemare, J., Linington, R. G., ... Medema, M. H. (2019). MIBiG 2.0: A repository for biosynthetic gene clusters of known function. *Nucleic Acids Research*. <https://doi.org/10.1093/nar/gkz882>
- Keller, N. P. (2019). Fungal secondary metabolism: Regulation, function and drug discovery. *Nature Reviews Microbiology*, 17(3), 167–180. <https://doi.org/10.1038/s41579-018-0121-1>
- Keller, N. P., & Hohn, T. M. (1997). Metabolic Pathway Gene Clusters in Filamentous Fungi. *Fungal Genetics and Biology*, 21(1), 17–29. <https://doi.org/10.1006/fgbi.1997.0970>
- Keller, N. P., Turner, G., & Bennett, J. W. (2005). Fungal secondary metabolism—From biochemistry to genomics. *Nature Reviews Microbiology*, 3(12), 937–947. <https://doi.org/10.1038/nrmicro1286>
- Khang, C. H., Berruyer, R., Giraldo, M. C., Kankanala, P., Park, S.-Y., Czymmek, K., Kang, S., & Valent, B. (2010). Translocation of *Magnaporthe oryzae* Effectors into Rice Cells and Their Subsequent Cell-to-Cell Movement. *The Plant Cell*, 22(4), 1388–1403. <https://doi.org/10.1105/tpc.109.069666>
- Khang, C. H., Park, S.-Y., Lee, Y.-H., Valent, B., & Kang, S. (2008). Genome Organization and Evolution of the AVR-Pita Avirulence Gene Family in the *Magnaporthe grisea* Species Complex. *Molecular Plant-Microbe Interactions®*, 21(5), 658–670. <https://doi.org/10.1094/MPMI-21-5-0658>
- Kihoro, J., Bosco, N. J., & Murage, H. (2013). Suitability analysis for rice growing sites using a multicriteria evaluation and GIS approach in great Mwea region, Kenya. *SpringerPlus*, 2(1), 265. <https://doi.org/10.1186/2193-1801-2-265>
- Kito, H., Takahashi, Y., Sato, J., Fukiya, S., Sone, T., & Tomita, F. (2003). Occan, a novel transposon in the Fot1 family, is ubiquitously found in several *Magnaporthe grisea* isolates. *Current Genetics*, 42(6), 322–331. <https://doi.org/10.1007/s00294-002-0365-0>
- Kjærboelling, I., Vesth, T., Frisvad, J. C., Nybo, J. L., Theobald, S., Kildgaard, S., Petersen, T. I., Kuo, A., Sato, A., Lyhne, E. K., Kogle, M. E., Wiebenga, A., Kun, R. S., Lubbers, R. J. M., Mäkelä, M. R., Barry, K., Chovatia, M., Clum, A., Daum, C., ... Andersen, M. R. (2020). A comparative genomics study of 23 *Aspergillus* species from section Flavi. *Nature Communications*, 11(1), 1–12. <https://doi.org/10.1038/s41467-019-14051-y>
- Krzywinski, M., Schein, J., Birol, I., Connors, J., Gascoyne, R., Horsman, D., Jones, S. J., & Marra, M. A. (2009). Circos: An information aesthetic for comparative genomics. *Genome Research*, 19(9), 1639–1645. <https://doi.org/10.1101/gr.092759.109>
- Kuhnert, E., & Collemare, J. (2022). A genomic journey in the secondary metabolite diversity of fungal plant and insect pathogens: From functional to population genomics. *Current Opinion in Microbiology*, 69, 102178. <https://doi.org/10.1016/J.MIB.2022.102178>
- Kumar, S., Stecher, G., Li, M., Knyaz, C., & Tamura, K. (2018). MEGA X: Molecular evolutionary genetics analysis across computing platforms. *Molecular Biology and Evolution*, 35(6), 1547–1549. <https://doi.org/10.1093/molbev/msy096>
- Kurtz, S., Phillippy, A., Delcher, A. L., Smoot, M., Shumway, M., Antonescu, C., & Salzberg, S. L. (2004). *Open Access Versatile and open software for comparing large genomes*. 5(2), 12.
- Kwon, C., Bednarek, P., & Schulze-Lefert, P. (2008). Secretory pathways in plant immune responses. *Plant Physiology*, 147(4), 1575–1583. <https://doi.org/10.1104/pp.108.121566>
-

-
- Lanfear, R., Calcott, B., Kainer, D., Mayer, C., & Stamatakis, A. (2014). Selecting optimal partitioning schemes for phylogenomic datasets. *BMC Evolutionary Biology*, 14(1), 1–14. <https://doi.org/10.1186/1471-2148-14-82>
- Langner, T., Białas, A., & Kamoun, S. (2018). The blast fungus decoded: Genomes in flux. *mBio*, 9(2), 1–4. <https://doi.org/10.1128/mBio.00571-18>
- Langner, T., Harant, A., Gomez-Luciano, L. B., Shrestha, R. K., Malmgren, A., Latorre, S. M., Burbano, H. A., Win, J., & Kamoun, S. (2021). Genomic rearrangements generate hypervariable mini-chromosomes in host-specific isolates of the blast fungus. In *PLoS Genetics* (Vol. 17, Issue 2). <https://doi.org/10.1371/JOURNAL.PGEN.1009386>
- Latorre, S. M., Reyes-Avila, C. S., Malmgren, A., Win, J., Kamoun, S., & Burbano, H. A. (2020). Differential loss of effector genes in three recently expanded pandemic clonal lineages of the rice blast fungus. *BMC Biology*, 18(1), 88. <https://doi.org/10.1186/s12915-020-00818-z>
- Letunic, I., & Bork, P. (2021). Interactive Tree Of Life (iTOL) v5: An online tool for phylogenetic tree display and annotation. *Nucleic Acids Research*, 49(W1), W293–W296. <https://doi.org/10.1093/NAR/GKAB301>
- Li, H., & Durbin, R. (2009). Fast and accurate short read alignment with Burrows-Wheeler transform. *Bioinformatics (Oxford, England)*, 25(14), 1754–1760. <https://doi.org/10.1093/bioinformatics/btp324>
- Li, H., Handsaker, B., Wysoker, A., Fennell, T., Ruan, J., Homer, N., Marth, G., Abecasis, G., & Durbin, R. (2009). The Sequence Alignment/Map format and SAMtools. *Bioinformatics*, 25(16), 2078–2079. <https://doi.org/10.1093/bioinformatics/btp352>
- Li, J., Lu, L., Li, C.-Y., Wang, Q., & Shi, Z.-F. (2022). *Insertion of transposable elements in AVR-Pib of Magnaporthe oryzae* [Preprint]. In Review. <https://doi.org/10.21203/rs.3.rs-1440283/v1>
- Li, W., Wang, B., Wu, J., Lu, G., Hu, Y., Zhang, X., Zhang, Z., Zhao, Q., Feng, Q., Zhang, H., Wang, Z., Wang, G., Han, B., Wang, Z., & Zhou, B. (2009). The *Magnaporthe oryzae* avirulence gene *AvrPiz-t* encodes a predicted secreted protein that triggers the immunity in rice mediated by the blast resistance gene *Piz-t*. *Molecular Plant-Microbe Interactions : MPMI*, 22(4), 411–420. <https://doi.org/10.1094/MPMI-22-4-0411>
- Lim, S. M., & Hooker, A. L. (1971). Southern Corn Leaf Blight: Genetic Control of Pathogenicity and Toxin Production in Race T and Race O of *Cochliobolus heterostrophus*. *Genetics*, 69(1), 115–117. <https://doi.org/10.1093/genetics/69.1.115>
- Lind, A. L., Wisecaver, J. H., Lameiras, C., Wiemann, P., Palmer, J. M., Keller, N. P., Rodrigues, F., Goldman, G. H., & Rokas, A. (2017). Drivers of genetic diversity in secondary metabolic gene clusters within a fungal species. *PLoS Biology*, 15(11), 1–26. <https://doi.org/10.1371/journal.pbio.2003583>
- Lo Presti, L., Lanver, D., Schweizer, G., Tanaka, S., Liang, L., Tollot, M., Zuccaro, A., Reissmann, S., & Kahmann, R. (2015). Fungal Effectors and Plant Susceptibility. *Annual Review of Plant Biology*, 66(1), 513–545. <https://doi.org/10.1146/annurev-arplant-043014-114623>
- Macheleidt, J., Mattern, D. J., Fischer, J., Netzker, T., Weber, J., Schroeckh, V., Valiante, V., & Brakhage, A. A. (2016). Regulation and Role of Fungal Secondary Metabolites. *Annual Review of Genetics*, 50(1), 371–392. <https://doi.org/10.1146/annurev-genet-120215-035203>
- Maciel, J. L. N., Ceresini, P. C., Castroagudin, V. L., Zala, M., Kema, G. H. J., & McDonald, B. A. (2014). Population structure and pathotype diversity of the wheat blast pathogen *Magnaporthe oryzae* 25 years after its emergence in Brazil. *Phytopathology*, 104(1), 95–107. <https://doi.org/10.1094/PHYTO-11-12-0294-R>
- Malaker, P. K., Barma, N. C. D., Tiwari, T. P., Collis, W. J., Duveiller, E., Singh, P. K., Joshi, A. K., Singh, R. P., Braun, H.-J., Peterson, G. L., Pedley, K. F., Farman, M. L., & Valent, B. (2016). First Report of Wheat Blast Caused by *Magnaporthe oryzae* Pathotype *triticum* in Bangladesh. *Plant Disease*, 100(11), 2330–2330. <https://doi.org/10.1094/PDIS-05-16-0666-PDN>
- Maqbool, A., Saitoh, H., Franceschetti, M., Stevenson, C., Uemura, A., Kanzaki, H., Kamoun, S., Terauchi, R., & Banfield, M. (2015). Structural basis of pathogen recognition by an integrated HMA domain in a plant NLR immune receptor. *eLife*, 4, e08709. <https://doi.org/10.7554/eLife.08709>
- Marcel, S., Sawers, R., Oakeley, E., Angliker, H., & Paszkowski, U. (2010). Tissue-adapted invasion strategies of the rice blast fungus *Magnaporthe oryzae*. *The Plant Cell*, 22(9), 3177–3187. <https://doi.org/10.1105/tpc.110.078048>
- McGary, K. L., Slot, J. C., & Rokas, A. (2013). Physical linkage of metabolic genes in fungi is an adaptation against the accumulation of toxic intermediate compounds. *Proceedings of the National Academy of Sciences of the United States of America*, 110(28), 11481–11486. <https://doi.org/10.1073/pnas.1304461110>
- Mentlak, T. A., Kombrink, A., Shinya, T., Ryder, L. S., Otomo, I., Saitoh, H., Terauchi, R., Nishizawa, Y., Shibuya, N., Thomma, B. P. H. J., & Talbot, N. J. (2012). Effector-Mediated Suppression of Chitin-
-

- Triggered Immunity by Magnaporthe oryzae Is Necessary for Rice Blast Disease. *The Plant Cell*, 24(1), 322–335. <https://doi.org/10.1105/tpc.111.092957>
- Miki, S., Matsui, K., Kito, H., Otsuka, K., Ashizawa, T., Yasuda, N., Fukiya, S., Sato, J., Hirayae, K., Fujita, Y., Nakajima, T., Tomita, F., Sone, T., & To, H. I. D. E. K. I. K. I. (2009). Molecular cloning and characterization of the AVR-Pia locus from a Japanese field isolate of Magnaporthe oryzae. *Molecular Plant Pathology*, 10(3), 361–374. <https://doi.org/10.1111/j.1364-3703.2009.00534.x>
- Minh, B. Q., Schmidt, H. A., Chernomor, O., Schrempf, D., Woodhams, M. D., Von Haeseler, A., Lanfear, R., & Teeling, E. (2020). IQ-TREE 2: New Models and Efficient Methods for Phylogenetic Inference in the Genomic Era. *Molecular Biology and Evolution*, 37(5), 1530–1534. <https://doi.org/10.1093/molbev/msaa015>
- Mogga, V., Delventhal, R., Weidenbach, D., Langer, S., Bertram, P. M., Andresen, K., Thines, E., Kroj, T., & Schaffrath, U. (2016). Magnaporthe oryzae effectors MoHEG13 and MoHEG16 interfere with host infection and MoHEG13 counteracts cell death caused by Magnaporthe-NLPs in tobacco. *Plant Cell Reports*, 35(5), 1169–1185. <https://doi.org/10.1007/s00299-016-1943-9>
- Monroy, A. A., Stappler, E., Schuster, A., Sulyok, M., & Schmoll, M. (2017). A CRE1- regulated cluster is responsible for light dependent production of dihydrotrichotetronin in Trichoderma reesei. *PLOS ONE*, 12(8), e0182530. <https://doi.org/10.1371/journal.pone.0182530>
- Mosquera, G., Giraldo, M. C., Khang, C. H., Coughlan, S., & Valent, B. (2009). Interaction transcriptome analysis identifies magnaporthe oryzae BAS1-4 as biotrophy-associated secreted proteins in rice blast disease. *Plant Cell*, 21(4), 1273–1290. <https://doi.org/10.1105/tpc.107.055228>
- Motoyama, T., Nogawa, T., Hayashi, T., Hirota, H., & Osada, H. (2019). Induction of Nectriapyrone Biosynthesis in the Rice Blast Fungus Pyricularia oryzae by Disturbance of the Two-Component Signal Transduction System. *ChemBioChem*, 20(5), 693–700. <https://doi.org/10.1002/cbic.201800620>
- Nakayashiki, H., Matsuo, H., Chuma, I., Ikeda, K., Betsuyaku, S., Kusaba, M., Tosa, Y., & Mayama, S. (2001). Pyret, a Ty3/Gypsy retrotransposon in Magnaporthe grisea contains an extra domain between the nucleocapsid and protease domains. *Nucleic Acids Research*, 29(20), 4106–4113. <https://doi.org/10.1093/nar/29.20.4106>
- Navarro-Muñoz, J. C., Selem-Mojica, N., Mullowney, M. W., Kautsar, S. A., Tryon, J. H., Parkinson, E. I., De Los Santos, E. L. C., Yeong, M., Cruz-Morales, P., Abubucker, S., Roeters, A., Lokhorst, W., Fernandez-Guerra, A., Cappelini, L. T. D., Goering, A. W., Thomson, R. J., Metcalf, W. W., Kelleher, N. L., Barona-Gomez, F., & Medema, M. H. (2019). A computational framework to explore large-scale biosynthetic diversity. *Nature Chemical Biology*, 1–9. <https://doi.org/10.1038/s41589-019-0400-9>
- Nei, M., & Li, W. H. (1979). Mathematical model for studying genetic variation in terms of restriction endonucleases. *Proceedings of the National Academy of Sciences*, 76(10), 5269–5273. <https://doi.org/10.1073/pnas.76.10.5269>
- Nguyen, J. V., Soto, I., Kim, K., Bushong, E. A., Oglesby, E., Valiente-soriano, F. J., Zack, D. J., Vidal-sanz, M., Ellisman, M. H., & Marsh-armstrong, N. (2011). Myelination transition zone astrocytes are constitutively phagocytic and have synuclein dependent reactivity in glaucoma. *PNAS*, 108(3), 1176–1181. <https://doi.org/10.1073/pnas.1013965108/-/DCSupplemental>. www.pnas.org/cgi/doi/10.1073/pnas.1013965108
- Nielsen, M. E., Feechan, A., Böhlenius, H., Ueda, T., & Thordal-Christensen, H. (2012). Arabidopsis ARF-GTP exchange factor, GNOM, mediates transport required for innate immunity and focal accumulation of syntaxin PEN1. *Proceedings of the National Academy of Sciences of the United States of America*, 109(28), 11443–11448. <https://doi.org/10.1073/pnas.1117596109>
- Ninomiya, A., Urayama, S., Suo, R., Itoi, S., Fuji, S., Moriyama, H., & Hagiwara, D. (2020). Mycovirus-Induced Tenuazonic Acid Production in a Rice Blast Fungus Magnaporthe oryzae. *Frontiers in Microbiology*, 11, 1641. <https://doi.org/10.3389/fmicb.2020.01641>
- Noguchi, M. T., Yasuda, N., & Fujita, Y. (2006). Evidence of Genetic Exchange by Parasexual Recombination and Genetic Analysis of Pathogenicity and Mating Type of Parasexual Recombinants in Rice Blast Fungus, Magnaporthe oryzae. *Phytopathology*, 96(7), 746–750. <https://doi.org/10.1094/PHYTO-96-0746>
- Nottingham, J. L., & Silue, D. (1992). Distribution of the Mating Type Alleles in Magnaporthe grisea Populations Pathogenic on Rice. In *Phytopathology* (Vol. 82).
- Nürnberg, T., & Kemmerling, B. (2018). Pathogen-Associated Molecular Patterns (PAMP) and PAMP - Triggered Immunity. In J. A. Roberts (Ed.), *Annual Plant Reviews online* (1st ed., pp. 16–47). Wiley. <https://doi.org/10.1002/9781119312994.apr0362>
- Nyarko, A., Singarapu, K. K., Figueroa, M., Manning, V. A., Pandelova, I., Wolpert, T. J., Ciuffetti, L. M., & Barbar, E. (2014). Solution NMR Structures of Pyrenophora tritici-repentis ToxB and Its Inactive Homolog Reveal Potential Determinants of Toxin Activity. *Journal of Biological Chemistry*, 289(37), 25946–25956. <https://doi.org/10.1074/jbc.M114.569103>

- Orbach, M. J., Farrall, L., Sweigard, J. A., Chumley, F. G., & Valent, B. (2000). A telomeric avirulence gene determines efficacy for the rice blast resistance gene Pi-ta. *The Plant Cell*, 12(11), 2019–2032. <https://doi.org/10.1105/tpc.12.11.2019>
- Ose, T., Oikawa, A., Nakamura, Y., Maenaka, K., Higuchi, Y., Satoh, Y., Fujiwara, S., Demura, M., Sone, T., & Kamiya, M. (2015). Solution structure of an avirulence protein, AVR-Pia, from *Magnaporthe oryzae*. *Journal of Biomolecular NMR*, 63(2), 229–235. <https://doi.org/10.1007/s10858-015-9979-7>
- Padmanabhan, S. Y. (1965). Studies on forecasting outbreaks of blast disease of rice: I. Influence of meteorological factors on blast incidence at cuttack. *Proceedings / Indian Academy of Sciences*, 62(3), 117–129. <https://doi.org/10.1007/BF03051084>
- Palanna, K. B., Vinaykumar, H. D., Prasanna, S. Koti., Rajashekara, H., Devanna, B. N., Anilkumar, C., Jeevan, B., Raveendra, H. R., Khan, F., Bhavana, C. H. S., Upadhyay, V., Patro, T. S. S. K., Rawat, L., Rajesh, M., Saravanan, P. T., Netam, P., Rajesha, G., Das, I. K., Patil, H. E., ... Nagaraja, T. E. (2023). Exploring the diversity of virulence genes in the *Magnaporthe* population infecting millets and rice in India. *Frontiers in Plant Science*, 14, 1131315. <https://doi.org/10.3389/fpls.2023.1131315>
- Palma-Guerrero, J., Ma, X., Torriani, S. F. F., Zala, M., Francisco, C. S., Hartmann, F. E., Croll, D., & McDonald, B. A. (2017). Comparative Transcriptome Analyses in *Zymoseptoria tritici* Reveal Significant Differences in Gene Expression Among Strains During Plant Infection. *Molecular Plant-Microbe Interactions: MPMI*, 30(3), 231–244. <https://doi.org/10.1094/MPMI-07-16-0146-R>
- Park, C.-H., Chen, S., Shirsekar, G., Zhou, B., Khang, C. H., Songkumarn, P., Afzal, A. J., Ning, Y., Wang, R., Bellizzi, M., Valent, B., & Wang, G.-L. (2012). The *Magnaporthe oryzae* Effector AvrPiz-t Targets the RING E3 Ubiquitin Ligase APIP6 to Suppress Pathogen-Associated Molecular Pattern-Triggered Immunity in Rice. *The Plant Cell*, 24(11), 4748–4762. <https://doi.org/10.1105/tpc.112.105429>
- Patkar, R. N., Benke, P. I., Qu, Z., Constance Chen, Y. Y., Yang, F., Swarup, S., & Naqvi, N. I. (2015). A fungal monooxygenase-derived jasmonate attenuates host innate immunity. *Nature Chemical Biology*, 11(9), 733–740. <https://doi.org/10.1038/nchembio.1885>
- Patkar, R. N., Benke, P. I., Qu, Z., Yi, Y., Chen, C., Yang, F., & Naqvi, N. I. (1885). *Supplementary Information A fungal monooxygenase-derived jasmonate attenuates host innate immunity Supplementary Results Supplementary Table. List of oligonucleotide primers used in this study. Restriction enzyme sites introduced for cloning are shown i.* <https://doi.org/10.1038/nchembio.1885>
- Patkar, R. N., & Naqvi, N. I. (2017). Fungal manipulation of hormone-regulated plant defense. *PLoS Pathogens*, 13(6), 10–14. <https://doi.org/10.1371/journal.ppat.1006334>
- Pedroso, M. M., Watanabe, A. M., Roque-Barreira, M. C., Bueno, P. R., & Faria, R. C. (2008). Quartz Crystal Microbalance monitoring the real-time binding of lectin with carbohydrate with high and low molecular mass. *Microchemical Journal*, 89(2), 153–158. <https://doi.org/10.1016/j.microc.2008.02.001>
- Peng, Z., Garcia, E. O., Lin, G., Hu, Y., Dalby, M., Migeon, P., Tang, H., Farman, M., Cook, D., White, F., Valent, B., & Liu, S. (2018). Effector Gene Reshuffling Involves Dispensable Mini-chromosomes in the Wheat Blast Fungus. *bioRxiv*, 359455. <https://doi.org/10.1101/359455>
- Peng, Z., Li, L., Wu, S., Chen, X., Shi, Y., He, Q., Shu, F., Zhang, W., Sun, P., Deng, H., & Xing, J. (2021). Frequencies and Variations of *Magnaporthe oryzae* Avirulence Genes in Hunan Province, China. *Plant Disease*, 105(12), 3829–3834. <https://doi.org/10.1094/PDIS-01-21-0008-RE>
- Pennisi, E. (2010). Armed and dangerous. *Science (New York, N.Y.)*, 327(5967), 804–805. <https://doi.org/10.1126/science.327.5967.804>
- Pieterse, C. M. J., Leon-Reyes, A., Van der Ent, S., & Van Wees, S. C. M. (2009). Networking by small-molecule hormones in plant immunity. *Nature Chemical Biology*, 5(5), 308–316. <https://doi.org/10.1038/nchembio.164>
- Plissonneau, C., Benevenuto, J., Mohd-Assaad, N., Fouché, S., Hartmann, F. E., & Croll, D. (2017). Using Population and Comparative Genomics to Understand the Genetic Basis of Effector-Driven Fungal Pathogen Evolution. *Frontiers in Plant Science*, 8(January). <https://doi.org/10.3389/fpls.2017.00119>
- Poppe, S., Dorsheimer, L., Happel, P., & Stukenbrock, E. H. (2015). Rapidly Evolving Genes Are Key Players in Host Specialization and Virulence of the Fungal Wheat Pathogen *Zymoseptoria tritici* (*Mycosphaerella graminicola*). *PLOS Pathogens*, 11(7), e1005055. <https://doi.org/10.1371/journal.ppat.1005055>
- Proctor, R. H., Hohn, T. M., McCormick, S. P., & Desjardins, A. E. (1995). Tri6 encodes an unusual zinc finger protein involved in regulation of trichothecene biosynthesis in *Fusarium sporotrichioides*. *Applied and Environmental Microbiology*, 61(5), 1923–1930. <https://doi.org/10.1128/aem.61.5.1923-1930.1995>
- Quinlan, A. R., & Hall, I. M. (2010). BEDTools: A flexible suite of utilities for comparing genomic features. *Bioinformatics (Oxford, England)*, 26(6), 841–842. <https://doi.org/10.1093/bioinformatics/btq033>
- Raffaele, S., Farrer, R. A., Cano, L. M., Studholme, D. J., MacLean, D., Thines, M., Jiang, R. H. Y., Zody, M. C., Kunjeti, S. G., Donofrio, N. M., Meyers, B. C., Nusbaum, C., & Kamoun, S. (2010). Genome

- evolution following host jumps in the Irish potato famine pathogen lineage. *Science (New York, N.Y.)*, 330(6010), 1540–1543. <https://doi.org/10.1126/science.1193070>
- Raffaele, S., & Kamoun, S. (2012). Genome evolution in filamentous plant pathogens: Why bigger can be better. *Nature Reviews Microbiology*, 10(6), 417–430. <https://doi.org/10.1038/nrmicro2790>
- Rahnama, M., Novikova, O., Starnes, J. H., Zhang, S., Chen, L., & Farman, M. L. (2020). Transposon-mediated telomere destabilization: A driver of genome evolution in the blast fungus. *Nucleic Acids Research*, gkaa287. <https://doi.org/10.1093/nar/gkaa287>
- Rahnama, M., Wang, B., Dostart, J., Novikova, O., Yackzan, D., Yackzan, A., Bruss, H., Baker, M., Jacob, H., Zhang, X., Lamb, A., Stewart, A., Heist, M., Hoover, J., Calie, P., Chen, L., Liu, J., & Farman, M. L. (2021). Telomere Roles in Fungal Genome Evolution and Adaptation. *Frontiers in Genetics*, 12, 676751. <https://doi.org/10.3389/fgene.2021.676751>
- Rao, A.N.S. (1990). Estimates of losses in finger millet (*Eleusine coracana*) due to blast disease (*Pyricularia grisea*). *Journal of Agricultural Sciences* 24: 57–60.
- Ray, S., Singh, P. K., Gupta, D. K., Mahato, A. K., Sarkar, C., Rathour, R., Singh, N. K., & Sharma, T. R. (2016). Analysis of *Magnaporthe oryzae* Genome Reveals a Fungal Effector, Which Is Able to Induce Resistance Response in Transgenic Rice Line Containing Resistance Gene, Pi54. *Frontiers in Plant Science*, 7(August), 1–16. <https://doi.org/10.3389/fpls.2016.01140>
- Ribot, C., Césari, S., Abidi, I., Chalvon, V., Bournaud, C., Vallet, J., Lebrun, M. H., Morel, J. B., & Kroj, T. (2013). The *Magnaporthe oryzae* effector AVR1-CO39 is translocated into rice cells independently of a fungal-derived machinery. *Plant Journal*, 74(1), 1–12. <https://doi.org/10.1111/tpj.12099>
- Ristaino, J. B., Anderson, P. K., Bebber, D. P., Brauman, K. A., Cunniffe, N. J., Fedoroff, N. V., Finegold, C., Garrett, K. A., Gilligan, C. A., Jones, C. M., Martin, M. D., MacDonald, G. K., Neenan, P., Records, A., Schmale, D. G., Tateosian, L., & Wei, Q. (2021). The persistent threat of emerging plant disease pandemics to global food security. *Proceedings of the National Academy of Sciences*, 118(23), e2022239118. <https://doi.org/10.1073/pnas.2022239118>
- Rizzo, D. M., Lichtveld, M., Mazet, J. A. K., Togami, E., & Miller, S. A. (2021). Plant health and its effects on food safety and security in a One Health framework: Four case studies. *One Health Outlook*, 3(1), 6. <https://doi.org/10.1186/s42522-021-00038-7>
- Rudd, J. J., Kanyuka, K., Hassani-Pak, K., Derbyshire, M., Andongabo, A., Devonshire, J., Lysenko, A., Saqi, M., Desai, N. M., Powers, S. J., Hooper, J., Ambroso, L., Bharti, A., Farmer, A., Hammond-Kosack, K. E., Dietrich, R. A., & Courbot, M. (2015). Transcriptome and metabolite profiling of the infection cycle of *Zymoseptoria tritici* on wheat reveals a biphasic interaction with plant immunity involving differential pathogen chromosomal contributions and a variation on the hemibiotrophic lifestyle definition. *Plant Physiology*, 167(3), 1158–1185. <https://doi.org/10.1104/pp.114.255927>
- Saha, D., Rana, R. S., Arya, L., Verma, M., Gowda, M. V. C., & Upadhyaya, H. D. (2016). Genetic polymorphisms among and between blast disease resistant and susceptible finger millet, *Eleusine coracana* (L.) Gaertn. *Plant Genetic Resources*, 1–11. <https://doi.org/10.1017/S1479262116000010>
- Saitoh, H., Fujisawa, S., Mitsuoka, C., Ito, A., Hirabuchi, A., Ikeda, K., Irieda, H., Yoshino, K., Yoshida, K., Matsumura, H., Tosa, Y., Win, J., Kamoun, S., Takano, Y., & Terauchi, R. (2012). Large-Scale Gene Disruption in *Magnaporthe oryzae* Identifies MC69, a Secreted Protein Required for Infection by Monocot and Dicot Fungal Pathogens. *PLoS Pathogens*, 8(5), e1002711. <https://doi.org/10.1371/journal.ppat.1002711>
- Saleh, D., Milazzo, J., Adreit, H., Fournier, E., & Tharreau, D. (2014). South-East Asia is the center of origin, diversity and dispersion of the rice blast fungus, *Magnaporthe oryzae*. *New Phytologist*, 201(4), 1440–1456. <https://doi.org/10.1111/nph.12627>
- Saleh, D., Milazzo, J., Adreit, H., Tharreau, D., & Fournier, E. (2012). Asexual reproduction induces a rapid and permanent loss of sexual reproduction capacity in the rice fungal pathogen *Magnaporthe oryzae*: Results of in vitro experimental evolution assays. *BMC Evolutionary Biology*, 12(1), 42. <https://doi.org/10.1186/1471-2148-12-42>
- Saleh, D., Xu, P., Shen, Y., Li, C., Adreit, H., Milazzo, J., Ravigné, V., Bazin, E., Nottéghem, J. L., Fournier, E., & Tharreau, D. (2012). Sex at the origin: An Asian population of the rice blast fungus *Magnaporthe oryzae* reproduces sexually. *Molecular Ecology*, 21(6), 1330–1344. <https://doi.org/10.1111/j.1365-294X.2012.05469.x>
- Sánchez-Vallet, A., Fouché, S., Fudal, I., Hartmann, F. E., Soyer, J. L., Tellier, A., & Croll, D. (2018). The Genome Biology of Effector Gene Evolution in Filamentous Plant Pathogens. *Annual Review of Phytopathology*, 56(1), 21–40. <https://doi.org/10.1146/annurev-phyto-080516-035303>
- Sesma, A., & Osbourn, A. E. (2004). The rice leaf blast pathogen undergoes developmental processes typical of root-infecting fungi. *Nature*, 431(7008), 582–586. <https://doi.org/10.1038/nature02880>

-
- Shannon, P., Markiel, A., Ozier, O., Baliga, N. S., Wang, J. T., Ramage, D., Amin, N., Schwikowski, B., & Ideker, T. (2003). Cytoscape: A Software Environment for Integrated Models of Biomolecular Interaction Networks. *Genome Research*, 13(11), 2498–2504. <https://doi.org/10.1101/GR.1239303>
- Sharpee, W., Oh, Y., Yi, M., Franck, W., Eyre, A., Okagaki, L. H., Valent, B., & Dean, R. A. (2017). Identification and characterization of suppressors of plant cell death (SPD) effectors from *Magnaporthe oryzae*: Identification and characterization of SPD effectors. *Molecular Plant Pathology*, 18(6), 850–863. <https://doi.org/10.1111/mpp.12449>
- Shen, Q., Liu, Y., & Naqvi, N. I. (2018). Fungal effectors at the crossroads of phytohormone signaling. *Current Opinion in Microbiology*, 46, 1–6. <https://doi.org/10.1016/J.MIB.2018.01.006>
- Shi, X., Long, Y., He, F., Zhang, C., Wang, R., Zhang, T., Wu, W., Hao, Z., Wang, Y., Wang, G.-L., & Ning, Y. (2018). The fungal pathogen *Magnaporthe oryzae* suppresses innate immunity by modulating a host potassium channel. *PLoS Pathogens*, 14(1), e1006878. <https://doi.org/10.1371/journal.ppat.1006878>
- Shirke, M. D., Mahesh, H. B., & Gowda, M. (2016). *Genome-Wide Comparison of Magnaporthe Species Reveals a Host-Specific Pattern of Secretory Proteins and Transposable Elements*. 1–19. <https://doi.org/10.1371/journal.pone.0162458>
- Simão, F. A., Waterhouse, R. M., Ioannidis, P., Kriventseva, E. V., & Zdobnov, E. M. (2015). BUSCO: assessing genome assembly and annotation completeness with single-copy orthologs. *Bioinformatics*, 31(19), 3210–3212. <https://doi.org/10.1093/BIOINFORMATICS/BTV351>
- Singh, D. P., Saudemont, B., Guglielmi, G., Arnaiz, O., Goût, J.-F., Prajer, M., Potekhin, A., Przybòs, E., Aubusson-Fleury, A., Bhullar, S., Bouhouche, K., Lhuillier-Akakpo, M., Tanty, V., Blugeon, C., Alberti, A., Labadie, K., Aury, J.-M., Sperling, L., Duhaucourt, S., & Meyer, E. (2014). Genome-defence small RNAs exapted for epigenetic mating-type inheritance. *Nature*, 509(7501), 447–452. <https://doi.org/10.1038/nature13318>
- Skamnioti, P., & Gurr, S. J. (2009). Against the grain: Safeguarding rice from rice blast disease. *Trends in Biotechnology*, 27(3), 141–150. <https://doi.org/10.1016/j.tibtech.2008.12.002>
- Skellam, E. (2017). The biosynthesis of cytochalasans. *Natural Product Reports*, 34(11), 1252–1263. <https://doi.org/10.1039/c7np00036g>
- Smit, A., & Hubley, R. (n.d.). *RepeatModeler Open-1.0*.
- Smit, A., Hubley, R., & Green, P. (2015). *RepeatMasker Open-4.0. 2013-2015*. <http://www.repeatmasker.org>
- Sperschneider, J., & Dodds, P. N. (2022). EffectorP 3.0: Prediction of Apoplastic and Cytoplasmic Effectors in Fungi and Oomycetes. *Molecular Plant-Microbe Interactions*, 35(2), 146–156. <https://doi.org/10.1094/MPMI-08-21-0201-R>
- Stanke, M., Schöffmann, O., Morgenstern, B., & Waack, S. (2006). Gene prediction in eukaryotes with a generalized hidden Markov model that uses hints from external sources. *BMC Bioinformatics*, 7(1), 1–11. <https://doi.org/10.1186/1471-2105-7-62/TABLES/2>
- Starnes, J. H., Thornbury, D. W., Novikova, O. S., Rehmeier, C. J., & Farman, M. L. (2012). Telomere-Targeted Retrotransposons in the Rice Blast Fungus *Magnaporthe oryzae*: Agents of Telomere Instability. *Genetics*, 191(2), 389–406. <https://doi.org/10.1534/genetics.111.137950>
- Stokstad, E. (2019). Banana fungus puts Latin America on alert. *Science*, 365(6450), 207–208. <https://doi.org/10.1126/science.365.6450.207>
- Strange, R. N., & Scott, P. R. (2005). Plant Disease: A Threat to Global Food Security. *Annual Review of Phytopathology*, 43(1), 83–116. <https://doi.org/10.1146/annurev.phyto.43.113004.133839>
- Sweigard, J. A., Carroll, A. M., Kang Seogchan, Farrall, L., Chumley, F. G., & Valent, B. (1995). Identification, cloning, and characterization of PWL2, a gene for host species specificity in the rice blast fungus. *Plant Cell*, 7(8), 1221–1233. <https://doi.org/10.1105/tpc.7.8.1221>
- Talbot, N. J. (2003). On the Trail of a Cereal Killer: Exploring the Biology of *Magnaporthe grisea*. *Annual Review of Microbiology*, 57(1), 177–202. <https://doi.org/10.1146/annurev.micro.57.030502.090957>
- Talbot, N. J., Ebbole, D. J., & Hamer, J. E. (1993). Identification and characterization of MPG1, a gene involved in pathogenicity from the rice blast fungus *Magnaporthe grisea*. *The Plant Cell*, 5(11), 1575–1590. <https://doi.org/10.1105/tpc.5.11.1575>
- Taylor, J. W., & Fisher, M. C. (2003). Fungal multilocus sequence typing—It’s not just for bacteria. *Current Opinion in Microbiology*, 6(4), 351–356. [https://doi.org/10.1016/s1369-5274\(03\)00088-2](https://doi.org/10.1016/s1369-5274(03)00088-2)
- Thaker, A., Mehta, K., & Patkar, R. (2022). Feruloyl esterase Fae1 is required specifically for host colonisation by the rice-blast fungus *Magnaporthe oryzae*. *Current Genetics*, 68(1), 97–113. <https://doi.org/10.1007/s00294-021-01213-z>
- Theobald, S., Vesth, T. C., Rendsvig, J. K., Nielsen, K. F., Riley, R., de Abreu, L. M., Salamov, A., Frisvad, J. C., Larsen, T. O., Andersen, M. R., & Hoof, J. B. (2018). Uncovering secondary metabolite evolution and biosynthesis using gene cluster networks and genetic dereplication. *Scientific Reports*, 8(1), 1–12. <https://doi.org/10.1038/s41598-018-36561-3>
-

-
- Thomma, B. P. H. J., Seidl, M. F., Shi-Kunne, X., Cook, D. E., Bolton, M. D., Van Kan, J. A. L., & Faino, L. (2016). Mind the gap; seven reasons to close fragmented genome assemblies. *Fungal Genetics and Biology*, 90, 24–30. <https://doi.org/10.1016/j.fgb.2015.08.010>
- Tilburn, J., Sarkar, S., Widdick, D. A., Espeso, E. A., Orejas, M., Mungroo, J., Peñalva, M. A., & Arst, H. N. (1995). The *Aspergillus* PacC zinc finger transcription factor mediates regulation of both acid- and alkaline-expressed genes by ambient pH. *The EMBO Journal*, 14(4), 779–790. <https://doi.org/10.1002/j.1460-2075.1995.tb07056.x>
- Torres, D. E., Oggenfuss, U., Croll, D., & Seidl, M. F. (2020). Genome evolution in fungal plant pathogens: Looking beyond the two-speed genome model. *Fungal Biology Reviews*, 34(3), 136–143. <https://doi.org/10.1016/j.fbr.2020.07.001>
- Tralamazza, S. M., Rocha, L. O., Oggenfuss, U., Corrêa, B., & Croll, D. (2019). Complex Evolutionary Origins of Specialized Metabolite Gene Cluster Diversity among the Plant Pathogenic Fungi of the *Fusarium graminearum* Species Complex. *Genome Biology and Evolution*, 11(11), 3106–3122. <https://doi.org/10.1093/gbe/evz225>
- Tsuge, T., Harimoto, Y., Akimitsu, K., Ohtani, K., Kodama, M., Akagi, Y., Egusa, M., Yamamoto, M., & Otani, H. (2013). Host-selective toxins produced by the plant pathogenic fungus *Alternaria alternata*. *FEMS Microbiology Reviews*, 37(1), 44–66. <https://doi.org/10.1111/j.1574-6976.2012.00350.x>
- Tsurushima, T., Don, L. D., Kawashima, K., Murakami, J., Nakayashiki, H., Tosa, Y., & Mayama, S. (2005). Pyriculariasin H production and pathogenicity of *Digitaria*-specific isolates of *Pyricularia grisea*. *Molecular Plant Pathology*, 6(6), 605–613. <https://doi.org/10.1111/j.1364-3703.2005.00309.x>
- Tudzynski, B., Homann, V., Feng, B., & Marzluf, G. A. (1999). Isolation, characterization and disruption of the *areA* nitrogen regulatory gene of *Gibberella fujikuroi*. *Molecular and General Genetics MGG*, 261(1), 106–114. <https://doi.org/10.1007/s004380050947>
- Valent, B., Farrall, L., & Chumley, F. G. (1991). Magnaporthe *grisea* genes for pathogenicity and virulence identified through a series of backcrosses. *Genetics*, 127(1), 87–101.
- Valent, B., & Khang, C. H. (2010). Recent advances in rice blast effector research. *Current Opinion in Plant Biology*, 13(4), 434–441. <https://doi.org/10.1016/j.pbi.2010.04.012>
- Van Vu, B., Itoh, K., Nguyen, Q. B., Tosa, Y., & Nakayashiki, H. (2012). Cellulases belonging to glycoside hydrolase families 6 and 7 contribute to the virulence of *Magnaporthe oryzae*. *Molecular Plant-Microbe Interactions: MPMI*, 25(9), 1135–1141. <https://doi.org/10.1094/MPMI-02-12-0043-R>
- Varden, F. A., De La Concepcion, J. C., Maidment, J. H., & Banfield, M. J. (2017). Taking the stage: Effectors in the spotlight. *Current Opinion in Plant Biology*, 38, 25–33. <https://doi.org/10.1016/j.pbi.2017.04.013>
- Vesth, T. C., Nybo, J. L., Theobald, S., Frisvad, J. C., Larsen, T. O., Nielsen, K. F., Hoof, J. B., Brandl, J., Salamov, A., Riley, R., Gladden, J. M., Phatale, P., Nielsen, M. T., Lyhne, E. K., Kogle, M. E., Strasser, K., McDonnell, E., Barry, K., Clum, A., ... Andersen, M. R. (2018). Investigation of inter- and intraspecies variation through genome sequencing of *Aspergillus* section *Nigri*. *Nature Genetics*, 50(12), 1688–1695. <https://doi.org/10.1038/s41588-018-0246-1>
- Villani, A., Proctor, R. H., Kim, H.-S., Brown, D. W., Logrieco, A. F., Amatulli, M. T., Moretti, A., & Susca, A. (2019). Variation in secondary metabolite production potential in the *Fusarium incarnatum-equiseti* species complex revealed by comparative analysis of 13 genomes. *BMC Genomics*, 20(1), 314. <https://doi.org/10.1186/s12864-019-5567-7>
- Walton, J. D. (2006). HC-toxin. *Phytochemistry*, 67(14), 1406–1413. <https://doi.org/10.1016/j.phytochem.2006.05.033>
- Wang, J., Huang, Y., Fang, M., Zhang, Y., Zheng, Z., Zhao, Y., & Su, W. (2002). Brefeldin A, a cytotoxin produced by *Paecilomyces* sp. And *Aspergillus clavatus* isolated from *Taxus mairei* and *Torreya grandis*. *FEMS Immunology & Medical Microbiology*, 34(1), 51–57. <https://doi.org/10.1111/j.1574-695X.2002.tb00602.x>
- Wang, R., Ning, Y., Shi, X., He, F., Zhang, C., Fan, J., Jiang, N., Zhang, Y., Zhang, T., Hu, Y., Bellizzi, M., & Wang, G.-L. (2016). Immunity to Rice Blast Disease by Suppression of Effector-Triggered Necrosis. *Current Biology: CB*, 26(18), 2399–2411. <https://doi.org/10.1016/j.cub.2016.06.072>
- Wang, X., Lee, S., Wang, J., Ma, J., Bianco, T., & Jia, Y. (2014). Current Advances on Genetic Resistance to Rice Blast Disease. *Rice- Germplasm, Genetics and Improvement*, 1–28. <https://doi.org/10.5772/51100>
- Wang, Y., Wu, J., Kim, S. G., Tsuda, K., Gupta, R., Park, S.-Y., Kim, S. T., & Kang, K. Y. (2016). *Magnaporthe oryzae* -Secreted Protein MSP1 Induces Cell Death and Elicits Defense Responses in Rice. *Molecular Plant-Microbe Interactions®*, 29(4), 299–312. <https://doi.org/10.1094/MPMI-12-15-0266-R>
- Wicklow, D. T., Jordan, A. M., & Gloer, J. B. (2009). Antifungal metabolites (monorden, monocillins I, II, III) from *Colletotrichum graminicola*, a systemic vascular pathogen of maize. *Mycological Research*, 113(Pt 12), 1433–1442. <https://doi.org/10.1016/j.mycres.2009.10.001>
-

-
- Wight, W. D., Kim, K.-H., Lawrence, C. B., & Walton, J. D. (2009). Biosynthesis and role in virulence of the histone deacetylase inhibitor depudecin from *Alternaria brassicicola*. *Molecular Plant-Microbe Interactions: MPMI*, 22(10), 1258–1267. <https://doi.org/10.1094/MPMI-22-10-1258>
- Wilson, R. A. (2021). *Magnaporthe oryzae*. *Trends in Microbiology*, 29(7), 663–664. <https://doi.org/10.1016/j.tim.2021.03.019>
- Win, J., Chaparro-Garcia, A., Belhaj, K., Saunders, D. G. O., Yoshida, K., Dong, S., Schornack, S., Zipfel, C., Robatzek, S., Hogenhout, S. A., & Kamoun, S. (2012). Effector Biology of Plant-Associated Organisms: Concepts and Perspectives. *Cold Spring Harbor Symposia on Quantitative Biology*, 77(0), 235–247. <https://doi.org/10.1101/sqb.2012.77.015933>
- Wu, J., Kou, Y., Bao, J., Li, Y., Tang, M., Zhu, X., Ponaya, A., Xiao, G., Li, J., Li, C., Song, M. Y., Cumagun, C. J. R., Deng, Q., Lu, G., Jeon, J. S., Naqvi, N. I., & Zhou, B. (2015). Comparative genomics identifies the *Magnaporthe oryzae* avirulence effector AvrPi9 that triggers Pi9-mediated blast resistance in rice. *New Phytologist*, 206(4), 1463–1475. <https://doi.org/10.1111/nph.13310>
- Xue, M., Yang, J., Li, Z., Hu, S., Yao, N., Dean, R. a, Zhao, W., Shen, M., Zhang, H., Li, C., Liu, L., Cao, L., Xu, X., Xing, Y., Hsiang, T., Zhang, Z., Xu, J.-R., & Peng, Y.-L. (2012). Comparative analysis of the genomes of two field isolates of the rice blast fungus *Magnaporthe oryzae*. *PLoS Genetics*, 8(8), e1002869. <https://doi.org/10.1371/journal.pgen.1002869>
- Yan, X., Tang, B., Ryder, L. S., MacLean, D., Were, V. M., Eseola, A. B., Cruz-Mireles, N., Ma, W., Foster, A. J., Osés-Ruiz, M., & Talbot, N. J. (2023). The transcriptional landscape of plant infection by the rice blast fungus *Magnaporthe oryzae* reveals distinct families of temporally co-regulated and structurally conserved effectors. *The Plant Cell*, koad036. <https://doi.org/10.1093/plcell/koad036>
- Yasuda, N., Tsujimoto Noguchi, M., & Fujita, Y. (2006). Partial mapping of avirulence genes *AVR-Pii* and *AVR-Pia* in the rice blast fungus *Magnaporthe oryzae*. *Canadian Journal of Plant Pathology*, 28(3), 494–498. <https://doi.org/10.1080/07060660609507325>
- Yoshida, K., Saitoh, H., Fujisawa, S., Kanzaki, H., Matsumura, H., Yoshida, K., Tosa, Y., Chuma, I., Takano, Y., Win, J., Kamoun, S., & Terauchi, R. (2009). Association genetics reveals three novel avirulence genes from the rice blast fungal pathogen *Magnaporthe oryzae*. *Plant Cell*, 21(5), 1573–1591. <https://doi.org/10.1105/tpc.109.066324>
- Yoshida, K., Saunders, D. G. O., Mitsuoka, C., Natsume, S., Kosugi, S., Saitoh, H., Inoue, Y., Chuma, I., Tosa, Y., Cano, L. M., Kamoun, S., & Terauchi, R. (2016). Host specialization of the blast fungus *Magnaporthe oryzae* is associated with dynamic gain and loss of genes linked to transposable elements. *BMC Genomics*, 17(1), 370. <https://doi.org/10.1186/s12864-016-2690-6>
- Zhang, S., Wang, L., Wu, W., He, L., Yang, X., & Pan, Q. (2015). Function and evolution of *Magnaporthe oryzae* avirulence gene AvrPib responding to the rice blast resistance gene Pib. *Scientific Reports*, 5(1), 11642. <https://doi.org/10.1038/srep11642>
- Zhang, Z.-M., Zhang, X., Zhou, Z.-R., Hu, H.-Y., Liu, M., Zhou, B., & Zhou, J. (2013). Solution structure of the *Magnaporthe oryzae* avirulence protein AvrPiz-t. *Journal of Biomolecular NMR*, 55(2), 219–223. <https://doi.org/10.1007/s10858-012-9695-5>
- Zhong, Z., Chen, M., Lin, L., Han, Y., Bao, J., Tang, W., Lin, L., Lin, Y., Somai, R., Lu, L., Zhang, W., Chen, J., Hong, Y., Chen, X., Wang, B., Shen, W.-C., Lu, G., Norvinyeku, J., Ebbale, D. J., & Wang, Z. (2018). Population genomic analysis of the rice blast fungus reveals specific events associated with expansion of three main clades. *The ISME Journal*, 12(8), 1867–1878. <https://doi.org/10.1038/s41396-018-0100-6>
- Zhong, Z., Norvinyeku, J., Chen, M., Bao, J., Lin, L., Chen, L., Lin, Y., Wu, X., Cai, Z., Zhang, Q., Lin, X., Hong, Y., Huang, J., Xu, L., Zhang, H., Chen, L., Tang, W., Zheng, H., Chen, X., ... Nielsen, R. (2016). Directional Selection from Host Plants Is a Major Force Driving Host Specificity in *Magnaporthe* Species. *Scientific Reports*, 6, 25591. <https://doi.org/10.1038/srep25591>
-