

REFERENCES

- Abt, A.F., Schuching, S. Von and Roe, J.H. 1959. Bull. Johns. Hopkins Hosp., 104: 163 (Cited from G.C. Chatterjee, 1967).
- Ambrosius, H. and Hoheisel, G. 1973. Ultrastructure of antibody producing cells of reptiles. I. Spleen cells of tortoise (Agrionemys horsfieldi). Acta biol. Med. germ., 31: 733-740.
- Andrew, W. 1959. In: Text book of comparative histology. Oxford University Press, New York.
- Avery, R.A. 1970. Utilization of caudal fat by hibernating common lizards, Lacerta vivipara. Comp. Biochem. Physiol., 37: 119-121.
- Baldwin, E. 1952. In: Dynamic aspects of Biochemistry. 2nd edition, University Press, Cambridge.
- Banerjee, S., Biswas, D.K. and Singh, H.D. 1959. Dehydrogenase activity of the tissues in scurvy. J. Biol. Chem., 234: 405.
- Banerjee, S. and Ganguli, N.C. 1962. Metabolic studies on scorbutic guinea pigs. 2. Hepatic glycogen synthesis in vitro and in vivo. J. Biol. Chem., 237: 14-18.
- Barber, L.W. 1944. Correlations between wound healing and regeneration in forelimbs and tails of lizards. Anat. Rec., 89: 441-453.

Barbera, V., Pollice, L. and Mazzarella, L. 1962.

Effects of 4-hydroxy-17- α methyltestosterone
and prednisolone on wound healing. Experientia,
18: 424-425.

Bartlett, M.K., Jones, C.M. and Ryan, A.E. 1942a.

Vitamin C and wound healing. I. Experimental
wounds in guinea pigs. New. Eng. J. Med.,
226: 469-473.

Bartlett, M.K., Jones, C.M. and Ryan, A.E. 1942b.

Vitamin C and wound healing. II. Ascorbic acid
content and tensile strength of the healing
wounds in human beings. New. Eng. J. Med.,
226: 474-481.

Bellairs, A. 1969. In: The life of reptiles. Vol. I.
pp. 282. Weidenfeld and Nicolson, London.

Bennet, A.F. 1972a. A comparison of activities of
metabolic enzymes in lizards and rats. Comp.
Biochem. Physiol., 42: 637-647.

Bennet, A.F. 1972b. The effect of activity on oxygen
consumption oxygen debt and heart rate in the
lizards Varanus gouldii and Sauromalus hispidus.
J. Comp. Physiol., 79: 259-280.

- Bennet, A.F. 1973. Blood physiology and oxygen transport during activity in two lizards, Varanus gouldii and Sauromalus hispidus. Comp. Biochem. Physiol., 46: 673-690.
- Bennet, A.F. and Dawson, W.R. 1972. Aerobic and anaerobic metabolism during activity in the lizard, Dipsosaurus dorsalis. J. Comp. Physiol., 81: 289-299.
- Bennet, A.F. and Dawson, W.R. 1973. Metabolism. In: Biology of the Reptilia (edited by Gans. C), Physiology A, Vol. 5. Academic Press, New York.
- Bennet, A.F. and Licht, P. 1972. Anaerobic metabolism during activity in the lizards. J. Comp. Physiol., 81: 277-288.
- Bennet, A.F. and Ruben, J. 1975. High altitude adaptation and anaerobiosis in sceloporine lizards. Comp. Biochem. Physiol., 50: 105-108.
- Borysenko, M. and Cooper, E.L. 1972. Lymphoid tissue in the snapping turtle, Chelydra serpentina. J. Morph., 138: 487-498.
- Both, N.J. De 1970. The developmental potencies of the regeneration blastema of the axolotl limb. Wilhelm Roux Archiv., 165: 242-276.

- Bourne, G.H. 1953. In: Biochemistry and physiology of nutrition. Vol. 2. pp. 86. Academic Press, New York.
(Cited from G.C. Chatterjee, 1967).
- Boxer, G.E. and Shonk, C.E. 1960. Low levels of soluble DPN linked alpha-glycerophosphate dehydrogenase in tumors. Cancer. Res., 20: 85.
- Brachet, J. 1950. "Chemical embryology" New York.
(Cited from A.E. Needham, 1952).
- Brody, S. 1945. In: Bioenergetics and growth. pp. 165. Reinhold, New York.
- Bryant, S.V. 1970. Regeneration in amphibians and reptiles. Endevour., Vol. XXIX: 12
- Bryant, S.V. and Bellairs, A. D'A. 1970. Development of regenerative ability in the lizard, Lacerta vivipara. Am. Zool., 10: 167-173.
- Bublitz, C., Grollman, A.P. and Lehninger, A.L. 1958. Enzymic conversion of D-glucuronate to L-ascorbate and L-xylulose in animal tissues. Biochim. Biophys. Acta., 27: 221-222.
- Bullman, J.L., Mann, F.C. and Magath, T.B. 1925. Carbohydrate metabolism. In: Text book of Biochemistry (E.S. West, Todd, W.R., R.S. Mason and T.V. John Bruggen, eds.) pp. 1036-1142, London: Butterworths.

- Burstone, M.S. 1962. In: Enzyme histochemistry and its application in the study of neoplasms. Academic Press, New York.
- Candlish, J. and Chandra, N. 1967. Studies of the chemical composition of a healing skin wound in rats and of the concentration of some constituents of tissues distant from the healing wound. Biochem. J., 102(3): 767-773.
- Catt, K.J. 1970. ABC of endocrinology. II. The thyroid gland. Lancet, 1 (7661): 1383-1389.
- Chakko, T.V. 1967. Ph.D. thesis entitled, "A histological and histochemical study of the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis", submitted to the M.S. University of Baroda, Baroda-2, India.
- Chandola, A., Kumar, D.S. and Thapliyal, J.P. 1974a. Metabolic response to male hormone and thyroid activity in the Indian garden lizard, Calotes versicolor. J. Endocrinol., 61: 285-291.
- Chandola, A., Kumar, D.S. and Thapliyal, J.P. 1974b. Thyroid activity and oxidative metabolism in a species of gecko (Hemidactylus flaviviridis Ruppel) in relation to sex hormones. J. Endocrinol., 63 (1): 191-199

- Chatterjee, G.C. 1967. Effects of ascorbic acid deficiency in animals. In: The vitamins. Vol. I. eds. Sebrell and Harris. Academic Press, New York and London.
- Chatterjee, I.B. 1973. Evolution and the biosynthesis of ascorbic acid. Science, 182: 1271.
- Chinoy, N.J. 1972. Ascorbic acid levels in mammalian tissues and its metabolic significance. Comp. Biochem. Physiol., 42A: 945-952.
- Chiu, K.W., Phillips, J.G. and Maderson, P.F.A. 1969. Seasonal changes in the thyroid gland in the male cobra, Naja naja L. Biol. Bull., 136: 347-354.
- Choubey, B.J. 1974. Effect of thyroidectomy on sex and accessory sex organs in a common Indian garden lizard, Calotes versicolor (Daud). Abstract no. 22. Indo-French seminar on Embryology and Comparative Endocrinology of Reptiles, Banaras Hindu University, India.
- Cohen, N. 1976. Phylogenic emergence of lymphoid tissues and cells. In: Lymphocyte structure and function. Marcel Dekker, New York.
- Congdon, J.D., Vitt, L.J. and King, W.W. 1974. Science, 184: 1379 cited from Science Today, Why do lizards shed their tails? Sept. 1974.



- Cox, P.G. 1969. Some aspects of tail regeneration in the lizard, Anolis carolinensis. I. A description based on histology and autoradiography. J. Exp. Zool., 171: 127-150.
- Crabtree, B., and Newsholme, E.A. 1972. The activities of phosphorylase, hexokinase, phosphofructokinase, lactate dehydrogenase and glycerol-3-phosphate dehydrogenase in muscles from vertebrates and invertebrates. Biochem. J., 126: 49-58.
- Crandon, J.H., Lenninhan, R. Jr., Mikal, S. and Reif, A.E. 1961. Ann. N. Y. Acad. Sci., 92: 246 (Cited from B.S. Gould, 1963).
- Donaldson, D.J. and Mason, J.M. 1975. Cancer related aspects of regeneration research : A review. Growth, 39: 475-496.
- Dufaureg, J.P. and Gigon, A. 1975. Action des Hormones Androgenes sur l'epididyme d'un Reptile Lacertilien, Lacerta vivipara Jacquin. Effects de la Testosterone et de ses pricipaux Metabolites en culture organtotypique. Gen. Comp. Endocrinol., 25: 112-120.
- Durand, N. 1963. Influence de la castration sur la vitesse de regeneration des membres chez le Triton. Triturus alpestris Laur. C. R. Soc. Biol. (Paris), 157: 821-823.

- Dyson, M. and Joseph, J. 1968. The effect of androgens on tissue regeneration. J. Anat., 103(3): 491-505.
- Eyeson, K.N. 1970. The role of thyroid in reproduction of the West African lizard, Agama agama. Gen. Comp. Endocrinol., 15: 1-5.
- Faber, J. 1965. Autonomous morphogenetic activities of the amphibian regeneration blastema. In: Regeneration in animals and related problems. eds. Kiortsis V. and H.A. Trampusch. pp. 404-419. Amsterdam, North-Holland.
- Faber, J. 1971. Vertebrate limb ontogeny and limb regeneration : morphogenetic parallels. Adv. Morphol., 9: 127-147.
- Folch, J., Lees, M. and Sloane-Stanley, G.H. 1957. A simple method for the isolation and purification of total lipids from animal tissues. J. Biol. Chem., 226: 497-509.
- Folin, O. and Malmros, H. 1929. An improved form of Folin's microchemical method for blood sugar determination. J. Biol. Chem., 83: 115-120.
- Fry, A.E., Leius, V.K., Bacher, B.E. and Kalienbach, J.C. 1973. Histochemical patterns in the tadpole tail during normal and thyroxine induced metamorphosis. I. Alkaline and acid phosphatase, esterase and aminopeptidase. Gen. Comp. Endocrinol., 21: 16-29.

- Gaunt, R. 1954. Dynamics of growth processes, ed. E.J. Boell.
Princeton University Press, pp. 183.
- Geraudie, J. and Singer, M. 1977. Relation between nerve
fiber and pectoral fin regeneration in Teleost.
J. Exp. Zool., 199: 1-8.
- Girons, M.C. Saint. 1970. Morphology of the circulating
blood cells. In: Biology of Reptiles. ed. C. Gans,
Vol.2, pp.74. Academic Press, New York.
- Goss, R.J. 1969. Principles of regeneration. Academic
Press, New York and London.
- Goss, R.J. 1972. Wound healing and antler regeneration.
In: Epidermal wound healing. Year book Medical
Publisher Inc. : Chicago.
- Goss, R.J. and Grimes, L.N. 1972. Tissue interactions in
the regeneration of rabbit's ear holes. Am. Zool. ,
12: 151-157.
- Gould, B.S. 1963. Collagen formation and fibrogenesis with
special reference to the role of ascorbic acid.
Int. Rev. Cytol., 15: 301-361.
- Gourley, D.R.H., Suh Tae Kyu and Brunton, L. 1969. Seasonal
differences and the effect of insulin on pyruvate
uptake, oxidation and synthesis of glycogen by frog
skeletal muscle. Comp. Biochem. Physiol., 29: 509-524.

- Greenberg, A.H., Najjar, S. and Blizzard, R.M. 1974.
In: Handbook of Physiology Section 7. Endocrinology
Vol. III. Thyroid chapter 22, eds. Green, M.A. and
Solomon, D.H.
- Greep, R.O. 1966. In: Histology. Second edition, pp. 329.
McGraw-Hill: New York.
- Grillo, H.C., Lapiere, C.M., Dresden, M.H. and Gross, J. 1968.
Collagenolytic activity in regenerating forelimbs
of the adult Newt (Triturus viridescens). Dev. Biol.,
17: 571-583.
- Grollman, A.P. and Lehninger, A.L. 1957. Enzymic synthesis
of L-ascorbic acid in different animal species.
Arch. Biochem. Biophys., 69: 458-467.
- Gurr, E. 1956. In: Practical manual of medical and
biological staining techniques. Leonard Hills (Books)
Ltd., London.
- Hall, A.B. and Schotte, O.E. 1951. Effects of hypophysectomies
upon initiation of regeneration processes in limbs
of T. viridescens. J. Exp. Zool., 118: 368-388.
- Ham, A.W. 1957. In: Histology. Third edition, chapter 18,
pp. 338. Pitman Medical Publishing Co., Ltd. London.
- Hay, E.D. 1966. In: Regeneration. Holt, Rinehart and
Winston, New York.

- Hochachka, P.W., Moon, T.W., Mustafa, T. and Storey, K.B.
1975. Metabolic sources of power for mantle muscle
in a fast swimming squid. Comp. Biochem. Physiol.,
52B: 151-158.
- Holzbach, R.T., Shipley, R.A., Clark, R.E. and Chudzik, E.B.
1964. Influence of spleen size and portal pressure
on erythrocyte sequestration. J. Clin. Invest.,
43: 1125-1135.
- Hopper, A.F. 1965. Inhibition of regeneration of the
gonopodium of the guppy by treatment with thiouracil.
J. Exp. Zool., 159: 231-240.
- Hopper, A.F. and Wallace, E. 1970. Anal fin regeneration
in thiouracil treated guppies. J. Exp. Zool.,
173: 251-262.
- Isherwood, F.A., Mapson, L.W. and Chen, Y.T. 1960. Synthesis
of L-ascorbic acid in rat liver homogenates: Conversion
of L-gulono-L-galactono-lactone and the respective
acids into L-ascorbic acid. Biochem. J., 76: 157-171.
- Ishimura, K. and Fujie, K. 1970. A histochemical study on
the correlation between secretory activity and the
TCA cycle in the gland cell. Histochemie, 21: 314-321.
- Jabaily, J.A. and Singer, M. 1977. Neurotrophic stimulation of
DNA synthesis in the regenerating forelimb of the adult
Newt, Triturus. J. Exp. Zool., 199: 251-256.

- Jørgensen, O. and Schmidt, A. 1962. Influence of sex hormones on granulation tissue formation on healing of linear wounds. Acta Chir. Scand., 124: 1-10.
- Joseph, J. and Dyson, M. 1965. Sex difference in the rate of tissue regeneration in the rabbit's ear. Nature, 208: 599-600.
- Joseph, J. and Dyson, M. 1966. Effect of anabolic androgens on tissue replacement in the ear of the rabbit. Nature, 211: 193-194.
- Kamrin, R.P. and Singer, M. 1955. The influence of the spinal cord in regeneration of the tail of the lizard, Anolis carolinensis. J. Exp. Zool., 128: 611-628.
- Kanakambika, P. and Muthukkaruppan, V. 1972. The immune response to sheep erythrocytes in the lizard, Calotes versicolor. J. Immunol., 109: 415-419.
- Kanakambika, P. and Muthukkaruppan, V. 1973. Lymphoid differentiation and organization of the spleen in the lizard, Calotes versicolor. Proc. Ind. Acad. Sci., B78: 37-44.
- Kaplan, E.H., Still, J.L. and Mahler, H.R. 1951. Studies on the cytophosphorylase system. XVIII. The oxidoreduction of glycolysis. Arch. Biochem. Biophys., 34: 16.

- Ksabyan, S.S. 1956. Ark. Patal., 18: 91. (cited by B.S. Gould, 1963).
- Lauber, H.J. and Rosenfeld, W. 1938. Klin. Wochschr., 17: 1587. (cited by B.S. Gould, 1963).
- Licht, P. 1967. Interaction of prolactin and gonadotrophins on appetite, growth and tail regeneration in the lizard, Anolis carolinensis. Gen. Comp. Endocrinol., 9: 49-63.
- Licht, P. and Jones, R.E. 1967. Effects of exogenous prolactin on reproduction and growth in adult males of the lizard, Anolis carolinensis. Gen. Comp. Endocrinol., 8: 228-244.
- Licht, P. and Howe, N.R. 1969. Hormonal dependence of tail regeneration in the lizard, Anolis carolinensis. J. Exp. Zool., 171: 75-84.
- Liversage, R.A. 1967. Hypophysectomy and forelimb regeneration in Amblystoma opacum larvae. J. Exp. Zool., 165: 57-70.
- Liversage, R.A. and Scadding, S.R. 1969. Re-establishment of forelimb regeneration in adult hypophysectomised Diemictylus (Triturus) viridescens given anterior pituitary extract. J. Exp. Zool., 170: 381-386.

- Liversage, R.A. and Livamagi, L. 1971. Forelimb regeneration in hypophysectomised adult Diemictylus viridescens following organ culture and autoplasmic implantation of the adenohypophysis. J. Embryol. Exp. Morphol., 26: 443-458.
- Liversage, R.A. and Price, B.W. 1973. Adrenocorticosteroid levels in adult Diemictylus viridescens plasma following hypophysectomy and forelimb amputation. J. Exp. Zool., 185: 259-264.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. 1951. Protein measurement with the Folin phenol reagent. J. Biol. Chem., 193: 265-275.
- Maderson, P.F.A. and Salthe, S.N. 1969. The problem of the adaptive significance of lizard tail regeneration. Am. Zool., 9: 613.
- Magon, D.K. 1970. Ph.D. thesis entitled, "Studies on the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis, with emphasis on oxidative enzymes," submitted to the M.S. University of Baroda, Baroda-2, India.
- Maher, M.J. 1965. The role of thyroid gland in the oxygen consumption of lizards. Gen. Comp. Endocrinol., 5: 320-325.

- Marchalonis, J.J., Ealey, E.H. and Diener, E. 1969. Immune response of tuatara, Sphenodon punctatum. Aust. J. Exp. Biol. Med. Sci., 47: 367-380.
- Mazur, A., Carleton, A. and Carlson, A. 1961. A relation of oxidative metabolism to the incorporation of plasma iron into ferritin in vivo. J. Biol. Chem., 236: 1109.
- Meints, R.H., Carver, F.J., Gerst, J.W. and McLaughlin, D.W., 1975. Erythropoietic activity in the turtle: The influence of hemolytic anaemia, hypoxia and hemorrhage on hemopoietic function. Comp. Biochem. Physiol., 50A: 419-422.
- Miale, J.B. 1972. Reticuloendothelial system - hemopoiesis and cell destruction. In: Laboratory medicine hematology. 4th edition, pp. 1-71. C.V. Mosby Company, Saint Louis.
- Michael, M.I. and Faber, J. 1971. Morphogenesis of mesenchyme from regeneration blastemas in the absence of digit formation in Amblystoma mericanum. Wilhelm Roux Archiv., 168: 174-180.
- Moberly, W.R. 1968. The metabolic responses of the common iguana, Iguana iguana, to activity under restraint. Comp. Biochem. Physiol., 27: 1-20.

- Moffat, L.A. and Bellairs, A. D'A. 1964. The regenerative capacity of the tail in embryonic and postnatal lizard (Lacerta vivipara jacquin). J. Embryol. Exp. Morph., 12: 769-786.
- Mohanty, M.K. and Patnaik, B.K. 1968. Effect of age on the ascorbic acid content of the liver of Calotes versicolor. Experientia, 24: 1129.
- Moog, F. 1965. Enzyme development in relation to functional differentiation. In: The Biochemistry of animal development. ed. R. Weber, Academic Press, New York, and London.
- Morgan, T.H. 1901. In: Regeneration. New York: Macmillan.
- Needham, A.E. 1952. In: Regeneration and wound healing. Methuen & Co. Ltd., New York.
- Nelson, J.S. and Wakefield, L.P. 1973. The quantitative histochemistry of the sympathoadrenal system. I. Enzymes of glycolysis. J. Histochem. Cytochem., 21: 184-188.
- Niwelinsky, J. 1958. The effect of prolactin and somatotrophin on the regeneration of forelimb of the newt, Triturus alpestris, Laur. Folia Biol. (Krakow), 6: 9-36.

- Ogata, T. and Mori, M. 1964. Histochemical study of oxidative enzymes in invertebrate skeletal muscles. J. Histochem. cytochem., 12: 183-187.
- Olsen, R.L. and Norduist⁹ R.E. 1966. Ultramicroscopic localization of acid phosphatase in human epidermis. J. Invest. Derm., 46: 431-435.
- Pette, D. 1966. Mitochondrial enzyme activities. In: Regulation of metabolic processes in mitochondria. eds. Tager, J.M., Papa, S., Quagliariello, E. and Slater, E. Amsterdam.
- Pickford, G.E., Srivastava, A.K., Slicher, A.M. and Pang, P.K. 1971. The stress response in the abundance of circulating leucocytes in the Killifish, Fundulus heteroclitus. I. The cold-shock sequence and the effects of hypophysectomy. J. Exp. Zool., 177: 89-96.
- Pilo, B., Asnani, M.V. and Shah, R.V. 1971. Studies on wound healing and repair in the pigeon liver. 5. Relationship of ascorbic acid with the collagen synthesis and connective tissue formation at the wound site. Pavo, 9: 62-67.
- Pilstrom, L. and Kiessling, K.H. 1973. A possible localization of C-glycerophosphate dehydrogenase to the inner boundary membrane of mitochondria in livers from rats fed with ethanol. Histochemie, 32: 329-334.

- Pitchappan, RM. and Muthukkaruppan, VR. 1977. Thymus-dependent lymphoid regions in the spleen of the lizard, Calotes versicolor. J. Exp. Zool., 199: 177-188.
- Plowman, M.M. and Lynn, W.G. 1973. The role of thyroid in testicular function in the gecko, Coleonyx variegatus. Gen. Comp. Endocrinol., 20: 342-346.
- Pollara, B., Finstad, J. and Good, R.A. 1969. Specific immunoglobulin in lower vertebrates lacking germinal centers. In: Lymphatic tissue and germinal centers in relation to phylogenesis. Vol. 5, Adv. exp. Med. Biol. Plenum, New York, pp. 1-8.
- Pough, F.H. 1969. Environmental adaptation in the blood of lizards. Comp. Biochem. Physiol., 31: 885-901.
- Prasad, G.C. 1971. Studies on the epithelial regeneration in vitro. Indian J. Exp. Biol., 9: 28-31.
- Prasad, M.R.N. and Sanyal, M.K. 1969. Effect of sex hormones on the sexual segment of kidney and other accessory reproductive organs of the Indian house lizard, Hemidactylus flaviviridis Ruppel. Gen. Comp. Endocrinol., 12: 110-118.

- Procaccini, D.J. 1971. Alterations of liver metabolites following amputation of forelimbs of D. viridescens : systemic response to the trauma of injury. Am. Zool., 11: 660.
- Procaccini, D.J., Procaccini, R.L. and Doyle, C.M. 1971. Liver monoamine oxidase in normal and regenerating Diemictylus viridescens. Experientia, 27: 1012-1013.
- Procaccini, D.J., Doyle, C.M. and Procaccini, R.L. 1973. Changes in liver metabolites during forelimb regeneration in the adult newt, D. viridescens. J. Exp. Zool., 186: 141-150.
- Radhakrishnan, N. 1973. Ph.D. thesis entitled, "Histological and histophysiological studies on the normal and regenerating tail of the scincoid lizard, Mabuia carinata", submitted to the M.S. University of Baroda, Baroda-2, India.
- Radhakrishnan, N. and Shah, R.V. 1973. Studies on the levels of glycogen and phosphorylase in the normal and regenerating tail of the scincoid lizard, Mabuia carinata: A quantitative and histochemical analysis J. Anim. Morphol. Physiol., 20(2): 150-159.

- Ramachandran, A.V., Radhakrishnan, N. and Shah, R.V. 1975.
Cytochrome oxidase and ascorbic acid in the normal
and regenerating tail of the scincid lizard, Mabuya
carinata : A histophysiological study. Acta Anat.,
93/3 : 411-420.
- Rasmussen, F. 1967. Healing of urinary bladder wounds.
Uptake of S^{35} - sulfate in acid mucopolysaccharides.
Proc. Soc. Exp. Biol. Med., 125: 834-837.
- Roe, J.H. 1954. Chemical determination of ascorbic acid
and dehydroascorbic acid and diketogulonic acids.
In: Methods of Biochemical Analysis. Vol. I,
ed. D. Glick, New York; Interscience.
- Rose, S.M. 1970. In: Regeneration: Key to understanding
normal and abnormal growth and development,
Appleton-century crofts, Meredith corporation,
New York.
- Roy, R.N. and Guha, B.C. 1958. Species difference in regard
to the biosynthesis of ascorbic acid. Nature,
182: 319-320.
- Rusch, H.P. and Kline, B.E. 1941. Cancer Res., 1: 465.
Cited from The Vitamins. Vol. I, eds. Sebrell and
Harris, 1967. Academic Press, New York, London.
- Ryvkina, D.E. 1940. C. R. Acad. Sci. URSS 27: 380.
(cited by A.E. Needham, 1952).

- Sacktor, B. 1970. Regulation of intermediary metabolism with special reference to the control mechanisms in insect flight muscle. Adv. Insect. Physiol., 7: 267-347.
- Sanyal, M. K. and Prasad, M.R.N. 1966. Sexual segment of the kidney of Indian house lizard, Hemidactylus flaviviridis Ruppel. J. Morphol., 118: 511-527.
- Sanyal, M.K. and Prasad, M.R.N. 1967. Reproductive cycle of Indian house lizard, Hemidactylus flaviviridis Ruppel. Copeia, 627-633.
- Schauble, J.F., Chen, R., Postlethwaite, R.W. and Dillon, M.L. 1960. Surg. Gynecol. Obstet., 110: 314. cited from B.S. Gould, 1963.
- Schauble, M.K. and Nentwig, M.R. 1974. Temperature and prolactin as control factors in newt forelimb regeneration. J. Exp. Zool., 187: 335-344.
- Schauble, M.K. and Tyler, D.T. 1972. The effect of prolactin on the seasonal cyclicity of newt forelimb regeneration. J. Exp. Zool., 182: 41-46.
- Schilling, J.A. 1968. Wound healing. Physiol. Rev., 48: 374-423.
- Schilling, J.A., McCoord, A.B., Clausen, S.W., Whelan, J.J. and Kuykendall, S.J. 1963. Electrolyte changes in healing muscle wounds in dogs. Surg. Gynecol. Obstet.; 97: 162.

- Schmidt, A.J. 1958a. Forelimb regeneration of thyroidectomised adult newts: I. Morphology. J. Exp. Zool., 137:192-226.
- Schmidt, A.J. 1958b. Forelimb regeneration of thyroidectomised adult newts. J. Exp. Zool., 139: 95-136.
- Schmidt, A.J. 1968. In: Cellular biology of vertebrate regeneration and repair. University of Chicago Press, Chicago.
- Schmidt, A.J. and Jasch, L.G. 1971. Tolerance, limb regeneration and collagen fibrogenesis under high oxygen concentrations by the adult newt, Diemictylus viridescens. J. Morphol., 133: 167-178.
- Schotté, O.E. 1926. Hypophysectomie et régénération chez les Batraciens urodeles. C.R. Soc. Phys. Hist. Nat. (Geneve)., 43: 67-72.
- Schotté, O.E. 1939. The origin and morphogenetic potencies of regenerates. Growth (supple.1), 59-76.
- Schotté, O.E. and Bierman, R.H. 1956. Effects of cortisone and allied adrenal steroids upon limb regeneration in hypophysectomized Triturus viridescens. Rev. Suisse. Zool., 63: 313-375.
- Schotté, O.E. and Chamberlain, J.L. 1955. Effects of ACTH upon limb regeneration in normal and hypophysectomized Triturus viridescens. Rev.Suisse.Zool., 62: 253-279.

- Schotté, O.E. and Hall, A.B. 1952. Effects of hypophysectomy upon the phases of regeneration in progress (Triturus viridescens). J. Exp. Zool., 121: 521-560.
- Seifter, S., Dayton, S., Novic, B. and Muntwyler, V. 1950. The estimation of glycogen with anthrone reagent. Arch. Biochem., 25: 191.
- Sen, S. 1974. Differentiated nuclei and elucidation of chromosomal control of differentiation. Nucleus (Calcutta), 17: 40-51.
- Shah, R.V. 1975. Metabolic patterns in regenerating lizard tail: A review. Proc. All India Symp. on Comparative animal Physiology, Aurangabad. (in Press).
- Shah, R.V., Asnani, M.V. and Pilo, B. 1970. Wound healing and repair in the pigeon liver. I. The role of lymphocytes in the wound healing and the initiation of hepatic cell proliferation at the wound site. J. Anim. Morphol. Physiol., 17: 75-84.
- Shah, R.V. and Chakko, T.V. 1967. Histochemical localization of glycogen and phosphorylase in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 14: 257-264.
- Shah, R.V. and Chakko, T.V. 1968a. Histological observations on the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 15: 26-39.

- Shah, R.V. and Chakko, T.V. 1968b. Preliminary observations on the changes in the thyroid activity in the house lizard, Hemidactylus flaviviridis during the different phases of tail regeneration. J. Biol. Sci., 11: 41-44.
- Shah, R.V. and Chakko, T.V. 1972. Histochemical localization of nucleic acids in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 19: 28-33.
- Shah, R.V. and Hiradhar, P.K. 1974. Studies on glycogen, glycogen synthetase and respiratory quotient in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. Neth. J. Zool., 24: 1-9.
- Shah, R.V. and Hiradhar, P.K. 1975. Glycosaminoglycans during tail regeneration in the house lizard, Hemidactylus flaviviridis (Lacertilian: Gekkonidae). J. Anim. Morphol. Physiol., 22: 43-50.
- Shah, R.V. and Hiradhar, P.K. 1977. Levels of total lipids and histochemical distribution of malic enzyme in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 24, 1 : (in Press).

- Shah, R.V., Hiradhar, P.K. and Magon, D.K. 1971. Ascorbic acid in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Embryol. Exp. Morphol., 26: 285-293.
- Shah, R.V. and Menon, G.K. 1973. Histochemical studies on pigeon definitive feathers during post-hatching, induced and regenerative modes of development. IV. Succinate and malate dehydrogenases. Pavo, 11: 92-103.
- Shah, R.V. and Menon, G.K. 1974. Histochemical studies on pigeon definitive feathers during post-hatching, induced and regenerative modes of development. I. Alkaline phosphatase. J. Anim. Morphol. Physiol., 21: 8-18.
- Shah, R.V., Pilo, B., Asnani, M.V. Kishnani, K.T. and Kathuria, P.D. 1974. Wound healing and repair in the liver of alloxan diabetic rats. I. Histological studies on the healing wounds in the liver. J. Anim. Morphol. Physiol., 21: 132-139.
- Shah, R.V. and Ramachandran, A.V. 1973. G-6-PDH and malic enzyme in the normal and regenerating tail of the Scincoid lizard, Mabuya carinata. Can. J. Zool., 51: 641-645.

- Simpson, S.B. Jr. 1965. Regeneration of the lizard tail.
In: Regeneration in animals and related problems.
ed. Kiortsis V. and H.A. Trampusch. North Holland
Publishing Co., Amsterdam, Netherlands. pp.431-443.
- Singer, M. 1974. Neurotrophic control of limb regeneration
in the newt. Ann. N. Y. Acad. Sci., 228: 308-322.
- Somero, G.N. 1973. Thermal modulation of pyruvate metabolism
in the fish, Gillichthys mirabilis : The role of
lactate dehydrogenase. Comp. Biochem. Physiol.,
44B: 205-209.
- Stocum, D.L. 1968a. The urodele limb regeneration blastema :
A self-organizing system. I. Differentiation in vitro.
Dev. Biol., 18: 441-456.
- Stocum, D.L. 1968b. The urodel limb regeneration blastema :
A self-organizing system. II. Morphogenesis and
differentiation of autografted whole and fractional
blastemas. Dev. Biol., 18: 457-480.
- Storey, K.B. and Hochachka, P.W. 1975. The kinetic requirements
of cytoplasmic alpha-glycerophosphate (CC-GP)
dehydrogenase in muscles with active CC-GP cycles.
Comp. Biochem. Physiol., 52: 175-178.
- Tam, W.H., Phillips, J.G. and Lofts, B. 1967. Seasonal variation
in histology and in vitro steroid production by Cobra
(Naja naja L) testis and adrenal gland. Proc. Asia.
Oceania Congr. Endocr. 3rd Manila, Phillipines, 2:309-314.

- Tarin, D. and Croft, C.B. 1970. Ultrastructural studies of wound healing in mouse skin. II. Dermoepidermal interrelationship. J. Anat., 106: 79-91.
- Tassava, R.A. 1969. Hormonal and nutritional requirements of forelimb regeneration and survival of adult newts. J. Exp. Zool., 170: 33-53.
- Tassava, R.A., Chlapowski, F.J. and Thornton, C.S. 1968. Limb regeneration in amblystoma larvae during and after treatment with adult pituitary hormones. J. Exp. Zool., 167: 157-164.
- Thapliyal, J.P., Gupta, S.C. and Garg, R.K. 1974. Effects of thyroidectomy on the chequered water-snake, Natrix piscator. J. Endocrinol., 60: 517-524.
- Thapliyal, J.P., Kumar, D.S. and Oommen, O.V. 1975. Variations in thyroid activity and respiratory rate during a 24-hr. period and role of testosterone and thyroxine on the oxidative metabolism of the water snake, Natrix piscator. Gen. Comp. Endocrinol., 26: 100-106.
- Thornton, C.S. 1959. In: Regeneration in vertebrates. 108 pp. Univ. Chicago Press, Chicago, Illinois.
- Trampusch, H.A.L. and Harrebomée, A.E. 1965. Differentiation: a pre-requisite of regeneration. In: Regeneration in animals and related problems. Eds. Kiortsis V. and H.A.L. Trampusch, pp.341-376. Amsterdam; North Holland.

- Tsanev, R. 1963. Role of nucleic acids in the wound healing process. Symp. Biol. Hung., 3: 55-73.
- Tsmura, O. 1963. The effect of a protein anabolic hormone (4-chlorotestosterone acetate) on wound healing: IV. J. Med. Soc. Toho Univ., 10: 173-177.
- Tsmura, O. and Ishida, K. 1963. An effect of a protein anabolic hormone (4-chlorotestosterone acetate) on wound healing. II. J. Med. Soc. Toho Univ., 10: 26-36.
- Turner, J.E. 1972. Effect of hypophysectomies and thyroxine replacement upon the initiation of tail regeneration in the lizard, Anolis carolinensis. J. Morphol., 137: 449-462.
- Turner, J.E. and Tipton, S.R. 1971. The role of the lizard thyroid gland in tail regeneration. J. Exp. Zool., 178: 63-86.
- Vaughn, J. 1953. The function of the eosinophilic leucocyte. Blood, 8: 1-15.
- Vethamany-Globus, S. and Liversage, R.A. 1973a. The relationship between the anterior pituitary gland and the pancreas in tail regeneration of the adult newt. J. Embryol. Exp. Morphol., 30: 415-426.

- Vethamany-Globus, S. and Liversage, R.A. 1973b. Effects of insulin insufficiency on forelimb and tail regeneration in adult Diemictylus viridescens. J. Embryol. Exp. Morphol., 30: 427-447.
- Waterman, A.J. 1965. Prolactin and regeneration of the forelimb of the newt. Am. Zool., 5:237.
- Weber, R. 1967. "Biochemistry of Amphibian Metamorphosis". In: Biochemistry of animal development. Ed. R. Weber, Academic Press, New York, and London.
- Weller, E.M. 1975. Regeneration. In: Biologic basis of wound healing. pp. 292-310. Ed. Menakar, L., Harper & Row : New York.
- Wetherall, J.D. and Turner, K.J. 1972. Immune response of the lizard, Tiliqua rugosa. Aust. J. Exp. Biol. Med. Sci., 50: 79-95.
- Wilkerson, J.A. 1963. The role of growth hormone in regeneration of the forelimb of the hypophysectomised newt. J. Exp. Zool., 154: 223-230.
- Woodland, W.N.F. 1920. Some observations on caudal autotomy and regeneration in the gecko (Hemidactylus flaviviridis Ruppel) with notes on the tails of Sphenodon and Pygopus. Quart. J. Microscop. Sci., 65: 63-100.

- Yew, M.S. 1973. Recommended daily allowances for vitamin C. Proc. Nat. Acad. Sci., 70:969-972.
- Yoshikawa, K. 1963. The influence of a protein anabolic hormone (4-chlorotestosterone acetate) on wound healing: Histopathologic and histochemical observations. Clin. End. (Tokyo), 11: 1069-1072.
- Zamanskii, L.N. and Lopushanskii, A.E. 1955. Ukrain. Biochim. Zbur., (cited from B.S. Gould, 1963).
- Zika, J. and Singer, M. 1965. The relation between nerve fiber and limb regeneration capacity in the lizard, Anolis. Anat. Rec., 152: 137-140.