

REFERENCES

- Agriculture Information, (1992). Technical Bulletin- Revised (No. 11), Directorate of Agriculture-DOA, Government of Gujarat.
- Anderson, J. R., (1976). A Land Use and Land Cover Classification for Use with Remote Sensor Data, U.S. Geological Survey Professional Paper 964, Washington, U.S.
- Baroda A Guide Book Published By The Information Office Baroda, January (1942), Baroda State Press.
- Baroda through the Ages. M.S. University Archaeology, Series No.1. Baroda, Subbarao, B. (1953).
- Barredo, J.L., Demicheli, L., (2003). Urban Sustainability in Developing Countries Mega Cities, Modeling and Predicting Future Urban Growth in Lagos. *Cities*, 20(5): pp 297-310.
- Bastiaanssen, W. G. M., Menenti, M., Feddes, R. A., & Holtslag, A. A. M., (1998). A Remote Sensing Surface Energy Balance algorithm for Land (SEBAL) Formulation. *Journal of Hydrology*, 212(1–4): Pp 198–212.
- Batty, M.; Xie, Y. (1994). From Cells to Cities. *Environ. Plan. B Plan. Des.*, 21, pp 531–548.
- Batty, M.; Xie, Y.; Sun, Z., (1999). Modelling Urban Dynamics through GIS-Based Cellular Automata. *Comput. Environ. Urban Syst.* 23, pp 205–233.
- Benenson, I.; Torrens, P.M., (2004). Geo simulation: Object-Based Modelling of Urban Phenomena. *Comput. Environ. Urban System*, 28, pp 1–8.
- Bharath, A.H., Sreekantha, S., Durgappa, D.S., Ramachandra, T.V., (2012). Spatial Patterns of Urbanization in an Emerging Tier II City. *Proceedings of Samanway. Indian Institute of Science.*

Bhatta, B., (2009a). Analysis Of Urban Growth Pattern Using Remote Sensing And GIS: A Case Study of Kolkata, India, *International Journal of Remote Sensing*, 30(18): pp 4733–4746.

Bhatta, B., (2009b). Modeling Of Urban Growth Boundary Using Geo-Informatics, *International Journal of Digital Earth*, 2(4): pp 359–381.

Bhatta, B., (2010). Analysis of Urban Growth and Sprawl from Remote Sensing Data, Berlin, Heidelberg: Springer-Verlag.

Bhatta, B., Saraswati, S., & Bandyopadhyay, D., (2010). Urban Sprawl Measurement from Remote Sensing Data. *Applied Geography*, 30(4): pp 731–740.

Bindu Bhatt and Joshi J.P., (2012). Sustainable management of agricultural lands using GIS: A Spatio-Temporal analysis of irrigation water quality in Vadodara Taluka, 2(3): pp 901-910.

Black, T.J. (1996). The Economics of Sprawl, In: *Urban Land* 55 (3): pp 6-52.

Bonyad, A., (2005). Multitemporal Satellite Image Database Classification for Land Cover Inventory and Mapping. *J. Applied Sci.*, 5, pp 834-837.

Brown, D.G., Pijanowski, B.C., and Duh, J.-D., (2000). Modeling the Relationships between Land-Use and Land-Cover on Private Lands in the Upper Midwest, USA. *Journal of Environmental Management*, 59, pp 247-263.

Brown, D.G.; Riolo, R.; Robinson, D.T.; North, M.; Rand, W., (2005). Spatial Process and Data Models: Toward Integration of Agent-Based Models and GIS. *J. Geographic. System*. 7, pp 25–47.

Brueckner, J. K. (2001). Urban Sprawl: Lessons From Urban Economics in: W. G. Gale and J. R. Pack (Eds.), *Brookings-Wharton Papers on Urban Affairs*. Washington, DC, USA: Brookings Institution.

- Chen, X. L., Zhao, H. M., Li, P. X., Yin, Z. Y., (2006). Remote sensing image-Based Analysis of The Relationship between Urban Heat Island and land Use/Cover Changes, *Remote Sensing Of Environment*, 104(2): pp 133-146.
- Cheng, J., and Masser, I. (2003). Urban Growth Pattern Modelling: A Case Study of Wuhan City, PR China. *Landscape And Urban Planning*, 62, pp 199-217.
- Christopher Munyati, (2004). Use of Principal Component Analysis (PCA) Of Remote Sensing Images in Wetland Change Detection on the Kafue Flats, Zambia. *Geocarto International*, 19.
- Coll, C., Caselles, V., Galve, J. M., Valor, E., Niclos, R., Sanchez, J. M., & Rivas, R., (2005). Ground Measurements for The validation Of Land Surface Temperatures Derived from ASTER And MODIS Data. *Remote Sensing Of Environment*, 97(3): pp 288–300.
- Connese, C., G. Maracchi, F. Miglietta and F. Maselli, (1988). Forest Classification by Principal Component Analyses of TM Data. *Int. J. Remote Sens.*, 9, pp 1597-1612.
- Conway, T., Hackworth, J. (2007). Urban Pattern and Land Cover Variation in the Greater Toronto Area. *Canadian Geographer / Le G´Eographe Canadien*, 51(1): pp 43–57.
- Dewan, A.M.; Yamaguchi, Y., (2009). Land Use and Land Cover Change in Greater Dhaka, Bangladesh: Using Remote Sensing To Promote Sustainable Urbanization. *Applied. Geography*. 29, pp 390–401.
- Dietzel, C., Herold, M., Hemphell, J.J., Clarke, K.C., (2005). Spatio-Temporal Dynamics in California’s Central Valley, Empirical Links to Urban Theory, *Int. J. Geographic Information Science*, 19(2): pp 175-195.
- Ding, J.L., M.C. Wu And T. Tiyip, (2011). Study On Soil Salinization Information In Arid Region Using Remote Sensing Technique. *Agric. Sci. China*, 10, pp 401-411.

Dwarakish, G.S.; Nithyapriya, B., (2016). Application of Soft Computing Techniques in Coastal Study—A Review. *Journal of Ocean Engineering Science*, 1, pp 247–255.

Eastman, J.R. And M. Fulk, (1993). Long Sequence Time Series Evaluation Using Standardized Principal Components. *Photogramm. Eng. Remote Sens.*, 59, pp 991-996.

ERDAS Inc., (1994). *Erdas Imagine Field Guide*. 3rd Edn. Erdas Inc., Atlanta, GA., USA.

Fung, T., Ledrew E., (1987). Application of Principle Component Analysis to Change Detection. *Photogrammetric Engineering & Remote Sensing*, 53, pp 1649-1658.

Galster, G., Hanson R., Wolman, H., Coleman, S., Freihage, J. (2001), Wrestling Sprawl To The Ground: Defining And Measuring An Elusive Concept, *Housing Policy Debate*, 12 (4): Fannie Mae Foundation, pp 681-717.

Geological Survey of India, (2002).

Gonzalez-Abraham, C.E., Radeloff, V.C., Hammer, R.B., Hawbaker, T.J., Stewart, S.I., Clayton, M.K., (2007). Building Patterns and Landscape Fragmentation in Northern Wisconsin, USA. *Landscape Ecology*, 22(2): pp 217–230.

Grigg, David, (1965). The Logic of Regional Systems: *Annals Assoc. Amer. Geographers*, 55 (3): pp 465-491.

Gusso, A., & Fontana, D.C., (2005). Vertical Variation Survey of the Nocturnal Air Temperature Using NOAA/AVHRR Satellite data. *Anais XII Symposium Brasileiro Desensoriamento Remoto*, Goiania, Brasil. pp 173 - 179.

H.S. Sudhira, T.V. Ramachandra and K.S. Jagadish, (2004). Urban Sprawl: Metrics, Dynamics and Modelling Using GIS *International Journal of Applied Earth Observation and Geoinformation*, 5, pp.29-30.

Hahs, A.K., McDonnell, M.J., (2006). Selecting Independent Measures to Quantify Melbourne's Urban-Rural Gradient. *Landscape and Urban Planning*, 78(4): pp 435–448.

Haines-Young, R., Chopping, M., (1996). Quantifying Landscape Structure: A Review Of Landscape Indices And Their Application To Forested Landscapes. *Progress in Physical Geography*, 20(4): pp 418–445.

Herold, M., Couclelis, H., Clarke, K.C., (2005). The Role of Spatial Metrics in the Analysis and Modeling of Urban Land Use Change, *Computers, Environment and Urban Systems*, Vol.29, pp.369–399.

Herold, M., Scepan, J., Clarke, K.C., (2002). The Use of Remote Sensing and Landscape Metrics to Describe Structures and Changes in Urban Land Uses, *Environment and Planning A*, 34(8): pp 1443-1458.

Hossein shafizade moghadam, Marco Helbich, (2013). Spatiotemporal Urbanisation Processes In The Megacity Of Mumbai, India: A Markov Chains-Cellular Automata Urban Growth Model, *Applied Geography*, pp 140–149.

Huang, B.; Xie, C.; Tay, R.; Wu, B., (2009). Land-Use-Change Modeling Using Unbalanced Support-Vector Machines. *Environ. Plan.B Plan.Des*, 36, pp 398–416.

Ingebritsen, S.E. And Lyon, J.P., (1985). Principle Component Analysis of Multispectral Image Pairs. *International Journal of Remote Sensing*, 6, pp 687–696.

Jamalabad M.S., Akbar A.A. (2004): Forest canopy density monitoring, using satellite images. In: Altan O. (Ed.). *Proceedings of the 20th ISPRS Congress, Commission VII, Istanbul*: pp 244–249

Jensen J.R, (2004). *Remote Sensing of the Environment an Earth Resources Perspective*. Pearson Education Series in Geography Information Science. (2Ed.), pp 181-186. (Textbook)

Jensen J.R, (2011). Introductory of Digital Image Processing: A Remote Sensing Perspective. (Textbook).

Jensen, J.R. And Cowen, D.C. (1999). Remote Sensing Of Urban Suburban Infrastructure And Socio-Economic Attributes. Photogrammetric Engineering Remote Sensing, 65 (5): pp 611-622.

Ji, C. Y., Lin, P., Li, X., Liu, Q., Sun, D., Wang, S., (2001). Monitoring Urban Expansion with Remote Sensing In China, International Journal of Remote Sensing, 22(8): pp 1441–1455.

Jokararsanjani, J.; Helbich, M.; Kainz, W.; (2013). Darvishibolorani, A. Integration of Logistic Regression, Markov Chain and Cellular Automata Models to Simulate Urban Expansion. International Journal Applied Earth Obs. Geoinformation, 21, pp 265–275.

Jolliffe, I.T., (2002). Principal Component Analysis (Berlin: Springer Press).

Jomaa, I., Kheir, R. Bou., (2003). Multitemporal Unsupervised Classification and NDVI to Monitor Land Cover Change in Lebanon (1987-1997). National Council For Scientific Research/National Center For Remote Sensing, Beirut, Lebanon.

Joshi J. P. and Bindu Bhatt., (2011).Quantifying Urban Sprawl: A Case Study of Vadodara Taluka. Geoscience Research, 2(1): pp 34-37.

Joshi J. P. And Bindu Bhatt., (2012). Estimating Temporal Land Surface Temperature Using Remote Sensing: A Study of Vadodara Urban Area, International Journal of Geology, Earth and Environmental Sciences, 2 (1): Pp.123-130.

Kantakumar N Lakshmi, Sawant Nikhil G, Kumar Shamita, (2011). Forecasting Urban Growth Based On GIS, RS And SLEUTH Model In Pune Metropolitan Area International Journal Of Geomatics And Geosciencesyear, 2(2): pp 568-579.

- Karnieli, A., Agam, N., Pinker, R. T., Anderson, M., Imhoff, M. L., Gutman, G. G., Goldberg, A., (2010). Use of NDVI and Land surface Temperature for Drought Assessment: Merits and Limitations. *Journal of Climate*, 23, pp 618–633.
- Kasturirangan, K., (1996). Ground Based Measurements for Interpretation of Vegetation Indices over Developing Countries. *Advances in Space Research* 17(8): pp 31-40.
- Li, X., Yeh, A., (1998). Principle Component Analysis of Stacked Multi-Temporal Images for the Monitoring Of Rapid Urban Expansion in the Pearl River Delta. *International Journal of Remote Sensing*: 19 (8): pp 1501-1518.
- Li, X.; Chen, Y.; Liu, X.; Li, D.; He, J., (2011). Concepts, Methodologies, and Tools of an Integrated Geographical Simulation and Optimization System. *International Geographical. Information Science*. 25, pp 633–655.
- Li, Z., & Becker. F., (1993). Feasibility of Land Surface Temperature and Emissivity Determination from AVHRR Data. *Remote Sensing Of Environment*, 43(1): pp 67–85.
- Liu, X.; Ma, L.; Li, X.; Ai, B.; Li, S.; He, Z., (2014). Simulating Urban Growth By Integrating Landscape Expansion Index LEI And Cellular Automata. *International Journal of Geographic Information. Science*, 28, pp148–163.
- Lo, C.P., Yang, X., (2002). Drivers of Land-Use/Land-Cover Changes and Dynamic Modelling for the Atlanta, Georgia Metropolitan area. *Photogrammetry, Eng. Remote Sens.* 68(10): pp 1062–1073.
- Long, H.L., Tang, G.P., Li, X.B., Heilig, G.K., (2007). Socio-Economic Driving Forces of Land-Use Change in Kunshan, the Yangtze River Delta Economic Area of China. *J. Environ. Manage.* 83 (3): pp 351–364.

- Luck, M., Wu, J.G. (2002). A Gradient Analysis of Urban Landscape Pattern: A Case Study from the Phoenix Metropolitan Region, Arizona, USA. *Landscape Ecology*, 17(4): pp 327–339.
- Lucy W. And Philips D., (2001). *Suburbs and the Census, Patterns of Growth and Decline*, Survey Series, Washington D C: Brookings Institution, Centre on Urban and Metropolitan Policy.
- Maithani, S., (2010). Application of Cellular Automata and GIS Techniques in Urban Growth Modelling: A New Perspective, *Institute Of Town Planners, India Journal*, 7-1, pp 36 – 49.
- Mannstein, H., (1987). Surface Energy Budget, Surface Temperature and Thermal Inertia', *Remote Sensing Applications in Meteorology and Climatology* In R. A. Vaughan, & D. Reidel (Eds.), (Vol. 201) NATO ASI Series C: Mathematical And Physical sciences. pp 391–410.
- Martin Jung, (2016). Lecos. A Python Plugin for Automated Landscape Ecology Analysis. *Ecological Informatics*, 31, pp 18-21.
- Mas, J. F., (1999). Monitoring Land-Cover Change: A Comparison of Change Detection Techniques. *International Journal of Remote Sensing*, 20, pp 139–152.
- Masroor Hussain Dongmei, Angela Cheng, Hui Wei, and David Stanley, (2013). Change Detection from Remotely Sensed Images: From Pixel-Based To Object-Based Approaches. *ISPRS Journal of Photogrammetry and Remote Sensing*, 80, pp.91–106.
- Mcdonnell, M.J., Pickett, S.T.A., Groffman, P., Bohlen, P., Pouyat, R.V., Zipperer, W.C., Parmelee, R.W., Carreiro, M.M., Medley, K., (1997). Ecosystem Processes along an Urbanto-Rural Gradient. *Urban Ecosystems*, 1(1): pp 21–36.
- Mcgarigal, K., & Marks, B. J., (1995). FRAGSTATS: Spatial Pattern Analysis Program for Quantifying Landscape Structure. USDA Forest Service General Technical Report, pp 351.

Meyer, B., W & Turner II B. L., (1992). Human Population Growth Land-Use/Cover Change, Annual Review of Ecology and Systematics, No. 23 pp 39-61.

Molles, M., (2006). Ecology: Concepts and Applications, 4th Ed. Mcgraw Hill, Boston, USA.

Moore, N.; Alagarwamy, G.; Pijanowski, B.; Thornton, P.; Lofgren, B.; Olson, J.; Qi, J., (2012) East African Foodsecurity As Influenced By Future Climate Change And Land Use Change At Local To Regional Scales. Clim. Chang. 110, pp 823–844.

Nielson, A., Conradsen, K., Simpson, J., (1998). Multivariate Alteration Detection (MAD) and MAF Post Processing In Multi-Spectral Bi-Temporal Image Data: New Approaches to Change Detection Studies. Remote Sensing Of Environment, 64, pp 1–19.

Ozturk, D., (2015). Urban Growth Simulation of Atakum (Samsun, Turkey) Using Cellular Automata-Markov Chain and Multi-Layer Perceptron-Markov Chain Models. Remote Sensing. 7, pp 5918–5950.

Patel, S., Joshi, J.P., Bhatt, B., (2017). An Assessment of Spatio-Temporal Variability Of land Surface Temperature Using MODIS Data: A Study of Gujarat State, India. Geography Compass.

Pathan, S.K., Jothimani, P., Pendharkar, S.P. And Sampat Kumar, D., (1989). Urban Land Use Mapping And Zoning Of Bombay Metropolitan Region Using Remote Sensing Data, J. Indian Soc. Remote Sensing, 17(3): pp 11-22.

Pathan, S.K., Shukla, V.K., Patel, R.G., Mehta, K, S., (1991). Urban Land Use Mapping - A Case Study of Ahmedabad City and Its Environs, J Indian Society Remote Sensing, 19(2): pp 95- I 12.

Pathan, S.K., Patel, J G., Bhanderi. R.J., Ajai, Kulshrestha, Goyal, V.P., Banarjee. D.L., Marthe, S., Nagar, V.K., Katare, V., (2004). Urban Planning With Specific

Reference to Master Plan of Indore City Using RS and GIS Techniques. Proc. Of GSDI-7, International Conference on Spatial Data Infrastructure for Sustainable Development.

Pathan, S.K., Sampat Kumar D., Mukund Rao., Sastry S.V.C., (1993). Urban Growth Trend Analysis Using GIS Techniques-A Case Study Of The Bombay Metropolitan Region, *Int. J Remote Sensing*, 14(17): pp 3169 – 3179.

Peiser, 2001; Peiser, R. (2001). Decomposing Urban Sprawl, *The Town Planning Review* 72 (3): pp 275-298.

Pettorelli, N., Vik, J.O., Mysterud, A., Gaillard, J.M., Tucker, C. J. & Stenseth, N.C., (2005), Using The Satellite-Derived NDVI To Assess Ecological Responses To Environmental Change, *Trends In Ecology & Evolution*, 20(9): pp 503-510.

Pijanowski, B.C.; Brown, D.G.; Shellito, B.A.; Manik, G.A., (2002). Using Neural Networks and GIS to Forecast Land Use Changes: A Land Transformation Model. *Comput. Environ. Urban System*, 26, pp 553–575.

Pijanowski, B.C.; Long, D.T.; Gage, S.H.; Cooper, W.E., (1997). A Land Transformation Model: Conceptual Elements, Spatial Object Class Hierarchies, GIS Command Syntax and An Application for Michigan's Saginaw Bay watershed. In *Proceedings of The Land Use Modelling Workshop*, USA.

Pilon, P. G., Howarth, P. J., Bullock, R. A., Adeniyi, P. O., (1988). An Enhanced Classification Approach to Change Detection in Semi-Arid Environments. *Photogrammetric Engineering and Remote Sensing*, 54, pp 1709–1716.

Price, Et Al., (2002) Investigated How To Find Optimal Landsat TM Band Combinations And Vegetation Indices For Discrimination Of Six Grassland Types.

Primary Census Abstract (1990). Government of India.

Primary Census Abstract (2001). Government of India.

Primary Census Abstract (2011). Government of India.

Purevdorj, T. S., Tateishi, R., Ishiyama, T., & Honda, Y., (1998). Relationships between Percent Vegetation Cover and Vegetation Indices. *International Journal of Remote Sensing*, 19(18): pp 3519–3535.

Ramachandra and Kumar, (2009). Ramachandra, T. V., Kumar, U., (2009). Land Surface Temperature with Land Cover Dynamics: Multi-Resolution, Spatio-Temporal Data Analysis of Greater Bangalore, *International Journal of Geoinformatics*, 5 (3): pp 43-53.

Ramachandra, T.V., Bharath, A.H., & Durgappa, D.S., (2012). Insights to Urban Dynamics through Landscape Spatial Pattern Analysis, *Int. J Applied Earth Observation and Geoinformation*, 18, pp 329-343.

Ridd, M., Liu J., (1998). A Comparison of Four Algorithms for Change Detection in An Urban Environment. *Remote Sensing Of Environment*, 63, pp 95-100.

Roerink, G. J., Su, Z., & Menenti, M., (2000). S - SEBI: A Simple Remote Sensing Algorithm to Estimate the Surface Energy balance. *Physics and Chemistry of the Earth, Part B: Hydrology. Oceans and Atmosphere*, 25(2): pp 147–157.

Routray, J.K., (1993). *Urban and Regional Planning In Practice in India*, Habitat International, 17(3): pp 55-74.

Routray, J.K., Rath, K.C. And Sahoo, N.N., (2000). *Urban Land Development and Informal Settlement Planning: A Study on Bhubaneswar City in Eastern India*, HSD Research Monograph School of Environment. Resources and Development. Asian Institute of Technology, Bangkok.

Sabins, F., (1996). Remote Sensing: Principles and Interpretation. New York, W H Freeman & Co. Sohl, T.L. Change Analysis in the United Arab Emirates: An Investigation of Techniques. Photogrammetric Engineering and Remote Sensing, 65(4): pp 475 – 484.

SainuFranco¹ , Pramod Kumar¹ , V. R. Mandla , And K. Rama Mohan Rao, (2015).Urban Growth Simulation For An Emerging Indian Megacity Using Cellular Automata. International Journal of Earth Science and Engineering, pp 376-381.

Samardžić-Petrović, M.; Dragićević, S.; Kovačević, M.; Bajat, B., (2015).Modelling Urban Land Use Changes Using Support Vector Machines. Trans. GIS, 20, pp 718–734.

Senseman, Gary M. Tweddale, Scott A. Anderson, Alan B. And Bagley, Calvin F., (1996). Correlation of Land Condition Trend Analysis (LCTA) Rangeland Cover Measures to Satellite Imagery Derived Vegetation Indices.

Seto, K.C., Fragkias, M., (2005). Quantifying Spatiotemporal Patterns of Urban Land-Use Change in Four Cities of China with Time Series Landscape Metrics, Landscape Ecology, 20(7): pp 871– 888.

Shashidhar, H. (2001). Provisional Population Totals: Rural - Urban Distribution of Population. Bangalore, Directorate of Census Operations.

Sheikh Mustak, Naresh Kumar Baghmar, Sudhir Kumar Singh, (2015). Prediction of Industrial Land Use Using Linear Regression and Mola Techniques: A Case Study of Siltara Industrial Belt, Landscape & Environment 9 (2): pp 59-70

Silva, E.A.A.K.C., (2005). Complexity, Emergence and Cellular Urban Models: Lessons Learned From Applying SLEUTH To Two Portuguese Cities. European Planning Studies, 13(1), pp. 23.

Singh, A., (1989). Digital Change Detection Techniques Using Remotely-Sensed Data. *International Journal of Remote Sensing*, 10, pp 989–1003.

Sobrino, J. A., Kharraz, J. E., & Li, Z. L., (2003). Surface Temperature and Water Vapour Retrieval from MODIS Data. *International journal of Remote Sensing*, 24(24): pp 5161–5182.

Socio-Economic Review, (2012), Gujarat State Directorate of Economics and Statistics Government of Gujarat.

Southworth, J., (2004). An Assessment Of Landsat TM Band 6 Thermal Data For Analysing Land Cover In Tropical Dry Forest Regions. *Int. jour. Remote Sens.*,25(4): pp 689–706.

Store, R.; Kangas, J., (2001). Integrating Spatial Multi-Criteria Evaluation and Expert Knowledge for GIS-Based Habitat Suitability Modelling. *Lands. Urban Plan*, 55, pp 79–93.

Subbarao, B.,(1952). Archaeological Exploration in the, Mahi Valley. *Jour. Baroda University*, 1, pp. 34-72.

Sudhira, H.S., Ramachandra, T.V., & Jagadish, K.S., (2004). Urban Sprawl: Metrics, Dynamics and Modeling Using GIS, *International Journal of Applied Earth Observation and Geoinformation*, 5(1), pp 29 – 39.

Sudhira, H.S., Ramachandra, T.V., and Jagadish, K.S., (2004)
Urban Sprawl: Metrics, Dynamics and Modelling Using GIS. *Int. J Applied Earth Observation and Geoinformation*, 5, pp 29-39.

Sunar, F., (1998). An Analysis of Change in a Multi-Date Data Set: A Case Study in the Ikitelli Area, Istanbul, Turkey. *International Journal of Remote Sensing*, 19, pp 225-235.

T.V. Ramachandra, (2007). Comparative Assessment of Techniques for Bio-Resource Monitoring Using GIS and Remote Sensing, 1(2).

- T.V. Ramachandra, A.H. Bharath., (2012). Land Use Dynamics At Padubidri, Udupi District With The Implementation Of Large Scale Thermal Power Project. *International Journal of Earth Sciences and Engineering*, 5, pp 409-417.
- Tang, J.; Wang, L.; Yao, Z., (2007).Spatio-Temporal Urban Landscape Change Analysis Using the Markov Chain Model and A Modified Genetic Algorithm. *International Journal of Remote Sensing*, 28, pp 3255–3271.
- Tayyebi, A.; Pijanowski, B.C., (2014). Modeling Multiple Land Use Changes Using ANN, CART and MARS: Comparing Tradeoffs in Goodness of Fit and Explanatory Power Of Data Mining Tools *International Journal Applied Earth Obs. Geoinformation*. 28, pp 102–116.
- Tayyebi, A.; Pijanowski, B.C.; Tayyebi, A.H., (2011). An Urban Growth Boundary Model Using Neural Networks, GIS and Radial Parameterization: An Application to Tehran, Iran. *Lands.Urban Plan.*, 100, pp 35–44.
- Theobald, D.M., 2001. Land-Use Dynamics beyond the American Urban Fringes. *Geogr. Rev.* 91, pp 544–564.
- Tian, G., Liu, J., Xie, Y., Yang, Z., Zhuang, D., and Niu, Z., (2005). Analysis of Spatio Temporal Dynamic Pattern and Driving Forces of Urban land in China in 1990s Using TM Images and GIS. *Cities* 22(6): pp 400-410.
- Torrens, P.M. And O'Sullivan, D., (2001). Editorial: Cellular Automata and Urban Simulation. *Environment and Planning B*, 28, pp. 163-168.
- Tucker, C. J., (1979). Red and Photographic Infrared Linear Combinations for Monitoring Vegetation. *Remote Sensing Of the Environment*, 8, pp 127-150.
- Tucker, Compton, J., (1979). Red And Photographic Infrared Linear Combinations For Monitoring Vegetation, *Remote Sensing Of Environment*, 8, pp 127-150.

Turner, M.G., (1989). Landscape Ecology: The Effect of Pattern on Process. *Annual Review of Ecology and Systematics*, 20, pp 171–197.

Turner, R.E., Rabalais, N.N., Justic, D., Dortch, Q., (2003). Global Patterns of Dissolved N, P and Si in Large Rivers, *Biogeochemistry*, 64(3): pp 297–317.

United Nations. (2004). Executive Summary, *World Urbanization Prospects: The 2003 Revision*. New York: Population Division, Department of Economic and Social Affairs, United Nations.

US Geological Survey, (2010). *Greenness of the Conterminous U.S.*

Uuemaa, E., Antrop, M., Roosaare, J., Marja, R., Mander, U., (2009). Landscape Metrics and Indices: An Overview of Their Use in Landscape Research. *Landsc. Res.* 3, pp 1–28.

Verburg, P.H., Veldkamp, A., Fresco, L.O., (1999). Simulation of Changes in the Spatial Pattern of Land Use in China. *Appl. Geogr.* 19, pp 211–233.

Verburg, P.H.; Schot, P.P.; Dijst, M.J.; Veldkamp, (2004). A. Land Use Change Modeling: Current Practice and Research Priorities. *Geographical journal* 61, pp 309–324.

Verzosa, L.C.O. And Gonzalez, R.M., (2007). Remote Sensing, Geographic Information Systems and Shannon's Entropy: Measuring Urban Sprawl In A Mountainous Environment, In: Wagner W., Szekely, B. (Eds.): *ISPRS TC VII Symposium – 100 Years ISPRS*, Vienna, Austria, IAPRS, 38.

Wei, JI. Mia, Jia, Twibell, R.W., Underhill, K., (2004). Characterizing Urban Sprawl Using Multi Stage Remote Sensing Images and Landscape Metrics, *Computers. Environment and Urban Systems*, 30, pp. 861 – 879.

Weng, Y.-C., (2007). Spatiotemporal Changes of Landscape Pattern in Response to Urbanization. *Landscape and Urban Planning*, 81(4): pp 341–353.

- Wu, F., (1998). Simulating Urban Encroachment on Rural Land with Fuzzy-Logic-Controlled Cellular Automata in a Geographical Information System. *J. Environ. Management*, 53, pp 293–308.
- Wu, F.; Webster, C.J., (1998). Simulation of Land Development through the Integration of Cellular Automata and Multicriteria Evaluation. *Environ. Plan.B Plan.Des*, 25, pp 103–126.
- Wu, J.G., Shen, W.J., Sun, W.Z., Tueller, P.T., (2002). Empirical Patterns of the Effects of Changing Scale on Landscape Metrics. *Landscape Ecology*, 17(8): pp 761–782.
- Wu, Q.; Li, H.; Wang, R.; Paulussen, J.; He, Y.; Wang, M.; Wang, B.; Wang, Z., (2006). Monitoring and Predicting Land Use Change in Beijing Using Remote Sensing and GIS. *Lands.Urban Plan*, 78, pp 322–333.
- Xie, Y.C., Yu, M., Bai, Y.F., Xing, X.R., (2006). Ecological Analysis of an Emerging Urban Landscape Pattern-Desakota: A Case Study in Suzhou, China. *Landscape Ecology*, 21(8): pp 1297–1309.
- Xu, H., (2008). A New Index for Delineating Built-Up Land Features in Satellite Imagery. *Int. J. Remote Sens.* 29, pp 4269–4276.
- Xu, R.; Wunsch, D., (2005). Survey of Clustering Algorithms. *IEEE Trans. Neural Network*. 16, pp 645–678.
- Yang, X.J., Liu, Z., (2005). Quantifying Landscape Pattern and Its Change in an Estuarine Watershed Using Satellite Imagery and Landscape Metrics. *International Journal of Remote Sensing*, 26(23): pp 5297–5323.
- Yeh, A.G.O. And Li, X., (1997). An Integrated Remote Sensing and GIS Approach in the Monitoring and Evaluation of Rapid Urban Growth for Sustainable Development in the Pearl River Delta, China. *International Planning Studies*, 2, pp 193–210.

Yeh, A.G.O., & Li. X., (2001). Measurement and Monitoring Of Urban Sprawl in a Rapidly Growing Region Using Entropy. *Photogrammetric Engineering and Remote Sensing*, 67(1): pp 83-90.

Yu, X. J., And Ng, C. N., (2007). Landscape and Urban Planning. Spatio And Temporal Dynamics Of Urban Sprawl Along Two Urban-Rural Transects: A Case Study of Guamgzhou, China 79, pp 96-109.

Y.C. Li, C. Y. He., (2008). Scenario Simulation and Forecast of Landuse/ Cover in Northern China. *Chin .Sci. B.*, 53, pp 1401-1412.

Zhao,H. M., Chen, X. L., (2005). Use Of Normalized Difference Bareness Index In Quickly Mapping Bare Areas From TM/ETM+. *Geoscience and remote Sensing Symposium*, 3(25–29): pp 1666-1668.